

**NATIONAL MENTAL HEALTH SERVICES
SURVEY (N-MHSS): 2016**

CODEBOOK

Center for Behavioral Health Statistics and Quality
Substance Abuse and Mental Health Services Administration

Acknowledgements

This data file was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS).

Terms of Use

These data are distributed under the following terms of use; by continuing past this page, you signify agreement to comply with the requirements below:

Privacy of Study Respondents

Any intentional identification of an individual or organization, or unauthorized disclosure of identifiable information, violates the promise of confidentiality given to the providers of the information. Disclosure of identifiable information may also be punishable under federal law. Therefore, users of data agree to:

Use these datasets solely for research or statistical purposes, and not for investigation or re-identification of specific individuals or organizations.

Make no use of the identity of any individual discovered inadvertently, and report any such discovery to SAMHSA (BHSIS_HelpDesk@eagletechva.com).

Public Domain Notice

All material appearing in this document is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. This publication may not be reproduced or distributed for a fee without specific, written authorization of the Office of Communications, SAMHSA, U.S. Department of Health and Human Services.

Recommended Citation

Substance Abuse and Mental Health Services Administration, *National Mental Health Services Survey (N-MHSS): 2016. Data on Mental Health Treatment Facilities*. BHSIS Series S-98, HHS Publication No. (SMA) 17-5049. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2017.

Authors that use these data are encouraged to send citations of their publications to SAMHSA for inclusion in a database of related work (BHSIS_HelpDesk@eagletechva.com).

Disclaimers

Data users acknowledge that SAMHSA and Eagle Technologies, Inc., bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

SAMHSA complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. *SAMHSA cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo.*

Violations

If SAMHSA determines this terms of use agreement has been violated, possible sanctions include:

- report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution;
- report of the violation to the Federal Office for Human Research Protections, if the confidentiality of human subjects has been violated;
- report of the violation of federal law to the United States Attorney General for possible prosecution;
- court-awarded payments of damages to any individual(s) or organization(s) harmed by the breach of confidential data.

DESCRIPTION OF THE NATIONAL MENTAL HEALTH SERVICES SURVEY (N-MHSS)

The 2016 National Mental Health Services Survey (N-MHSS) conducted from March 2016 through January 2017. The N-MHSS collects information from all known facilities in the United States, both public and private, that provide mental health treatment services to people with mental illness.¹ The Center for Behavioral Health Statistics and Quality (CBHSQ) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs the N-MHSS.

The N-MHSS provides a mechanism for quantifying the dynamic character and composition of the mental health treatment delivery system. It is the only source of national and state-level data on the mental health services delivery system reported by both publicly and privately operated specialty mental health care facilities. The N-MHSS collects data on the location, characteristics, and utilization of organized mental health treatment service providers (for facilities within the scope of the survey) throughout the 50 states, the District of Columbia, and U.S. territories.²

The N-MHSS complements, but does not duplicate, the information collected through SAMHSA's survey of substance abuse treatment facilities, the National Survey of Substance Abuse Treatment Services (N-SSATS). The objective of the N-MHSS is to collect data that can be used for multiple purposes:

- Assist SAMHSA and state and local governments in assessing the nature and extent of services provided in state-funded, state-operated, private non-profit, and private for-profit mental health treatment facilities, and in forecasting mental health treatment resource requirements;
- Update SAMHSA's Inventory of Behavioral Health Services (I-BHS), an inventory of all known mental health and substance abuse treatment facilities in the United States, which can be used as a frame for future surveys of these facilities;
- Describe the nature and scope of mental health treatment services and conduct comparative analyses for the nation and states;
- Generate the *National Directory of Mental Health Treatment Facilities*, a compendium of facilities approved by state mental health agencies for the provision of mental health treatment services; and
- Update the information in the mental health component of SAMHSA's online Behavioral Health Treatment Services Locator, which includes a searchable database of some licensed and accredited public and private facilities for the provision of mental health treatment. The Locator is available at: <https://findtreatment.samhsa.gov>

¹ Entities responding to the N-MHSS are referred to as "facilities."

² In the 2016 N-MHSS, the territories included American Samoa, Guam, Puerto Rico, and the U.S. Virgin Islands.

Data Collection Procedures for the 2016 N-MHSS

Field period and reference date

The field period for the 2016 N-MHSS, which included mailing and data collection operations, ran from March 28, 2016, through January 17, 2017.

Survey universe

The 2016 N-MHSS survey universe included 15,346 facilities across the United States and its jurisdictions. Most facilities in the 2016 N-MHSS frame were identified from the updated database produced after fielding the 2010 and 2014 N-MHSS, supplemented by the 2015 mental health augmentation and new facilities that states requested be added to the I-BHS.

Below are the major activities undertaken to make sure SAMHSA has the most complete universe of facilities possible:

- The updated survey database is comprised of (1) those facilities that were included in the previous survey and are in-scope, and (2) newly identified facilities that became known during the course of the previous survey and are identified as eligible. Facilities that closed or were subsequently found to be out-of-scope are excluded.
- State mental health authorities (SMHAs) are contacted annually and asked to either (1) update and edit their state listing of known facilities, or (2) submit a new state listing of known facilities, using an online, password-protected site called the Inventory of Behavioral Health Services (I-BHS) that has been used by the state substance abuse agencies (SSAs) for a number of years. The information collected through these state listings is processed and cross-checked with the database of facilities in the I-BHS; newly identified facilities are screened for eligibility before being added to the survey database.
- Augmentation includes a number of activities undertaken by our contractor staff. Contact is made on an annual basis to obtain current facility listings from the American Business Index (ABI), the American Hospital Association (AHA), the U.S. Department of Veterans Affairs (VA), the Centers for Medicare and Medicaid Services (CMS), and a number of national behavioral health organizations/associations, such as the National Council for Community Behavioral Healthcare, the National Association of Psychiatric Health Systems, and the American Association of Children’s Residential Centers (AACRC). These listings are cross-checked against the existing I-BHS database and any new facilities are screened (through an augmentation screener questionnaire conducted through phone interview) for eligibility to be included in the database for the upcoming survey. The augmentation screener is also used to screen facilities that were newly identified through the previous survey and through the state listings.

When new, eligible facilities are identified between surveys, they are contacted by telephone to provide basic facility information for a “between survey update.” Facilities can be added at any time to SAMHSA’s Behavioral Health Treatment Services Locator:

<https://findtreatment.samhsa.gov/>

Survey coverage

The following types of mental health treatment facilities were included in the 2016 N-MHSS:

- *Psychiatric hospitals* are facilities licensed and operated as state/public psychiatric hospitals, or as state-licensed private psychiatric hospitals that primarily provide 24-hour inpatient care to persons with mental illness. They may also provide 24-hour residential care and/or less than 24-hour care (i.e., outpatient, partial hospitalization), but these additional service settings are not requirements.
- *General hospitals with a separate inpatient psychiatric unit* are licensed general hospitals (public or private) that provide inpatient mental health services in separate psychiatric units. These units must have specifically allocated staff and space for the treatment of persons with mental illness. The units may be located in the hospital itself or in a separate building that is owned by the hospital.
- *Veterans Administration (VA) medical centers* are facilities operated by the U.S. Department of Veterans Affairs, including general hospitals with separate psychiatric inpatient units, residential treatment programs, and/or psychiatric outpatient clinics.
- *Partial hospitalization/day treatment mental health facilities* provide only partial day mental health services to ambulatory clients, typically in sessions of three or more hours on a regular schedule. A psychiatrist generally assumes the medical responsibility for all clients and/or for the direction of their mental health treatment.
- *Outpatient mental health facilities* provide only outpatient mental health services to ambulatory clients, typically for less than three hours at a single visit. A psychiatrist generally assumes the medical responsibility for all clients and/or for the direction of their mental health treatment.
- *Residential treatment centers (RTCs) for children* are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for children under age 18. (Some RTCs for children may also treat young adults.) RTCs for children must have a clinical program that is directed by a psychiatrist, psychologist, social worker, or psychiatric nurse who has a master's or doctoral degree. To qualify as an RTC, the primary reason for admission of more than half of the clients must be mental illness or emotional disturbance that can be classified by DSM-III/DSM-III-R, DSM-IV/DSM-IV-TR, DSM-V, or ICD-9-CM/ICD-10-CM codes, other than codes for intellectual disability, developmental disorders, and substance use disorders.
- *Residential treatment centers (RTCs) for adults* are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for adults.
- *Multi-setting mental health facilities*³ provide mental health services in two or more service settings (non-hospital residential, plus either outpatient and/or day treatment/partial

³ The classification of psychiatric hospital, general hospital, medical center, or residential treatment center—any of which can offer mental health services in two or more service settings—takes precedence over a multi-setting classification.

hospitalization), and are not classified as a psychiatric hospital, general hospital, medical center, or residential treatment center.

- *Community mental health centers (CMHCs)* provide either (1) outpatient services, including specialized outpatient services for children, the elderly, individuals who are chronically mentally ill, and residents of its mental health service area who have been discharged from inpatient treatment at a mental health facility; (2) 24-hour emergency care services; (3) day treatment or other partial hospitalization services, or psychosocial rehabilitation services; or (4) screening for patients being considered for admission to state mental health facilities to determine the appropriateness of the admission. To be classified as a CMHC, a facility must meet applicable licensing or certification requirements for CMHCs in the state in which it is located.
- *Other types of residential treatment facility* refers to facilities not licensed as a psychiatric hospital, whose primary purpose is to provide individually-planned programs of mental health treatment services in a residential care setting, and is not specifically for children or adults only.
- *Other* refers to another type of hospital or mental health facility not defined in the categories above.

Exclusions

The 2016 N-MHSS survey universe excluded: (1) Department of Defense (DoD) military treatment facilities; (2) individual private practitioners or small group practices not licensed as a mental health clinic or center; and (3) jails or prisons. Mental health facilities that had closed since the previous survey were also excluded from the survey.

Facilities were not eligible for inclusion in the survey universe if they only provided one or more of the following services: crisis intervention services, psychosocial rehabilitation, cognitive rehabilitation, intake, referral, mental health evaluation, health promotion, psychoeducational services, transportation services, respite services, consumer-run/peer support services, housing services, and legal advocacy. Residential facilities whose primary function is not to provide specialty mental health treatment services are also not eligible for inclusion in the N-MHSS survey universe.

Content

The 2016 N-MHSS survey instrument was, in its print format, a 14-page document with 38 numbered questions. Topics included:

- Facility type, operation, and primary treatment focus
- Facility treatment characteristics (e.g., settings of care; mental health treatment approaches, supportive services and practices, and special programs offered; crisis intervention team availability; and seclusion and restraint practices)
- Facility operating characteristics (e.g., age groups accepted; services provided in non-English languages; and smoking policy)
- Facility management characteristics (e.g., computerized functionality; licensure, certification, and accreditation; standard operating procedures; and sources of payment and funding)

- Client demographic characteristics

Data collection

Three data collection modes were employed: a secure web-based questionnaire, a paper questionnaire sent by mail, and a computer-assisted telephone interview (CATI). Approximately three weeks before the survey reference date (April 29, 2016), SAMHSA mailed letters to the attention of the facility directors of all eligible facilities to alert them to expect the survey and to request their participation in the N-MHSS. The letter also served to update records with new address information received from the U.S. Postal Service. A data collection packet (including the questionnaire, SAMHSA cover letter, state-specific letter of support, information on completing the survey on the web, fact sheet of frequently asked questions, and a flyer explaining the question on Internet search engines) was mailed to each facility in April 2016. The web-based survey also became available at the same time. At this point, each facility had the option of completing the questionnaire via the secure survey website or ask for a paper questionnaire to complete and return via postal mail. In September 2016, another, similar packet was sent to non-responding facilities, this time including a copy of the questionnaire and a postage-paid return envelope.

During the data collection phase, contract personnel were available by telephone to answer facilities' questions concerning the survey. Web-based support for facilities completing the questionnaire on the web was also available. Multiple reminder letters were sent to non-respondents over the course of the data collection period via fax, mail, and e-mail. To increase the survey response rate, state mental health agency representatives were contacted during the data collection period to inform them of their state's progress and to request additional help in encouraging responses. Blaise®-to-web follow-up of non-respondents began in August 2016 and ended in late January 2017.

Eligibility and unit response rate

Table 1.1 presents a summary of eligibility and response rate information. Of the 15,346 mental health treatment facilities in the survey, 8.9 percent were found to be ineligible for the survey because they did not provide mental health treatment services; had a primary treatment focus of substance abuse services or general health care; provided treatment for incarcerated persons only (i.e., in jails or prisons); were an individual or small group mental health practice not licensed or certified as a mental health center or clinic; or were closed.

Of the 13,983 eligible facilities, 91 percent completed the survey, including 404 facilities that provided administrative services only. Three quarters of the respondents that were eligible for the report (75.5 percent) completed the survey on the web, 1.7 percent through the mail, and 10.9 percent on the telephone.

Facility Status and Response Rate

Table 1.1 presents a summary of response rate information. There were 18,087 facilities in the survey universe. Of these facilities, 2,080 facilities (11 percent) were found to be ineligible for the survey because they had closed or did not provide substance abuse treatment or detoxification. Of the remaining 16,007 facilities, 14,632 facilities (91 percent) completed the survey and 14,399 (90 percent) were eligible for this report.

Table 1.1. N-MHSS facilities, by status and mode of response: 2016

| | Number | Percent |
|-------------------------------------|---------------|----------------|
| Total facilities in survey | 15,346 | 100.0 |
| Closed/ineligible | 1,363 | 8.9 |
| Eligible | 13,983 | 91.1 |
| Total eligible | 13,983 | 100.0 |
| Non-respondents | 1,238 | 8.9 |
| Respondents | 12,745 | 91.1 |
| Excluded from report | 573 | 4.1 |
| Administrative only | 404 | 2.9 |
| Uncategorized roll-ups ¹ | 169 | 1.2 |
| Eligible for report | 12,172 | 87.0 |
| Mode of response | 12,172 | 100.0 |
| Internet | 9,188 | 75.5 |
| Mail | 208 | 1.7 |
| Telephone | 1,328 | 10.9 |

¹ Facilities whose client counts were included in or “rolled into” other facilities’ counts, and whose facility characteristics were not reported separately.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Mental Health Services Survey (N-MHSS), 2016.

Facility Reporting and Selection for the 2016 N-MHSS Report

Of the 13,983 eligible facilities in the survey, 12,745 (91.1 percent) completed the survey. The facility respondents included 404 facilities that provided administrative services only and 169 uncategorized roll-up facilities; these two groups of facilities are excluded from this report. The excluded facilities and reasons for exclusion fell into two categories:

- (1) A total of 404 administrative-only facilities were excluded. These facilities are included in SAMHSA’s online Behavioral Health Treatment Services Locator; however, given that these facilities did not provide direct mental health treatment services, they were considered out-of-scope for this report.
- (2) An additional 169 facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported were excluded from this report.

After the exclusion of the 573 facilities, data from 12,172 eligible respondent facilities were included in this 2016 N-MHSS report.

Quality Assurance

All mail questionnaires underwent a manual review for consistency and missing data. Calls to facilities clarified questionable responses and obtained missing data. After data entry, automated quality assurance reviews were conducted. The reviews incorporated the rules used in manual editing plus consistency checks not readily identified by manual review. The web-based questionnaire was

programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses on critical items. The CATI questionnaire was similarly programmed.

Response Rates

The final unit response rate for eligible facilities was 91.1 percent. Extensive follow-up during data collection and careful editing maximized item response; the item response rates averaged approximately 97.6 percent across all 173 separate items.

Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2016 N-MHSS. Some general issues are listed below. Considerations and limitations of specific data items are discussed where the data are presented.

- The N-MHSS is a voluntary survey and while every effort is made to obtain responses from all known mental health treatment facilities within the scope of the survey, some facilities did not respond. There was no adjustment for the 8.9 percent facility non-response.
- The N-MHSS is a point-prevalence survey. It provides information on the mental health treatment system and its clients as of a pre-selected reference date (April 29, 2016). Client counts reported here do not represent annual totals. Rather, the N-MHSS provides a “snapshot” of mental health treatment facilities and clients on an average day or month.
- When possible, we used cold-deck imputation to fill in item non-response. This is a technique that uses historical information from previous surveys to supplement the current data. In the N-MHSS, missing values were imputed using survey data collected in 2015.
- Multiple responses were allowed for certain questionnaire items (e.g., services provided in languages other than English, or type of payment or insurance accepted for mental health treatment services). Tabulations of data for these items include the total number of facilities reporting each response category.

FREQUENCIES

Note: The number in parentheses that follows each variable's headline description, e.g. "(Q.7)," denotes the corresponding question and response in the [survey instrument](#) from which the variable is drawn.

CASEID: Case identification number

Program generated case (record) identifier.

Variable type: Numeric

LST: State abbreviations

| Value | Label | Frequency | % |
|-------|----------------------|-----------|------|
| AK | Alaska | 99 | 0.8% |
| AL | Alabama | 193 | 1.6% |
| AR | Arkansas | 235 | 1.9% |
| AZ | Arizona | 378 | 3.1% |
| CA | California | 880 | 7.2% |
| CO | Colorado | 186 | 1.5% |
| CT | Connecticut | 233 | 1.9% |
| DC | District of Columbia | 41 | 0.3% |
| DE | Delaware | 29 | 0.2% |
| FL | Florida | 490 | 4.0% |
| GA | Georgia | 219 | 1.8% |
| HI | Hawaii | 45 | 0.4% |
| IA | Iowa | 155 | 1.3% |
| ID | Idaho | 177 | 1.5% |
| IL | Illinois | 392 | 3.2% |
| IN | Indiana | 301 | 2.5% |
| KS | Kansas | 119 | 1.0% |
| KY | Kentucky | 221 | 1.8% |
| LA | Louisiana | 187 | 1.5% |
| MA | Massachusetts | 339 | 2.8% |
| MD | Maryland | 292 | 2.4% |
| ME | Maine | 203 | 1.7% |
| MI | Michigan | 359 | 2.9% |
| MN | Minnesota | 240 | 2.0% |
| MO | Missouri | 219 | 1.8% |
| MS | Mississippi | 181 | 1.5% |
| MT | Montana | 88 | 0.7% |
| NC | North Carolina | 304 | 2.5% |
| ND | North Dakota | 32 | 0.3% |
| NE | Nebraska | 130 | 1.1% |
| NH | New Hampshire | 62 | 0.5% |
| NJ | New Jersey | 318 | 2.6% |
| NM | New Mexico | 72 | 0.6% |
| NV | Nevada | 51 | 0.4% |
| NY | New York | 897 | 7.4% |
| OH | Ohio | 574 | 4.7% |
| OK | Oklahoma | 148 | 1.2% |
| OR | Oregon | 170 | 1.4% |
| PA | Pennsylvania | 586 | 4.8% |

LST: State abbreviations

| Value | Label | Frequency | % |
|-------|---------------------|---------------|-------------|
| PR | Puerto Rico | 88 | 0.7% |
| RI | Rhode Island | 62 | 0.5% |
| SC | South Carolina | 121 | 1.0% |
| SD | South Dakota | 48 | 0.4% |
| TN | Tennessee | 292 | 2.4% |
| TX | Texas | 362 | 3.0% |
| UT | Utah | 116 | 1.0% |
| VA | Virginia | 273 | 2.2% |
| VT | Vermont | 76 | 0.6% |
| WA | Washington | 283 | 2.3% |
| WI | Wisconsin | 430 | 3.5% |
| WV | West Virginia | 113 | 0.9% |
| WY | Wyoming | 51 | 0.4% |
| ZZ | Other jurisdictions | 12 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Variable type: character

MHINTAKE: Offers mental health intake services (Q.A1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,378 | 11.3% |
| 1 | Yes | 10,794 | 88.7% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHDIAGEVAL: Offers mental health diagnostic evaluation (Q.A1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,370 | 11.3% |
| 1 | Yes | 10,802 | 88.7% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHREFERRAL: Offers mental health information and referral services (Q.A1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,321 | 19.1% |
| 1 | Yes | 9,851 | 80.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATMT: Offers substance abuse treatment services (Q.A1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,551 | 45.6% |
| 1 | Yes | 6,621 | 54.4% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

ADMINSERV: Offers administrative services (Q.A1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,962 | 40.8% |
| 1 | Yes | 7,210 | 59.2% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SETTINGIP: 24-hour hospital inpatient (Q.A3)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,161 | 83.5% |
| 1 | Yes | 2,011 | 16.5% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SETTINGRC: 24-hour residential (Q.A3)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,082 | 82.8% |
| 1 | Yes | 2,090 | 17.2% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SETTINGDTPH: Partial hospitalization/day treatment (Q.A3)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,305 | 84.7% |
| 1 | Yes | 1,867 | 15.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SETTINGOP: Outpatient (Q.A3)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,976 | 24.4% |
| 1 | Yes | 9,196 | 75.6% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

FACILITYTYPE: Facility type (Q.A4)

| Value | Label | Frequency | % |
|-------|---|---------------|-------------|
| 1 | Psychiatric hospital | 689 | 5.7% |
| 2 | Separate inpatient psychiatric unit of a general hospital | 1,161 | 9.5% |
| 3 | Residential treatment center for children | 681 | 5.6% |
| 4 | Residential treatment center for adults | 930 | 7.6% |
| 5 | Other type of residential treatment facility | 55 | 0.5% |
| 6 | Veterans Administration medical center (VAMC) | 406 | 3.3% |
| 7 | Community mental health center (CMHC) | 2,628 | 21.6% |
| 8 | Partial hospitalization/day treatment facility | 419 | 3.4% |
| 9 | Outpatient mental health facility | 4,804 | 39.5% |
| 10 | Multi-setting mental health facility | 399 | 3.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1

Maximum: 11

Variable type: numeric

FOCUS: Primary focus (Q.A7)

| Value | Label | Frequency | % |
|-------|--|---------------|-------------|
| 1 | Mental health treatment | 8,182 | 67.2% |
| 3 | Mix of mental health and substance abuse treatment | 3,598 | 29.6% |
| 4 | General health care | 336 | 2.8% |
| 5 | Other service focus | 56 | 0.5% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 5

Variable type: numeric

OWNERSHP: Ownership (Q.A9)

| Value | Label | Frequency | % |
|-------|---------------------------------|---------------|-------------|
| 1 | Private-for-profit organization | 2,168 | 17.8% |
| 2 | Private non-profit organization | 7,709 | 63.3% |
| 3 | Public agency or department | 2,295 | 18.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

PUBLICAGENCY: Public agency or department (Q.A9a)

| Value | Label | Frequency | % |
|-------|---|---------------|-------------|
| 1 | State mental health authority (SMHA) | 465 | 3.8% |
| 2 | Other state government agency or department | 465 | 3.8% |
| 3 | Regional/district authority | 875 | 7.2% |
| 4 | Tribal government | 13 | 0.1% |
| 5 | Indian Health Service | 13 | 0.1% |
| 6 | Department of Veterans Affairs | 460 | 3.8% |
| 7 | Other | 4 | 0.0% |
| -2 | Logical skip | 9,877 | 81.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 7

Variable type: numeric

RELIG: Facility is affiliated with a religious organization (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,369 | 93.4% |
| 1 | Yes | 773 | 6.4% |
| -1 | Missing | 30 | 0.2% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATPSYCHOTHRPY: Individual psychotherapy (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,159 | 9.5% |
| 1 | Yes | 11,011 | 90.5% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATFAMTHRPY: Couples/family therapy (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 3,615 | 29.7% |
| 1 | Yes | 8,555 | 70.3% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | 12,172 | 100% |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATGRPTHRPY: Group therapy (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,937 | 15.9% |
| 1 | Yes | 10,233 | 84.1% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATCOGTHRPY: Cognitive behavioral therapy (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,480 | 12.2% |
| 1 | Yes | 10,690 | 87.8% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATDIALTHRPY: Dialectical behavior therapy (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,001 | 49.3% |
| 1 | Yes | 6,169 | 50.7% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATBEHAVMOD: Behavior modification (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,470 | 36.7% |
| 1 | Yes | 7,700 | 63.3% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | 12,172 | 100% |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATDUALMHS: Integrated dual disorders treatment (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,783 | 47.5% |
| 1 | Yes | 6,387 | 52.5% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | 12,172 | 100% |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATTRAUMATHRPY: Trauma therapy (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,558 | 29.2% |
| 1 | Yes | 8,612 | 70.8% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATACTVYTHRPY: Activity therapy (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,814 | 56.0% |
| 1 | Yes | 5,356 | 44.0% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATELECTRO: Electroconvulsive therapy (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,591 | 95.2% |
| 1 | Yes | 579 | 4.8% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATTELEMEDINCE: Telemedicine therapy (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,006 | 74.0% |
| 1 | Yes | 3,164 | 26.0% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATPSYCHOMED: Psychotropic medication (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,246 | 18.5% |
| 1 | Yes | 9,924 | 81.5% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

TREATOTH: Other (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,867 | 97.5% |
| 1 | Yes | 303 | 2.5% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

NOTREAT: None of these mental health treatment approaches are offered (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,072 | 99.2% |
| 1 | Yes | 98 | 0.8% |
| -1 | Missing | 2 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

ASSERTCOMM: Assertive community treatment (ACT) (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,494 | 86.2% |
| 1 | Yes | 1,675 | 13.8% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHINTCASEMGMT: Intensive case management (ICM) (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,326 | 76.6% |
| 1 | Yes | 2,843 | 23.4% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHCASEMGMT: Case management (CM) (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,257 | 35.0% |
| 1 | Yes | 7,912 | 65.0% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHCOURTORDERED: Court-ordered outpatient treatment (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,883 | 56.5% |
| 1 | Yes | 5,286 | 43.4% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHCHRONIC: Chronic disease/illness management (CDM) (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,924 | 81.5% |
| 1 | Yes | 2,245 | 18.4% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

ILLNESSMGMT: Illness management and recovery (IMR) (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,937 | 73.4% |
| 1 | Yes | 3,232 | 26.6% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

PRIMARYCARE: Integrated primary care services (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,206 | 75.6% |
| 1 | Yes | 2,963 | 24.3% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

DIETEXERCOUNSEL: Diet and exercise counseling (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,447 | 69.4% |
| 1 | Yes | 3,722 | 30.6% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

FAMPSYCHED: Family psychoeducation (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,703 | 38.6% |
| 1 | Yes | 7,466 | 61.3% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHEDUCATION: Education services (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,437 | 69.3% |
| 1 | Yes | 3,732 | 30.7% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHHOUSING: Housing services (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,681 | 79.5% |
| 1 | Yes | 2,488 | 20.4% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SUPPHOUSING: Supported housing (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,326 | 84.8% |
| 1 | Yes | 1,843 | 15.1% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHPSYCHREHAB: Psychosocial rehabilitation services (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,297 | 59.9% |
| 1 | Yes | 4,872 | 40.0% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHVOCREHAB: Vocational rehabilitation services (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,273 | 84.4% |
| 1 | Yes | 1,896 | 15.6% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SUPPEMPLY: Supported employment (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,139 | 83.3% |
| 1 | Yes | 2,030 | 16.7% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

FOSTERCARE: Therapeutic foster care (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,556 | 94.9% |
| 1 | Yes | 613 | 5.0% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHLEGAL: Legal advocacy (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,540 | 94.8% |
| 1 | Yes | 629 | 5.2% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHEMGCY: Psychiatric emergency walk-in services (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,447 | 69.4% |
| 1 | Yes | 3,722 | 30.6% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHSUICIDE: Suicide prevention services (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,594 | 46.0% |
| 1 | Yes | 6,575 | 54.0% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHCONSUMER: Consumer-run (peer support) services (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,303 | 76.4% |
| 1 | Yes | 2,866 | 23.5% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHTOBACCOUSE: Screening for tobacco use (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,227 | 51.2% |
| 1 | Yes | 5,942 | 48.8% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | 12,172 | 100% |

Minimum: 0
Maximum: 1

Variable type: numeric

MHTOBACCOCESS: Smoking/tobacco cessation counseling (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,595 | 62.4% |
| 1 | Yes | 4,574 | 37.6% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | 12,172 | 100% |

Minimum: 0
Maximum: 1

Variable type: numeric

MHNICOTINEREP: Nicotine replacement therapy (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,110 | 74.8% |
| 1 | Yes | 3,059 | 25.1% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SMOKINGCESSATION: Non-nicotine smoking/tobacco cessation medications (by prescription) (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,552 | 78.5% |
| 1 | Yes | 2,617 | 21.5% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHOTH: Other (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,994 | 98.5% |
| 1 | Yes | 175 | 1.4% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

MHNOSVCS: None of these services and practices are offered (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,880 | 97.6% |
| 1 | Yes | 289 | 2.4% |
| -1 | Missing | 3 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

CHILDAD: Children (12 or younger) (Q.A13)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,160 | 42.4% |
| 1 | Yes | 7,012 | 57.6% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

ADOLES: Adolescents (13-17) (Q.A13)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,520 | 37.1% |
| 1 | Yes | 7,652 | 62.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

YOUNGADULTS: Young adults (18-25) (Q.A13)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,642 | 13.5% |
| 1 | Yes | 10,530 | 86.5% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

ADULT: Adults (26-64) (Q.A13)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,095 | 17.2% |
| 1 | Yes | 10,077 | 82.8% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SENIORS: Seniors (65 or older) (Q.A13)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,504 | 20.6% |
| 1 | Yes | 9,668 | 79.4% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SED: Children/adolescents with serious emotional disturbance (SED) (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,703 | 71.5% |
| 1 | Yes | 3,462 | 28.4% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

TAYOUNGADULTS: Transitional age young adults (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,297 | 84.6% |
| 1 | Yes | 1,868 | 15.3% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SPMI: Persons 18 and older with serious mental illness (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,545 | 62.0% |
| 1 | Yes | 4,620 | 38.0% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | 12,172 | 100% |

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC63: Seniors or older adults (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,773 | 80.3% |
| 1 | Yes | 2,392 | 19.7% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

ALZHDEMENTIA: Persons with Alzheimer's or dementia (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,466 | 94.2% |
| 1 | Yes | 699 | 5.7% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC31: Persons with co-occurring mental and substance use disorders (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,725 | 63.5% |
| 1 | Yes | 4,440 | 36.5% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | 12,172 | 100% |

Minimum: 0
Maximum: 1

Variable type: numeric

SPECGRPEATING: Persons with eating disorders (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,312 | 92.9% |
| 1 | Yes | 853 | 7.0% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

**POSTTRAUM: Persons with a diagnosis of post-traumatic stress disorder (PTSD)
(Q.A14)**

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,809 | 72.4% |
| 1 | Yes | 3,356 | 27.6% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC116: Persons who have experienced trauma (excluding persons with a PTSD diagnosis) (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,705 | 71.5% |
| 1 | Yes | 3,460 | 28.4% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

TRAUMATICBRAIN: Persons with traumatic brain injury (TBI) (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,505 | 94.5% |
| 1 | Yes | 660 | 5.4% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC113: Veterans (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,708 | 88.0% |
| 1 | Yes | 1,457 | 12.0% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC114: Active duty military (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,539 | 94.8% |
| 1 | Yes | 626 | 5.1% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC115: Members of military families (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,318 | 93.0% |
| 1 | Yes | 847 | 7.0% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC62: Lesbian,gay,bisexual or transgender clients (LGBT) (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,631 | 87.3% |
| 1 | Yes | 1,534 | 12.6% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC61: Forensic clients (referred from the court/judicial system) (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,503 | 86.3% |
| 1 | Yes | 1,662 | 13.7% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC32: Persons with HIV or AIDS (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 11,289 | 92.7% |
| 1 | Yes | 876 | 7.2% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | 12,172 | 100% |

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC35: Other special program or group (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,639 | 95.6% |
| 1 | Yes | 526 | 4.3% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

NOSPECGRP: No dedicated or exclusively designed programs or groups are offered (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,719 | 71.6% |
| 1 | Yes | 3,446 | 28.3% |
| -1 | Missing | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

CRISISTEAM2: Offers a crisis intervention team that handles acute mental health issues at this facility and/or off-site (Q.A15)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,327 | 52.0% |
| 1 | Yes | 5,831 | 47.9% |
| -1 | Missing | 14 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SIGNLANG: Treatment in sign language (Q.A16)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,924 | 48.7% |
| 1 | Yes | 6,085 | 50.0% |
| -1 | Missing | 162 | 1.3% |
| -3 | Don't know | 1 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG: Treatment in language other than English (Q.A17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,750 | 39.0% |
| 1 | Yes | 7,408 | 60.9% |
| -1 | Missing | 14 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANGPROV: Who provides treatment services in a language other than English (Q.A17a)

| Value | Label | Frequency | % |
|-------|---|---------------|-------------|
| 1 | Staff who speak a language other than English | 1,190 | 9.8% |
| 2 | On-call interpreter brought in when needed | 3,084 | 25.3% |
| 3 | BOTH staff and on-call interpreter | 3,112 | 25.6% |
| -1 | Missing | 22 | 0.2% |
| -2 | Logical skip | 4,764 | 39.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

LANG16: Staff provides treatment in Spanish (Q.A17a1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 235 | 1.9% |
| 1 | Yes | 4,067 | 33.4% |
| -2 | Logical skip | 7,870 | 64.7% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG_B: Staff provides treatment in any other languages (Q.A17a2)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,835 | 23.3% |
| 1 | Yes | 1,232 | 10.1% |
| -2 | Logical skip | 8,105 | 66.6% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG1: Treatment in Hopi (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,459 | 12.0% |
| 1 | Yes | 7 | 0.1% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG2: Treatment in Lakota (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,462 | 12.0% |
| 1 | Yes | 4 | 0.0% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG3: Treatment in Navajo (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,439 | 11.8% |
| 1 | Yes | 27 | 0.2% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG21: Treatment in Ojibwa (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,463 | 12.0% |
| 1 | Yes | 3 | 0.0% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG4: Treatment in Yupik (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,461 | 12.0% |
| 1 | Yes | 5 | 0.0% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG5: Treatment in other American Indian/Alaska Native language (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,450 | 11.9% |
| 1 | Yes | 16 | 0.1% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG6: Treatment in Arabic (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,255 | 10.3% |
| 1 | Yes | 211 | 1.7% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG7: Treatment in any Chinese language (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,165 | 9.6% |
| 1 | Yes | 301 | 2.5% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

LANG8: Treatment in Creole (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,200 | 9.9% |
| 1 | Yes | 266 | 2.2% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG24: Treatment in Farsi (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,263 | 10.4% |
| 1 | Yes | 203 | 1.7% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG9: Treatment in French (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,112 | 9.1% |
| 1 | Yes | 354 | 2.9% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG10: Treatment in German (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,328 | 10.9% |
| 1 | Yes | 138 | 1.1% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG22: Treatment in Greek (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,413 | 11.6% |
| 1 | Yes | 53 | 0.4% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

LANG25: Treatment in Hebrew (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,337 | 11.0% |
| 1 | Yes | 129 | 1.1% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG26: Treatment in Hindi (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,262 | 10.4% |
| 1 | Yes | 204 | 1.7% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG11: Treatment in Hmong (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,382 | 11.4% |
| 1 | Yes | 84 | 0.7% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

LANG19: Treatment in Italian (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,356 | 11.1% |
| 1 | Yes | 110 | 0.9% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG23: Treatment in Japanese (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,380 | 11.3% |
| 1 | Yes | 86 | 0.7% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG12: Treatment in Korean (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,306 | 10.7% |
| 1 | Yes | 160 | 1.3% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG13: Treatment in Polish (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,341 | 11.0% |
| 1 | Yes | 125 | 1.0% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG14: Treatment in Portuguese (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,276 | 10.5% |
| 1 | Yes | 190 | 1.6% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

LANG15: Treatment in Russian (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,149 | 9.4% |
| 1 | Yes | 317 | 2.6% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG20: Treatment in Tagalog (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,218 | 10.0% |
| 1 | Yes | 248 | 2.0% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

LANG17: Treatment in Vietnamese (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,255 | 10.3% |
| 1 | Yes | 211 | 1.7% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LANG18: Treatment in other language (Q.A17b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,259 | 10.3% |
| 1 | Yes | 207 | 1.7% |
| -1 | Missing | 1 | 0.0% |
| -2 | Logical skip | 10,705 | 87.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

CONTEd: Continuing education requirements for professional staff (Q.A18)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 700 | 5.8% |
| 1 | Yes | 11,396 | 93.6% |
| -1 | Missing | 76 | 0.6% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

CASEREV: Regularly scheduled case review with a supervisor (Q.A18)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 946 | 7.8% |
| 1 | Yes | 11,140 | 91.5% |
| -1 | Missing | 86 | 0.7% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

QUALREV: Regularly scheduled case review by an appointed quality review committee (Q.A18)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,982 | 32.7% |
| 1 | Yes | 8,101 | 66.6% |
| -1 | Missing | 89 | 0.7% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

OUTFUP: Client outcome follow-up after discharge (Q.A18)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,248 | 43.1% |
| 1 | Yes | 6,823 | 56.1% |
| -1 | Missing | 101 | 0.8% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

UTREV: Periodic utilization review (Q.A18)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,416 | 11.6% |
| 1 | Yes | 10,645 | 87.5% |
| -1 | Missing | 111 | 0.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SATSUR: Periodic client satisfaction surveys (Q.A18)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 686 | 5.6% |
| 1 | Yes | 11,394 | 93.6% |
| -1 | Missing | 92 | 0.8% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

SMOKINGPOLICY: Smoking policy (Q.A19)

| Value | Label | Frequency | % |
|-------|---|---------------|-------------|
| 1 | Not permitted to smoke anywhere | 5,907 | 48.5% |
| 2 | Permitted in designated outdoor area(s) | 5,263 | 43.2% |
| 3 | Permitted anywhere outside | 936 | 7.7% |
| 4 | Permitted in designated indoor area(s) | 38 | 0.3% |
| 5 | Permitted anywhere inside | 5 | 0.0% |
| 6 | Permitted anywhere without restriction | 2 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -5 | Refused | 1 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 6

Variable type: numeric

USEDSECLUSION: Staff have used seclusion or restraint practices (Q.A20)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,523 | 78.2% |
| 1 | Yes | 2,583 | 21.2% |
| -1 | Missing | 66 | 0.5% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

ADOPTSECLUSION: Facility has policies to minimize seclusion or restraint (Q.A20a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 2,674 | 22.0% |
| 1 | Yes | 9,292 | 76.3% |
| -1 | Missing | 205 | 1.7% |
| -5 | Refused | 1 | 0.0% |
| | <i>Total</i> | 12,172 | 100% |

Minimum: 0

Maximum: 1

Variable type: numeric

INTKE: Intake (Q.A21)

| Value | Label | Frequency | % |
|-------|---------------------------|---------------|-------------|
| 1 | Computer/Electronic only | 4,552 | 37.4% |
| 2 | Paper only | 984 | 8.1% |
| 3 | Both electronic and paper | 6,318 | 51.9% |
| -1 | Missing | 79 | 0.6% |
| -6 | Not applicable | 239 | 2.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

SCHEDULE: Scheduling appointments (Q.A21)

| Value | Label | Frequency | % |
|-------|---------------------------|---------------|-------------|
| 1 | Computer/Electronic only | 6,804 | 55.9% |
| 2 | Paper only | 972 | 8.0% |
| 3 | Both electronic and paper | 3,634 | 29.9% |
| -1 | Missing | 98 | 0.8% |
| -6 | Not applicable | 664 | 5.5% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

ASSESS: Assessment/evaluation (Q.A21)

| Value | Label | Frequency | % |
|-------|---------------------------|---------------|-------------|
| 1 | Computer/Electronic only | 6,520 | 53.6% |
| 2 | Paper only | 1,009 | 8.3% |
| 3 | Both electronic and paper | 3,452 | 28.4% |
| -1 | Missing | 192 | 1.6% |
| -6 | Not applicable | 999 | 8.2% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1

Maximum: 3

Variable type: numeric

TXPLAN: Treatment plan (Q.A21)

| Value | Label | Frequency | % |
|-------|---------------------------|---------------|-------------|
| 1 | Computer/Electronic only | 6,399 | 52.6% |
| 2 | Paper only | 1,269 | 10.4% |
| 3 | Both electronic and paper | 4,365 | 35.9% |
| -1 | Missing | 93 | 0.8% |
| -6 | Not applicable | 46 | 0.4% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

PROGRESS: Client progress monitoring (Q.A21)

| Value | Label | Frequency | % |
|-------|---------------------------|---------------|-------------|
| 1 | Computer/Electronic only | 7,021 | 57.7% |
| 2 | Paper only | 1,055 | 8.7% |
| 3 | Both electronic and paper | 3,898 | 32.0% |
| -1 | Missing | 127 | 1.0% |
| -6 | Not applicable | 71 | 0.6% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

DSCHRG: Discharge (Q.A21)

| Value | Label | Frequency | % |
|-------|---------------------------|---------------|-------------|
| 1 | Computer/Electronic only | 6,440 | 52.9% |
| 2 | Paper only | 1,030 | 8.5% |
| 3 | Both electronic and paper | 4,485 | 36.8% |
| -1 | Missing | 87 | 0.7% |
| -6 | Not applicable | 130 | 1.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1

Maximum: 3

Variable type: numeric

REF: Referrals (Q.A21)

| Value | Label | Frequency | % |
|-------|---------------------------|---------------|-------------|
| 1 | Computer/Electronic only | 3,024 | 24.8% |
| 2 | Paper only | 1,879 | 15.4% |
| 3 | Both electronic and paper | 6,887 | 56.6% |
| -1 | Missing | 147 | 1.2% |
| -6 | Not applicable | 235 | 1.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

LAB: Issue/receive lab results (Q.A21)

| Value | Label | Frequency | % |
|-------|---------------------------|---------------|-------------|
| 1 | Computer/Electronic only | 3,054 | 25.1% |
| 2 | Paper only | 1,780 | 14.6% |
| 3 | Both electronic and paper | 5,422 | 44.5% |
| -1 | Missing | 146 | 1.2% |
| -6 | Not applicable | 1,770 | 14.5% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

DISP: Prescribing/dispensing medication (Q.A21)

| Value | Label | Frequency | % |
|-------|---------------------------|---------------|-------------|
| 1 | Computer/Electronic only | 3,153 | 25.9% |
| 2 | Paper only | 1,487 | 12.2% |
| 3 | Both electronic and paper | 5,679 | 46.7% |
| -1 | Missing | 155 | 1.3% |
| -3 | Don't know | 1 | 0.0% |
| -6 | Not applicable | 1,697 | 13.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

MEDINT: Checking medication interactions (Q.A21)

| Value | Label | Frequency | % |
|-------|---------------------------|---------------|-------------|
| 1 | Computer/Electronic only | 5,243 | 43.1% |
| 2 | Paper only | 905 | 7.4% |
| 3 | Both electronic and paper | 4,067 | 33.4% |
| -1 | Missing | 183 | 1.5% |
| -3 | Don't know | 1 | 0.0% |
| -6 | Not applicable | 1,773 | 14.6% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

HLTHREC: Health records (Q.A21)

| Value | Label | Frequency | % |
|-------|---------------------------|---------------|-------------|
| 1 | Computer/Electronic only | 4,120 | 33.8% |
| 2 | Paper only | 1,300 | 10.7% |
| 3 | Both electronic and paper | 6,090 | 50.0% |
| -1 | Missing | 201 | 1.7% |
| -3 | Don't know | 1 | 0.0% |
| -6 | Not applicable | 460 | 3.8% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

INTEROP: Collaboration with a client's other providers (such as primary care provider) (Q.A21)

| Value | Label | Frequency | % |
|--------------|---------------------------|------------------|-------------|
| 1 | Computer/Electronic only | 1,846 | 15.2% |
| 2 | Paper only | 2,296 | 18.9% |
| 3 | Both electronic and paper | 7,715 | 63.4% |
| -1 | Missing | 127 | 1.0% |
| -6 | Not applicable | 188 | 1.5% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

BILL: Billing (Q.A21)

| Value | Label | Frequency | % |
|-------|---------------------------|---------------|-------------|
| 1 | Computer/Electronic only | 6,515 | 53.5% |
| 2 | Paper only | 329 | 2.7% |
| 3 | Both electronic and paper | 4,657 | 38.3% |
| -1 | Missing | 179 | 1.5% |
| -6 | Not applicable | 492 | 4.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1

Maximum: 3

Variable type: numeric

SATSURVEY: Client or family satisfaction surveys (Q.A21)

| Value | Label | Frequency | % |
|-------|---------------------------|---------------|-------------|
| 1 | Computer/Electronic only | 888 | 7.3% |
| 2 | Paper only | 6,602 | 54.2% |
| 3 | Both electronic and paper | 4,009 | 32.9% |
| -1 | Missing | 140 | 1.2% |
| -6 | Not applicable | 533 | 4.4% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

FEESCALE: Sliding fee scale (Q.A22)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | No | 5,101 | 41.9% |
| 1 | Yes | 6,639 | 54.5% |
| -1 | Missing | 25 | 0.2% |
| -3 | Don't know | 1 | 0.0% |
| -6 | Not applicable | 406 | 3.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

PAYASST: Offer treatment at no charge (Q.A23)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | No | 5,534 | 45.5% |
| 1 | Yes | 6,200 | 50.9% |
| -1 | Missing | 31 | 0.3% |
| -3 | Don't know | 1 | 0.0% |
| -6 | Not applicable | 406 | 3.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

REVCHK1: Accepts cash or self-payment (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,727 | 14.2% |
| 1 | Yes | 10,150 | 83.4% |
| -1 | Missing | 25 | 0.2% |
| -3 | Don't know | 270 | 2.2% |
| | <i>Total</i> | 12,172 | 100% |

Minimum: 0
Maximum: 1

Variable type: numeric

REVCHK2: Private health insurance (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 2,212 | 18.2% |
| 1 | Yes | 9,705 | 79.7% |
| -1 | Missing | 20 | 0.2% |
| -3 | Don't know | 235 | 1.9% |
| | <i>Total</i> | 12,172 | 100% |

Minimum: 0
Maximum: 1

Variable type: numeric

REVCHK8: Medicare (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,522 | 28.9% |
| 1 | Yes | 8,304 | 68.2% |
| -1 | Missing | 31 | 0.3% |
| -3 | Don't know | 315 | 2.6% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

REVCHK5: Medicaid (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,219 | 10.0% |
| 1 | Yes | 10,697 | 87.9% |
| -1 | Missing | 26 | 0.2% |
| -3 | Don't know | 230 | 1.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

REVCHK10: Accepts state-financed health insurance plan other than Medicaid (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 3,417 | 28.1% |
| 1 | Yes | 7,100 | 58.3% |
| -1 | Missing | 27 | 0.2% |
| -3 | Don't know | 1,628 | 13.4% |
| | <i>Total</i> | 12,172 | 100% |

Minimum: 0
Maximum: 1

Variable type: numeric

FUNDSMHA: State mental health agency (or equivalent) funds (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,404 | 28.0% |
| 1 | Yes | 6,945 | 57.1% |
| -1 | Missing | 23 | 0.2% |
| -3 | Don't know | 1,800 | 14.8% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

FUNDSTATEWELFARE: State welfare or child and family services agency funds (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,138 | 42.2% |
| 1 | Yes | 5,177 | 42.5% |
| -1 | Missing | 31 | 0.3% |
| -3 | Don't know | 1,826 | 15.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

FUNDSTATEJUV: State corrections or juvenile agency funds (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------------|---------------|-------------|
| 0 | No | 6,617 | 54.4% |
| 1 | Yes | 3,684 | 30.3% |
| -1 | Missing | 26 | 0.2% |
| -3 | Don't know | 1,844 | 15.1% |
| -7 | Multiple responses | 1 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

FUNDSTATEEDUC: State education agency funds (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,520 | 61.8% |
| 1 | Yes | 2,204 | 18.1% |
| -1 | Missing | 31 | 0.3% |
| -3 | Don't know | 2,417 | 19.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

FUNDOTHSTATE: Other state government funds (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,343 | 43.9% |
| 1 | Yes | 4,249 | 34.9% |
| -1 | Missing | 25 | 0.2% |
| -3 | Don't know | 2,555 | 21.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

FUNDLOCALGOV: County or local governemnt funds (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,613 | 37.9% |
| 1 | Yes | 5,728 | 47.1% |
| -1 | Missing | 32 | 0.3% |
| -3 | Don't know | 1,799 | 14.8% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

FUNDCSBG: Community Service Block Grants (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,749 | 55.4% |
| 1 | Yes | 2,654 | 21.8% |
| -1 | Missing | 25 | 0.2% |
| -3 | Don't know | 2,744 | 22.5% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

FUNDCMHG: Community Mental Health Block Grants (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,946 | 48.8% |
| 1 | Yes | 3,687 | 30.3% |
| -1 | Missing | 29 | 0.2% |
| -3 | Don't know | 2,510 | 20.6% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

REVCHK15: Federal military insurance (such as TRICARE) (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,922 | 40.4% |
| 1 | Yes | 5,789 | 47.6% |
| -1 | Missing | 27 | 0.2% |
| -3 | Don't know | 1,434 | 11.8% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

FUNDVA: United States Department of Veterans Affairs funds (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,907 | 56.7% |
| 1 | Yes | 2,700 | 22.2% |
| -1 | Missing | 33 | 0.3% |
| -3 | Don't know | 2,532 | 20.8% |
| | <i>Total</i> | 12,172 | 100% |

Minimum: 0
Maximum: 1

Variable type: numeric

REVCHK17: IHS/Tribal/Urban (ITU) funds (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,060 | 58.0% |
| 1 | Yes | 875 | 7.2% |
| -1 | Missing | 57 | 0.5% |
| -3 | Don't know | 4,180 | 34.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

REVCHK2A: Other (Q.A24)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,955 | 98.2% |
| 1 | Yes | 62 | 0.5% |
| -1 | Missing | 17 | 0.1% |
| -3 | Don't know | 138 | 1.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LICENMH: State mental health authority (Q.A25)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,183 | 26.2% |
| 1 | Yes | 8,840 | 72.6% |
| -1 | Missing | 140 | 1.2% |
| -3 | Don't know | 9 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

LICENSED: State substance abuse agency (Q.A25)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,127 | 66.8% |
| 1 | Yes | 3,879 | 31.9% |
| -1 | Missing | 159 | 1.3% |
| -3 | Don't know | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

LICENPH: State department of health (Q.A25)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,239 | 51.3% |
| 1 | Yes | 5,723 | 47.0% |
| -1 | Missing | 200 | 1.6% |
| -3 | Don't know | 10 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

**LICENSEDFCS: State or local Department of Family and Children's Services
(Q.A25)**

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| 0 | No | 9,329 | 76.6% |
| 1 | Yes | 2,649 | 21.8% |
| -1 | Missing | 186 | 1.5% |
| -3 | Don't know | 8 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

LICENHOS: Hospital licensing authority (Q.A25)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,057 | 82.6% |
| 1 | Yes | 1,862 | 15.3% |
| -1 | Missing | 244 | 2.0% |
| -3 | Don't know | 9 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 1

Variable type: numeric

JCAHO: The Joint Commission (JC) (Q.A25)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,759 | 63.7% |
| 1 | Yes | 4,216 | 34.6% |
| -1 | Missing | 189 | 1.6% |
| -3 | Don't know | 8 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

CARF: Commission on Accreditation of Rehabilitation Facilities (CARF) (Q.A25)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,110 | 74.8% |
| 1 | Yes | 2,839 | 23.3% |
| -1 | Missing | 215 | 1.8% |
| -3 | Don't know | 8 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

COA: Council on Accreditation (COA) (Q.A25)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,548 | 86.7% |
| 1 | Yes | 1,344 | 11.0% |
| -1 | Missing | 273 | 2.2% |
| -3 | Don't know | 7 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

CMS: Centers for Medicare and Medicaid Services (CMS) (Q.A25)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,048 | 49.7% |
| 1 | Yes | 5,777 | 47.5% |
| -1 | Missing | 338 | 2.8% |
| -3 | Don't know | 9 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

OTHSTATE: Other national organization, or federal, state, or local agency (Q.A25)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,727 | 96.3% |
| 1 | Yes | 384 | 3.2% |
| -1 | Missing | 60 | 0.5% |
| -3 | Don't know | 1 | 0.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

OTHFAC: Client counts for only this facility, this plus others, none (Q.B1)

| Value | Label | Frequency | % |
|-------|----------------------------------|---------------|-------------|
| 1 | Only this facility | 10,212 | 83.9% |
| 2 | This facility plus others | 512 | 4.2% |
| 3 | Another facility reports numbers | 1,448 | 11.9% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 3

Variable type: numeric

FACNUM: Number of facilities in client count data (Q.B2)

| Value | Label | Frequency | % |
|-------|---------------------|---------------|-------------|
| 1 | 2 to 5 facility | 436 | 3.6% |
| 2 | 6 to 10 facilities | 62 | 0.5% |
| 3 | 11 to 30 facilities | 14 | 0.1% |
| -2 | Logical skip | 11,660 | 95.8% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 1
Maximum: 4

Variable type: numeric

IPSERV: 24-hour hospital inpatient care offered (Q.B3)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,136 | 83.3% |
| 1 | Yes | 2,036 | 16.7% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

IPTOTAL: Total number of 24-hour hospital inpatient clients (Q.B3a)

| Value | Label | Frequency | % |
|--------------|---------------|------------------|-------------|
| 1 | 1 to 10 | 390 | 3.2% |
| 2 | 11 to 20 | 538 | 4.4% |
| 3 | 21 to 30 | 269 | 2.2% |
| 4 | 31 to 40 | 177 | 1.5% |
| 5 | 41 to 50 | 132 | 1.1% |
| 6 | 51 to 75 | 179 | 1.5% |
| 7 | 76 to 100 | 115 | 0.9% |
| 8 | 101 to 250 | 142 | 1.2% |
| 9 | More than 250 | 59 | 0.5% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPSEXTOTM: Total male clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 38 | 0.3% |
| 1 | 1 to 10 | 874 | 7.2% |
| 2 | 11 to 20 | 421 | 3.5% |
| 3 | 21 to 30 | 219 | 1.8% |
| 4 | 31 to 40 | 125 | 1.0% |
| 5 | 41 to 50 | 94 | 0.8% |
| 6 | 51 to 75 | 79 | 0.6% |
| 7 | 76 to 100 | 45 | 0.4% |
| 8 | 101 to 250 | 76 | 0.6% |
| 9 | More than 250 | 30 | 0.2% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPSEXPPerm: Percent of male clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 38 | 0.3% |
| 1 | 1-10 | 3 | 0.0% |
| 2 | 11-20 | 27 | 0.2% |
| 3 | 21-30 | 65 | 0.5% |
| 4 | 31-40 | 225 | 1.8% |
| 5 | 41-50 | 650 | 5.3% |
| 6 | 51-75 | 835 | 6.9% |
| 7 | 76-100 | 158 | 1.3% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPSEXTOTF: Total female clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 34 | 0.3% |
| 1 | 1 to 10 | 949 | 7.8% |
| 2 | 11 to 20 | 464 | 3.8% |
| 3 | 21 to 30 | 198 | 1.6% |
| 4 | 31 to 40 | 112 | 0.9% |
| 5 | 41 to 50 | 84 | 0.7% |
| 6 | 51 to 75 | 86 | 0.7% |
| 7 | 76 to 100 | 37 | 0.3% |
| 8 | 101 to 250 | 24 | 0.2% |
| 9 | More than 250 | 13 | 0.1% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPSEXPFRF: Percent of female clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 34 | 0.3% |
| 1 | 1-10 | 38 | 0.3% |
| 2 | 11-20 | 61 | 0.5% |
| 3 | 21-30 | 133 | 1.1% |
| 4 | 31-40 | 343 | 2.8% |
| 5 | 41-50 | 660 | 5.4% |
| 6 | 51-75 | 656 | 5.4% |
| 7 | 76-100 | 76 | 0.6% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPAGETOT017: Total clients/patients 0-17 years old at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 1,440 | 11.8% |
| 1 | 1 to 10 | 199 | 1.6% |
| 2 | 11 to 20 | 173 | 1.4% |
| 3 | 21 to 30 | 77 | 0.6% |
| 4 | 31 to 40 | 44 | 0.4% |
| 5 | 41 to 50 | 21 | 0.2% |
| 6 | 51 to 75 | 25 | 0.2% |
| 7 | 76 to 100 | 8 | 0.1% |
| 8 | 101 to 250 | 10 | 0.1% |
| 9 | More than 250 | 4 | 0.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPAGEPER017: Percent of clients/patients 0-17 years old at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,441 | 11.8% |
| 1 | 1-10 | 59 | 0.5% |
| 2 | 11-20 | 109 | 0.9% |
| 3 | 21-30 | 107 | 0.9% |
| 4 | 31-40 | 94 | 0.8% |
| 5 | 41-50 | 38 | 0.3% |
| 6 | 51-75 | 27 | 0.2% |
| 7 | 76-100 | 126 | 1.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPAGETOT1864: Total clients/patients 18-64 years old at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 249 | 2.0% |
| 1 | 1 to 10 | 439 | 3.6% |
| 2 | 11 to 20 | 501 | 4.1% |
| 3 | 21 to 30 | 264 | 2.2% |
| 4 | 31 to 40 | 138 | 1.1% |
| 5 | 41 to 50 | 96 | 0.8% |
| 6 | 51 to 75 | 130 | 1.1% |
| 7 | 76 to 100 | 45 | 0.4% |
| 8 | 101 to 250 | 104 | 0.9% |
| 9 | More than 250 | 35 | 0.3% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPAGEPER1864: Percent of clients/patients 18-64 years old at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 249 | 2.0% |
| 1 | 1-10 | 36 | 0.3% |
| 2 | 11-20 | 40 | 0.3% |
| 3 | 21-30 | 40 | 0.3% |
| 4 | 31-40 | 65 | 0.5% |
| 5 | 41-50 | 102 | 0.8% |
| 6 | 51-75 | 437 | 3.6% |
| 7 | 76-100 | 1,032 | 8.5% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPAGETOT65: Total clients/patients 65 years and older at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 581 | 4.8% |
| 1 | 1 to 10 | 1,026 | 8.4% |
| 2 | 11 to 20 | 247 | 2.0% |
| 3 | 21 to 30 | 62 | 0.5% |
| 4 | 31 to 40 | 26 | 0.2% |
| 5 | 41 to 50 | 18 | 0.1% |
| 6 | 51 to 75 | 20 | 0.2% |
| 7 | 76 to 100 | 6 | 0.0% |
| 8 | 101 to 250 | 12 | 0.1% |
| 9 | More than 250 | 3 | 0.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPAGEPER65: Percent of clients/patients 65 years and older at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 581 | 4.8% |
| 1 | 1-10 | 417 | 3.4% |
| 2 | 11-20 | 375 | 3.1% |
| 3 | 21-30 | 194 | 1.6% |
| 4 | 31-40 | 88 | 0.7% |
| 5 | 41-50 | 57 | 0.5% |
| 6 | 51-75 | 80 | 0.7% |
| 7 | 76-100 | 209 | 1.7% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPETHOTHISP: Total Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 1,360 | 11.2% |
| 1 | 1 to 10 | 509 | 4.2% |
| 2 | 11 to 20 | 61 | 0.5% |
| 3 | 21 to 30 | 24 | 0.2% |
| 4 | 31 to 40 | 11 | 0.1% |
| 5 | 41 to 50 | 13 | 0.1% |
| 6 | 51 to 75 | 14 | 0.1% |
| 7 | 76 to 100 | 2 | 0.0% |
| 8 | 101 to 250 | 6 | 0.0% |
| 9 | More than 250 | 1 | 0.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPETHPERHISP: Percent of Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,362 | 11.2% |
| 1 | 1-10 | 307 | 2.5% |
| 2 | 11-20 | 163 | 1.3% |
| 3 | 21-30 | 71 | 0.6% |
| 4 | 31-40 | 30 | 0.2% |
| 5 | 41-50 | 25 | 0.2% |
| 6 | 51-75 | 28 | 0.2% |
| 7 | 76-100 | 15 | 0.1% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPETHTOTNONHISP: Total non-Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 965 | 7.9% |
| 1 | 1 to 10 | 287 | 2.4% |
| 2 | 11 to 20 | 301 | 2.5% |
| 3 | 21 to 30 | 118 | 1.0% |
| 4 | 31 to 40 | 81 | 0.7% |
| 5 | 41 to 50 | 44 | 0.4% |
| 6 | 51 to 75 | 67 | 0.6% |
| 7 | 76 to 100 | 46 | 0.4% |
| 8 | 101 to 250 | 65 | 0.5% |
| 9 | More than 250 | 27 | 0.2% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPETHPERNONHISP: Percent of non-Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 965 | 7.9% |
| 1 | 1-10 | 3 | 0.0% |
| 2 | 11-20 | 4 | 0.0% |
| 3 | 21-30 | 15 | 0.1% |
| 4 | 31-40 | 18 | 0.1% |
| 5 | 41-50 | 26 | 0.2% |
| 6 | 51-75 | 110 | 0.9% |
| 7 | 76-100 | 860 | 7.1% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPETHTOTUNK: Total unknown ethnicity clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 887 | 7.3% |
| 1 | 1 to 10 | 273 | 2.2% |
| 2 | 11 to 20 | 268 | 2.2% |
| 3 | 21 to 30 | 145 | 1.2% |
| 4 | 31 to 40 | 90 | 0.7% |
| 5 | 41 to 50 | 79 | 0.6% |
| 6 | 51 to 75 | 104 | 0.9% |
| 7 | 76 to 100 | 64 | 0.5% |
| 8 | 101 to 250 | 69 | 0.6% |
| 9 | More than 250 | 22 | 0.2% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPETHPERUNK: Percent of unknown ethnicity clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 892 | 7.3% |
| 1 | 1-10 | 88 | 0.7% |
| 2 | 11-20 | 32 | 0.3% |
| 3 | 21-30 | 11 | 0.1% |
| 4 | 31-40 | 11 | 0.1% |
| 5 | 41-50 | 4 | 0.0% |
| 6 | 51-75 | 8 | 0.1% |
| 7 | 76-100 | 955 | 7.8% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | None | 1,865 | 15.3% |
| 1 | 1 to 10 | 125 | 1.0% |
| 2 | 11 to 20 | 10 | 0.1% |
| 4 | 31 to 40 | 1 | 0.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPRACEPERINDIAN: Percent of American Indian/Alaska Native clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,869 | 15.4% |
| 1 | 1-10 | 97 | 0.8% |
| 2 | 11-20 | 19 | 0.2% |
| 3 | 21-30 | 8 | 0.1% |
| 4 | 31-40 | 1 | 0.0% |
| 5 | 41-50 | 3 | 0.0% |
| 7 | 76-100 | 4 | 0.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPRACETOTASIAN: Total Asian clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | None | 1,723 | 14.2% |
| 1 | 1 to 10 | 261 | 2.1% |
| 2 | 11 to 20 | 10 | 0.1% |
| 3 | 21 to 30 | 2 | 0.0% |
| 5 | 41 to 50 | 3 | 0.0% |
| 6 | 51 to 75 | 1 | 0.0% |
| 8 | 101 to 250 | 1 | 0.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPRACEPERASIAN: Percent of Asian clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,726 | 14.2% |
| 1 | 1-10 | 226 | 1.9% |
| 2 | 11-20 | 37 | 0.3% |
| 3 | 21-30 | 9 | 0.1% |
| 4 | 31-40 | 1 | 0.0% |
| 5 | 41-50 | 2 | 0.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPRACETOTBLK: Total Black or African American clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 1,245 | 10.2% |
| 1 | 1 to 10 | 486 | 4.0% |
| 2 | 11 to 20 | 129 | 1.1% |
| 3 | 21 to 30 | 32 | 0.3% |
| 4 | 31 to 40 | 31 | 0.3% |
| 5 | 41 to 50 | 16 | 0.1% |
| 6 | 51 to 75 | 26 | 0.2% |
| 7 | 76 to 100 | 11 | 0.1% |
| 8 | 101 to 250 | 20 | 0.2% |
| 9 | More than 250 | 5 | 0.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPRACEPERBLK: Percent of Black or African American clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,245 | 10.2% |
| 1 | 1-10 | 156 | 1.3% |
| 2 | 11-20 | 169 | 1.4% |
| 3 | 21-30 | 130 | 1.1% |
| 4 | 31-40 | 105 | 0.9% |
| 5 | 41-50 | 96 | 0.8% |
| 6 | 51-75 | 80 | 0.7% |
| 7 | 76-100 | 20 | 0.2% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPRACETHAWPAC: Total Native Hawaiian or Other Pacific Islander clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | None | 1,931 | 15.9% |
| 1 | 1 to 10 | 66 | 0.5% |
| 2 | 11 to 20 | 2 | 0.0% |
| 4 | 31 to 40 | 1 | 0.0% |
| 8 | 101 to 250 | 1 | 0.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPRACEPERHAWPAC: Percent of Native Hawaiian or Other Pacific Islander clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,933 | 15.9% |
| 1 | 1-10 | 58 | 0.5% |
| 2 | 11-20 | 3 | 0.0% |
| 3 | 21-30 | 4 | 0.0% |
| 4 | 31-40 | 2 | 0.0% |
| 6 | 51-75 | 1 | 0.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPRACETOTWHIT: Total White clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 1,020 | 8.4% |
| 1 | 1 to 10 | 391 | 3.2% |
| 2 | 11 to 20 | 255 | 2.1% |
| 3 | 21 to 30 | 99 | 0.8% |
| 4 | 31 to 40 | 62 | 0.5% |
| 5 | 41 to 50 | 36 | 0.3% |
| 6 | 51 to 75 | 58 | 0.5% |
| 7 | 76 to 100 | 24 | 0.2% |
| 8 | 101 to 250 | 43 | 0.4% |
| 9 | More than 250 | 13 | 0.1% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPRACEPERWHIT: Percent of White clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,020 | 8.4% |
| 1 | 1-10 | 9 | 0.1% |
| 2 | 11-20 | 26 | 0.2% |
| 3 | 21-30 | 39 | 0.3% |
| 4 | 31-40 | 67 | 0.6% |
| 5 | 41-50 | 96 | 0.8% |
| 6 | 51-75 | 285 | 2.3% |
| 7 | 76-100 | 459 | 3.8% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPRACETOTMR: Total mixed race clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | None | 1,765 | 14.5% |
| 1 | 1 to 10 | 206 | 1.7% |
| 2 | 11 to 20 | 17 | 0.1% |
| 3 | 21 to 30 | 5 | 0.0% |
| 4 | 31 to 40 | 4 | 0.0% |
| 6 | 51 to 75 | 2 | 0.0% |
| 8 | 101 to 250 | 2 | 0.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPRACEPERMR: Percent of mixed race clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,767 | 14.5% |
| 1 | 1-10 | 146 | 1.2% |
| 2 | 11-20 | 48 | 0.4% |
| 3 | 21-30 | 24 | 0.2% |
| 4 | 31-40 | 6 | 0.0% |
| 5 | 41-50 | 3 | 0.0% |
| 7 | 76-100 | 7 | 0.1% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPRACETOTUNK: Total unknown race clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 765 | 6.3% |
| 1 | 1 to 10 | 338 | 2.8% |
| 2 | 11 to 20 | 286 | 2.3% |
| 3 | 21 to 30 | 158 | 1.3% |
| 4 | 31 to 40 | 95 | 0.8% |
| 5 | 41 to 50 | 84 | 0.7% |
| 6 | 51 to 75 | 113 | 0.9% |
| 7 | 76 to 100 | 64 | 0.5% |
| 8 | 101 to 250 | 74 | 0.6% |
| 9 | More than 250 | 24 | 0.2% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPRACEPERUNK: Percent of unknown race clients/patients at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 768 | 6.3% |
| 1 | 1-10 | 123 | 1.0% |
| 2 | 11-20 | 49 | 0.4% |
| 3 | 21-30 | 26 | 0.2% |
| 4 | 31-40 | 24 | 0.2% |
| 5 | 41-50 | 7 | 0.1% |
| 6 | 51-75 | 8 | 0.1% |
| 7 | 76-100 | 996 | 8.2% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPLEGALTOTVOL: Total clients/patients with voluntary legal status at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 211 | 1.7% |
| 1 | 1 to 10 | 720 | 5.9% |
| 2 | 11 to 20 | 481 | 4.0% |
| 3 | 21 to 30 | 197 | 1.6% |
| 4 | 31 to 40 | 113 | 0.9% |
| 5 | 41 to 50 | 75 | 0.6% |
| 6 | 51 to 75 | 103 | 0.8% |
| 7 | 76 to 100 | 51 | 0.4% |
| 8 | 101 to 250 | 34 | 0.3% |
| 9 | More than 250 | 16 | 0.1% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPLEGALPERVOL: Percent of clients/patients with voluntary legal status at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 213 | 1.7% |
| 1 | 1-10 | 109 | 0.9% |
| 2 | 11-20 | 103 | 0.8% |
| 3 | 21-30 | 101 | 0.8% |
| 4 | 31-40 | 110 | 0.9% |
| 5 | 41-50 | 171 | 1.4% |
| 6 | 51-75 | 346 | 2.8% |
| 7 | 76-100 | 848 | 7.0% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPLEGALTOTNONFOREN: Total clients/patients with involuntary (non-forensic) legal status at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 557 | 4.6% |
| 1 | 1 to 10 | 704 | 5.8% |
| 2 | 11 to 20 | 298 | 2.4% |
| 3 | 21 to 30 | 134 | 1.1% |
| 4 | 31 to 40 | 78 | 0.6% |
| 5 | 41 to 50 | 50 | 0.4% |
| 6 | 51 to 75 | 69 | 0.6% |
| 7 | 76 to 100 | 40 | 0.3% |
| 8 | 101 to 250 | 55 | 0.5% |
| 9 | More than 250 | 16 | 0.1% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPLEGALPERNONFOREN: Percent of clients/patients with involuntary (non-forensic) legal status at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 557 | 4.6% |
| 1 | 1-10 | 131 | 1.1% |
| 2 | 11-20 | 206 | 1.7% |
| 3 | 21-30 | 178 | 1.5% |
| 4 | 31-40 | 155 | 1.3% |
| 5 | 41-50 | 165 | 1.4% |
| 6 | 51-75 | 269 | 2.2% |
| 7 | 76-100 | 340 | 2.8% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPLEGALTOTFOREN: Total clients/patients with involuntary (forensic) legal status at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 1,724 | 14.2% |
| 1 | 1 to 10 | 117 | 1.0% |
| 2 | 11 to 20 | 31 | 0.3% |
| 3 | 21 to 30 | 22 | 0.2% |
| 4 | 31 to 40 | 18 | 0.1% |
| 5 | 41 to 50 | 11 | 0.1% |
| 6 | 51 to 75 | 18 | 0.1% |
| 7 | 76 to 100 | 16 | 0.1% |
| 8 | 101 to 250 | 35 | 0.3% |
| 9 | More than 250 | 9 | 0.1% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

IPLEGALPERFOREN: Percent of clients/patients with involuntary (forensic) legal status at this 24-hour hospital inpatient facility (Q.B3b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,724 | 14.2% |
| 1 | 1-10 | 66 | 0.5% |
| 2 | 11-20 | 38 | 0.3% |
| 3 | 21-30 | 24 | 0.2% |
| 4 | 31-40 | 28 | 0.2% |
| 5 | 41-50 | 31 | 0.3% |
| 6 | 51-75 | 40 | 0.3% |
| 7 | 76-100 | 50 | 0.4% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

IPBEDS: Number of hospital inpatient beds set up/staffed at facility (Q.B3c)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 1 | 1 to 10 | 161 | 1.3% |
| 2 | 11 to 20 | 545 | 4.5% |
| 3 | 21 to 30 | 342 | 2.8% |
| 4 | 31 to 40 | 196 | 1.6% |
| 5 | 41 to 50 | 144 | 1.2% |
| 6 | 51 to 75 | 245 | 2.0% |
| 7 | 76 to 100 | 129 | 1.1% |
| 8 | 101 to 250 | 192 | 1.6% |
| 9 | More than 250 | 47 | 0.4% |
| -1 | Missing | 35 | 0.3% |
| -2 | Logical skip | 10,136 | 83.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCSEV: 24-hour residential care offered (Q.B4)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,012 | 82.3% |
| 1 | Yes | 2,160 | 17.7% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

RCTOTAL: Total number of 24-hour residential clients (Q.B4a)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 1 | 1 to 10 | 736 | 6.0% |
| 2 | 11 to 20 | 523 | 4.3% |
| 3 | 21 to 30 | 263 | 2.2% |
| 4 | 31 to 40 | 181 | 1.5% |
| 5 | 41 to 50 | 94 | 0.8% |
| 6 | 51 to 75 | 173 | 1.4% |
| 7 | 76 to 100 | 80 | 0.7% |
| 8 | 101 to 250 | 75 | 0.6% |
| 9 | More than 250 | 15 | 0.1% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCSEXTOTM: Total male clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 221 | 1.8% |
| 1 | 1 to 10 | 957 | 7.9% |
| 2 | 11 to 20 | 403 | 3.3% |
| 3 | 21 to 30 | 199 | 1.6% |
| 4 | 31 to 40 | 122 | 1.0% |
| 5 | 41 to 50 | 75 | 0.6% |
| 6 | 51 to 75 | 94 | 0.8% |
| 7 | 76 to 100 | 34 | 0.3% |
| 8 | 101 to 250 | 29 | 0.2% |
| 9 | More than 250 | 6 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCSEXPPerm: Percent of male clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 221 | 1.8% |
| 1 | 1-10 | 2 | 0.0% |
| 2 | 11-20 | 37 | 0.3% |
| 3 | 21-30 | 48 | 0.4% |
| 4 | 31-40 | 166 | 1.4% |
| 5 | 41-50 | 333 | 2.7% |
| 6 | 51-75 | 732 | 6.0% |
| 7 | 76-100 | 601 | 4.9% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCSEXTOTF: Total female clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 381 | 3.1% |
| 1 | 1 to 10 | 1,112 | 9.1% |
| 2 | 11 to 20 | 305 | 2.5% |
| 3 | 21 to 30 | 145 | 1.2% |
| 4 | 31 to 40 | 78 | 0.6% |
| 5 | 41 to 50 | 42 | 0.3% |
| 6 | 51 to 75 | 45 | 0.4% |
| 7 | 76 to 100 | 10 | 0.1% |
| 8 | 101 to 250 | 18 | 0.1% |
| 9 | More than 250 | 4 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCSEXPERF: Percent of female clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 381 | 3.1% |
| 1 | 1-10 | 63 | 0.5% |
| 2 | 11-20 | 115 | 0.9% |
| 3 | 21-30 | 209 | 1.7% |
| 4 | 31-40 | 358 | 2.9% |
| 5 | 41-50 | 393 | 3.2% |
| 6 | 51-75 | 353 | 2.9% |
| 7 | 76-100 | 268 | 2.2% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCAGETOT017: Total clients/patients 0-17 years old at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 1,207 | 9.9% |
| 1 | 1 to 10 | 244 | 2.0% |
| 2 | 11 to 20 | 188 | 1.5% |
| 3 | 21 to 30 | 153 | 1.3% |
| 4 | 31 to 40 | 111 | 0.9% |
| 5 | 41 to 50 | 60 | 0.5% |
| 6 | 51 to 75 | 101 | 0.8% |
| 7 | 76 to 100 | 45 | 0.4% |
| 8 | 101 to 250 | 29 | 0.2% |
| 9 | More than 250 | 2 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCAGEPER017: Percent of clients/patients 0-17 years old at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,207 | 9.9% |
| 1 | 1-10 | 10 | 0.1% |
| 2 | 11-20 | 9 | 0.1% |
| 3 | 21-30 | 19 | 0.2% |
| 4 | 31-40 | 10 | 0.1% |
| 5 | 41-50 | 21 | 0.2% |
| 6 | 51-75 | 63 | 0.5% |
| 7 | 76-100 | 801 | 6.6% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCAGETOT1864: Total clients/patients 18-64 years old at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 624 | 5.1% |
| 1 | 1 to 10 | 801 | 6.6% |
| 2 | 11 to 20 | 376 | 3.1% |
| 3 | 21 to 30 | 108 | 0.9% |
| 4 | 31 to 40 | 68 | 0.6% |
| 5 | 41 to 50 | 32 | 0.3% |
| 6 | 51 to 75 | 54 | 0.4% |
| 7 | 76 to 100 | 37 | 0.3% |
| 8 | 101 to 250 | 28 | 0.2% |
| 9 | More than 250 | 12 | 0.1% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCAGEPER1864: Percent of clients/patients 18-64 years old at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 624 | 5.1% |
| 1 | 1-10 | 126 | 1.0% |
| 2 | 11-20 | 62 | 0.5% |
| 3 | 21-30 | 38 | 0.3% |
| 4 | 31-40 | 38 | 0.3% |
| 5 | 41-50 | 38 | 0.3% |
| 6 | 51-75 | 110 | 0.9% |
| 7 | 76-100 | 1,104 | 9.1% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCAGETOT65: Total clients/patients 65 years and older at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | None | 1,621 | 13.3% |
| 1 | 1 to 10 | 447 | 3.7% |
| 2 | 11 to 20 | 39 | 0.3% |
| 3 | 21 to 30 | 11 | 0.1% |
| 4 | 31 to 40 | 8 | 0.1% |
| 5 | 41 to 50 | 3 | 0.0% |
| 6 | 51 to 75 | 6 | 0.0% |
| 7 | 76 to 100 | 1 | 0.0% |
| 8 | 101 to 250 | 4 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCAGEPER65: Percent of clients/patients 65 years and older at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,621 | 13.3% |
| 1 | 1-10 | 203 | 1.7% |
| 2 | 11-20 | 183 | 1.5% |
| 3 | 21-30 | 49 | 0.4% |
| 4 | 31-40 | 31 | 0.3% |
| 5 | 41-50 | 16 | 0.1% |
| 6 | 51-75 | 16 | 0.1% |
| 7 | 76-100 | 21 | 0.2% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCETHOTHISP: Total Hispanic clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | None | 1,248 | 10.3% |
| 1 | 1 to 10 | 763 | 6.3% |
| 2 | 11 to 20 | 67 | 0.6% |
| 3 | 21 to 30 | 31 | 0.3% |
| 4 | 31 to 40 | 16 | 0.1% |
| 5 | 41 to 50 | 6 | 0.0% |
| 6 | 51 to 75 | 9 | 0.1% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCETHPERHISP: Percent of Hispanic clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,249 | 10.3% |
| 1 | 1-10 | 368 | 3.0% |
| 2 | 11-20 | 230 | 1.9% |
| 3 | 21-30 | 130 | 1.1% |
| 4 | 31-40 | 72 | 0.6% |
| 5 | 41-50 | 32 | 0.3% |
| 6 | 51-75 | 26 | 0.2% |
| 7 | 76-100 | 33 | 0.3% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCETHOTNONHISP: Total non-Hispanic clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 620 | 5.1% |
| 1 | 1 to 10 | 646 | 5.3% |
| 2 | 11 to 20 | 390 | 3.2% |
| 3 | 21 to 30 | 157 | 1.3% |
| 4 | 31 to 40 | 108 | 0.9% |
| 5 | 41 to 50 | 40 | 0.3% |
| 6 | 51 to 75 | 93 | 0.8% |
| 7 | 76 to 100 | 49 | 0.4% |
| 8 | 101 to 250 | 29 | 0.2% |
| 9 | More than 250 | 8 | 0.1% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCETHPERNONHISP: Percent of non-Hispanic clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 620 | 5.1% |
| 1 | 1-10 | 5 | 0.0% |
| 2 | 11-20 | 15 | 0.1% |
| 3 | 21-30 | 8 | 0.1% |
| 4 | 31-40 | 14 | 0.1% |
| 5 | 41-50 | 38 | 0.3% |
| 6 | 51-75 | 190 | 1.6% |
| 7 | 76-100 | 1,250 | 10.3% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCETHTOTUNK: Total unknown ethnicity clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 1,414 | 11.6% |
| 1 | 1 to 10 | 284 | 2.3% |
| 2 | 11 to 20 | 131 | 1.1% |
| 3 | 21 to 30 | 80 | 0.7% |
| 4 | 31 to 40 | 61 | 0.5% |
| 5 | 41 to 50 | 34 | 0.3% |
| 6 | 51 to 75 | 68 | 0.6% |
| 7 | 76 to 100 | 32 | 0.3% |
| 8 | 101 to 250 | 29 | 0.2% |
| 9 | More than 250 | 7 | 0.1% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCETHERUNK: Percent of unknown ethnicity clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,415 | 11.6% |
| 1 | 1-10 | 49 | 0.4% |
| 2 | 11-20 | 35 | 0.3% |
| 3 | 21-30 | 14 | 0.1% |
| 4 | 31-40 | 10 | 0.1% |
| 5 | 41-50 | 10 | 0.1% |
| 6 | 51-75 | 7 | 0.1% |
| 7 | 76-100 | 600 | 4.9% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | None | 1,881 | 15.5% |
| 1 | 1 to 10 | 246 | 2.0% |
| 2 | 11 to 20 | 6 | 0.0% |
| 3 | 21 to 30 | 4 | 0.0% |
| 4 | 31 to 40 | 3 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCRACEPERINDIAN: Percent of American Indian/Alaska Native clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,882 | 15.5% |
| 1 | 1-10 | 153 | 1.3% |
| 2 | 11-20 | 55 | 0.5% |
| 3 | 21-30 | 20 | 0.2% |
| 4 | 31-40 | 5 | 0.0% |
| 5 | 41-50 | 6 | 0.0% |
| 6 | 51-75 | 7 | 0.1% |
| 7 | 76-100 | 12 | 0.1% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCRACETOTASIAN: Total Asian clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | None | 1,876 | 15.4% |
| 1 | 1 to 10 | 249 | 2.0% |
| 2 | 11 to 20 | 9 | 0.1% |
| 3 | 21 to 30 | 5 | 0.0% |
| 4 | 31 to 40 | 1 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCRACEPERASIAN: Percent of Asian clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,877 | 15.4% |
| 1 | 1-10 | 209 | 1.7% |
| 2 | 11-20 | 47 | 0.4% |
| 3 | 21-30 | 5 | 0.0% |
| 4 | 31-40 | 2 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCRACETOTBLK: Total Black clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | None | 989 | 8.1% |
| 1 | 1 to 10 | 864 | 7.1% |
| 2 | 11 to 20 | 153 | 1.3% |
| 3 | 21 to 30 | 56 | 0.5% |
| 4 | 31 to 40 | 29 | 0.2% |
| 5 | 41 to 50 | 17 | 0.1% |
| 6 | 51 to 75 | 20 | 0.2% |
| 7 | 76 to 100 | 5 | 0.0% |
| 8 | 101 to 250 | 7 | 0.1% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCRACEPERBLK: Percent of Black clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 989 | 8.1% |
| 1 | 1-10 | 178 | 1.5% |
| 2 | 11-20 | 259 | 2.1% |
| 3 | 21-30 | 170 | 1.4% |
| 4 | 31-40 | 184 | 1.5% |
| 5 | 41-50 | 143 | 1.2% |
| 6 | 51-75 | 146 | 1.2% |
| 7 | 76-100 | 71 | 0.6% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCRACETOTHAWPAC: Total Native Hawaiian or Other Pacific Islander clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | None | 2,057 | 16.9% |
| 1 | 1 to 10 | 80 | 0.7% |
| 3 | 21 to 30 | 1 | 0.0% |
| 5 | 41 to 50 | 1 | 0.0% |
| 6 | 51 to 75 | 1 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCRACEPERHAWPAC: Percent of Native Hawaiian or Other Pacific Islander clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 2,058 | 16.9% |
| 1 | 1-10 | 59 | 0.5% |
| 2 | 11-20 | 14 | 0.1% |
| 3 | 21-30 | 3 | 0.0% |
| 5 | 41-50 | 1 | 0.0% |
| 6 | 51-75 | 3 | 0.0% |
| 7 | 76-100 | 2 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCRACETOTWHIT: Total White clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 645 | 5.3% |
| 1 | 1 to 10 | 857 | 7.0% |
| 2 | 11 to 20 | 320 | 2.6% |
| 3 | 21 to 30 | 135 | 1.1% |
| 4 | 31 to 40 | 57 | 0.5% |
| 5 | 41 to 50 | 41 | 0.3% |
| 6 | 51 to 75 | 57 | 0.5% |
| 7 | 76 to 100 | 12 | 0.1% |
| 8 | 101 to 250 | 12 | 0.1% |
| 9 | More than 250 | 4 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCRACEPERWHIT: Percent of White clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 645 | 5.3% |
| 1 | 1-10 | 31 | 0.3% |
| 2 | 11-20 | 64 | 0.5% |
| 3 | 21-30 | 73 | 0.6% |
| 4 | 31-40 | 155 | 1.3% |
| 5 | 41-50 | 191 | 1.6% |
| 6 | 51-75 | 434 | 3.6% |
| 7 | 76-100 | 547 | 4.5% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCRACETOTMR: Total mixed race clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | None | 1,633 | 13.4% |
| 1 | 1 to 10 | 474 | 3.9% |
| 2 | 11 to 20 | 20 | 0.2% |
| 3 | 21 to 30 | 6 | 0.0% |
| 4 | 31 to 40 | 5 | 0.0% |
| 5 | 41 to 50 | 1 | 0.0% |
| 6 | 51 to 75 | 1 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCRACEPERMR: Percent of mixed race clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,633 | 13.4% |
| 1 | 1-10 | 223 | 1.8% |
| 2 | 11-20 | 174 | 1.4% |
| 3 | 21-30 | 51 | 0.4% |
| 4 | 31-40 | 33 | 0.3% |
| 5 | 41-50 | 7 | 0.1% |
| 6 | 51-75 | 8 | 0.1% |
| 7 | 76-100 | 11 | 0.1% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCRACETOTUNK: Total unknown race clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 1,201 | 9.9% |
| 1 | 1 to 10 | 444 | 3.6% |
| 2 | 11 to 20 | 157 | 1.3% |
| 3 | 21 to 30 | 96 | 0.8% |
| 4 | 31 to 40 | 65 | 0.5% |
| 5 | 41 to 50 | 32 | 0.3% |
| 6 | 51 to 75 | 72 | 0.6% |
| 7 | 76 to 100 | 33 | 0.3% |
| 8 | 101 to 250 | 33 | 0.3% |
| 9 | More than 250 | 7 | 0.1% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCRACEPERUNK: Percent of unknown race clients/patients at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,201 | 9.9% |
| 1 | 1-10 | 141 | 1.2% |
| 2 | 11-20 | 100 | 0.8% |
| 3 | 21-30 | 49 | 0.4% |
| 4 | 31-40 | 34 | 0.3% |
| 5 | 41-50 | 16 | 0.1% |
| 6 | 51-75 | 17 | 0.1% |
| 7 | 76-100 | 582 | 4.8% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCLEGALTOTVOL: Total clients/patients with voluntary legal status at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 295 | 2.4% |
| 1 | 1 to 10 | 800 | 6.6% |
| 2 | 11 to 20 | 441 | 3.6% |
| 3 | 21 to 30 | 194 | 1.6% |
| 4 | 31 to 40 | 134 | 1.1% |
| 5 | 41 to 50 | 55 | 0.5% |
| 6 | 51 to 75 | 117 | 1.0% |
| 7 | 76 to 100 | 50 | 0.4% |
| 8 | 101 to 250 | 44 | 0.4% |
| 9 | More than 250 | 10 | 0.1% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCLEGALPERVOL: Percent of clients/patients with voluntary legal status at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 295 | 2.4% |
| 1 | 1-10 | 52 | 0.4% |
| 2 | 11-20 | 32 | 0.3% |
| 3 | 21-30 | 41 | 0.3% |
| 4 | 31-40 | 30 | 0.2% |
| 5 | 41-50 | 59 | 0.5% |
| 6 | 51-75 | 116 | 1.0% |
| 7 | 76-100 | 1,515 | 12.4% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCLEGALTOTNONFOREN: Total clients/patients with involuntary (non-forensic) legal status at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 1,544 | 12.7% |
| 1 | 1 to 10 | 293 | 2.4% |
| 2 | 11 to 20 | 105 | 0.9% |
| 3 | 21 to 30 | 65 | 0.5% |
| 4 | 31 to 40 | 36 | 0.3% |
| 5 | 41 to 50 | 27 | 0.2% |
| 6 | 51 to 75 | 37 | 0.3% |
| 7 | 76 to 100 | 16 | 0.1% |
| 8 | 101 to 250 | 13 | 0.1% |
| 9 | More than 250 | 4 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCLEGALPERNONFOREN: Percent of clients/patients with involuntary (non-forensic) legal status at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,544 | 12.7% |
| 1 | 1-10 | 51 | 0.4% |
| 2 | 11-20 | 64 | 0.5% |
| 3 | 21-30 | 47 | 0.4% |
| 4 | 31-40 | 56 | 0.5% |
| 5 | 41-50 | 47 | 0.4% |
| 6 | 51-75 | 78 | 0.6% |
| 7 | 76-100 | 253 | 2.1% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCLEGALTOTFOREN: Total clients/patients with involuntary (forensic) legal status at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 0 | None | 1,825 | 15.0% |
| 1 | 1 to 10 | 193 | 1.6% |
| 2 | 11 to 20 | 48 | 0.4% |
| 3 | 21 to 30 | 34 | 0.3% |
| 4 | 31 to 40 | 14 | 0.1% |
| 5 | 41 to 50 | 1 | 0.0% |
| 6 | 51 to 75 | 11 | 0.1% |
| 7 | 76 to 100 | 9 | 0.1% |
| 8 | 101 to 250 | 4 | 0.0% |
| 9 | More than 250 | 1 | 0.0% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

RCLEGALPERFOREN: Percent of clients/patients with involuntary (forensic) legal status at this 24-hour residential facility (Q.B4b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,825 | 15.0% |
| 1 | 1-10 | 59 | 0.5% |
| 2 | 11-20 | 46 | 0.4% |
| 3 | 21-30 | 36 | 0.3% |
| 4 | 31-40 | 30 | 0.2% |
| 5 | 41-50 | 22 | 0.2% |
| 6 | 51-75 | 30 | 0.2% |
| 7 | 76-100 | 92 | 0.8% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

RCBEDS: Number of residential beds set up/staffed at facility (Q.B4c)

| Value | Label | Frequency | % |
|-------|---------------|---------------|-------------|
| 1 | 1 to 10 | 634 | 5.2% |
| 2 | 11 to 20 | 549 | 4.5% |
| 3 | 21 to 30 | 263 | 2.2% |
| 4 | 31 to 40 | 221 | 1.8% |
| 5 | 41 to 50 | 115 | 0.9% |
| 6 | 51 to 75 | 171 | 1.4% |
| 7 | 76 to 100 | 96 | 0.8% |
| 8 | 101 to 250 | 81 | 0.7% |
| 9 | More than 250 | 10 | 0.1% |
| -1 | Missing | 20 | 0.2% |
| -2 | Logical skip | 10,012 | 82.3% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 9

Variable type: numeric

OPSERV: Any clients received less than 24-hour mental health services (Q.B5)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,438 | 20.0% |
| 1 | Yes | 9,734 | 80.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 1

Variable type: numeric

OPTOTAL: Total number of less than 24-hour clients (Q.B5a)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 1 | 1 to 10 | 456 | 3.7% |
| 2 | 11 to 20 | 491 | 4.0% |
| 3 | 21 to 30 | 445 | 3.7% |
| 4 | 31 to 40 | 342 | 2.8% |
| 5 | 41 to 50 | 356 | 2.9% |
| 6 | 51 to 75 | 611 | 5.0% |
| 7 | 76 to 100 | 547 | 4.5% |
| 8 | 101 to 250 | 1,883 | 15.5% |
| 9 | 251 to 500 | 2,274 | 18.7% |
| 10 | 501 to 1000 | 1,318 | 10.8% |
| 11 | 1001 to 1500 | 391 | 3.2% |
| 12 | More than 1500 | 448 | 3.7% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPSEXTOTM: Total male clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 100 | 0.8% |
| 1 | 1 to 10 | 971 | 8.0% |
| 2 | 11 to 20 | 751 | 6.2% |
| 3 | 21 to 30 | 603 | 5.0% |
| 4 | 31 to 40 | 458 | 3.8% |
| 5 | 41 to 50 | 416 | 3.4% |
| 6 | 51 to 75 | 727 | 6.0% |
| 7 | 76 to 100 | 690 | 5.7% |
| 8 | 101 to 250 | 2,711 | 22.3% |
| 9 | 251 to 500 | 1,243 | 10.2% |
| 10 | 501 to 1000 | 629 | 5.2% |
| 11 | 1001 to 1500 | 151 | 1.2% |
| 12 | More than 1500 | 112 | 0.9% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPSEXPERM: Percent of male clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 100 | 0.8% |
| 1 | 1-10 | 42 | 0.3% |
| 2 | 11-20 | 132 | 1.1% |
| 3 | 21-30 | 357 | 2.9% |
| 4 | 31-40 | 1,553 | 12.8% |
| 5 | 41-50 | 3,915 | 32.2% |
| 6 | 51-75 | 2,894 | 23.8% |
| 7 | 76-100 | 569 | 4.7% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPSEXTOTF: Total female clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 69 | 0.6% |
| 1 | 1 to 10 | 1,027 | 8.4% |
| 2 | 11 to 20 | 784 | 6.4% |
| 3 | 21 to 30 | 600 | 4.9% |
| 4 | 31 to 40 | 450 | 3.7% |
| 5 | 41 to 50 | 418 | 3.4% |
| 6 | 51 to 75 | 723 | 5.9% |
| 7 | 76 to 100 | 604 | 5.0% |
| 8 | 101 to 250 | 2,713 | 22.3% |
| 9 | 251 to 500 | 1,321 | 10.9% |
| 10 | 501 to 1000 | 629 | 5.2% |
| 11 | 1001 to 1500 | 158 | 1.3% |
| 12 | More than 1500 | 66 | 0.5% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

**OPSEXPERF: Percent of female clients/patients at this less than 24-hour facility
(Q.B5b)**

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 69 | 0.6% |
| 1 | 1-10 | 197 | 1.6% |
| 2 | 11-20 | 256 | 2.1% |
| 3 | 21-30 | 303 | 2.5% |
| 4 | 31-40 | 958 | 7.9% |
| 5 | 41-50 | 3,067 | 25.2% |
| 6 | 51-75 | 4,391 | 36.1% |
| 7 | 76-100 | 321 | 2.6% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPAGETOT017: Total clients/patients 0-17 years old at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 2,811 | 23.1% |
| 1 | 1 to 10 | 880 | 7.2% |
| 2 | 11 to 20 | 622 | 5.1% |
| 3 | 21 to 30 | 449 | 3.7% |
| 4 | 31 to 40 | 394 | 3.2% |
| 5 | 41 to 50 | 345 | 2.8% |
| 6 | 51 to 75 | 622 | 5.1% |
| 7 | 76 to 100 | 508 | 4.2% |
| 8 | 101 to 250 | 1,831 | 15.0% |
| 9 | 251 to 500 | 710 | 5.8% |
| 10 | 501 to 1000 | 265 | 2.2% |
| 11 | 1001 to 1500 | 73 | 0.6% |
| 12 | More than 1500 | 52 | 0.4% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPAGEPER017: Percent of clients/patients 0-17 years old at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 2,827 | 23.2% |
| 1 | 1-10 | 822 | 6.8% |
| 2 | 11-20 | 1,016 | 8.3% |
| 3 | 21-30 | 1,163 | 9.6% |
| 4 | 31-40 | 1,313 | 10.8% |
| 5 | 41-50 | 423 | 3.5% |
| 6 | 51-75 | 470 | 3.9% |
| 7 | 76-100 | 1,528 | 12.6% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPAGETOT1864: Total clients/patients 18-64 years old at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 807 | 6.6% |
| 1 | 1 to 10 | 818 | 6.7% |
| 2 | 11 to 20 | 608 | 5.0% |
| 3 | 21 to 30 | 445 | 3.7% |
| 4 | 31 to 40 | 395 | 3.2% |
| 5 | 41 to 50 | 334 | 2.7% |
| 6 | 51 to 75 | 635 | 5.2% |
| 7 | 76 to 100 | 559 | 4.6% |
| 8 | 101 to 250 | 2,093 | 17.2% |
| 9 | 251 to 500 | 1,655 | 13.6% |
| 10 | 501 to 1000 | 802 | 6.6% |
| 11 | 1001 to 1500 | 221 | 1.8% |
| 12 | More than 1500 | 190 | 1.6% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPAGEPER1864: Percent of clients/patients 18-64 years old at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 809 | 6.6% |
| 1 | 1-10 | 545 | 4.5% |
| 2 | 11-20 | 271 | 2.2% |
| 3 | 21-30 | 238 | 2.0% |
| 4 | 31-40 | 407 | 3.3% |
| 5 | 41-50 | 694 | 5.7% |
| 6 | 51-75 | 3,123 | 25.7% |
| 7 | 76-100 | 3,475 | 28.5% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPAGETOT65: Total clients/patients 65 years and older at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 2,918 | 24.0% |
| 1 | 1 to 10 | 2,140 | 17.6% |
| 2 | 11 to 20 | 1,147 | 9.4% |
| 3 | 21 to 30 | 613 | 5.0% |
| 4 | 31 to 40 | 445 | 3.7% |
| 5 | 41 to 50 | 412 | 3.4% |
| 6 | 51 to 75 | 631 | 5.2% |
| 7 | 76 to 100 | 374 | 3.1% |
| 8 | 101 to 250 | 541 | 4.4% |
| 9 | 251 to 500 | 221 | 1.8% |
| 10 | 501 to 1000 | 71 | 0.6% |
| 11 | 1001 to 1500 | 22 | 0.2% |
| 12 | More than 1500 | 27 | 0.2% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPAGEPER65: Percent of clients/patients 65 years and older at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 2,963 | 24.3% |
| 1 | 1-10 | 3,972 | 32.6% |
| 2 | 11-20 | 1,582 | 13.0% |
| 3 | 21-30 | 504 | 4.1% |
| 4 | 31-40 | 234 | 1.9% |
| 5 | 41-50 | 98 | 0.8% |
| 6 | 51-75 | 86 | 0.7% |
| 7 | 76-100 | 123 | 1.0% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPETHOTHISP: Total Hispanic clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 4,444 | 36.5% |
| 1 | 1 to 10 | 2,038 | 16.7% |
| 2 | 11 to 20 | 779 | 6.4% |
| 3 | 21 to 30 | 445 | 3.7% |
| 4 | 31 to 40 | 281 | 2.3% |
| 5 | 41 to 50 | 187 | 1.5% |
| 6 | 51 to 75 | 339 | 2.8% |
| 7 | 76 to 100 | 209 | 1.7% |
| 8 | 101 to 250 | 510 | 4.2% |
| 9 | 251 to 500 | 192 | 1.6% |
| 10 | 501 to 1000 | 99 | 0.8% |
| 11 | 1001 to 1500 | 22 | 0.2% |
| 12 | More than 1500 | 17 | 0.1% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPETHPERHISP: Percent of Hispanic clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 4,507 | 37.0% |
| 1 | 1-10 | 2,904 | 23.9% |
| 2 | 11-20 | 805 | 6.6% |
| 3 | 21-30 | 431 | 3.5% |
| 4 | 31-40 | 263 | 2.2% |
| 5 | 41-50 | 186 | 1.5% |
| 6 | 51-75 | 263 | 2.2% |
| 7 | 76-100 | 203 | 1.7% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPETHOTNONHISP: Total non-Hispanic clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 3,552 | 29.2% |
| 1 | 1 to 10 | 405 | 3.3% |
| 2 | 11 to 20 | 384 | 3.2% |
| 3 | 21 to 30 | 342 | 2.8% |
| 4 | 31 to 40 | 237 | 1.9% |
| 5 | 41 to 50 | 248 | 2.0% |
| 6 | 51 to 75 | 474 | 3.9% |
| 7 | 76 to 100 | 377 | 3.1% |
| 8 | 101 to 250 | 1,417 | 11.6% |
| 9 | 251 to 500 | 1,063 | 8.7% |
| 10 | 501 to 1000 | 695 | 5.7% |
| 11 | 1001 to 1500 | 204 | 1.7% |
| 12 | More than 1500 | 164 | 1.3% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPETHPERNONHISP: Percent of non-Hispanic clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 3,555 | 29.2% |
| 1 | 1-10 | 107 | 0.9% |
| 2 | 11-20 | 113 | 0.9% |
| 3 | 21-30 | 108 | 0.9% |
| 4 | 31-40 | 170 | 1.4% |
| 5 | 41-50 | 208 | 1.7% |
| 6 | 51-75 | 877 | 7.2% |
| 7 | 76-100 | 4,424 | 36.3% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPETHTOTUNK: Total unknown ethnicity clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 4,034 | 33.1% |
| 1 | 1 to 10 | 943 | 7.7% |
| 2 | 11 to 20 | 491 | 4.0% |
| 3 | 21 to 30 | 341 | 2.8% |
| 4 | 31 to 40 | 270 | 2.2% |
| 5 | 41 to 50 | 233 | 1.9% |
| 6 | 51 to 75 | 331 | 2.7% |
| 7 | 76 to 100 | 278 | 2.3% |
| 8 | 101 to 250 | 672 | 5.5% |
| 9 | 251 to 500 | 1,166 | 9.6% |
| 10 | 501 to 1000 | 468 | 3.8% |
| 11 | 1001 to 1500 | 152 | 1.2% |
| 12 | More than 1500 | 183 | 1.5% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPETHPERUNK: Percent of unknown ethnicity clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 4,078 | 33.5% |
| 1 | 1-10 | 1,345 | 11.0% |
| 2 | 11-20 | 304 | 2.5% |
| 3 | 21-30 | 137 | 1.1% |
| 4 | 31-40 | 58 | 0.5% |
| 5 | 41-50 | 37 | 0.3% |
| 6 | 51-75 | 51 | 0.4% |
| 7 | 76-100 | 3,552 | 29.2% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | None | 7,313 | 60.1% |
| 1 | 1 to 10 | 1,605 | 13.2% |
| 2 | 11 to 20 | 319 | 2.6% |
| 3 | 21 to 30 | 113 | 0.9% |
| 4 | 31 to 40 | 54 | 0.4% |
| 5 | 41 to 50 | 31 | 0.3% |
| 6 | 51 to 75 | 45 | 0.4% |
| 7 | 76 to 100 | 24 | 0.2% |
| 8 | 101 to 250 | 43 | 0.4% |
| 9 | 251 to 500 | 12 | 0.1% |
| 10 | 501 to 1000 | 3 | 0.0% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPRACEPERINDIAN: Percent of American Indian/Alaska Native clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 7,625 | 62.6% |
| 1 | 1-10 | 1,725 | 14.2% |
| 2 | 11-20 | 104 | 0.9% |
| 3 | 21-30 | 32 | 0.3% |
| 4 | 31-40 | 24 | 0.2% |
| 5 | 41-50 | 6 | 0.0% |
| 6 | 51-75 | 10 | 0.1% |
| 7 | 76-100 | 36 | 0.3% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPRACETOTASIAN: Total Asian clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 6,881 | 56.5% |
| 1 | 1 to 10 | 1,920 | 15.8% |
| 2 | 11 to 20 | 332 | 2.7% |
| 3 | 21 to 30 | 115 | 0.9% |
| 4 | 31 to 40 | 72 | 0.6% |
| 5 | 41 to 50 | 50 | 0.4% |
| 6 | 51 to 75 | 73 | 0.6% |
| 7 | 76 to 100 | 34 | 0.3% |
| 8 | 101 to 250 | 70 | 0.6% |
| 9 | 251 to 500 | 8 | 0.1% |
| 10 | 501 to 1000 | 6 | 0.0% |
| 12 | More than 1500 | 1 | 0.0% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPRACEPERASIAN: Percent of Asian clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 7,255 | 59.6% |
| 1 | 1-10 | 2,133 | 17.5% |
| 2 | 11-20 | 119 | 1.0% |
| 3 | 21-30 | 24 | 0.2% |
| 4 | 31-40 | 11 | 0.1% |
| 5 | 41-50 | 2 | 0.0% |
| 6 | 51-75 | 4 | 0.0% |
| 7 | 76-100 | 14 | 0.1% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPRACETOTBLK: Total Black or African American clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 4,577 | 37.6% |
| 1 | 1 to 10 | 1,613 | 13.3% |
| 2 | 11 to 20 | 691 | 5.7% |
| 3 | 21 to 30 | 421 | 3.5% |
| 4 | 31 to 40 | 295 | 2.4% |
| 5 | 41 to 50 | 221 | 1.8% |
| 6 | 51 to 75 | 369 | 3.0% |
| 7 | 76 to 100 | 250 | 2.1% |
| 8 | 101 to 250 | 701 | 5.8% |
| 9 | 251 to 500 | 255 | 2.1% |
| 10 | 501 to 1000 | 122 | 1.0% |
| 11 | 1001 to 1500 | 30 | 0.2% |
| 12 | More than 1500 | 17 | 0.1% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPRACEPERBLK: Percent of Black or African American clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 4,615 | 37.9% |
| 1 | 1-10 | 2,069 | 17.0% |
| 2 | 11-20 | 817 | 6.7% |
| 3 | 21-30 | 530 | 4.4% |
| 4 | 31-40 | 432 | 3.5% |
| 5 | 41-50 | 376 | 3.1% |
| 6 | 51-75 | 460 | 3.8% |
| 7 | 76-100 | 263 | 2.2% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPRACETOTHAWPAC: Total Native Hawaiian or Other Pacific Islander clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 8,420 | 69.2% |
| 1 | 1 to 10 | 924 | 7.6% |
| 2 | 11 to 20 | 119 | 1.0% |
| 3 | 21 to 30 | 25 | 0.2% |
| 4 | 31 to 40 | 25 | 0.2% |
| 5 | 41 to 50 | 11 | 0.1% |
| 6 | 51 to 75 | 17 | 0.1% |
| 7 | 76 to 100 | 9 | 0.1% |
| 8 | 101 to 250 | 8 | 0.1% |
| 10 | 501 to 1000 | 3 | 0.0% |
| 12 | More than 1500 | 1 | 0.0% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPRACEPERHAWPAC: Percent of Native Hawaiian or Other Pacific Islander clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 8,725 | 71.7% |
| 1 | 1-10 | 799 | 6.6% |
| 2 | 11-20 | 23 | 0.2% |
| 3 | 21-30 | 1 | 0.0% |
| 4 | 31-40 | 2 | 0.0% |
| 5 | 41-50 | 1 | 0.0% |
| 6 | 51-75 | 5 | 0.0% |
| 7 | 76-100 | 6 | 0.0% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPRACETOTWHIT: Total White clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 3,966 | 32.6% |
| 1 | 1 to 10 | 618 | 5.1% |
| 2 | 11 to 20 | 449 | 3.7% |
| 3 | 21 to 30 | 355 | 2.9% |
| 4 | 31 to 40 | 291 | 2.4% |
| 5 | 41 to 50 | 250 | 2.1% |
| 6 | 51 to 75 | 403 | 3.3% |
| 7 | 76 to 100 | 327 | 2.7% |
| 8 | 101 to 250 | 1,269 | 10.4% |
| 9 | 251 to 500 | 862 | 7.1% |
| 10 | 501 to 1000 | 543 | 4.5% |
| 11 | 1001 to 1500 | 149 | 1.2% |
| 12 | More than 1500 | 80 | 0.7% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPRACEPERWHIT: Percent of White clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 3,968 | 32.6% |
| 1 | 1-10 | 252 | 2.1% |
| 2 | 11-20 | 263 | 2.2% |
| 3 | 21-30 | 294 | 2.4% |
| 4 | 31-40 | 389 | 3.2% |
| 5 | 41-50 | 529 | 4.3% |
| 6 | 51-75 | 1,502 | 12.3% |
| 7 | 76-100 | 2,365 | 19.4% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPRACETOTMR: Total mixed race clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 6,565 | 53.9% |
| 1 | 1 to 10 | 1,561 | 12.8% |
| 2 | 11 to 20 | 420 | 3.5% |
| 3 | 21 to 30 | 274 | 2.3% |
| 4 | 31 to 40 | 134 | 1.1% |
| 5 | 41 to 50 | 91 | 0.7% |
| 6 | 51 to 75 | 156 | 1.3% |
| 7 | 76 to 100 | 105 | 0.9% |
| 8 | 101 to 250 | 169 | 1.4% |
| 9 | 251 to 500 | 53 | 0.4% |
| 10 | 501 to 1000 | 21 | 0.2% |
| 11 | 1001 to 1500 | 4 | 0.0% |
| 12 | More than 1500 | 9 | 0.1% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPRACEPERMR: Percent of mixed race clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 6,652 | 54.7% |
| 1 | 1-10 | 2,099 | 17.2% |
| 2 | 11-20 | 430 | 3.5% |
| 3 | 21-30 | 181 | 1.5% |
| 4 | 31-40 | 68 | 0.6% |
| 5 | 41-50 | 41 | 0.3% |
| 6 | 51-75 | 48 | 0.4% |
| 7 | 76-100 | 43 | 0.4% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPRACETOTUNK: Total unknown race clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 3,183 | 26.2% |
| 1 | 1 to 10 | 1,143 | 9.4% |
| 2 | 11 to 20 | 564 | 4.6% |
| 3 | 21 to 30 | 410 | 3.4% |
| 4 | 31 to 40 | 276 | 2.3% |
| 5 | 41 to 50 | 241 | 2.0% |
| 6 | 51 to 75 | 390 | 3.2% |
| 7 | 76 to 100 | 322 | 2.6% |
| 8 | 101 to 250 | 867 | 7.1% |
| 9 | 251 to 500 | 1,283 | 10.5% |
| 10 | 501 to 1000 | 504 | 4.1% |
| 11 | 1001 to 1500 | 177 | 1.5% |
| 12 | More than 1500 | 202 | 1.7% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPRACEPERUNK: Percent of unknown race clients/patients at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 3,239 | 26.6% |
| 1 | 1-10 | 1,620 | 13.3% |
| 2 | 11-20 | 352 | 2.9% |
| 3 | 21-30 | 202 | 1.7% |
| 4 | 31-40 | 125 | 1.0% |
| 5 | 41-50 | 51 | 0.4% |
| 6 | 51-75 | 96 | 0.8% |
| 7 | 76-100 | 3,877 | 31.9% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPLEGALTOTVOL: Total clients/patients with voluntary legal status at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 408 | 3.4% |
| 1 | 1 to 10 | 489 | 4.0% |
| 2 | 11 to 20 | 487 | 4.0% |
| 3 | 21 to 30 | 435 | 3.6% |
| 4 | 31 to 40 | 350 | 2.9% |
| 5 | 41 to 50 | 334 | 2.7% |
| 6 | 51 to 75 | 578 | 4.7% |
| 7 | 76 to 100 | 550 | 4.5% |
| 8 | 101 to 250 | 1,812 | 14.9% |
| 9 | 251 to 500 | 2,137 | 17.6% |
| 10 | 501 to 1000 | 1,220 | 10.0% |
| 11 | 1001 to 1500 | 357 | 2.9% |
| 12 | More than 1500 | 405 | 3.3% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPLEGALPERVOL: Percent of clients/patients with voluntary legal status at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 409 | 3.4% |
| 1 | 1-10 | 29 | 0.2% |
| 2 | 11-20 | 21 | 0.2% |
| 3 | 21-30 | 27 | 0.2% |
| 4 | 31-40 | 55 | 0.5% |
| 5 | 41-50 | 84 | 0.7% |
| 6 | 51-75 | 329 | 2.7% |
| 7 | 76-100 | 8,608 | 70.7% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPLEGALTOTNONFOREN: Total clients/patients with involuntary (non-forensic) legal status at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 7,401 | 60.8% |
| 1 | 1 to 10 | 796 | 6.5% |
| 2 | 11 to 20 | 349 | 2.9% |
| 3 | 21 to 30 | 188 | 1.5% |
| 4 | 31 to 40 | 143 | 1.2% |
| 5 | 41 to 50 | 140 | 1.2% |
| 6 | 51 to 75 | 209 | 1.7% |
| 7 | 76 to 100 | 93 | 0.8% |
| 8 | 101 to 250 | 155 | 1.3% |
| 9 | 251 to 500 | 56 | 0.5% |
| 10 | 501 to 1000 | 23 | 0.2% |
| 11 | 1001 to 1500 | 7 | 0.1% |
| 12 | More than 1500 | 2 | 0.0% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPLEGALPERNONFOREN: Percent of clients/patients with involuntary (non-forensic) legal status at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 7,450 | 61.2% |
| 1 | 1-10 | 1,256 | 10.3% |
| 2 | 11-20 | 403 | 3.3% |
| 3 | 21-30 | 140 | 1.2% |
| 4 | 31-40 | 77 | 0.6% |
| 5 | 41-50 | 54 | 0.4% |
| 6 | 51-75 | 71 | 0.6% |
| 7 | 76-100 | 111 | 0.9% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

OPLEGALTOTFOREN: Total clients/patients with involuntary (forensic) legal status at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 7,921 | 65.1% |
| 1 | 1 to 10 | 512 | 4.2% |
| 2 | 11 to 20 | 225 | 1.8% |
| 3 | 21 to 30 | 152 | 1.2% |
| 4 | 31 to 40 | 102 | 0.8% |
| 5 | 41 to 50 | 105 | 0.9% |
| 6 | 51 to 75 | 111 | 0.9% |
| 7 | 76 to 100 | 68 | 0.6% |
| 8 | 101 to 250 | 161 | 1.3% |
| 9 | 251 to 500 | 101 | 0.8% |
| 10 | 501 to 1000 | 75 | 0.6% |
| 11 | 1001 to 1500 | 22 | 0.2% |
| 12 | More than 1500 | 7 | 0.1% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

OPLEGALPERFOREN: Percent of clients/patients with involuntary (forensic) legal status at this less than 24-hour facility (Q.B5b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 7,974 | 65.5% |
| 1 | 1-10 | 816 | 6.7% |
| 2 | 11-20 | 239 | 2.0% |
| 3 | 21-30 | 88 | 0.7% |
| 4 | 31-40 | 46 | 0.4% |
| 5 | 41-50 | 39 | 0.3% |
| 6 | 51-75 | 30 | 0.2% |
| 7 | 76-100 | 330 | 2.7% |
| -1 | Missing | 172 | 1.4% |
| -2 | Logical skip | 2,438 | 20.0% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 7

Variable type: numeric

COD_PCT: Percent of clients/patients with co-occurring mental and substance use disorders (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,502 | 12.3% |
| 1 | 1-10 | 1,708 | 14.0% |
| 2 | 11-20 | 1,166 | 9.6% |
| 3 | 21-30 | 1,204 | 9.9% |
| 4 | 31-40 | 937 | 7.7% |
| 5 | 41-50 | 825 | 6.8% |
| 6 | 51-60 | 437 | 3.6% |
| 7 | 61-70 | 437 | 3.6% |
| 8 | 71-80 | 508 | 4.2% |
| 9 | 81-90 | 255 | 2.1% |
| 10 | 91-99 | 77 | 0.6% |
| 11 | 100 | 272 | 2.2% |
| -1 | Missing | 2,828 | 23.2% |
| -3 | Don't know | 16 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 11

Variable type: numeric

TOTADMIS: Number of mental health treatment admissions in 12-month period (Q.B7)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | None | 350 | 2.9% |
| 1 | 1 to 10 | 673 | 5.5% |
| 2 | 11 to 20 | 458 | 3.8% |
| 3 | 21 to 30 | 385 | 3.2% |
| 4 | 31 to 40 | 254 | 2.1% |
| 5 | 41 to 50 | 286 | 2.3% |
| 6 | 51 to 75 | 486 | 4.0% |
| 7 | 76 to 100 | 470 | 3.9% |
| 8 | 101 to 250 | 1,481 | 12.2% |
| 9 | 251 to 500 | 1,489 | 12.2% |
| 10 | 501 to 1000 | 3,707 | 30.5% |
| 11 | 1001 to 1500 | 641 | 5.3% |
| 12 | More than 1500 | 1,304 | 10.7% |
| -1 | Missing | 188 | 1.5% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0
Maximum: 12

Variable type: numeric

PERCENTVA: Percent of admissions that are veterans (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 4,213 | 34.6% |
| 1 | 1-10 | 4,424 | 36.3% |
| 2 | 11-20 | 473 | 3.9% |
| 3 | 21-30 | 135 | 1.1% |
| 4 | 31-40 | 41 | 0.3% |
| 5 | 41-50 | 9 | 0.1% |
| 6 | 51-60 | 4 | 0.0% |
| 7 | 61-70 | 4 | 0.0% |
| 8 | 71-80 | 6 | 0.0% |
| 9 | 81-90 | 3 | 0.0% |
| 10 | 91-99 | 27 | 0.2% |
| 11 | 100 | 261 | 2.1% |
| -1 | Missing | 2,559 | 21.0% |
| -3 | Don't know | 13 | 0.1% |
| | <i>Total</i> | <i>12,172</i> | <i>100%</i> |

Minimum: 0

Maximum: 11

Variable type: numeric