

**NATIONAL MENTAL HEALTH SERVICES
SURVEY (N-MHSS): 2017**

CODEBOOK

Center for Behavioral Health Statistics and Quality
Substance Abuse and Mental Health Services Administration

Acknowledgments

This data file was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS).

Terms of Use

These data are distributed under the following terms of use; by continuing past this page, you signify agreement to comply with the requirements below.

Privacy of Study Respondents

Any intentional identification of an individual or organization, or unauthorized disclosure of identifiable information, violates the promise of confidentiality given to the providers of the information. Disclosure of identifiable information may also be punishable under federal law. Therefore, users of data agree to:

Use these datasets solely for research or statistical purposes, and not for investigation or re-identification of specific individuals or organizations.

Make no use of the identity of any individual discovered inadvertently, and report any such discovery to SAMHSA (BHSIS_HelpDesk@eagletechva.com).

Public Domain Notice

All material appearing in this document is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. This publication may not be reproduced or distributed for a fee without specific, written authorization of the Office of Communications, SAMHSA, U.S. Department of Health and Human Services.

Recommended Citation

Substance Abuse and Mental Health Services Administration, *National Mental Health Services Survey (N-MHSS): 2017. Data on Mental Health Treatment Facilities*. BHSIS Series S-xx, HHS Publication No. (SMA) xx-xxx. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2018.

Authors that use these data are encouraged to send citations of their publications to SAMHSA for inclusion in a database of related work (BHSIS_HelpDesk@eagletechva.com).

Disclaimers

Data users acknowledge that SAMHSA and Eagle Technologies, Inc., bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

SAMHSA complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. *SAMHSA cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo.*

Violations

If SAMHSA determines this terms of use agreement has been violated, possible sanctions include:

- report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution;
- report of the violation to the Federal Office for Human Research Protections, if the confidentiality of human subjects has been violated;
- report of the violation of federal law to the United States Attorney General for possible prosecution;
- court-awarded payments of damages to any individual(s) or organization(s) harmed by the breach of confidential data.

DESCRIPTION OF THE NATIONAL MENTAL HEALTH SERVICES SURVEY (N-MHSS)

The 2017 National Mental Health Services Survey (N-MHSS) was conducted from March 2017 through December 2017. The N-MHSS collects information from all known facilities in the United States, both public and private, that provide mental health treatment services to people with mental illness.¹ The Center for Behavioral Health Statistics and Quality (CBHSQ) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs the N-MHSS.

The N-MHSS provides a mechanism for quantifying the dynamic character and composition of the U.S. mental health treatment delivery system. It is the only source of national- and state-level data on the mental health services delivery system reported by both publicly and privately operated specialty mental health treatment facilities. The N-MHSS is designed to collect data on the location, characteristics, and utilization of organized mental health treatment services for facilities within the scope of the survey throughout the 50 states, the District of Columbia, Puerto Rico, and other jurisdictions.² The N-MHSS complements, but does not duplicate, the information collected through SAMHSA’s survey of substance abuse treatment facilities, the National Survey of Substance Abuse Treatment Services (N-SSATS).

The objective of the N-MHSS is to collect data that can be used to:

- assist SAMHSA and state and local governments in assessing the nature and extent of services provided in state-funded, state-operated, and private non-profit and for-profit mental health treatment facilities, and in forecasting mental health treatment resource requirements;
- update SAMHSA’s Inventory of Behavioral Health Services (I-BHS), an inventory of all known mental health and substance abuse treatment facilities in the United States, which can be used as a frame for future surveys of these facilities;
- describe the nature and scope of mental health treatment services and conduct comparative analyses for the nation and states; and
- update the information in the mental health component of SAMHSA’s online Behavioral Health Treatment Services Locator, which includes a searchable database of public and private facilities for the provision of mental health treatment. The Locator is available at <https://findtreatment.samhsa.gov>.

¹ Entities responding to the N-MHSS are referred to as “facilities.”

² In the 2017 N-MHSS, the other jurisdictions consisted of American Samoa, Guam, and the U.S. Virgin Islands.

Data Collection Procedures for the 2017 N-MHSS

Field period and reference date

The field period for the 2017 N-MHSS, which included mailing and data collection operations, ran from March 28, 2017, through December 13, 2017. The reference date was April 28, 2017.

Survey universe

The survey universe for the 2017 N-MHSS included 14,646 facilities across the United States and other jurisdictions. Most facilities in the 2017 N-MHSS frame were identified from the updated database produced after fielding the 2010 and 2014 N-MHSS, supplemented by the 2015 and 2016 mental health augmentation, and new facilities that states requested be added to the I-BHS.

Below are the major activities undertaken to make sure SAMHSA has the most complete universe of facilities possible:

- The updated survey database is comprised of (1) those facilities that were included in the previous survey and are in-scope, and (2) newly identified facilities that became known during the course of the previous survey and are identified as eligible. Facilities that closed or were subsequently found to be out-of-scope are excluded.
- State mental health authorities (SMHAs) are contacted annually and asked to either (1) update and edit their state listing of known facilities, or (2) submit a new state listing of known facilities, using the I-BHS Online, which has been used by the state substance abuse agencies (SSAs) for a number of years. The information collected through these state listings is processed and cross-checked with the database of facilities in the I-BHS; newly identified facilities are screened for eligibility before being added to the survey database.
- Augmentation includes a number of activities undertaken by our contractor staff. Contact is made on an annual basis to obtain current facility listings from the American Business Index (ABI), the American Hospital Association (AHA), the U.S. Department of Veterans Affairs (VA), the Centers for Medicare and Medicaid Services (CMS), and a number of national behavioral health organizations/associations, such as the National Council for Behavioral Health, the National Association of Psychiatric Health Systems, and the American Association of Children's Residential Centers (AACRC). These listings are cross-checked against the existing I-BHS database and any new facilities are screened (through an augmentation screener questionnaire conducted through phone interview) for eligibility to be included in the database for the upcoming survey. The augmentation screener is also used to screen facilities that were newly identified through the previous survey and through the state listings.

When new, eligible facilities are identified between surveys, they are contacted by telephone to provide basic facility information for a between-survey update. Facilities that meet the requirements of being active, providing mental health treatment services as defined by SAMHSA, and responding to annual data collection for the N-MHSS are listed on SAMHSA's Behavioral Health Treatment Services Locator and in the National Directory of Mental Health Treatment Facilities.

Survey coverage

The following types of mental health treatment facilities were included in the 2017 N-MHSS:

- *Psychiatric hospitals* are facilities licensed and operated as state/public psychiatric hospitals, or as state-licensed private psychiatric hospitals that primarily provide 24-hour inpatient care to persons with mental illness. They may also provide 24-hour residential care and/or less than 24-hour care (i.e., outpatient, partial hospitalization), but these additional service settings are not requirements.
- *General hospitals with a separate inpatient psychiatric unit* are licensed general hospitals (public or private) that provide inpatient mental health services in separate psychiatric units. These units must have specifically allocated staff and space for the treatment of persons with mental illness. The units may be located in the hospital itself or in a separate building that is owned by the hospital.
- *Veterans Administration (VA) medical centers* are facilities operated by the U.S. Department of Veterans Affairs, including general hospitals with separate psychiatric inpatient units, residential treatment programs, and/or psychiatric outpatient clinics.
- *Partial hospitalization/day treatment mental health facilities* provide only partial day mental health services to ambulatory clients, typically in sessions of three or more hours on a regular schedule. A psychiatrist generally assumes the medical responsibility for all clients and/or for the direction of their mental health treatment.
- *Outpatient mental health facilities* provide only outpatient mental health services to ambulatory clients, typically for less than three hours at a single visit. A psychiatrist generally assumes the medical responsibility for all clients and/or for the direction of their mental health treatment.
- *Residential treatment centers (RTCs) for children* are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for children under age 18. (Some RTCs for children may also treat young adults.) RTCs for children must have a clinical program that is directed by a psychiatrist, psychologist, social worker, or psychiatric nurse who has a master's or doctoral degree.
- *Residential treatment centers (RTCs) for adults* are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for adults.
- *Multi-setting mental health facilities*³ provide mental health services in two or more service settings (non-hospital residential, plus either outpatient and/or day treatment/partial hospitalization), and are not classified as a psychiatric hospital, general hospital, medical center, or residential treatment center.

³ The classification of psychiatric hospital, general hospital, medical center, or residential treatment center—any of which can offer mental health services in two or more service settings—takes precedence over a multi-setting classification.

- *Community mental health centers (CMHCs)* provide either (1) outpatient services, including specialized outpatient services for children, the elderly, individuals who are chronically mentally ill, and residents of its mental health service area who have been discharged from inpatient treatment at a mental health facility; (2) 24-hour emergency care services; (3) day treatment or other partial hospitalization services, or psychosocial rehabilitation services; or (4) screening for patients being considered for admission to state mental health facilities to determine the appropriateness of the admission. To be classified as a CMHC, a facility must meet applicable licensing or certification requirements for CMHCs in the state in which it is located.
- *Other types of residential treatment facility* refers to facilities not licensed as a psychiatric hospital, whose primary purpose is to provide individually planned programs of mental health treatment services in a residential care setting, and is not specifically for children or adults only.
- *Other* refers to another type of hospital or mental health facility not defined in the categories above.

Exclusions

The survey universe for the 2017 N-MHSS excluded: (1) Department of Defense (DoD) military treatment facilities; (2) individual private practitioners or small group practices not licensed as a mental health clinic or center; and (3) jails or prisons.

Facilities are not eligible for inclusion in the survey universe if they only provide one or more of the following services: crisis intervention services, psychosocial rehabilitation, cognitive rehabilitation, intake, referral, mental health evaluation, health promotion, psychoeducational services, transportation services, respite services, consumer-run/peer support services, housing services, or legal advocacy. Residential facilities whose primary function is not to provide specialty mental health treatment services are also not eligible for inclusion in the survey universe for the N-MHSS.

Content

The 2017 N-MHSS instrument is a six-page document with 26 numbered questions. Topics include:

- facility type, operation, and primary treatment focus;
- facility treatment characteristics (e.g., settings of care; mental health treatment approaches, supportive services and practices, and dedicated or exclusively designed programs or groups offered; and crisis intervention team availability);
- facility operating characteristics (e.g., age groups accepted; services provided in non-English languages; and smoking policy); and
- facility management characteristics (e.g., computerized functionality; licensure, certification, and accreditation; and sources of payment and funding).

Data collection

Three data collection modes were employed: a secure web-based questionnaire, a paper questionnaire sent by mail, and a computer-assisted telephone interview (CATI). Approximately three weeks before the survey reference date (April 28, 2017), SAMHSA mailed letters to the attention of the facility directors of all eligible facilities to alert them to expect the survey and to request their participation in the N-MHSS. The letter also served to update records with new address information received from the U.S. Postal Service. A data collection packet (including SAMHSA cover letter, state-specific letter of support, information on completing the survey on the web, and fact sheet of frequently asked questions) was mailed to each facility on April 28, 2017. The web-based survey also became available at the same time. At this point, each facility had the option of completing the questionnaire via the secure survey website or asking for a paper questionnaire to complete and return via postal mail. In August 2017, another, similar packet was sent to non-responding facilities, this time including a copy of the questionnaire, a definitions packet, and a postage-paid return envelope.

During the data collection phase, contract personnel were available by telephone to answer facilities' questions concerning the survey. Web-based support for facilities completing the questionnaire on the web was also available. Multiple reminder letters were sent to non-respondents over the course of the data collection period via fax, mail, and e-mail. To increase the survey response rate, state mental health agency representatives were contacted during the data collection period to inform them of their state's progress and to request additional help in encouraging responses. Blaise®-to-web follow-up (assisted telephone interviews) of non-respondents began in August 2017 and ended in early December 2017.

Eligibility and unit response rate

Table 1.1 presents a summary of eligibility and response rate information. Of the 14,646 mental health treatment facilities in the survey, 7 percent were found to be ineligible for the survey because they did not provide mental health treatment services; had a primary treatment focus of substance abuse services or general health care; provided treatment for incarcerated persons only (i.e., in jails or prisons); were an individual or small group mental health practice not licensed or certified as a mental health center or clinic; or were closed.

Facility Reporting and Selection for the 2017 N-MHSS Report

Of the 13,618 facilities eligible for the survey, 87 percent completed the survey, including 284 facilities that did not provide direct mental health treatment services. (These 284 facilities, which provided administrative services only, were excluded from the report, but have been included in SAMHSA's online Behavioral Health Treatment Services Locator.) After excluding the 284 facilities that provided only administrative services, data from 11,582 eligible respondent facilities were included in the 2017 N-MHSS report. Of the respondents that were eligible for the report, 90 percent completed the survey on the web, 3 percent through the mail, and 8 percent on the telephone.

Table 1.1. N-MHSS facilities, by status and mode of response: 2017

	Number	Percent
Total facilities in survey	14,646	100.0
Closed/ineligible	1,028	7.0
Eligible	13,618	93.0
Total eligible	13,618	100.0
Non-respondents	1,752	12.9
Respondents	11,866	87.1
Excluded from report (administrative only)	284	2.1
Eligible for report	11,582	85.0
Mode of response	11,582	100.0
Internet	10,398	89.8
Mail	303	2.6
Telephone	881	7.6

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Mental Health Services Survey (N-MHSS), 2017.

Quality Assurance

All completed mail questionnaires underwent a manual review for consistency and missing data. Calls to facilities clarified questionable responses and obtained missing data. After data entry, automated quality assurance reviews were conducted. The reviews incorporated the rules used in manual editing plus consistency checks not readily identified by manual review. The web-based questionnaire was programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses on critical items. The CATI questionnaire was similarly programmed.

Response Rates

The final unit response rate among facilities eligible for the survey was 87 percent. Extensive follow-up during data collection and careful editing maximized item response; the item response rates averaged approximately 98 percent across all 144 separate items.

Response rates for Puerto Rico and the U.S. Virgin Islands declined in 2017, compared with the previous year; both territories were affected by Hurricanes Maria and Irma in September 2017. Of Puerto Rico's 100 eligible facilities in 2017, 61 percent responded, down from 99 percent (87 of 88 eligible facilities) in 2016. Of the U.S. Virgin Islands' eight eligible facilities, all of which responded in 2016, only half responded in 2017.

Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2017 N-MHSS. Some general issues are listed below.

- The N-MHSS is a voluntary survey, and while every effort is made to obtain responses from all known mental health treatment facilities within the scope of the survey, some facilities did not respond. There was no adjustment for the 13 percent facility non-response.
- When possible, we used cold deck imputation to fill in item non-response. This is a technique that uses historical information from previous surveys to supplement the current data. In the N-MHSS, missing values were imputed using survey data collected in 2016.
- Multiple responses were allowed for certain questionnaire items (e.g., services provided in non-English languages and type of payment or insurance accepted for mental health treatment services). In the 2017 N-MHSS report, tabulations of data for these items include the total number of facilities reporting each response category.

FREQUENCIES

Note: The number in parentheses that follows each variable's headline description, e.g. "(Q.7)," denotes the corresponding question and response in the [survey instrument](#) from which the variable is drawn.

CASEID: Case identification number

Program generated case (record) identifier.

This variable does not have a frequency; each case has a unique value generated for identification purposes.

Variable type: Numeric

LST: State abbreviations

Value	Label	Frequency	%
AK	Alaska	86	0.7%
AL	Alabama	175	1.5%
AR	Arkansas	218	1.9%
AZ	Arizona	372	3.2%
CA	California	866	7.5%
CO	Colorado	185	1.6%
CT	Connecticut	216	1.9%
DC	District of Columbia	37	0.3%
DE	Delaware	33	0.3%
FL	Florida	469	4.0%
GA	Georgia	200	1.7%
HI	Hawaii	35	0.3%
IA	Iowa	150	1.3%
ID	Idaho	146	1.3%
IL	Illinois	389	3.4%
IN	Indiana	275	2.4%
KS	Kansas	123	1.1%
KY	Kentucky	208	1.8%
LA	Louisiana	176	1.5%
MA	Massachusetts	315	2.7%
MD	Maryland	264	2.3%
ME	Maine	186	1.6%
MI	Michigan	337	2.9%
MN	Minnesota	224	1.9%
MO	Missouri	212	1.8%
MS	Mississippi	173	1.5%
MT	Montana	87	0.8%
NC	North Carolina	257	2.2%
ND	North Dakota	32	0.3%
NE	Nebraska	133	1.1%
NH	New Hampshire	63	0.5%
NJ	New Jersey	306	2.6%
NM	New Mexico	58	0.5%
NV	Nevada	46	0.4%
NY	New York	843	7.3%
OH	Ohio	551	4.8%
OK	Oklahoma	143	1.2%
OR	Oregon	156	1.3%
PA	Pennsylvania	571	4.9%

LST: State abbreviations

Value	Label	Frequency	%
PR	Puerto Rico	59	0.5%
RI	Rhode Island	56	0.5%
SC	South Carolina	109	0.9%
SD	South Dakota	51	0.4%
TN	Tennessee	274	2.4%
TX	Texas	341	2.9%
UT	Utah	138	1.2%
VA	Virginia	265	2.3%
VT	Vermont	74	0.6%
WA	Washington	317	2.7%
WI	Wisconsin	420	3.6%
WV	West Virginia	114	1.0%
WY	Wyoming	42	0.4%
ZZ	Other jurisdictions	6	0.1%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Variable type: character

MHINTAKE: Offers mental health intake services (Q.A1)

Value	Label	Frequency	%
0	No	1,256	10.8%
1	Yes	10,326	89.2%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHDIAGEVAL: Offers mental health diagnostic evaluation (Q.A1)

Value	Label	Frequency	%
0	No	1,195	10.3%
1	Yes	10,387	89.7%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHREFERRAL: Offers mental health information and referral services (Q.A1)

Value	Label	Frequency	%
0	No	2,121	18.3%
1	Yes	9,461	81.7%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

TREATMT: Offers substance abuse treatment services (Q.A1)

Value	Label	Frequency	%
0	No	5,116	44.2%
1	Yes	6,466	55.8%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

ADMINSERV: Offers administrative services (Q.A1)

Value	Label	Frequency	%
0	No	4,803	41.5%
1	Yes	6,779	58.5%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

SETTINGIP: 24-hour hospital inpatient (Q.A3)

Value	Label	Frequency	%
0	No	9,697	83.7%
1	Yes	1,885	16.3%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SETTINGRC: 24-hour residential (Q.A3)

Value	Label	Frequency	%
0	No	9,578	82.7%
1	Yes	2,004	17.3%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SETTINGDTPH: Partial hospitalization/day treatment (Q.A3)

Value	Label	Frequency	%
0	No	9,780	84.4%
1	Yes	1,802	15.6%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SETTINGOP: Outpatient (Q.A3)

Value	Label	Frequency	%
0	No	2,729	23.6%
1	Yes	8,853	76.4%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

FACILITYTYPE: Facility type (Q.A4)

Value	Label	Frequency	%
1	Psychiatric hospital	668	5.8%
2	Separate inpatient psychiatric unit of a general hospital	1,076	9.3%
3	Residential treatment center for children	601	5.2%
4	Residential treatment center for adults	871	7.5%
5	Other type of residential treatment facility	76	0.7%
6	Veterans Administration medical center (VAMC)	357	3.1%
7	Community mental health center (CMHC)	2,538	21.9%
8	Partial hospitalization/day treatment facility	391	3.4%
9	Outpatient mental health facility	4,612	39.8%
10	Multi-setting mental health facility	388	3.4%
11	Other	4	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 1
Maximum: 11

Variable type: numeric

FOCUS: Primary focus (Q.A7)

Value	Label	Frequency	%
1	Mental health treatment	7,713	66.6%
3	Mix of mental health and substance abuse treatment	3,500	30.2%
4	General health care	330	2.8%
5	Other service focus	39	0.3%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 1
Maximum: 5

Variable type: numeric

OWNERSHP: Ownership (Q.A9)

Value	Label	Frequency	%
1	Private-for-profit organization	2,054	17.7%
2	Private non-profit organization	7,390	63.8%
3	Public agency or department	2,138	18.5%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 1
Maximum: 3

Variable type: numeric

PUBLICAGENCY: Public agency or department (Q.A9a)

Value	Label	Frequency	%
1	State mental health authority (SMHA)	427	3.7%
2	Other state government agency or department	437	3.8%
3	Regional/district authority	846	7.3%
4	Tribal government	14	0.1%
5	Indian Health Service	8	0.1%
6	Department of Veterans Affairs	402	3.5%
7	Other	4	0.0%
-2	Logical skip	9,444	81.5%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 1
Maximum: 7

Variable type: numeric

TREATPSYCHOTHRPY: Individual psychotherapy (Q.A10)

Value	Label	Frequency	%
0	No	1,028	8.9%
1	Yes	10,554	91.1%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

TREATFAMTHRPY: Couples/family therapy (Q.A10)

Value	Label	Frequency	%
0	No	3,352	28.9%
1	Yes	8,230	71.1%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

TREATGRPTHRPY: Group therapy (Q.A10)

Value	Label	Frequency	%
0	No	1,742	15.0%
1	Yes	9,840	85.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

TREATCOGTHRPY: Cognitive behavioral therapy (Q.A10)

Value	Label	Frequency	%
0	No	1,351	11.7%
1	Yes	10,231	88.3%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

TREATDIALTHRPY: Dialectical behavior therapy (Q.A10)

Value	Label	Frequency	%
0	No	5,507	47.5%
1	Yes	6,075	52.5%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

TREATBEHAVMOD: Behavior modification (Q.A10)

Value	Label	Frequency	%
0	No	4,199	36.3%
1	Yes	7,383	63.7%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

TREATDUALMHS: Integrated dual disorders treatment (Q.A10)

Value	Label	Frequency	%
0	No	5,345	46.1%
1	Yes	6,237	53.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

TREATTRAUMATHRPY: Trauma therapy (Q.A10)

Value	Label	Frequency	%
0	No	3,121	26.9%
1	Yes	8,461	73.1%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

TREATACTVITYTHRPY: Activity therapy (Q.A10)

Value	Label	Frequency	%
0	No	6,406	55.3%
1	Yes	5,176	44.7%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

TREATELECTRO: Electroconvulsive therapy (Q.A10)

Value	Label	Frequency	%
0	No	11,060	95.5%
1	Yes	522	4.5%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

TREATTELEMEDINCE: Telemedicine therapy (Q.A10)

Value	Label	Frequency	%
0	No	8,194	70.7%
1	Yes	3,388	29.3%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

TREATPSYCHOMED: Psychotropic medication (Q.A10)

Value	Label	Frequency	%
0	No	2,134	18.4%
1	Yes	9,448	81.6%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

TREATOTH: Other (Q.A10)

Value	Label	Frequency	%
0	No	11,199	96.7%
1	Yes	383	3.3%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

NOTREAT: None of these mental health treatment approaches are offered (Q.A10)

Value	Label	Frequency	%
0	No	11,509	99.4%
1	Yes	73	0.6%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

ASSERTCOMM: Assertive community treatment (ACT) (Q.A11)

Value	Label	Frequency	%
0	No	9,996	86.3%
1	Yes	1,583	13.7%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHINTCASEMGMT: Intensive case management (ICM) (Q.A11)

Value	Label	Frequency	%
0	No	8,824	76.2%
1	Yes	2,755	23.8%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHCASEMGMT: Case management (CM) (Q.A11)

Value	Label	Frequency	%
0	No	3,868	33.4%
1	Yes	7,711	66.6%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHCOURTORDERED: Court-ordered outpatient treatment (Q.A11)

Value	Label	Frequency	%
0	No	6,396	55.2%
1	Yes	5,183	44.8%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHCHRONIC: Chronic disease/illness management (CDM) (Q.A11)

Value	Label	Frequency	%
0	No	9,439	81.5%
1	Yes	2,140	18.5%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

ILLNESSMGMT: Illness management and recovery (IMR) (Q.A11)

Value	Label	Frequency	%
0	No	8,435	72.8%
1	Yes	3,144	27.1%
-1	Missing	3	0.0%
	<i>Total</i>	11,582	100%

Minimum: 0
Maximum: 1

Variable type: numeric

PRIMARYCARE: Integrated primary care services (Q.A11)

Value	Label	Frequency	%
0	No	8,717	75.3%
1	Yes	2,862	24.7%
-1	Missing	3	0.0%
	<i>Total</i>	11,582	100%

Minimum: 0
Maximum: 1

Variable type: numeric

DIETEXERCOUNSEL: Diet and exercise counseling (Q.A11)

Value	Label	Frequency	%
0	No	8,011	69.2%
1	Yes	3,568	30.8%
-1	Missing	3	0.0%
<i>Total</i>		<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

FAMPSYCHED: Family psychoeducation (Q.A11)

Value	Label	Frequency	%
0	No	4,247	36.7%
1	Yes	7,332	63.3%
-1	Missing	3	0.0%
	<i>Total</i>	11,582	100%

Minimum: 0
Maximum: 1

Variable type: numeric

MHEDUCATION: Education services (Q.A11)

Value	Label	Frequency	%
0	No	8,054	69.5%
1	Yes	3,525	30.4%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHHOUSING: Housing services (Q.A11)

Value	Label	Frequency	%
0	No	9,140	78.9%
1	Yes	2,439	21.1%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SUPPHOUSING: Supported housing (Q.A11)

Value	Label	Frequency	%
0	No	9,823	84.8%
1	Yes	1,756	15.2%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHPSYCHREHAB: Psychosocial rehabilitation services (Q.A11)

Value	Label	Frequency	%
0	No	6,824	58.9%
1	Yes	4,755	41.1%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHVOCREHAB: Vocational rehabilitation services (Q.A11)

Value	Label	Frequency	%
0	No	9,740	84.1%
1	Yes	1,839	15.9%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SUPPEMPLY: Supported employment (Q.A11)

Value	Label	Frequency	%
0	No	9,619	83.1%
1	Yes	1,960	16.9%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

FOSTERCARE: Therapeutic foster care (Q.A11)

Value	Label	Frequency	%
0	No	11,020	95.1%
1	Yes	559	4.8%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHLEGAL: Legal advocacy (Q.A11)

Value	Label	Frequency	%
0	No	10,979	94.8%
1	Yes	600	5.2%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHEMGCY: Psychiatric emergency walk-in services (Q.A11)

Value	Label	Frequency	%
0	No	7,994	69.0%
1	Yes	3,585	31.0%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHSUICIDE: Suicide prevention services (Q.A11)

Value	Label	Frequency	%
0	No	4,973	42.9%
1	Yes	6,606	57.0%
-1	Missing	3	0.0%
	<i>Total</i>	11,582	100%

Minimum: 0
Maximum: 1

Variable type: numeric

MHCONSUMER: Consumer-run (peer support) services (Q.A11)

Value	Label	Frequency	%
0	No	8,730	75.4%
1	Yes	2,849	24.6%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHTOBACCOUSE: Screening for tobacco use (Q.A11)

Value	Label	Frequency	%
0	No	5,618	48.5%
1	Yes	5,961	51.5%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHTOBACCOCESS: Smoking/tobacco cessation counseling (Q.A11)

Value	Label	Frequency	%
0	No	7,048	60.9%
1	Yes	4,531	39.1%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHNICOTINEREP: Nicotine replacement therapy (Q.A11)

Value	Label	Frequency	%
0	No	8,618	74.4%
1	Yes	2,961	25.6%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SMOKINGCESSATION: Non-nicotine smoking/tobacco cessation medications (by prescription) (Q.A11)

Value	Label	Frequency	%
0	No	8,943	77.2%
1	Yes	2,636	22.8%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHOTH: Other (Q.A11)

Value	Label	Frequency	%
0	No	11,400	98.4%
1	Yes	179	1.5%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

MHNOSVCS: None of these services and practices are offered (Q.A11)

Value	Label	Frequency	%
0	No	11,356	98.0%
1	Yes	223	1.9%
-1	Missing	3	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

CHILDAD: Children (12 or younger) (Q.A12)

Value	Label	Frequency	%
0	No	4,844	41.8%
1	Yes	6,738	58.2%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

ADOLES: Adolescents (13-17) (Q.A12)

Value	Label	Frequency	%
0	No	4,227	36.5%
1	Yes	7,355	63.5%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

YOUNGADULTS: Young adults (18-25) (Q.A12)

Value	Label	Frequency	%
0	No	1,536	13.3%
1	Yes	10,046	86.7%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

ADULT: Adults (26-64) (Q.A12)

Value	Label	Frequency	%
0	No	1,955	16.9%
1	Yes	9,627	83.1%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

SENIORS: Seniors (65 or older) (Q.A12)

Value	Label	Frequency	%
0	No	2,327	20.1%
1	Yes	9,255	79.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SED: Children/adolescents with serious emotional disturbance (SED) (Q.A13)

Value	Label	Frequency	%
0	No	7,783	67.2%
1	Yes	3,798	32.8%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

TAYOUNGADULTS: Transitional age young adults (Q.A13)

Value	Label	Frequency	%
0	No	9,524	82.2%
1	Yes	2,057	17.8%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SPMI: Persons 18 and older with serious mental illness (Q.A13)

Value	Label	Frequency	%
0	No	6,463	55.8%
1	Yes	5,118	44.2%
-1	Missing	1	0.0%
	<i>Total</i>	11,582	100%

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC63: Seniors or older adults (Q.A13)

Value	Label	Frequency	%
0	No	8,927	77.1%
1	Yes	2,654	22.9%
-1	Missing	1	0.0%
	<i>Total</i>	11,582	100%

Minimum: 0
Maximum: 1

Variable type: numeric

ALZHDEMENTIA: Persons with Alzheimer's or dementia (Q.A13)

Value	Label	Frequency	%
0	No	10,859	93.8%
1	Yes	722	6.2%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC31: Persons with co-occurring mental and substance use disorders (Q.A13)

Value	Label	Frequency	%
0	No	6,622	57.2%
1	Yes	4,959	42.8%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SPECGRPEATING: Persons with eating disorders (Q.A13)

Value	Label	Frequency	%
0	No	10,678	92.2%
1	Yes	903	7.8%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

**POSTTRAUM: Persons with a diagnosis of post-traumatic stress disorder (PTSD)
(Q.A13)**

Value	Label	Frequency	%
0	No	7,780	67.2%
1	Yes	3,801	32.8%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC116: Persons who have experienced trauma (excluding persons with a PTSD diagnosis) (Q.A13)

Value	Label	Frequency	%
0	No	7,614	65.7%
1	Yes	3,967	34.3%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

TRAUMATICBRAIN: Persons with traumatic brain injury (TBI) (Q.A13)

Value	Label	Frequency	%
0	No	10,883	94.0%
1	Yes	698	6.0%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC113: Veterans (Q.A13)

Value	Label	Frequency	%
0	No	10,030	86.6%
1	Yes	1,551	13.4%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC114: Active duty military (Q.A13)

Value	Label	Frequency	%
0	No	10,883	94.0%
1	Yes	698	6.0%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC115: Members of military families (Q.A13)

Value	Label	Frequency	%
0	No	10,612	91.6%
1	Yes	969	8.4%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC62: Lesbian, gay, bisexual, or transgender clients (LGBT) (Q.A13)

Value	Label	Frequency	%
0	No	9,761	84.3%
1	Yes	1,820	15.7%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC61: Forensic clients (referred from the court/judicial system) (Q.A13)

Value	Label	Frequency	%
0	No	9,615	83.0%
1	Yes	1,966	17.0%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC32: Persons with HIV or AIDS (Q.A13)

Value	Label	Frequency	%
0	No	10,625	91.7%
1	Yes	956	8.3%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SRVC35: Other special program or group (Q.A13)

Value	Label	Frequency	%
0	No	10,982	94.8%
1	Yes	599	5.2%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

NOSPECGRP: No dedicated or exclusively designed programs or groups are offered (Q.A13)

Value	Label	Frequency	%
0	No	9,283	80.2%
1	Yes	2,298	19.8%
-1	Missing	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

CRISISTEAM2: Offers a crisis intervention team that handles acute mental health issues at this facility and/or off-site (Q.A14)

Value	Label	Frequency	%
0	No	5,941	51.3%
1	Yes	5,630	48.6%
-1	Missing	11	0.1%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SIGNLANG: Treatment in sign language (Q.A15)

Value	Label	Frequency	%
0	No	5,253	45.4%
1	Yes	5,952	51.4%
-1	Missing	377	3.3%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG: Treatment in language other than English (Q.A16)

Value	Label	Frequency	%
0	No	4,103	35.4%
1	Yes	7,477	64.6%
-1	Missing	2	0.0%
	<i>Total</i>	11,582	100%

Minimum: 0
Maximum: 1

Variable type: numeric

LANGPROV: Who provides treatment services in a language other than English? (Q.A16a)

Value	Label	Frequency	%
1	Staff who speak a language other than English	991	8.6%
2	On-call interpreter brought in when needed	3,384	29.2%
3	Both staff and on-call interpreter	3,100	26.8%
-1	Missing	2	0.0%
-2	Logical skip	4,105	35.4%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 1
Maximum: 3

Variable type: numeric

LANG16: Staff provides treatment in Spanish (Q.A16a1)

Value	Label	Frequency	%
0	No	228	2.0%
1	Yes	3,861	33.3%
-1	Missing	2	0.0%
-2	Logical skip	7,491	64.7%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG_B: Staff provides treatment in any other languages (Q.A16a2)

Value	Label	Frequency	%
0	No	2,693	23.3%
1	Yes	1,166	10.1%
-1	Missing	2	0.0%
-2	Logical skip	7,721	66.7%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG1: Treatment in Hopi (Q.A16b)

Value	Label	Frequency	%
0	No	1,376	11.9%
1	Yes	15	0.1%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG2: Treatment in Lakota (Q.A16b)

Value	Label	Frequency	%
0	No	1,381	11.9%
1	Yes	10	0.1%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG3: Treatment in Navajo (Q.A16b)

Value	Label	Frequency	%
0	No	1,361	11.8%
1	Yes	30	0.3%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG21: Treatment in Ojibwa (Q.A16b)

Value	Label	Frequency	%
0	No	1,381	11.9%
1	Yes	10	0.1%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG4: Treatment in Yupik (Q.A16b)

Value	Label	Frequency	%
0	No	1,379	11.9%
1	Yes	12	0.1%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG5: Treatment in other American Indian/Alaska Native language (Q.A16b)

Value	Label	Frequency	%
0	No	1,378	11.9%
1	Yes	13	0.1%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG6: Treatment in Arabic (Q.A16b)

Value	Label	Frequency	%
0	No	1,173	10.1%
1	Yes	218	1.9%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

LANG7: Treatment in any Chinese language (Q.A16b)

Value	Label	Frequency	%
0	No	1,109	9.6%
1	Yes	282	2.4%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

LANG8: Treatment in Creole (Q.A16b)

Value	Label	Frequency	%
0	No	1,135	9.8%
1	Yes	256	2.2%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG24: Treatment in Farsi (Q.A16b)

Value	Label	Frequency	%
0	No	1,183	10.2%
1	Yes	208	1.8%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG9: Treatment in French (Q.A16b)

Value	Label	Frequency	%
0	No	1,081	9.3%
1	Yes	310	2.7%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

LANG10: Treatment in German (Q.A16b)

Value	Label	Frequency	%
0	No	1,265	10.9%
1	Yes	126	1.1%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG22: Treatment in Greek (Q.A16b)

Value	Label	Frequency	%
0	No	1,334	11.5%
1	Yes	57	0.5%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

LANG25: Treatment in Hebrew (Q.A16b)

Value	Label	Frequency	%
0	No	1,257	10.9%
1	Yes	134	1.2%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG26: Treatment in Hindi (Q.A16b)

Value	Label	Frequency	%
0	No	1,165	10.1%
1	Yes	226	2.0%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG11: Treatment in Hmong (Q.A16b)

Value	Label	Frequency	%
0	No	1,300	11.2%
1	Yes	91	0.8%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

LANG19: Treatment in Italian (Q.A16b)

Value	Label	Frequency	%
0	No	1,285	11.1%
1	Yes	106	0.9%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG23: Treatment in Japanese (Q.A16b)

Value	Label	Frequency	%
0	No	1,304	11.3%
1	Yes	87	0.8%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG12: Treatment in Korean (Q.A16b)

Value	Label	Frequency	%
0	No	1,231	10.6%
1	Yes	160	1.4%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG13: Treatment in Polish (Q.A16b)

Value	Label	Frequency	%
0	No	1,273	11.0%
1	Yes	118	1.0%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG14: Treatment in Portuguese (Q.A16b)

Value	Label	Frequency	%
0	No	1,195	10.3%
1	Yes	196	1.7%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

LANG15: Treatment in Russian (Q.A16b)

Value	Label	Frequency	%
0	No	1,071	9.2%
1	Yes	320	2.8%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LANG20: Treatment in Tagalog (Q.A16b)

Value	Label	Frequency	%
0	No	1,148	9.9%
1	Yes	243	2.1%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

LANG17: Treatment in Vietnamese (Q.A16b)

Value	Label	Frequency	%
0	No	1,180	10.2%
1	Yes	211	1.8%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

LANG18: Treatment in other language (Q.A16b)

Value	Label	Frequency	%
0	No	1,135	9.8%
1	Yes	256	2.2%
-1	Missing	5	0.0%
-2	Logical skip	10,186	87.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

SMOKINGPOLICY: Smoking policy (Q.A17)

Value	Label	Frequency	%
1	Not permitted to smoke anywhere	5,785	49.9%
2	Permitted in designated outdoor area(s)	4,943	42.7%
3	Permitted anywhere outside	822	7.1%
4	Permitted in designated indoor area(s)	23	0.2%
6	Permitted anywhere without restriction	4	0.0%
-1	Missing	5	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 1
Maximum: 6

Variable type: numeric

FEESCALE: Sliding fee scale (Q.A18)

Value	Label	Frequency	%
0	No	4,900	42.3%
1	Yes	6,311	54.5%
-1	Missing	13	0.1%
-3	Don't know	1	0.0%
-6	Not applicable	357	3.1%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

PAYASST: Offer treatment at no charge (Q.A19)

Value	Label	Frequency	%
0	No	5,369	46.4%
1	Yes	5,839	50.4%
-1	Missing	17	0.1%
-6	Not applicable	357	3.1%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

REVCHK1: Accepts cash or self-payment (Q.A20)

Value	Label	Frequency	%
0	No	1,670	14.4%
1	Yes	9,677	83.6%
-1	Missing	7	0.1%
-3	Don't know	228	2.0%
	<i>Total</i>	11,582	100%

Minimum: 0

Maximum: 1

Variable type: numeric

REVCHK2: Private health insurance (Q.A20)

Value	Label	Frequency	%
0	No	2,106	18.2%
1	Yes	9,262	80.0%
-1	Missing	6	0.1%
-3	Don't know	208	1.8%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

REVCHK8: Medicare (Q.A20)

Value	Label	Frequency	%
0	No	3,364	29.0%
1	Yes	7,941	68.6%
-1	Missing	16	0.1%
-3	Don't know	260	2.2%
-7	Multiple responses	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

REVCHK5: Medicaid (Q.A20)

Value	Label	Frequency	%
0	No	1,096	9.5%
1	Yes	10,282	88.8%
-1	Missing	12	0.1%
-3	Don't know	192	1.7%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

REVCHK10: Accepts state-financed health insurance plan other than Medicaid (Q.A20)

Value	Label	Frequency	%
0	No	3,295	28.4%
1	Yes	6,771	58.5%
-1	Missing	15	0.1%
-3	Don't know	1,501	13.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

FUNDSMHA: State mental health agency (or equivalent) funds (Q.A20)

Value	Label	Frequency	%
0	No	3,256	28.1%
1	Yes	6,648	57.4%
-1	Missing	15	0.1%
-3	Don't know	1,663	14.4%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

FUNDSTATEWELFARE: State welfare or child and family services agency funds (Q.A20)

Value	Label	Frequency	%
0	No	4,977	43.0%
1	Yes	4,897	42.3%
-1	Missing	20	0.2%
-3	Don't know	1,688	14.6%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
 Maximum: 1

Variable type: numeric

FUNDSTATEJUV: State corrections or juvenile agency funds (Q.A20)

Value	Label	Frequency	%
0	No	6,314	54.5%
1	Yes	3,527	30.5%
-1	Missing	16	0.1%
-3	Don't know	1,725	14.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

FUNDSTATEEDUC: State education agency funds (Q.A20)

Value	Label	Frequency	%
0	No	7,243	62.5%
1	Yes	2,038	17.6%
-1	Missing	21	0.2%
-3	Don't know	2,280	19.7%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

FUNDOTHSTATE: Other state government funds (Q.A20)

Value	Label	Frequency	%
0	No	5,065	43.7%
1	Yes	4,111	35.5%
-1	Missing	19	0.2%
-3	Don't know	2,387	20.6%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

FUNDLOCALGOV: County or local government funds (Q.A20)

Value	Label	Frequency	%
0	No	4,336	37.4%
1	Yes	5,510	47.6%
-1	Missing	25	0.2%
-3	Don't know	1,711	14.8%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

FUNDCSBG: Community Service Block Grants (Q.A20)

Value	Label	Frequency	%
0	No	6,518	56.3%
1	Yes	2,504	21.6%
-1	Missing	15	0.1%
-3	Don't know	2,545	22.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

FUNDCMHG: Community Mental Health Block Grants (Q.A20)

Value	Label	Frequency	%
0	No	5,671	49.0%
1	Yes	3,576	30.9%
-1	Missing	20	0.2%
-3	Don't know	2,315	20.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

REVCHK15: Federal military insurance (such as TRICARE) (Q.A20)

Value	Label	Frequency	%
0	No	4,709	40.7%
1	Yes	5,532	47.8%
-1	Missing	16	0.1%
-3	Don't know	1,325	11.4%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

FUNDVA: United States Department of Veterans Affairs funds (Q.A20)

Value	Label	Frequency	%
0	No	6,650	57.4%
1	Yes	2,534	21.9%
-1	Missing	20	0.2%
-3	Don't know	2,378	20.5%
	<i>Total</i>	11,582	100%

Minimum: 0
Maximum: 1

Variable type: numeric

REVCHK17: IHS/Tribal/Urban (ITU) funds (Q.A20)

Value	Label	Frequency	%
0	No	6,898	59.6%
1	Yes	876	7.6%
-1	Missing	65	0.6%
-3	Don't know	3,743	32.3%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

REVCHK2A: Other (Q.A20)

Value	Label	Frequency	%
0	No	11,194	96.6%
1	Yes	51	0.4%
-1	Missing	2	0.0%
-3	Don't know	335	2.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LICENMH: State mental health authority (Q.A21)

Value	Label	Frequency	%
0	No	2,805	24.2%
1	Yes	8,381	72.4%
-1	Missing	53	0.5%
-3	Don't know	343	3.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LICENSED: State substance abuse agency (Q.A21)

Value	Label	Frequency	%
0	No	7,459	64.4%
1	Yes	3,726	32.2%
-1	Missing	71	0.6%
-3	Don't know	326	2.8%
	<i>Total</i>	11,582	100%

Minimum: 0
Maximum: 1

Variable type: numeric

LICENPH: State department of health (Q.A21)

Value	Label	Frequency	%
0	No	5,563	48.0%
1	Yes	5,572	48.1%
-1	Missing	102	0.9%
-3	Don't know	345	3.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LICENSEDFCS: State or local Department of Family and Children's Services (Q.A21)

Value	Label	Frequency	%
0	No	8,600	74.3%
1	Yes	2,471	21.3%
-1	Missing	86	0.7%
-3	Don't know	425	3.7%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

LICENHOS: Hospital licensing authority (Q.A21)

Value	Label	Frequency	%
0	No	9,422	81.4%
1	Yes	1,729	14.9%
-1	Missing	125	1.1%
-3	Don't know	306	2.6%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

JCAHO: The Joint Commission (JC) (Q.A21)

Value	Label	Frequency	%
0	No	7,359	63.5%
1	Yes	3,917	33.8%
-1	Missing	86	0.7%
-3	Don't know	220	1.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

CARF: Commission on Accreditation of Rehabilitation Facilities (CARF) (Q.A21)

Value	Label	Frequency	%
0	No	8,394	72.5%
1	Yes	2,735	23.6%
-1	Missing	115	1.0%
-3	Don't know	338	2.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

COA: Council on Accreditation (COA) (Q.A21)

Value	Label	Frequency	%
0	No	9,782	84.5%
1	Yes	1,179	10.2%
-1	Missing	136	1.2%
-3	Don't know	485	4.2%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

CMS: Centers for Medicare and Medicaid Services (CMS) (Q.A21)

Value	Label	Frequency	%
0	No	5,317	45.9%
1	Yes	5,618	48.5%
-1	Missing	194	1.7%
-3	Don't know	452	3.9%
-7	Multiple responses	1	0.0%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric

OTHSTATE: Other national organization, or federal, state, or local agency (Q.A21)

Value	Label	Frequency	%
0	No	10,926	94.3%
1	Yes	317	2.7%
-1	Missing	8	0.1%
-3	Don't know	331	2.9%
	<i>Total</i>	<i>11,582</i>	<i>100%</i>

Minimum: 0
Maximum: 1

Variable type: numeric