

**National Survey of Substance
Abuse Treatment Services
(N-SSATS), 2008**

*Office of Applied Studies
Substance Abuse and Mental Health Services Administration*

Codebook

Acknowledgements

This data file was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS), by Synectics for Management Decisions, Inc. (Synectics), Arlington, Virginia. Data collection was performed by Mathematica Policy Research (Mathematica), Princeton, New Jersey.

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Study Respondents

Any intentional identification of a study respondent (whether an individual or an organization) or unauthorized disclosure of identifiable information violates the pledge given to the providers of the information. Disclosure of identifiable information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for reidentification of specific study respondents.
- To make no use of the identity of any study respondents discovered inadvertently and to report any such discovery to SAMHSA (SAMHSA_support@smdi.com).

Public Domain Notice

All material appearing in this report is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. However, this publication may not be reproduced or distributed for a fee without the specific, written authorization of the Office of Communications, SAMHSA, U.S. Department of Health and Human Services.

Data Citation

Data users agree to reference the following citation in any of the publications that use these public use data.

Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS): 2013. Data on Substance Abuse Treatment Facilities. Behavioral Health Services Information System, Rockville, MD: Substance Abuse and Mental Health Services Administration, 2015.

Authors of publications that use these data are required to send citations of their published works to SAMHSA for inclusion in a database of related publications (SAMHSA_support@smdi.com)

Disclaimer

Data users acknowledge that SAMHSA and SMDI (Synectics) will bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

Violations

If SAMHSA or SMDI determines that this “Terms of Use” agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

DESCRIPTION OF THE NATIONAL SURVEY OF SUBSTANCE ABUSE TREATMENT SERVICES (N-SSATS)

The 2008 National Survey of Substance Abuse Treatment Services (N-SSATS), conducted between March and October 2008, with a reference date of March 31, 2008. It is the 31st in a series of national surveys begun in the 1970s. The surveys were designed to collect data on the location, characteristics, and utilization of alcohol and drug treatment facilities and services throughout the 50 States, the District of Columbia, and other U.S. jurisdictions.¹ The Office of Applied Studies, Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs N-SSATS.

N-SSATS is designed to collect information from all facilities² in the United States, both public and private, that provide substance abuse treatment. (Additional information on N-SSATS, its history, and changes in the survey and survey universe over time is provided below.)

N-SSATS provides the mechanism for quantifying the dynamic character and composition of the U.S. substance abuse treatment delivery system. The objectives of N-SSATS are to collect multi-purpose data that can be used to:

- Assist SAMHSA and State and local governments in assessing the nature and extent of services provided in State-supported and other substance abuse treatment facilities and in forecasting substance abuse treatment resource requirements
- Update SAMHSA's Inventory of Substance Abuse Treatment Services (I-SATS), which includes all known drug and alcohol abuse treatment facilities
- Analyze substance abuse treatment services trends and conduct comparative analyses for the nation, regions, and States
- Generate the *National Directory of Drug and Alcohol Abuse Treatment Programs*, a compendium of facilities approved by State substance abuse agencies for the provision of substance abuse treatment
- Update the information in SAMHSA's Substance Abuse Treatment Facility Locator, a searchable database of facilities approved by State substance abuse agencies for the provision of substance abuse treatment. The Treatment Facility Locator is available on the Internet at:

<http://findtreatment.samhsa.gov>

¹ The jurisdictions include the territory of Guam, the Federated States of Micronesia, the Republic of Palau, the Commonwealth of Puerto Rico, and the Virgin Islands of the United States.

² Entities responding to N-SSATS are referred to as "facilities." A "facility" may be a program-level, clinic-level, or multi-site respondent.

Data Collection Procedures for the 2008 N-SSATS

Field period and reference date

The survey reference date for the 2008 N-SSATS was March 31, 2008. The field period was from March 31, 2008, through October 17, 2008.

Survey universe

The 2008 N-SSATS facility universe included all 16,486 active treatment facilities on SAMHSA's I-SATS at a point 6 weeks before the survey reference date. It also included 837 facilities that were added by State substance abuse agencies or through annual frame enhancement, or discovered during the first 3 weeks of the survey. Thus, the total survey universe was 17,323 facilities.

Content

The 2008 N-SSATS questionnaire was a 15-page document with 46 numbered questions. Topics included:

- Facility identification information
- Facility operating entity
- Facility focus of activity
- Type of care provided
 - Outpatient treatment services (regular outpatient treatment, intensive outpatient treatment, day treatment or partial hospitalization, detoxification, methadone/buprenorphine maintenance)
 - Residential (non-hospital) treatment services (long-term—more than 30 days, short-term—30 days or fewer, detoxification)
 - Hospital treatment services (inpatient treatment, inpatient detoxification)
- Services offered (assessment and pre-treatment services, counseling, pharmacotherapies, testing, transitional services, ancillary services)
- Clinical/therapeutic approaches
- Special programs or groups provided for specific client types
- Services provided in sign language or in languages other than English
- Detoxification from alcohol, benzodiazepines, opiates, cocaine, methamphetamine, or other drugs, and routine use of medication during detoxification
- Client outreach (hotline operation, maintenance of website)
- Licensure, certification, or accreditation agencies or organizations
- Standard operating procedures
- Payment options accepted, including use of sliding fee scale and/or treatment at no charge
- Facility funding (public funding, agreements or contracts with managed care organizations)

- Operation of an Opioid Treatment Program (OTP) certified by SAMHSA and offering maintenance and/or detoxification with methadone and/or buprenorphine
- Clients in treatment on March 31, 2008 (total, clients under age 18, clients receiving methadone, and clients receiving buprenorphine)
- Annual admissions and number funded by Access To Recovery (ATR) vouchers
- Percentage of clients in treatment on March 31, 2008, for abuse of both alcohol and drugs, alcohol abuse only, drug abuse only
- Percentage of clients in treatment on March 31, 2008 with diagnosed co-occurring substance abuse and mental health disorders
- Number of beds designated for residential (non-hospital) and hospital inpatient substance abuse treatment on March 31, 2008

Data collection

Two primary data collection modes were employed—a paper questionnaire sent by mail and a secure web-based questionnaire. Respondents could select either method to complete the survey. Six weeks before the survey reference date (March 31, 2008), letters were mailed to all facilities to alert them to expect the survey. The letters also served to update records with new address information received from the Post Office. On March 31, 2008, data collection packets (including the questionnaire, SAMHSA cover letter, State-specific letter of endorsement, information on completing the survey on the web, and a sheet of *Frequently Asked Questions*) were mailed to each facility. During the data collection phase, contract personnel were available to answer facilities' questions concerning the survey. Web-based support for facilities completing the questionnaire on the web was also available. Four to 5 weeks after the initial questionnaire mailing, thank you/reminder letters were sent to all facilities. Approximately 8 weeks after the initial questionnaire mailing, non-responding facilities were mailed a second questionnaire packet. About 4 to 5 weeks after the second questionnaire mailing, non-respondents received a reminder telephone call. Those facilities that had not responded within 2 to 3 weeks of the reminder call were telephoned and asked to complete the survey by computer-assisted telephone interview (CATI).

Facility status and response rate

Table 1.1 presents a summary of response rate information. Questionnaires were mailed to a total of 17,323 facilities believed to be actively providing substance abuse treatment services. Of these facilities, 11.5 percent were found to be ineligible for the survey because they had closed or did not provide substance abuse treatment or detoxification. Of the remaining 15,335 facilities, 94.1 percent completed the survey.

Quality assurance

All mail questionnaires were reviewed manually for consistency and for missing data. Calls were made to facilities to clarify questionable responses and to obtain missing data. If facilities could not be reached during the edit callbacks, responses that were clearly in error were replaced by imputation. After data entry, automated quality assurance reviews were conducted. The reviews incorporated the rules used in manual editing, plus consistency checks and checks for data outliers not readily identified by manual review.

Table 1.1
N-SSATS facilities, by status and mode of response: 2008

	<i>Number</i>	<i>Percent</i>
Total facilities in survey	17,323	100.0
Closed/ineligible	1,988	11.5
Eligible	15,335	88.5
Total eligible	15,335	100.0
Non-respondents	912	5.9
Respondents	14,423	94.1
Excluded from data file ¹	404	2.6
Roll-ups ²	331	2.2
Included in data file	13,688	89.3
Mode of response	13,688	100.0
Internet	6,627	48.4
Mail	4,501	32.9
Telephone	2,560	18.7

¹ Facilities deemed out of the scope of this data file.

² Facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately.

SOURCE: Office of Applied Studies, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2008.

The web questionnaire was programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses.

Item non-response was minimized through careful editing and extensive follow-up. The item response rate for the 2008 N-SSATS averaged 98.3 percent across 193 separate items.

Facility Selection for the 2008 N-SSATS Report and Data File

Table 1.1. The N-SSATS questionnaire serves several purposes, as noted earlier. Four hundred and four of the 14,423 questionnaire respondents provided information but were deemed out of the scope of this data. They were excluded from the analyses presented here. The excluded facilities and reasons for exclusion fell into three categories:

- 171 facilities were halfway houses that did not provide substance abuse treatment. These facilities were included in the survey so that they could be listed in the *Directory* and the Treatment Facility Locator.
- 170 facilities were solo practitioners. I-SATS and N-SSATS are designed to include facilities rather than individuals. Solo practitioners are listed and surveyed only if the State substance abuse agency explicitly requests that they are included in the survey. The excluded solo practitioners had not been identified for inclusion by the State substance abuse agency.
- 63 facilities were jails, prisons, or other organizations that treated incarcerated clients exclusively.

An additional 331 facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately were excluded from facility counts in this data file. However, their client counts are included.

After the exclusion of 404 out-of-scope facilities and 331 rolled-up facilities, 13,688 eligible respondent facilities were included in the 2008 N-SSATS data.

Number of respondents reporting facility and client data


There were 13,688 eligible respondents to the 2008 N-SSATS. The breakdown of facility data and client counts reported by these respondents is summarized below.

- 11,940 facilities reported facility data and client counts for their own organizations.
- 625 facilities reported facility characteristics for themselves and provided client counts for their own facility and for 1,352 other facilities.
- 1,123 facilities reported facility characteristics only. Their client counts were reported by another facility.

Survey Response Mode

Figure 1. The proportion of facilities using the web survey to respond to N-SSATS has increased steadily since introduction of the option in 2002. The percentage of facilities responding via the web increased from 30 percent in 2004 to 48 percent in 2008. Mail response declined from 48 percent in 2004 to 33 percent in 2008. Telephone response, which represents follow-up of facilities that have not responded by mail or web, changed less, from 22 percent in 2004 to 19 percent in 2008.

Figure 1
Survey Response Mode: 2004-2008



SOURCE: Office of Applied Studies, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2004-2008.

Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2008 N-SSATS. Some general issues are listed below. Considerations and limitations of specific data items are discussed where the data are presented.

- N-SSATS attempts to obtain responses from all known treatment facilities, but it is a voluntary survey. There was no adjustment for the 5.9 percent facility non-response.
- N-SSATS is a point-prevalence survey. It provides information on the substance abuse treatment system and its clients on the reference date. Client counts reported here do not represent annual totals. Rather, N-SSATS provides a “snapshot” of substance abuse treatment facilities and clients on an average day.
- Multiple responses were allowed for certain variables (e.g., services provided and specialized programs). Tabulations of these variables include the total number of facilities reporting each response.

Terminology

- *Facility operation* indicates the type of entity responsible for the operation of the facility:
 - Private for-profit
 - Private non-profit
 - Government
 - Local, county, or community
 - State
 - Federal (Dept. of Veterans Affairs, Dept. of Defense, Indian Health Service, other)
 - Tribal
- *Primary focus* indicates the services the facility primarily provides:
 - Substance abuse treatment services
 - Mental health services
 - A mix of substance abuse treatment and mental health services
 - General health care
 - Other
- *Clients in treatment* were defined as:
 - Hospital inpatient and residential (non-hospital) clients receiving substance abuse services at the facility on March 31, 2008
 - and*
 - Outpatient clients who were seen at the facility for a substance abuse treatment or detoxification service at least once during the month of March 2008, and who were still enrolled in treatment on March 31, 2008

N-SSATS BACKGROUND

Survey History

N-SSATS has evolved from national survey efforts begun in the 1970s by the National Institute on Drug Abuse (NIDA) to measure the scope and use of drug abuse treatment services in the United States. The sixth of these surveys, conducted in 1976, introduced the data elements and format that have formed the core of subsequent surveys. These include organizational focus, service orientation, services available, clients in treatment by type of care, and inpatient/residential capacity. The 1976 survey, called the National Drug Abuse Treatment Utilization Survey, was repeated in 1977 and 1978.

In 1979, the National Institute on Alcohol Abuse and Alcoholism (NIAAA) became a cosponsor of the survey, alcoholism treatment facilities were added, and the study was renamed the National Drug and Alcoholism Treatment Utilization Survey. This survey was repeated in 1980 and 1982. In 1984, a one-page version called the National Alcoholism and Drug Abuse Program Inventory was used. In 1987, the full version of the survey was reinstated and renamed the National Drug and Alcoholism Treatment Unit Survey (NDATUS). NDATUS was conducted annually from 1989 to 1993.

In 1992, with the creation of SAMHSA, responsibility for conducting the survey shifted to SAMHSA's Office of Applied Studies. The survey was redesigned, and it was conducted annually as the Uniform Facility Data Set (UFDS) survey from 1995 to 1998. During these years, the survey was conducted by mail with telephone follow-up of non-respondents. The 1999 survey year was a transition year during which the survey was redesigned, and an abbreviated telephone survey of treatment facilities was conducted. In 2000, a redesigned full mail survey was reinstated with telephone follow-up; it was renamed the National Survey of Substance Abuse Treatment Services (N-SSATS). The reference date for the annual survey had always been the end of September or beginning of October. After the 2000 survey, the reference date was changed to the end of March, and no survey was conducted during 2001.

In 2000, the use of an Internet-based questionnaire was tested, and beginning in 2002, all facilities were offered the opportunity to respond via the Internet.

N-SSATS in the Context of the Drug and Alcohol Services Information System (DASIS)

N-SSATS is one of the three components of SAMHSA's Drug and Alcohol Services Information System (DASIS). The core of DASIS is the Inventory of Substance Abuse Treatment Services (I-SATS), a continuously updated, comprehensive listing of all known substance abuse treatment facilities. The other components of DASIS are N-SSATS and the Treatment Episode Data Set (TEDS), a client-level database of admissions to substance abuse treatment. Together, the components provide national- and State-level information on the numbers and characteristics of individuals admitted to alcohol and drug treatment programs and describe the facilities that deliver care to those individuals.

I-SATS is the list frame for N-SSATS. Facilities in I-SATS fall into two general categories and are distinguished by the relationship of the facility to its State substance abuse agency. These categories are described below.

Treatment facilities approved by State substance abuse agencies

The largest group of facilities (about 14,000 in 2008) includes facilities that are licensed, certified, or otherwise approved by the State substance abuse agency to provide substance abuse treatment. State DASIS representatives maintain this segment of I-SATS by reporting new facilities, closures, and address changes to SAMHSA. Some facilities are not licensed, certified, or otherwise approved by the State agency. Some private for-profit facilities fall into this category. This group also includes programs operated by Federal agencies, the Department of Veterans Affairs (VA), the Department of Defense, and the Indian Health Service. I-SATS records for Federally operated facilities are updated annually through lists provided by these agencies.

Treatment facilities not approved by State substance abuse agencies

This group of facilities (about 4,000 in 2008) represents the SAMHSA effort since the mid-1990s to make I-SATS as comprehensive as possible by including treatment facilities that State substance abuse agencies, for a variety of reasons, do not fund, license, or certify. Many of these facilities are private for-profit, small group practices, or hospital-based programs. Most of them are identified through periodic screening of alternative source databases. (See *Special efforts to improve survey coverage* below.) State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Survey Coverage

The use of I-SATS as the list frame for N-SSATS imposes certain constraints related to the unit of response and the scope of facilities included. In addition, the expansion of I-SATS in recent years to provide a more complete enumeration of substance abuse treatment facilities means that year-to-year comparisons of the numbers of facilities reporting to N-SSATS must be interpreted with caution.

Unit of response

N-SSATS is designed to collect data from each physical location where treatment services are provided. Accordingly, SAMHSA requests that State substance abuse agencies use the point of delivery of service (i.e., physical location) as the defining factor for a facility. It also requests that facilities be included in I-SATS, N-SSATS, and TEDS at the same administrative level so that record linkage among the three data sets is valid. Because of the different State administrative systems, however, there are some inconsistencies in implementation. For example, in some States, multiple treatment programs (e.g., detoxification, residential, and outpatient) at the same address and under the same management have separate State licenses. These are treated as separate by the State substance abuse agency, and are given separate I-SATS ID numbers. In other States, multiple sites are included as a single entity under a parent or administrative unit. In many of these cases, individual sites can report services data in N-SSATS, but client data are available only at a higher administrative level. Beginning in 1995, efforts have been made to identify facility networks and to eliminate duplicate reporting by networks. For most facilities, reporting level remains consistent from year to year.

However, beginning in 1998, an emphasis was placed on collecting minimum information from all physical locations, and this has resulted in an increase in the number of facilities.

Special efforts to improve survey coverage

The great majority of treatment facilities in I-SATS are administratively monitored by State substance abuse agencies. Therefore, the scope of facilities included in I-SATS is affected by differences in State systems of licensure, certification, accreditation, and the disbursement of public funds. For example, some State substance abuse agencies regulate private facilities and individual practitioners while others do not. In some States, hospital-based substance abuse treatment facilities are not licensed through the State substance abuse agency.

To address these differences, SAMHSA conducted a large-scale effort during 1995 and 1996 to identify substance abuse treatment facilities that, for a variety of reasons, were not on I-SATS. Some 15 source lists were considered, and facilities not on I-SATS were contacted to ascertain whether they provided substance abuse treatment. As expected, this yielded a number of hospital-based and small private facilities that were not on I-SATS. (These facilities were surveyed in 1995 and 1996, but they were not included in the published results of the survey until 1997.) Analysis of the results of this effort led to similar but more targeted updates before subsequent surveys. Potential new facilities are identified using data from the American Business Index, the annual American Hospital Association survey, and SAMHSA's biannual Inventory of Mental Health Organizations, the source lists that yielded the most new facilities in 1995 and 1996. Survey participants, who are asked to report all of the treatment facilities in their administrative networks, also identify additional facilities during the survey itself. All newly identified facilities are initially included as not approved by the State substance abuse agency. State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Expansion of survey coverage to include all sites within networks at which treatment was provided yielded a net increase of about 2,600 facilities between 1997 and 1998. These additions were not necessarily new facilities, but were facilities not previously included in the survey as separate sites. The number of facilities reporting continued to increase in 1999, but at a slower pace, a net increase of 1,800 facilities. The increase between 1998 and 1999 was in large part because of the improved survey response rate (95 percent in 1999 vs. 90 percent in 1998). Between 2004 and 2008, the number of facilities remained constant, at between 13,400 and 13,800. The total number is deceptive, however. There was significant turnover as facilities closed and others opened.

Data collection

Until 1996, State substance abuse agencies distributed and collected the UFDS survey forms. Beginning in 1996, data collection was centralized; since that time, SAMHSA has mailed facility survey forms directly to and collected forms directly from the facilities, and has conducted follow-up telephone interviews with the facility director or his/her designee.

Non-response

Beginning in 1992, SAMHSA expanded efforts to obtain information from non-responding facilities. A representative sample of non-respondents was contacted and administered an abbreviated

version of the survey instrument via telephone. In 1993 and later years, this effort was extended to all non-responding facilities. In 1997, a series of measures was introduced to enhance the survey response rate. These included advance notification and improved methods for updating address and contact information. Between 2004 and 2008, use of these methods and intensive telephone follow-up resulted in an annual follow-up rate (i.e., facilities in the sample either completed the survey or were determined to be closed or otherwise ineligible) of 94 to 96 percent. In 2008, the follow-up rate was 94.7 percent.

Exclusions

In 1997, facilities offering only DUI/DWI programs were excluded; these facilities were reinstated in 1998.

Facilities operated by the Bureau of Prisons (BOP) were excluded from the 1997 UFDS survey and subsequent surveys because SAMHSA conducted a separate survey of correctional facilities.³ During that survey, it was discovered that jails, prisons, and other organizations treating incarcerated persons only were poorly enumerated on I-SATS. Beginning in 1999, these facilities were identified during the survey and excluded from analyses and public-use data files.

I-SATS and N-SSATS are designed to include specialty substance abuse treatment facilities rather than individuals. Solo practitioners are listed on I-SATS and surveyed in N-SSATS only if the State substance abuse agency explicitly requests that they be included.

Beginning in 2000, halfway houses that did not provide substance abuse treatment were included on I-SATS and in N-SSATS so that they could be listed in the *National Directory of Drug and Alcohol Abuse Treatment Programs* and on the Treatment Facility Locator (<http://findtreatment.samhsa.gov>). These facilities are excluded from analyses and public-use data files.

Changes in Survey Content

Since 1992, SAMHSA has made adjustments each year to the survey design, both to minimize non-response and to include areas of emerging interest. For example, questions on the number of clients in treatment receiving buprenorphine were added in 2004. Questions about clinical/therapeutic methods, standard practices, and Access to Recovery grants were added in 2007.

There have also been changes within content areas. For example, in response to concerns about over-reporting of programs or groups for specific client types, the survey question was revised in 2003 to distinguish between those facilities that accepted specific client types and those facilities that offered specially designed programs or groups for that client type. As a result, the number and proportion of facilities offering programs or groups for each of the specified client types decreased after 2002. Surveys from 2003 and later are believed to more accurately represent the number and proportions of facilities providing programs or groups for the specified client types.

³ SAMHSA, Office of Applied Studies. *Substance Abuse Treatment in Adult and Juvenile Correctional Facilities: Findings from the Uniform Facility Data Set 1997 Survey of Correctional Facilities*. Drug and Alcohol Services Information System Series: S-9. DHHS Publication No. (SMA) 00-3380. Rockville, MD, 2000.

FREQUENCIES

CASEID: CASE IDENTIFICATION NUMBER

Program generated case (record) identifier.

Variable type: Numeric

STATE: State abbreviations

Value	Label	Unweighted Frequency	%
AK	Alaska	71	0.5%
AL	Alabama	136	1.0%
AR	Arkansas	59	0.4%
AZ	Arizona	212	1.5%
CA	California	1,725	12.6%
CO	Colorado	436	3.2%
CT	Connecticut	203	1.5%
DC	District of Columbia	44	0.3%
DE	Delaware	39	0.3%
FL	Florida	644	4.7%
FM	Fed States of Micronesia	1	0.0%
GA	Georgia	265	1.9%
GU	Guam	4	0.0%
HI	Hawaii	123	0.9%
IA	Iowa	113	0.8%
ID	Idaho	77	0.6%
IL	Illinois	608	4.4%
IN	Indiana	313	2.3%
KS	Kansas	221	1.6%
KY	Kentucky	301	2.2%
LA	Louisiana	166	1.2%
MA	Massachusetts	316	2.3%
MD	Maryland	371	2.7%
ME	Maine	188	1.4%
MI	Michigan	512	3.7%
MN	Minnesota	286	2.1%
MO	Missouri	257	1.9%
MS	Mississippi	102	0.7%
MT	Montana	63	0.5%
NC	North Carolina	410	3.0%
ND	North Dakota	64	0.5%
NE	Nebraska	114	0.8%
NH	New Hampshire	61	0.4%
NJ	New Jersey	331	2.4%
NM	New Mexico	145	1.1%
NV	Nevada	77	0.6%
NY	New York	964	7.0%
OH	Ohio	402	2.9%
OK	Oklahoma	186	1.4%

STATE: State abbreviations

Value	Label	Unweighted Frequency	%
OR	Oregon	237	1.7%
PA	Pennsylvania	551	4.0%
PR	Puerto Rico	151	1.1%
PW	Rep of Palau	1	0.0%
RI	Rhode Island	53	0.4%
SC	South Carolina	111	0.8%
SD	South Dakota	64	0.5%
TN	Tennessee	197	1.4%
TX	Texas	480	3.5%
UT	Utah	146	1.1%
VA	Virginia	199	1.5%
VI	Virgin Islands	2	0.0%
VT	Vermont	45	0.3%
WA	Washington	435	3.2%
WI	Wisconsin	271	2.0%
WV	West Virginia	79	0.6%
WY	Wyoming	56	0.4%
	<i>Total</i>	13,688	100%

Variable type: Character

DETOX: Offer Detox

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

MARK "YES" OR "NO" FOR EACH

(2) Detoxification

Value	Label	Unweighted Frequency	%
0	No	10,996	80.3%
1	Yes	2,692	19.7%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

TREATMT: Offer Substance Abuse Treatment

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

MARK "YES" OR "NO" FOR EACH

(3) Substance abuse treatment (services that focus on initiating and maintaining an individual's recovery from substance abuse and on averting relapse)

Value	Label	Unweighted Frequency	%
0	No	159	1.2%
1	Yes	13,529	98.8%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

OWNERSHP: Ownership

5. Is this facility operated by . . .

MARK ONE ONLY

If 1/2, skip to Q.6 or if 3/4/5, skip to Q.8

Value	Label	Unweighted Frequency	%
1	Private-for-profit org	4,015	29.3%
2	Private non-profit org	7,932	57.9%
3	State govt	427	3.1%
4	Local, county, or community govt	820	6.0%
5	Tribal govt	180	1.3%
6	Federal govt	314	2.3%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 6

Variable type: Numeric

FEDOWN: Federal Government Agency

5a. Which Federal Government agency?

MARK ONE ONLY

SKIP TO Q.8

Value	Label	Unweighted Frequency	%
1	Dept of Veterans Affairs	174	1.3%
2	Dept of Defense	93	0.7%
3	Indian Health Service	44	0.3%
4	Other	3	0.0%
.	Logical skip	13,374	97.7%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 4

Variable type: Numeric

HOSPITAL: Located in/operated by hospital

9. Is this facility a hospital or located in or operated by a hospital?

If No, SKIP TO Q10 (TOP OF NEXT COLUMN)

Value	Label	Unweighted Frequency	%
0	No	12,050	88.0%
1	Yes	1,614	11.8%
.D	Don't know	2	0.0%
.M	Missing	22	0.2%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LOCS: Hospital Type

9a. What type of hospital?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	General hospital (incl VA)	1,251	9.1%
2	Psychiatric hospital	297	2.2%
3	Other specialty hospital	63	0.5%
.	Logical skip	12,074	88.2%
.D	Don't know	1	0.0%
.M	Missing	2	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 3

Variable type: Numeric

ASSESSMENT: Number of assessment and pre-treatment services offered

The total number of assessment services offered at this facility out of a maximum of 7

Value	Label	Unweighted Frequency	%
0	0 assessment services offered	334	2.4%
1	1 assessment service offered	704	5.1%
2	2 assessment services offered	2,059	15.0%
3	3 assessment services offered	2,464	18.0%
4	4 assessment services offered	3,573	26.1%
5	5 assessment services offered	2,579	18.8%
6	6 assessment services offered	1,973	14.4%
.	Logical skip	2	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 7

Variable type: Numeric

TESTING: Number of testing services offered

The total number of testing services offered at this facility out of a maximum of 7

Value	Label	Unweighted Frequency	%
0	0 testing services offered	1,812	13.2%
1	1 testing service offered	2,656	19.4%
2	2 testing services offered	4,269	31.2%
3	3 testing services offered	1,299	9.5%
4	4 testing services offered	665	4.9%
5	5 testing services offered	585	4.3%
6	6 testing services offered	751	5.5%
7	7 testing services offered	1,638	12.0%
.	Logical skip	13	0.1%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 7

Variable type: Numeric

TRANSITION: Number of transitional services offered

The total number of transitional services offered at this facility out of a maximum of 2

Value	Label	Unweighted Frequency	%
0	0 transitional services offered	526	3.8%
1	1 transitional service offered	2,625	19.2%
2	2 transitional services offered	10,527	76.9%
.	Logical skip	10	0.1%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 2

Variable type: Numeric

ANCILLARY: Number of ancillary services offered

The total number of ancillary services offered at this facility out of a maximum of 17

Value	Label	Unweighted Frequency	%
0	0 ancillary services offered	136	1.0%
1	1 ancillary service offered	517	3.8%
2	2 ancillary services offered	825	6.0%
3	3 ancillary services offered	1,038	7.6%
4	4 ancillary services offered	1,102	8.1%
5	5 ancillary services offered	1,116	8.2%
6	6 ancillary services offered	1,255	9.2%
7	7 ancillary services offered	1,152	8.4%
8	8 ancillary services offered	1,198	8.8%
9	9 ancillary services offered	1,195	8.7%
10	10 ancillary services offered	1,081	7.9%
11	11 ancillary services offered	927	6.8%
12	12 ancillary services offered	866	6.3%
13	13 ancillary services offered	600	4.4%
14	14 ancillary services offered	417	3.0%
15	15 ancillary services offered	163	1.2%
16	16 ancillary services offered	86	0.6%
17	17 ancillary service offered	7	0.1%
.	Logical skip	7	0.1%
	<i>Total</i>	13,688	100%

- Minimum: 0
- Maximum: 17

Variable type: Numeric

SRVC71: Pharmacotherapies Naltrexone

12. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Pharmacotherapies

34. Naltrexone

Value	Label	Unweighted Frequency	%
0	No	11,533	84.3%
1	Yes	2,110	15.4%
.D	Don't know	25	0.2%
.M	Missing	20	0.1%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC85: Pharmacotherapies Methadone

12. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Pharmacotherapies

38. Methadone

Value	Label	Unweighted Frequency	%
0	No	12,556	91.7%
1	Yes	1,132	8.3%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC87: Pharmacotherapies Buprenorphine with naloxone (Suboxone)

12. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Pharmacotherapies

40. Buprenorphine - Suboxone®

Value	Label	Unweighted Frequency	%
0	No	11,690	85.4%
1	Yes	1,970	14.4%
.D	Don't know	27	0.2%
.M	Missing	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC86: Pharmacotherapies Buprenorphine without naloxone

12. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Pharmacotherapies

39. Buprenorphine - Subutex®

Value	Label	Unweighted Frequency	%
0	No	12,577	91.9%
1	Yes	1,073	7.8%
.D	Don't know	37	0.3%
.M	Missing	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

OTP: Operate an Opioid Treatment Program (Constructed Variable)

Does this facility operate an Opioid Treatment Program (OTP) at this location?

- Opioid Treatment Programs are certified by SAMHSA’s Center for Substance Abuse Treatment to use opioid drugs such as methadone in the treatment of opioid (narcotic) addiction.

Value	Label	Unweighted Frequency	%
0	No	3	0.0%
1	Yes	1,132	8.3%
.	Logical skip	12,553	91.7%
<i>Total</i>		<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

DUI_DWI: Program for DUI/DWI/other offenders

20. Does this facility, at this location, offer a specially designed program or group intended exclusively for DUI/DWI or other drunk driver offenders?

If No, SKIP TO Q.21 (BELOW)

Value	Label	Unweighted Frequency	%
0	No	9,761	71.3%
1	Yes	3,903	28.5%
.M	Missing	24	0.2%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

ONLYDUI: All Substance Abuse Treatment clients DUI/DWI

20a. Does this facility serve only DUI/DWI clients?

Value	Label	Unweighted Frequency	%
0	No	3,769	27.5%
1	Yes	125	0.9%
.	Logical skip	9,785	71.5%
.M	Missing	9	0.1%
<i>Total</i>		<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SIGNLANG: Treatment in sign language-y/n

21. Does this facility provide substance abuse treatment services in sign language (for example, American Sign Language, Signed English, or Cued Speech) for the hearing impaired at this location?

- Mark “yes” if either a staff counselor or an on-call interpreter provides this service.

Value	Label	Unweighted Frequency	%
0	No	9,788	71.5%
1	Yes	3,850	28.1%
.D	Don't know	1	0.0%
.M	Missing	47	0.3%
.X	Multiple responses	2	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG: Treatment in language other than English-y/n

22. Does this facility provide substance abuse treatment services in a language other than English at this location?

If No, SKIP TO Q.23 (PAGE6)

Value	Label	Unweighted Frequency	%
0	No	7,789	56.9%
1	Yes	5,882	43.0%
.D	Don't know	5	0.0%
.M	Missing	12	0.1%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG16: Do staff counselors provide Substance Abuse Treatment in Spanish

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

17. Spanish

Value	Label	Unweighted Frequency	%
0	No	233	1.7%
1	Yes	3,567	26.1%
.	Logical skip	9,866	72.1%
.D	Don't know	2	0.0%
.M	Missing	19	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG1: Treatment in Hopi

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

American Indian or Alaska Native:

1. Hopi

Value	Label	Unweighted Frequency	%
0	No	3,742	27.3%
1	Yes	9	0.1%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	69	0.5%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG2: Treatment in Lakota

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

American Indian or Alaska Native:

2. Lakota

Value	Label	Unweighted Frequency	%
0	No	3,728	27.2%
1	Yes	20	0.1%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	72	0.5%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG3: Treatment in Navajo

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

American Indian or Alaska Native:

3. Navajo

Value	Label	Unweighted Frequency	%
0	No	3,696	27.0%
1	Yes	44	0.3%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	80	0.6%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG4: Treatment in Yupik

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

American Indian or Alaska Native:

4. Yupik

Value	Label	Unweighted Frequency	%
0	No	3,734	27.3%
1	Yes	3	0.0%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	83	0.6%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG5: Treatment in Other American Indian/Alaska Native

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

American Indian or Alaska Native:

5. Other American Indian or Alaska Native language

Value	Label	Unweighted Frequency	%
0	No	3,601	26.3%
1	Yes	77	0.6%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	142	1.0%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG6: Treatment in Arabic

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

6. Arabic

Value	Label	Unweighted Frequency	%
0	No	3,658	26.7%
1	Yes	82	0.6%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	80	0.6%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG7: Treatment in Chinese

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

7. Chinese

Value	Label	Unweighted Frequency	%
0	No	3,659	26.7%
1	Yes	83	0.6%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	78	0.6%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG8: Treatment in Creole

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

8. Creole

Value	Label	Unweighted Frequency	%
0	No	3,647	26.6%
1	Yes	99	0.7%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	74	0.5%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG9: Treatment in French

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

9. French

Value	Label	Unweighted Frequency	%
0	No	3,528	25.8%
1	Yes	215	1.6%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	77	0.6%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG10: Treatment in German

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

10. German

Value	Label	Unweighted Frequency	%
0	No	3,631	26.5%
1	Yes	110	0.8%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	79	0.6%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG11: Treatment in Hmong

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

11. Hmong

Value	Label	Unweighted Frequency	%
0	No	3,692	27.0%
1	Yes	46	0.3%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	82	0.6%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG19: Treatment in Italian

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

12. Italian

Value	Label	Unweighted Frequency	%
0	No	3,708	27.1%
1	Yes	70	0.5%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	42	0.3%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG12: Treatment in Korean

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

13. Korean

Value	Label	Unweighted Frequency	%
0	No	3,670	26.8%
1	Yes	68	0.5%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	82	0.6%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG13: Treatment in Polish

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

14. Polish

Value	Label	Unweighted Frequency	%
0	No	3,616	26.4%
1	Yes	123	0.9%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	81	0.6%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG14: Treatment in Portuguese

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

15. Portuguese

Value	Label	Unweighted Frequency	%
0	No	3,592	26.2%
1	Yes	142	1.0%
.	Logical skip	9,866	72.1%
.D	Don't know	2	0.0%
.M	Missing	85	0.6%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG15: Treatment in Russian

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

16. Russian

Value	Label	Unweighted Frequency	%
0	No	3,562	26.0%
1	Yes	181	1.3%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	77	0.6%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG20: Treatment in Tagalog

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

18. Tagalog

Value	Label	Unweighted Frequency	%
0	No	3,692	27.0%
1	Yes	83	0.6%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	45	0.3%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG17: Treatment in Vietnamese

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

19. Vietnamese

Value	Label	Unweighted Frequency	%
0	No	3,649	26.7%
1	Yes	84	0.6%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	87	0.6%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG18: Treatment in other language

22b. In what other languages do staff counselors provide substance abuse treatment at this facility?

MARK ALL THAT APPLY

Other Languages:

20. Any other language

Value	Label	Unweighted Frequency	%
0	No	3,127	22.8%
1	Yes	250	1.8%
.	Logical skip	9,866	72.1%
.D	Don't know	1	0.0%
.M	Missing	443	3.2%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC76: Adolescents served by this facility

23. Indicate whether this facility accepts these clients into treatment at this location.

Type of Client

1. Adolescents

Value	Label	Unweighted Frequency	%
0	No	6,968	50.9%
1	Yes	6,694	48.9%
.M	Missing	25	0.2%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC83: Adult women served by this facility

23. Indicate whether this facility accepts these clients into treatment at this location.

Type of Client
7. Adult women

Value	Label	Unweighted Frequency	%
0	No	1,669	12.2%
1	Yes	11,982	87.5%
.M	Missing	37	0.3%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC84: Adult men served by this facility

23. Indicate whether this facility accepts these clients into treatment at this location.

Type of Client

9. Adult men

Value	Label	Unweighted Frequency	%
0	No	1,769	12.9%
1	Yes	11,879	86.8%
.M	Missing	40	0.3%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC33: Specific Program/group for pregnant/postpartum women

23. Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Type of Client

8. Pregnate or postpartum women

Value	Label	Unweighted Frequency	%
0	No	9,470	69.2%
1	Yes	1,909	13.9%
.	Logical skip	2,232	16.3%
.D	Don't know	1	0.0%
.M	Missing	75	0.5%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC63: Specific Program/group for seniors

23. Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Type of Client

6. Seniors or older adults

Value	Label	Unweighted Frequency	%
0	No	11,255	82.2%
1	Yes	935	6.8%
.	Logical skip	1,415	10.3%
.D	Don't know	2	0.0%
.M	Missing	80	0.6%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC62: Specific Program/group for lesbian/gay/bisexual/trans/ques (LGBTQ)

23. Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Type of Client

5. Lesbian, gay, bisexual, transgender (LGBT) clients

Value	Label	Unweighted Frequency	%
0	No	12,491	91.3%
1	Yes	777	5.7%
.	Logical skip	326	2.4%
.D	Don't know	3	0.0%
.M	Missing	90	0.7%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC61: Specific Program/group for criminal justice clients

23. Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Type of Client

3. Criminal justice clients (other than DUI/DWI)

Value	Label	Unweighted Frequency	%
0	No	8,673	63.4%
1	Yes	3,760	27.5%
.	Logical skip	1,170	8.5%
.D	Don't know	1	0.0%
.M	Missing	83	0.6%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC31: Specific Program/group for co-occurring

23. Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Type of Client

2. Clients with co-occurring mental and substance abuse disorders

Value	Label	Unweighted Frequency	%
0	No	7,671	56.0%
1	Yes	5,097	37.2%
.	Logical skip	828	6.0%
.D	Don't know	2	0.0%
.M	Missing	89	0.7%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC32: Specific Program/group for persons with HIV/AIDS

23. Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

Type of Client

4. Persons with HIV or AIDS

Value	Label	Unweighted Frequency	%
0	No	11,694	85.4%
1	Yes	1,325	9.7%
.	Logical skip	586	4.3%
.D	Don't know	1	0.0%
.M	Missing	81	0.6%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE4: Hospital Inpatient SA care offered currently

24. Does this facility offer HOSPITAL INPATIENT substance abuse services at this location, that is, the location listed on the front cover?

If No, SKIP TO Q.25 (BELOW)

Value	Label	Unweighted Frequency	%
0	No	12,849	93.9%
1	Yes	838	6.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPEH11: Hospital Inpatient Detoxification care offered

24a. Which of the following HOSPITAL INPATIENT services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

1. Hospital inpatient detoxification (Similar to ASAM Levels IV-D and III.7-D, medically managed or monitored inpatient detoxification)

Value	Label	Unweighted Frequency	%
0	No	95	0.7%
1	Yes	742	5.4%
.	Logical skip	12,851	93.9%
<i>Total</i>		<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPEHI2: Hospital Inpatient Treatment care offered

24a. Which of the following HOSPITAL INPATIENT services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

2. Hospital inpatient treatment (Similar to ASAM Levels IV and III.7, medically managed or monitored intensive inpatient treatment)

Value	Label	Unweighted Frequency	%
0	No	271	2.0%
1	Yes	564	4.1%
.	Logical skip	12,853	93.9%
<i>Total</i>		<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE7: Non-hospital Residential Substance Abuse care offered currently

25. Does this facility offer RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

If No, SKIP TO Q.26 (PAGE 7)

Value	Label	Unweighted Frequency	%
0	No	10,044	73.4%
1	Yes	3,644	26.6%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPERC1: Non-hospital Residential Detoxification care offered

25a. Which of the following RESIDENTIAL services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

1. Residential detoxification (Similar to ASAM Level III.2-D, clinically managed residential detoxification or social detoxification)

Value	Label	Unweighted Frequency	%
0	No	2,716	19.8%
1	Yes	920	6.7%
.	Logical skip	10,051	73.4%
.D	Don't know	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPERC3: Non-hospital Residential Short Term Treatment offered

25a. Which of the following RESIDENTIAL services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

2. Residential short-term treatment (Similar to ASAM Level III.5, clinically managed high-intensity residential treatment, typically 30 days or less)

Value	Label	Unweighted Frequency	%
0	No	1,977	14.4%
1	Yes	1,662	12.1%
.	Logical skip	10,049	73.4%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPERC4: Non-hospital Residential Long Term Treatment offered

25a. Which of the following RESIDENTIAL services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

3. Residential long-term treatment (Similar to ASAM Levels III.3 and III.1, clinically managed medium- or low-intensity residential treatment, typically more than 30 days)

Value	Label	Unweighted Frequency	%
0	No	671	4.9%
1	Yes	2,968	21.7%
.	Logical skip	10,049	73.4%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE1: Any Outpatient Substance Abuse care offered currently

26. Does this facility offer OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

If No, SKIP TO Q.27 (BELOW)

Value	Label	Unweighted Frequency	%
0	No	2,711	19.8%
1	Yes	10,977	80.2%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE6: Outpatient Detox offered

26a. Which of the following OUTPATIENT services are offered by this facility?

MARK "YES" OR "NO" FOR EACH

1. Outpatient detoxification (Similar to ASAM Levels I-D and II-D, ambulatory detoxification)

Value	Label	Unweighted Frequency	%
0	No	9,680	70.7%
1	Yes	1,286	9.4%
.	Logical skip	2,722	19.9%
<i>Total</i>		<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPEML: Outpatient methadone maintenance offered

26a. Which of the following OUTPATIENT services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

2. Outpatient methadone/buprenorphine maintenance (Opioid maintenance therapy)

Value	Label	Unweighted Frequency	%
0	No	9,436	68.9%
1	Yes	1,527	11.2%
.	Logical skip	2,723	19.9%
.D	Don't know	2	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPEOP: Day Treatment/partial hospital offered

26a. Which of the following OUTPATIENT services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

3. Outpatient day treatment or partial hospitalization (Similar to ASAM Level II.5, 20 or more hours per week)

Value	Label	Unweighted Frequency	%
0	No	9,182	67.1%
1	Yes	1,783	13.0%
.	Logical skip	2,721	19.9%
.D	Don't know	2	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE2: Intensive outpatient Treatment offered

26a. Which of the following OUTPATIENT services are offered by this facility?

MARK "YES" OR "NO" FOR EACH

4. Intensive outpatient treatment (Similar to ASAM Level II.1, 9 or more hours per week)

Value	Label	Unweighted Frequency	%
0	No	5,005	36.6%
1	Yes	5,966	43.6%
.	Logical skip	2,716	19.8%
.D	Don't know	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE3: Regular outpatient Treatment offered

26a. Which of the following OUTPATIENT services are offered by this facility?

MARK "YES" OR "NO" FOR EACH

5. Regular outpatient treatment (Similar to ASAM Level I, outpatient treatment, non-intensive)

Value	Label	Unweighted Frequency	%
0	No	865	6.3%
1	Yes	10,106	73.8%
.	Logical skip	2,717	19.8%
<i>Total</i>		<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

FEESCALE: Uses sliding fee scale

27. Does this facility use a sliding fee scale?

If No, SKIP TO Q.28 (BELOW)

Value	Label	Unweighted Frequency	%
0	No	5,151	37.6%
1	Yes	8,483	62.0%
.D	Don't know	14	0.1%
.M	Missing	40	0.3%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

PAYASST: Offers no charge or free Treatment

28. Does this facility offer treatment at no charge to clients who cannot afford to pay?

If No, SKIP TO Q.29 (TOP OF NEXT COLUMN)

Value	Label	Unweighted Frequency	%
0	No	6,485	47.4%
1	Yes	7,130	52.1%
.D	Don't know	17	0.1%
.M	Missing	56	0.4%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

EARMARK: Receive any Federal, State, County, or Local Funds

29. Does this facility receive any funding or grants from the Federal Government, or state, county or local governments, to support its substance abuse treatment programs?

• Do not include Medicare, Medicaid, or federal military insurance. These forms of client payments are included in Q.30 below.

Value	Label	Unweighted Frequency	%
0	No	5,151	37.6%
1	Yes	8,115	59.3%
.D	Don't know	402	2.9%
.M	Missing	19	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK3: Free Treatment to all clients

30. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

1. No payment accepted (free treatment for ALL clients)

Value	Label	Unweighted Frequency	%
0	No	13,111	95.8%
1	Yes	539	3.9%
.D	Don't know	30	0.2%
.M	Missing	7	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK1: Accepts cash or self-payment

30. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

2. Cash or self-payment

Value	Label	Unweighted Frequency	%
0	No	1,426	10.4%
1	Yes	12,148	88.7%
.D	Don't know	103	0.8%
.M	Missing	11	0.1%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK8: Accepts Medicare payments

30. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

3. Medicare

Value	Label	Unweighted Frequency	%
0	No	8,511	62.2%
1	Yes	4,666	34.1%
.D	Don't know	472	3.4%
.M	Missing	38	0.3%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK5: Accepts Medicaid payments

30. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

4. Medicaid

Value	Label	Unweighted Frequency	%
0	No	6,041	44.1%
1	Yes	7,277	53.2%
.D	Don't know	333	2.4%
.M	Missing	36	0.3%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK10: Accepts state financed health insurance

30. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

5. State-financed health insurance plan other than Medicaid

Value	Label	Unweighted Frequency	%
0	No	7,528	55.0%
1	Yes	5,165	37.7%
.D	Don't know	961	7.0%
.M	Missing	33	0.2%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK15: Accepts Federal military insurance

30. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

6. Federal military insurance such as TRICARE or Champ VA

Value	Label	Unweighted Frequency	%
0	No	8,150	59.5%
1	Yes	4,359	31.8%
.D	Don't know	1,141	8.3%
.M	Missing	36	0.3%
.R	Refused	2	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK2: Accepts private health insurance

30. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

7. Private health insurance

Value	Label	Unweighted Frequency	%
0	No	4,829	35.3%
1	Yes	8,520	62.2%
.D	Don't know	312	2.3%
.M	Missing	25	0.2%
.R	Refused	1	0.0%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

T_CLI1: Hospital Inpatient clients, Detox - For OTP facilities

33a. On March 31, 2008, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Hospital inpatient detoxification (Similar to ASAM Levels IV-D and III.7-D, medically managed or monitored inpatient detoxification)

Value	Label	Unweighted Frequency	%
1	0-5	38	3.4%
2	6-10	19	1.7%
3	11-15	19	1.7%
4	16-23	16	1.4%
5	24+	20	1.8%
.	Logical skip	1,020	90.1%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI1: Hospital Inpatient clients, Detox - For DUI_DWI facilities

33a. On March 31, 2008, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Hospital inpatient detoxification (Similar to ASAM Levels IV-D and III.7-D, medically managed or monitored inpatient detoxification)

Value	Label	Unweighted Frequency	%
1	0-2	17	0.4%
2	3-4	11	0.3%
3	5-7	8	0.2%
4	8-12	8	0.2%
5	13+	6	0.2%
.	Logical skip	3,738	98.7%
	<i>Total</i>	<i>3,788</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI1: Hospital Inpatient clients, Detox - For non-OTP and non-DUI_DWI facilities

33a. On March 31, 2008, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Hospital inpatient detoxification (Similar to ASAM Levels IV-D and III.7-D, medically managed or monitored inpatient detoxification)

Value	Label	Unweighted Frequency	%
1	0-2	285	3.3%
2	3-4	120	1.4%
3	5-7	90	1.0%
4	8-12	72	0.8%
5	13+	84	1.0%
.	Logical skip	8,117	92.6%
	<i>Total</i>	<i>8,768</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI2: Hospital Inpatient clients, Treatment - For OTP facilities

33a. On March 31, 2008, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Hospital inpatient treatment (Similar to ASAM Levels IV and III.7, medically managed or monitored intensive inpatient treatment)

Value	Label	Unweighted Frequency	%
1	0-5	69	6.1%
2	6-12	12	1.1%
3	13-20	8	0.7%
4	21-40	9	0.8%
5	41+	14	1.2%
.	Logical skip	1,020	90.1%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI2: Hospital Inpatient clients, Treatment - For DUI_DWI facilities

33a. On March 31, 2008, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Hospital inpatient treatment (Similar to ASAM Levels IV and III.7, medically managed or monitored intensive inpatient treatment)

Value	Label	Unweighted Frequency	%
1	0-4	36	1.0%
2	5-8	3	0.1%
3	9-13	5	0.1%
4	14-25	3	0.1%
5	26+	3	0.1%
.	Logical skip	3,738	98.7%
	<i>Total</i>	<i>3,788</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI2: Hospital Inpatient clients, Treatment - For non-OTP and non-DUI_DWI facilities

33a. On March 31, 2008, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Hospital inpatient treatment (Similar to ASAM Levels IV and III.7, medically managed or monitored intensive inpatient treatment)

Value	Label	Unweighted Frequency	%
1	0-3	384	4.4%
2	4-8	94	1.1%
3	9-14	54	0.6%
4	15-28	66	0.8%
5	29+	53	0.6%
.	Logical skip	8,117	92.6%
	<i>Total</i>	<i>8,768</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIHI: Total Number of Hospital Inpatients - For OTP facilities

33a. On March 31, 2008, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

HOSPITAL INPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-8	26	2.3%
2	9-15	25	2.2%
3	16-24	20	1.8%
4	25-42	21	1.9%
5	43+	20	1.8%
.	Logical skip	1,020	90.1%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIHI: Total Number of Hospital Inpatients - For DUI_DWI facilities

33a. On March 31, 2008, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

HOSPITAL INPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-4	16	0.4%
2	5-8	11	0.3%
3	9-15	10	0.3%
4	16-24	9	0.2%
5	25+	4	0.1%
.	Logical skip	3,738	98.7%
	<i>Total</i>	<i>3,788</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIHI: Total Number of Hospital Inpatients - For non-OTP and non-DUI_DWI facilities

33a. On March 31, 2008, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

HOSPITAL INPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-4	223	2.5%
2	5-8	114	1.3%
3	9-14	110	1.3%
4	15-25	101	1.2%
5	26+	103	1.2%
.	Logical skip	8,117	92.6%
	<i>Total</i>	<i>8,768</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

H_AGE1: Hospital Inpatient Clients Under 18 years old

33b. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX were under the age of 18?

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Number under age 18

Value	Label	Unweighted Frequency	%
1	0-2	762	5.6%
2	3-4	5	0.0%
3	5-10	23	0.2%
4	11-17	14	0.1%
5	18+	9	0.1%
.	Logical skip	12,875	94.1%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

HIMETNUM: Total methadone inpatients - For OTP facilities

33c. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received methadone or buprenorphine dispensed at this facility?

- Include patients who received these drugs for detoxification or maintenance purposes.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Methadone

Value	Label	Unweighted Frequency	%
1	0-2	48	4.2%
2	3-5	23	2.0%
3	6-8	11	1.0%
4	9-16	18	1.6%
5	17+	12	1.1%
.	Logical skip	1,020	90.1%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

HIBUPNUM: Total buprenorphine inpatients

33c. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received methadone or buprenorphine dispensed at this facility?

- Include patients who received these drugs for detoxification or maintenance purposes.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Buprenorphine

Value	Label	Unweighted Frequency	%
1	0-2	690	5.0%
2	3	23	0.2%
3	4-5	40	0.3%
4	6-9	34	0.2%
5	10+	26	0.2%
.	Logical skip	12,875	94.1%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

HIMATNUM: Hospital Inpatient - Total MAT - clients - March 31, 2008

The total number of clients in hospital inpatient OTP facilities receiving medication-assisted treatment

Value	Label	Unweighted Frequency	%
1	0-3	40	0.3%
2	4-5	17	0.1%
3	6-9	21	0.2%
4	10-18	19	0.1%
5	19+	15	0.1%
.	Logical skip	13,576	99.2%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

HOSPBED: Total beds designated-hospital inpatient

33d. On March 31, 2008, how many hospital inpatient beds at this facility were specifically designated for substance abuse treatment?

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Number of beds

Value	Label	Unweighted Frequency	%
1	0-10	440	3.2%
2	11-15	81	0.6%
3	16-20	100	0.7%
4	21-34	101	0.7%
5	35+	91	0.7%
.	Logical skip	12,875	94.1%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI3: Residential clients, detox - For OTP facilities

34a. On March 31, 2008, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a client in one service only, even if the client received multiple services

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential detoxification (Similar to ASAM Level III.2-D, clinically managed residential detoxification or social detoxification)

Value	Label	Unweighted Frequency	%
1	0-6	56	4.9%
2	7-12	8	0.7%
3	13-20	11	1.0%
4	21-31	8	0.7%
5	32+	7	0.6%
.	Logical skip	1,042	92.0%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI3: Residential clients, detox - For DUI_DWI facilities

34a. On March 31, 2008, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a client in one service only, even if the client received multiple services

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential detoxification (Similar to ASAM Level III.2-D, clinically managed residential detoxification or social detoxification)

Value	Label	Unweighted Frequency	%
1	0-2	273	7.2%
2	3	11	0.3%
3	4-5	18	0.5%
4	6-10	18	0.5%
5	11+	11	0.3%
.	Logical skip	3,457	91.3%
	<i>Total</i>	<i>3,788</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI3: Residential clients, detox - For non-OTP and non-DUI_DWI facilities

34a. On March 31, 2008, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a client in one service only, even if the client received multiple services

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential detoxification (Similar to ASAM Level III.2-D, clinically managed residential detoxification or social detoxification)

Value	Label	Unweighted Frequency	%
1	0-2	2,574	29.4%
2	3-5	119	1.4%
3	6-8	71	0.8%
4	9-15	106	1.2%
5	16+	97	1.1%
.	Logical skip	5,801	66.2%
	<i>Total</i>	<i>8,768</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI9: Residential clients, Short-term detoxification - For OTP facilities

34a. On March 31, 2008, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a client in one service only, even if the client received multiple services

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential short-term treatment (Similar to ASAM III.5, clinically managed high-intensity residential treatment, typically 30 days or less.)

Value	Label	Unweighted Frequency	%
1	0-10	44	3.9%
2	11-17	12	1.1%
3	18-26	13	1.1%
4	27-47	9	0.8%
5	48+	12	1.1%
.	Logical skip	1,042	92.0%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI9: Residential clients, Short-term detoxification - For DUI_DWI facilities

34a. On March 31, 2008, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a client in one service only, even if the client received multiple services

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential short-term treatment (Similar to ASAM III.5, clinically managed high-intensity residential treatment, typically 30 days or less.)

Value	Label	Unweighted Frequency	%
1	0-6	185	4.9%
2	7-11	27	0.7%
3	12-18	39	1.0%
4	19-30	45	1.2%
5	31+	35	0.9%
.	Logical skip	3,457	91.3%
	<i>Total</i>	<i>3,788</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI9: Residential clients, Short-term detoxification - For non-OTP and non-DUI_DWI facilities

34a. On March 31, 2008, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a client in one service only, even if the client received multiple services

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential short-term treatment (Similar to ASAM III.5, clinically managed high-intensity residential treatment, typically 30 days or less.)

Value	Label	Unweighted Frequency	%
1	0-5	2,180	24.9%
2	6-10	191	2.2%
3	11-16	198	2.3%
4	17-29	203	2.3%
5	30+	195	2.2%
.	Logical skip	5,801	66.2%
	<i>Total</i>	<i>8,768</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI10: Residential clients, Long-term detoxification - For OTP facilities

34a. On March 31, 2008, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a client in one service only, even if the client received multiple services

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential long-term treatment (Similar to ASAM Levels III.3 and III.1, clinically managed medium- or low-intensity residential treatment, typically more than 30 days)

Value	Label	Unweighted Frequency	%
1	0-8	59	5.2%
2	9-16	6	0.5%
3	17-42	8	0.7%
4	43-68	5	0.4%
5	69+	12	1.1%
.	Logical skip	1,042	92.0%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI10: Residential clients, Long-term detoxification - For DUI_DWI facilities

34a. On March 31, 2008, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a client in one service only, even if the client received multiple services

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential long-term treatment (Similar to ASAM Levels III.3 and III.1, clinically managed medium- or low-intensity residential treatment, typically more than 30 days)

Value	Label	Unweighted Frequency	%
1	0-7	147	3.9%
2	8-13	45	1.2%
3	14-22	48	1.3%
4	23-42	50	1.3%
5	43+	41	1.1%
.	Logical skip	3,457	91.3%
	<i>Total</i>	<i>3,788</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI10: Residential clients, Long-term detoxification - For non-OTP and non-DUI_DWI facilities

34a. On March 31, 2008, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a client in one service only, even if the client received multiple services

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential long-term treatment (Similar to ASAM Levels III.3 and III.1, clinically managed medium- or low-intensity residential treatment, typically more than 30 days)

Value	Label	Unweighted Frequency	%
1	0-8	1,132	12.9%
2	9-14	472	5.4%
3	15-20	394	4.5%
4	21-36	496	5.7%
5	37+	473	5.4%
.	Logical skip	5,801	66.2%
	<i>Total</i>	<i>8,768</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIRC: Total number of residential clients - For OTP facilities

34a. On March 31, 2008, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a client in one service only, even if the client received multiple services

Residential total box

Value	Label	Unweighted Frequency	%
1	0-16	22	1.9%
2	15-25	16	1.4%
3	26-40	15	1.3%
4	41-80	18	1.6%
5	81+	19	1.7%
.	Logical skip	1,042	92.0%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIRC: Total number of residential clients - For DUI_DWI facilities

34a. On March 31, 2008, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a client in one service only, even if the client received multiple services

Residential total box

Value	Label	Unweighted Frequency	%
1	0-11	74	2.0%
2	12-18	64	1.7%
3	19-29	62	1.6%
4	30-50	65	1.7%
5	51+	66	1.7%
.	Logical skip	3,457	91.3%
	<i>Total</i>	<i>3,788</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIRC: Total number of residential clients - For non-OTP and non-DUI_DWI facilities

34a. On March 31, 2008, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a client in one service only, even if the client received multiple services

Residential total box

Value	Label	Unweighted Frequency	%
1	0-10	684	7.8%
2	11-16	611	7.0%
3	17-24	503	5.7%
4	25-40	544	6.2%
5	41+	625	7.1%
.	Logical skip	5,801	66.2%
	<i>Total</i>	8,768	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

R_AGE1: Residential clients under 18 years old

34b. How many of the clients from the RESIDENTIAL TOTAL BOX were under the age of 18?

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Number under age 18

Value	Label	Unweighted Frequency	%
1	0-5	2,977	21.7%
2	6-10	98	0.7%
3	11-16	118	0.9%
4	17-25	99	0.7%
5	26+	96	0.7%
.	Logical skip	10,300	75.2%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

RCMETNUM: Total methadone residential - For OTP facilities

34c. How many of the clients from the RESIDENTIAL TOTAL BOX received methadone or buprenorphine dispensed by this facility?

- Include patients who received these drugs for detoxification or maintenance purposes.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Methadone

Value	Label	Unweighted Frequency	%
1	0-3	45	4.0%
2	4-6	8	0.7%
3	7-14	15	1.3%
4	15-25	11	1.0%
5	26+	11	1.0%
.	Logical skip	1,042	92.0%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

RCBUPNUM: Total buprenorphine residential

34c. How many of the clients from the RESIDENTIAL TOTAL BOX received methadone or buprenorphine dispensed by this facility?

- Include patients who received these drugs for detoxification or maintenance purposes.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Buprenorphine

Value	Label	Unweighted Frequency	%
1	0-2	3,221	23.5%
3	3-4	62	0.5%
4	5-8	59	0.4%
5	9+	46	0.3%
.	Logical skip	10,300	75.2%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

RCMATNUM: Residential - Total MAT - clients - March 31, 2008

The total number of clients in residential OTP facilities receiving medication-assisted treatment

Value	Label	Unweighted Frequency	%
1	0-3	38	0.3%
2	4-7	10	0.1%
3	8-14	16	0.1%
4	15-25	15	0.1%
5	26+	11	0.1%
.	Logical skip	13,598	99.3%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

RESBED: Total beds designated-residential clients

34d. On March 31, 2008, how many residential beds at this facility were specifically designated for substance abuse treatment?

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Number of beds

Value	Label	Unweighted Frequency	%
1	0-12	906	6.6%
2	13-18	590	4.3%
3	19-27	660	4.8%
4	29-47	574	4.2%
5	48+	658	4.8%
.	Logical skip	10,300	75.2%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI7: Outpatient clients, detoxification - For OTP facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient detoxification (Similar to ASAM Levels I-D and II-D, ambulatory detoxification)

Value	Label	Unweighted Frequency	%
1	0-3	807	71.3%
2	4-5	40	3.5%
3	6-10	59	5.2%
4	11-24	54	4.8%
5	25+	53	4.7%
.	Logical skip	119	10.5%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI7: Outpatient clients, detoxification - For DUI_DWI facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient detoxification (Similar to ASAM Levels I-D and II-D, ambulatory detoxification)

Value	Label	Unweighted Frequency	%
1	0-2	3,286	86.7%
2	3-5	28	0.7%
3	6-10	21	0.6%
4	11-20	10	0.3%
5	21+	15	0.4%
.	Logical skip	428	11.3%
	<i>Total</i>	3,788	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI7: Outpatient clients, detoxification - For non-OTP and non-DUI_DWI facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient detoxification (Similar to ASAM Levels I-D and II-D, ambulatory detoxification)

Value	Label	Unweighted Frequency	%
1	0-2	5,523	63.0%
2	3-5	53	0.6%
3	6-10	48	0.5%
4	11-20	46	0.5%
5	21+	48	0.5%
.	Logical skip	3,050	34.8%
	<i>Total</i>	<i>8,768</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIML: Outpatient clients, methadone/buprenorphine maintenance - For OTP facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient methadone/buprenorphine maintenance (Opioid maintenance therapy)

Value	Label	Unweighted Frequency	%
1	0-110	269	23.8%
2	110-190	196	17.3%
3	191-286	189	16.7%
4	287-425	196	17.3%
5	426+	163	14.4%
.	Logical skip	119	10.5%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIML: Outpatient clients, methadone/buprenorphine maintenance - For DUI_DWI facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient methadone/buprenorphine maintenance (Opioid maintenance therapy)

Value	Label	Unweighted Frequency	%
1	0-3	3,264	86.2%
2	5-8	28	0.7%
3	9-18	21	0.6%
4	19-35	28	0.7%
5	36+	19	0.5%
.	Logical skip	428	11.3%
	<i>Total</i>	3,788	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIML: Outpatient clients, methadone/buprenorphine maintenance - For non-OTP and non-DUI_DWI facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient methadone/buprenorphine maintenance (Opioid maintenance therapy)

Value	Label	Unweighted Frequency	%
1	0-4	5,522	63.0%
2	5-10	76	0.9%
3	11-20	50	0.6%
4	21-43	36	0.4%
5	44+	34	0.4%
.	Logical skip	3,050	34.8%
	<i>Total</i>	8,768	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI8: Outpatient clients, Day treatment/partial hospitalization - For OTP facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient day treatment or partial hospitalization (Similar to ASAM Level II.5, 20 or more hours per week)

Value	Label	Unweighted Frequency	%
1	0-7	971	85.8%
2	8-12	10	0.9%
3	13-20	12	1.1%
4	21-35	9	0.8%
5	36+	11	1.0%
.	Logical skip	119	10.5%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI8: Outpatient clients, Day treatment/partial hospitalization - For DUI_DWI facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient day treatment or partial hospitalization (Similar to ASAM Level II.5, 20 or more hours per week)

Value	Label	Unweighted Frequency	%
1	0-4	3,173	83.8%
2	5-8	52	1.4%
3	9-15	40	1.1%
4	16-30	55	1.5%
5	31+	40	1.1%
.	Logical skip	428	11.3%
	<i>Total</i>	3,788	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI8: Outpatient clients, Day treatment/partial hospitalization - For non-OTP and non-DUI_DWI facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient day treatment or partial hospitalization (Similar to ASAM Level II.5, 20 or more hours per week)

Value	Label	Unweighted Frequency	%
1	0-4	5,120	58.4%
2	5-9	150	1.7%
3	10-15	146	1.7%
4	16-30	172	2.0%
5	31+	130	1.5%
.	Logical skip	3,050	34.8%
	<i>Total</i>	8,768	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI6: Outpatient clients, Intensive - For OTP facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Intensive outpatient treatment (Similar to ASAM Level II.1, 9 or more hours per week)

Value	Label	Unweighted Frequency	%
1	0-10	893	78.9%
2	11-18	26	2.3%
3	19-30	34	3.0%
4	31-55	27	2.4%
5	56+	33	2.9%
.	Logical skip	119	10.5%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI6: Outpatient clients, Intensive - For DUI_DWI facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Intensive outpatient treatment (Similar to ASAM Level II.1, 9 or more hours per week)

Value	Label	Unweighted Frequency	%
1	0-6	2,052	54.2%
2	7-12	334	8.8%
3	13-22	329	8.7%
4	23-40	321	8.5%
5	41+	324	8.6%
.	Logical skip	428	11.3%
	<i>Total</i>	3,788	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI6: Outpatient clients, Intensive - For non-OTP and non-DUI_DWI facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Intensive outpatient treatment (Similar to ASAM Level II.1, 9 or more hours per week)

Value	Label	Unweighted Frequency	%
1	0-7	3,593	41.0%
2	8-13	570	6.5%
3	14-21	497	5.7%
4	22-40	564	6.4%
5	41+	494	5.6%
.	Logical skip	3,050	34.8%
	<i>Total</i>	<i>8,768</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI5: Outpatient clients, Regular outpatient care - For OTP facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Regular outpatient treatment (Similar to ASAM Level I, outpatient treatment, non-intensive)

Value	Label	Unweighted Frequency	%
1	0-9	818	72.3%
2	10-28	46	4.1%
3	29-75	41	3.6%
4	76-190	46	4.1%
5	191+	62	5.5%
.	Logical skip	119	10.5%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI5: Outpatient clients, Regular outpatient care - For DUI_DWI facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Regular outpatient treatment (Similar to ASAM Level I, outpatient treatment, non-intensive)

Value	Label	Unweighted Frequency	%
1	0-15	800	21.1%
2	16-30	557	14.7%
3	31-59	636	16.8%
4	60-111	687	18.1%
5	112+	680	18.0%
.	Logical skip	428	11.3%
	<i>Total</i>	3,788	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI5: Outpatient clients, Regular outpatient care - For non-OTP and non-DUI_DWI facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Regular outpatient treatment (Similar to ASAM Level I, outpatient treatment, non-intensive)

Value	Label	Unweighted Frequency	%
1	0-10	2,027	23.1%
2	11-22	862	9.8%
3	23-43	876	10.0%
4	44-89	953	10.9%
5	90+	1,000	11.4%
.	Logical skip	3,050	34.8%
	<i>Total</i>	8,768	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIOP: Total number of outpatient clients - For OTP facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

OUTPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-121	206	18.2%
2	122-205	210	18.6%
3	206-307	203	17.9%
4	308-450	216	19.1%
5	451+	178	15.7%
.	Logical skip	119	10.5%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIOP: Total number of outpatient clients - For DUI_DWI facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

OUTPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-20	700	18.5%
2	21-40	616	16.3%
3	41-72	653	17.2%
4	73-135	704	18.6%
5	136+	687	18.1%
.	Logical skip	428	11.3%
	<i>Total</i>	3,788	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIOP: Total number of outpatient clients - For non-OTP and non-DUI_DWI facilities

35a. As of March 31, 2008, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

An active outpatient client is someone who: (1) was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2008 AND (2) was still enrolled in treatment on March 31, 2008.

- COUNT a client in one service only, even if the client received multiple services.

OUTPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-13	1,284	14.6%
2	12-28	1,116	12.7%
3	29-52	1,079	12.3%
4	53-103	1,102	12.6%
5	104+	1,137	13.0%
.	Logical skip	3,050	34.8%
	<i>Total</i>	<i>8,768</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

O_AGE1: Outpatient clients under 18 years old

35b. How many of the clients from the OUTPATIENT TOTAL BOX were under the age of 18?

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Number under age 18

Value	Label	Unweighted Frequency	%
1	0-3	7,045	51.5%
2	4-6	723	5.3%
3	7-12	749	5.5%
4	13-25	822	6.0%
5	26+	752	5.5%
.	Logical skip	3,597	26.3%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

OPMETNUM: Total methadone outpatients

35c. How many of the clients from the OUTPATIENT TOTAL BOX received methadone or buprenorphine dispensed by this facility?

- Include clients who received these drugs for detoxification or maintenance purposes.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Methadone

Value	Label	Unweighted Frequency	%
1	0-112	249	22.0%
2	113-193	212	18.7%
3	194-289	183	16.2%
4	290-428	200	17.7%
5	429+	169	14.9%
.	Logical skip	119	10.5%
	<i>Total</i>	<i>1,132</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

OPBUPNUM: Total buprenorphine outpatients

35c. How many of the clients from the OUTPATIENT TOTAL BOX received methadone or buprenorphine dispensed by this facility?

- Include clients who received these drugs for detoxification or maintenance purposes.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Buprenorphine

Value	Label	Unweighted Frequency	%
1	0-3	9,515	69.5%
2	4-8	188	1.4%
3	9-15	156	1.1%
4	16-35	136	1.0%
5	36+	96	0.7%
.	Logical skip	3,597	26.3%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

OPMATNUM: Outpatient - Total MAT - clients - March 31, 2008

The total number of clients in outpatient OTP facilities receiving medication-assisted treatment.

Value	Label	Unweighted Frequency	%
1	0-111	240	1.8%
2	112-192	210	1.5%
3	193-290	192	1.4%
4	291-430	202	1.5%
5	431+	169	1.2%
.	Logical skip	12,675	92.6%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

B_PCT: Percent of clients treated for both alcohol and drug abuse

36. Some clients are treated for both alcohol and drug abuse, while others are treated for only alcohol or only drug abuse. Approximately what percent of the substance abuse treatment clients enrolled at this facility on March 31, 2008, including hospital inpatient, residential, and/or outpatient, were being treated for ...

1. BOTH alcohol and drug abuse

Value	Label	Unweighted Frequency	%
1	0-29	3,005	22.0%
2	30-50	3,174	23.2%
3	51-63	1,252	9.1%
4	64-80	2,463	18.0%
5	81+	2,512	18.4%
.	Logical skip	1,282	9.4%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

A_PCT: Percent of clients treated for only alcohol abuse

36. Some clients are treated for both alcohol and drug abuse, while others are treated for only alcohol or only drug abuse. Approximately what percent of the substance abuse treatment clients enrolled at this facility on March 31, 2008, including hospital inpatient, residential, and/or outpatient, were being treated for ...

2. ONLY alcohol abuse

Value	Label	Unweighted Frequency	%
1	0-10	5,481	40.0%
2	11-20	2,321	17.0%
3	21-25	1,143	8.4%
4	26-40	1,591	11.6%
5	41+	1,870	13.7%
.	Logical skip	1,282	9.4%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

D_PCT: Percent of clients treated for only drug abuse

36. Some clients are treated for both alcohol and drug abuse, while others are treated for only alcohol or only drug abuse. Approximately what percent of the substance abuse treatment clients enrolled at this facility on March 31, 2008, including hospital inpatient, residential, and/or outpatient, were being treated for ...

3. ONLY drug abuse

Value	Label	Unweighted Frequency	%
1	0-10	5,094	37.2%
2	11-20	2,400	17.5%
3	21-26	1,165	8.5%
4	27-50	2,024	14.8%
5	51+	1,723	12.6%
.	Logical skip	1,282	9.4%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

LOC5: Setting, halfway house

40. Does this facility operate a halfway house or other transitional housing for substance abuse clients at this location, that is, the location listed on the front cover?

Value	Label	Unweighted Frequency	%
0	No	12,349	90.2%
1	Yes	1,336	9.8%
.D	Don't know	1	0.0%
.R	Refused	2	0.0%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LICEN: Lic/cert/accred by hospital or State authority

Does this facility or program have licensing, certification, or accreditation from: state substance abuse agency, state mental health department, state department of health, or hospital licensing authority?

Value	Label	Unweighted Frequency	%
1	Yes	12,519	91.5%
.M	Missing	1,169	8.5%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

ACCRED: Lic/cert/accred by JCAHO/CARF/NCQA/COA

Does this facility or program have licensing, certification, or accreditation from: The Joint Commission, CARF, NCQA, or COA?

Value	Label	Unweighted Frequency	%
1	Yes	5,926	43.3%
.M	Missing	7,762	56.7%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC75: Ancillary Residential Beds for children

12. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Ancillary Services

31. Residential beds for clients' children

Value	Label	Unweighted Frequency	%
0	No	12,855	93.9%
1	Yes	504	3.7%
.D	Don't know	1	0.0%
.M	Missing	328	2.4%
	<i>Total</i>	<i>13,688</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric