

**National Survey of Substance
Abuse Treatment Services
(N-SSATS), 2010**

*Office of Applied Studies
Substance Abuse and Mental Health Services Administration*

Codebook

Acknowledgements

This data file was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS), by Synectics for Management Decisions, Inc. (Synectics), Arlington, Virginia. Data collection was performed by Mathematica Policy Research (Mathematica), Princeton, New Jersey.

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Study Respondents

Any intentional identification of a study respondent (whether an individual or an organization) or unauthorized disclosure of identifiable information violates the pledge given to the providers of the information. Disclosure of identifiable information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for reidentification of specific study respondents.
- To make no use of the identity of any study respondents discovered inadvertently and to report any such discovery to SAMHSA (SAMHSA_support@smdi.com).

Public Domain Notice

All material appearing in this report is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. However, this publication may not be reproduced or distributed for a fee without the specific, written authorization of the Office of Communications, SAMHSA, U.S. Department of Health and Human Services.

Data Citation

Data users agree to reference the following citation in any of the publications that use these public use data.

Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS): 2013. Data on Substance Abuse Treatment Facilities. Behavioral Health Services Information System, Rockville, MD: Substance Abuse and Mental Health Services Administration, 2015.

Authors of publications that use these data are required to send citations of their published works to SAMHSA for inclusion in a database of related publications (SAMHSA_support@smdi.com)

Disclaimer

Data users acknowledge that SAMHSA and SMDI (Synectics) will bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

Violations

If SAMHSA or SMDI determines that this “Terms of Use” agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

DESCRIPTION OF THE NATIONAL SURVEY OF SUBSTANCE ABUSE TREATMENT SERVICES (N-SSATS)

The 2010 National Survey of Substance Abuse Treatment Services (N-SSATS) was conducted between March and October 2010, with a reference date of March 31, 2010. It is the 33rd in a series of national surveys begun in the 1970s. The surveys were designed to collect data on the location, characteristics, and utilization of alcohol and drug treatment facilities and services throughout the 50 States, the District of Columbia, and other U.S. jurisdictions.¹ The Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs N-SSATS.

N-SSATS is an annual census of all known facilities² that provide substance abuse (SA) treatment services. Any facility that provides SA treatment services is eligible, with the exception of prisons, jails, and facilities that provide only driving while intoxicated (DWI) services. Solo practitioners, group practices, and halfway houses are also excluded unless we were instructed by the State to maintain them as part of the survey.

N-SSATS provides the mechanism for quantifying the dynamic character and composition of the U.S. substance abuse treatment delivery system. The objectives of N-SSATS are to collect multi-purpose data that can be used to:

- Assist SAMHSA and State and local governments in assessing the nature and extent of services provided in State-supported and other substance abuse treatment facilities and in forecasting substance abuse treatment resource requirements;
- Update SAMHSA's Inventory of Substance Abuse Treatment Services (I-SATS), which includes all known drug and alcohol abuse treatment facilities;
- Analyze substance abuse treatment services trends and conduct comparative analyses for the nation, regions, and States;
- Generate the *National Directory of Drug and Alcohol Abuse Treatment Programs*, a compendium of facilities approved by State substance abuse agencies for the provision of substance abuse treatment;
- Update the information in SAMHSA's Substance Abuse Treatment Facility Locator, a searchable database of facilities approved by State substance abuse agencies for the provision of substance abuse treatment. The Treatment Facility Locator is available on the Internet at:

<http://findtreatment.samhsa.gov>

¹ The jurisdictions include the territory of Guam, the Federated States of Micronesia, the Republic of Palau, the Commonwealth of Puerto Rico, and the Virgin Islands of the United States.

² Entities responding to N-SSATS are referred to as "facilities." A "facility" may be a program-level, clinic-level, or multi-site respondent.

Field period and reference date

The survey reference date for the 2010 N-SSATS was March 31, 2010. The field period was from March 31, 2010, through October 18, 2010.

Survey universe

The 2010 N-SSATS facility universe included all 16,224 active treatment facilities on SAMHSA's I-SATS at a point 6 weeks before the survey reference date. It also included 980 facilities that were added by State substance abuse agencies or through the annual frame, or discovered during the first 3 weeks of the survey. Thus, the total survey universe was 17,204 facilities.

Content

The 2010 N-SSATS questionnaire was a 13-page document with 40 numbered questions.

Topics included:

- Facility identification information
- Facility operating entity
- Facility focus of activity
- Type of care provided
 - Outpatient treatment services (regular outpatient treatment, intensive outpatient treatment, day treatment or partial hospitalization, detoxification, methadone/buprenorphine maintenance)
 - Residential (non-hospital) treatment services (long-term—more than 30 days, short-term—30 days or fewer, detoxification)
 - Hospital treatment services (inpatient treatment, inpatient detoxification)
- Services offered (assessment and pre-treatment services, counseling, pharmacotherapies, testing, transitional services, ancillary services)
- Clinical/therapeutic approaches
- Special programs or groups provided for specific client types
- Provision of services in sign language or in languages other than English
- Detoxification from alcohol, benzodiazepines, opiates, cocaine, methamphetamines, or other drugs, and routine use of medication during detoxification
- Client outreach (outreach to persons in the community who may need treatment, maintenance of website)
- Licensure, certification, or accreditation agencies or organizations
- Standard operating procedures
- Payment options accepted, including use of a sliding fee scale and/or treatment at no charge
- Facility receipt of government funding

- Operation of an Opioid Treatment Program (OTP) certified by SAMHSA and offering maintenance and/or detoxification with methadone and/or buprenorphine
- Clients in treatment on March 31, 2010 (total, clients under age 18, clients receiving methadone, clients receiving buprenorphine)
- Annual admissions
- Percentage of clients in treatment on March 31, 2010, for abuse of both alcohol and drugs, alcohol abuse only, and drug abuse only
- Percentage of clients in treatment on March 31, 2010 with diagnosed co-occurring substance abuse and mental health disorders
- Number of beds designated for residential (non-hospital) and hospital inpatient substance abuse treatment on March 31, 2010

Data collection

Three data collection modes were employed, a secure web-based questionnaire, a paper questionnaire sent by mail, and a telephone interview. Initially, respondents could select either the web or paper mode to complete the survey. Six weeks before the survey reference date (March 31, 2010), letters were mailed to all facilities to alert them to expect the survey. The letters also served to update records with new address information received from the U.S. Postal Service. During the last week of March 2010, data collection packets (including the questionnaire, SAMHSA cover letter, State-specific letter of endorsement, information on completing the survey on the web, and a sheet of *Frequently Asked Questions*) were mailed to each facility. During the data collection phase, contract personnel were available to answer facilities' questions concerning the survey. Web-based support for facilities completing the questionnaire on the web was also available. Four to 5 weeks after the initial questionnaire mailing, thank you/reminder letters were sent to all facilities. Approximately 8 weeks after the initial questionnaire mailing, non-responding facilities were mailed a second questionnaire packet. About 4 to 5 weeks after the second questionnaire mailing, non-respondents received a reminder telephone call. Those facilities that had not responded within 2 to 3 weeks of the reminder call were telephoned and asked to complete the survey by computer-assisted telephone interview (CATI).

Facility status and response rate

Table 1.1 presents a summary of response rate information. Questionnaires were mailed to a total of 17,204 facilities believed to be actively providing substance abuse treatment services. Of these facilities, 11 percent were found to be ineligible for the survey because they had closed or did not provide substance abuse treatment or detoxification. Of the remaining 15,390 facilities, 14,060 facilities (91.4 percent) completed the survey and 13,339 (86.7 percent) were eligible for this data.

Quality assurance

All mail questionnaires were reviewed manually for consistency and for missing data. Calls were made to facilities to clarify questionable responses and to obtain missing data. If facilities could not be reached during the edit callbacks, responses that were clearly in error were replaced by imputation. After data entry, automated quality assurance reviews were conducted. The reviews

incorporated the rules used in manual editing, plus consistency checks and checks for data outliers not readily identified by manual review.

The web questionnaire was programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses.

Item non-response was minimized through careful editing and extensive follow-up. The item response rate for the 2010 N-SSATS averaged 98.5 percent across 192 separate items.

Facility Selection for the 2010 N-SSATS Report and Data File

Table 1.1. The N-SSATS questionnaire serves several purposes, as noted earlier. Three hundred sixty-nine of the 14,060 questionnaire respondents provided information but were deemed out of the scope of this data. They were excluded from the analyses presented here. The excluded facilities and reasons for exclusion fell into three categories:

- 188 facilities were halfway houses that did not provide substance abuse treatment. These facilities were included in the survey so that they could be listed in the *Directory* and the Treatment Facility Locator.
- 114 facilities were solo practitioners. I-SATS and N-SSATS are designed to include facilities rather than individuals. Solo practitioners are listed and surveyed only if the State substance abuse agency explicitly requests that they be included in the survey. The excluded solo practitioners had not been identified for inclusion by the State substance abuse agency.

Table 1.1. N-SSATS facilities, by status and mode of response: 2010

	<i>Number</i>	<i>Percent</i>
Total facilities in survey	17,204	100.0
Closed/ineligible	1,814	10.5
Eligible	15,390	89.5
Total eligible	15,390	100.0
Non-respondents	1,330	8.6
Respondents	14,060	91.4
Excluded from data file ¹	369	2.4
Roll-ups ²	352	2.3
Included in data file	13,339	86.7
Mode of response	13,339	100.0
Mail	3,467	26.0
Internet	8,152	61.1
Telephone	1,720	12.9

¹ Facilities for which client counts were reported by another facility, and no facility information was received from the facility itself.

² Facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2010.

- 67 facilities were jails, prisons, or other organizations that treated incarcerated clients exclusively.

An additional 352 facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately were excluded from facility counts in this data. However, their client counts are included.

After the exclusion of 369 out-of-scope facilities and 352 rolled-up facilities, 13,339 eligible respondent facilities were included in the 2010 N-SSATS data.

Number of respondents reporting facility and client data


There were 13,339 eligible respondents to the 2010 N-SSATS. The breakdown of facility data and client counts reported by these respondents is summarized below.

- 11,996 facilities reported facility data and client counts for their own organizations.
- 536 facilities reported facility characteristics for themselves and provided client counts for their own facility and for 1,596 other facilities.
- 807 facilities reported facility characteristics only. Their client counts were reported by another facility.

Survey Response Mode

Figure 1. The proportion of facilities using the web survey to respond to N-SSATS has increased steadily since introduction of the option in 2002. The percentage of facilities responding via the web increased from 37 percent in 2006 to 61 percent in 2010. Mail response declined from 41 percent

Figure 1
Survey Response Mode: 2006-2010



SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2006-2010.

have not responded by mail or web, also declined, from 23 percent in 2006 to 13 percent in 2010.

Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2010 N-SSATS. Some general issues are listed below. Considerations and limitations of specific data items are discussed where the data are presented.

- N-SSATS attempts to obtain responses from all known treatment facilities, but it is a voluntary survey. There was no adjustment for the 8.6 percent facility non-response.
- N-SSATS is a point-prevalence survey. It provides information on the substance abuse treatment system and its clients on the reference date. Client counts reported here do not represent annual totals. Rather, N-SSATS provides a “snapshot” of substance abuse treatment facilities and clients on an average day.
- Multiple responses were allowed for certain variables (e.g., services provided and specialized programs). Tabulations of these variables include the total number of facilities reporting each response.

Terminology

It is important to define these terms.

- *Facility operation* indicates the type of entity responsible for the operation of the facility:
 - Private for-profit
 - Private non-profit
 - Government
 - Local, county, or community
 - State
 - Federal (Dept. of Veterans Affairs, Dept. of Defense, Indian Health Service, other)
 - Tribal
- *Primary focus* indicates the services the facility primarily provides:
 - Substance abuse treatment services
 - Mental health services
 - A mix of substance abuse treatment and mental health services
 - General health care
 - Other
- *Clients in treatment* were defined as:
 - Hospital inpatient and residential (non-hospital) clients receiving substance abuse treatment services at the facility on March 31, 2010
 - and*
 - Outpatient clients who were seen at the facility for a substance abuse treatment or detoxification service at least once during the month of March 2010, and who were still enrolled in treatment on March 31, 2010

N-SSATS BACKGROUND

Survey History

N-SSATS has evolved from national survey efforts begun in the 1970s by the National Institute on Drug Abuse (NIDA) to measure the scope and use of drug abuse treatment services in the United States. The sixth of these surveys, conducted in 1976, introduced the data elements and format that have formed the core of subsequent surveys. These include organizational focus, service orientation, services available, clients in treatment by type of care, and hospital inpatient/residential capacity. The 1976 survey, called the National Drug Abuse Treatment Utilization Survey, was repeated in 1977 and 1978.

In 1979, the National Institute on Alcohol Abuse and Alcoholism (NIAAA) became a cosponsor of the survey, alcoholism treatment facilities were added, and the study was renamed the National Drug and Alcoholism Treatment Utilization Survey. This survey was repeated in 1980 and 1982. In 1984, a one-page version called the National Alcoholism and Drug Abuse Program Inventory was used. In 1987, the full version of the survey was reinstated and renamed the National Drug and Alcoholism Treatment Unit Survey (NDATUS). NDATUS was conducted annually from 1989 to 1993.

In 1992, with the creation of SAMHSA, responsibility for conducting the survey shifted to SAMHSA's Office of Applied Studies (now the Center for Behavioral Health Statistics and Quality). The survey was redesigned, and it was conducted annually as the Uniform Facility Data Set (UFDS) survey from 1995 to 1998. During these years, the survey was conducted by mail with telephone follow-up of non-respondents. The 1999 survey year was a transition year during which the survey was redesigned and an abbreviated telephone survey of treatment facilities was conducted. In 2000, a redesigned full mail survey was reinstated with telephone follow-up; it was renamed the National Survey of Substance Abuse Treatment Services (N-SSATS). The reference date for the annual survey had always been the end of September or beginning of October. After the 2000 survey, the reference date was changed to the end of March, and no survey was conducted during 2001.

In 2000, the use of an Internet-based questionnaire was tested, and beginning in 2002, all facilities were offered the opportunity to respond via the Internet.

N-SSATS in the Context of the Drug and Alcohol Services Information System (DASIS)

N-SSATS is one of the three components of SAMHSA's Drug and Alcohol Services Information System (DASIS). The core of DASIS is the Inventory of Substance Abuse Treatment Services (I-SATS), a continuously updated, comprehensive listing of all known substance abuse treatment facilities. The other component of DASIS is the Treatment Episode Data Set (TEDS), a client-level database of admissions to substance abuse treatment. Together, the components provide national- and State-level information on the numbers and characteristics of individuals admitted to alcohol and drug treatment programs and describe the facilities that deliver care to those individuals.

I-SATS is the list frame for N-SSATS. Facilities in I-SATS fall into two general categories and are distinguished by the relationship of the facility to its State substance abuse agency. These categories are described below.

Treatment facilities approved by State substance abuse agencies

The largest group of facilities (10,924 in 2010) includes facilities that are licensed, certified, or otherwise approved by the State substance abuse agency to provide substance abuse treatment. State DASIS representatives maintain this segment of I-SATS by reporting new facilities, closures, and address changes to SAMHSA. Some facilities are not licensed, certified, or otherwise approved by the State agency. Some private for-profit facilities fall into this category. The approved facility group also includes programs operated by Federal agencies, the Department of Veterans Affairs (VA), the Department of Defense, and the Indian Health Service. I-SATS records for Federally-operated facilities are updated annually through lists provided by these agencies.

Treatment facilities not approved by State substance abuse agencies

This group of facilities (2,415 in 2010) represents the SAMHSA effort since the mid-1990s to make I-SATS as comprehensive as possible by including treatment facilities that State substance abuse agencies, for a variety of reasons, do not fund, license, or certify. Many of these facilities are private for-profit, small group practices, or hospital-based programs. Most of them are identified through periodic screening of alternative source databases. (See *Special efforts to improve survey coverage* below.) State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Survey Coverage

The use of I-SATS as the list frame for N-SSATS imposes certain constraints related to the unit of response and the scope of facilities included. In addition, the expansion of I-SATS in recent years to provide a more complete enumeration of substance abuse treatment facilities means that year-to-year comparisons of the numbers of facilities reporting to N-SSATS must be interpreted with caution.

Unit of response

N-SSATS is designed to collect data from each physical location where treatment services are provided. Accordingly, SAMHSA requests that State substance abuse agencies use the point of delivery of service (i.e., physical location) as the defining factor for a facility. It also requests that facilities be included in I-SATS, N-SSATS, and TEDS at the same administrative level so that record linkage among the three data sets is valid. Because of the different State administrative systems, however, there are some inconsistencies in implementation. For example, in some States, multiple treatment programs (e.g., detoxification, residential, and outpatient) at the same address and under the same management have separate State licenses. These are treated as separate by the State substance abuse agency, and are given separate I-SATS ID numbers. In other States, multiple sites are included as a single entity under a parent or administrative unit. In many of these cases, individual sites can report services data in N-SSATS, but client data are available only at a higher administrative level. Beginning in 1995, efforts have been made to identify facility networks and to eliminate duplicate reporting by networks. For most facilities, reporting level remains consistent from year to year.

However, beginning in 1998, an emphasis was placed on collecting minimum information from all physical locations, and this has resulted in an increase in the number of facilities.

Special efforts to improve survey coverage

The great majority of treatment facilities in I-SATS are administratively monitored by State substance abuse agencies. Therefore, the scope of facilities included in I-SATS is affected by differences in State systems of licensure, certification, accreditation, and the disbursement of public funds. For example, some State substance abuse agencies regulate private facilities and individual practitioners while others do not. In some States, hospital-based substance abuse treatment facilities are not licensed through the State substance abuse agency.

To address these differences, SAMHSA conducted a large-scale effort during 1995 and 1996 to identify substance abuse treatment facilities that, for a variety of reasons, were not on I-SATS. Some 15 source lists were considered, and facilities not on I-SATS were contacted to ascertain whether they provided substance abuse treatment. As expected, this yielded a number of hospital-based and small private facilities that were not on I-SATS. (These facilities were surveyed in 1995 and 1996, but they were not included in the published results of the survey until 1997.) Analysis of the results of this effort led to similar but more targeted updates before subsequent surveys. Potential new facilities are identified using data from the American Business Index, the annual American Hospital Association survey, and SAMHSA's biannual Inventory of Mental Health Organizations, the source lists that yielded the most new facilities in 1995 and 1996. Survey participants, who are asked to report all of the treatment facilities in their administrative networks, also identify additional facilities during the survey itself. All newly identified facilities are initially included as not approved by the State substance abuse agency. State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Expansion of survey coverage to include all sites within networks at which treatment was provided yielded a net increase of about 2,600 facilities between 1997 and 1998. These additions were not necessarily new facilities, but were facilities not previously included in the survey as separate sites. The number of facilities reporting continued to increase in 1999, but at a slower pace, a net increase of 1,800 facilities. The increase between 1998 and 1999 was in large part because of the improved survey response rate (95 percent in 1999 vs. 90 percent in 1998). Between 2006 and 2010, the number of facilities remained constant, at between 13,330 and 13,800. The total number is deceptive, however. There was significant turnover as facilities closed and others opened.

Data collection

Until 1996, State substance abuse agencies distributed and collected the facility survey forms. Beginning in 1996, data collection was centralized; since that time, SAMHSA has mailed survey forms directly to and collected forms directly from the facilities and has conducted follow-up telephone interviews with the facility director or his/her designee.

Non-response

Beginning in 1992, SAMHSA expanded efforts to obtain information from non-responding facilities. A representative sample of non-respondents was contacted and administered an abbreviated

version of the survey instrument via telephone. In 1993 and later years, this effort was extended to all non-responding facilities. In 1997, a series of measures was introduced to enhance the survey response rate. These included advance notification and improved methods for updating address and contact information. Between 2004 and 2010, use of these methods and intensive telephone follow-up resulted in an annual follow-up rate (i.e., facilities in the sample either completed the survey or were determined to be closed or otherwise ineligible) of 92 to 96 percent. In 2010, the follow-up rate was 92.3 percent.

Exclusions

In 1997, facilities offering only DUI/DWI programs were excluded; these facilities were reinstated in 1998.

Facilities operated by the Bureau of Prisons (BOP) were excluded from the 1997 survey and subsequent surveys because SAMHSA conducted a separate survey of correctional facilities.¹⁹ During that survey, it was discovered that jails, prisons, and other organizations treating incarcerated persons only were poorly enumerated on I-SATS. Beginning in 1999, these facilities were identified during the survey and excluded from analyses and public-use data files.

I-SATS and N-SSATS are designed to include specialty substance abuse treatment facilities rather than individuals. Solo practitioners are listed on I-SATS and surveyed in N-SSATS only if the State substance abuse agency explicitly requests that they be included.

Beginning in 2000, halfway houses that did not provide substance abuse treatment were included on I-SATS and in N-SSATS so that they could be listed in the *National Directory of Drug and Alcohol Abuse Treatment Programs* and on the Treatment Facility Locator (<http://findtreatment.samhsa.gov>). These facilities are excluded from analyses and public-use data files.

Changes in Survey Content

Since 1992, SAMHSA has made adjustments each year to the survey design, both to minimize non-response and to include areas of emerging interest. For example, questions on the number of clients in treatment receiving buprenorphine were added in 2004. Questions about clinical/therapeutic methods, standard practices, and Access to Recovery grants were added in 2007.

There have also been changes within content areas. For example, in response to concerns about over-reporting of programs or groups for specific client types, the survey question was revised in 2003 to distinguish between those facilities that accepted specific client types and those facilities that offered specially designed programs or groups for that client type. As a result, the number and proportion of facilities offering programs or groups for each of the specified client types decreased. Surveys from 2003 and later are believed to more accurately represent the number and proportions of facilities providing programs or groups for the specified client types.

³ SAMHSA, Office of Applied Studies. *Substance Abuse Treatment in Adult and Juvenile Correctional Facilities: Findings from the Uniform Facility Data Set 1997 Survey of Correctional Facilities*. Drug and Alcohol Services Information System Series: S-9. DHHS Publication No. (SMA) 00-3380. Rockville, MD, 2000.

FREQUENCIES

CASEID: Case identification number

Program generated case (record) identifier.

Variable type: Numeric

STATE: State abbreviations

Value	Label	Unweighted Frequency	%
AK	Alaska	77	0.6%
AL	Alabama	138	1.0%
AR	Arkansas	62	0.5%
AZ	Arizona	214	1.6%
CA	California	1,626	12.2%
CO	Colorado	437	3.3%
CT	Connecticut	195	1.5%
DC	District of Columbia	33	0.2%
DE	Delaware	37	0.3%
FL	Florida	593	4.4%
FM	Fed States of Micronesia	1	0.0%
GA	Georgia	243	1.8%
GU	Guam	6	0.0%
HI	Hawaii	119	0.9%
IA	Iowa	125	0.9%
ID	Idaho	93	0.7%
IL	Illinois	606	4.5%
IN	Indiana	273	2.0%
KS	Kansas	211	1.6%
KY	Kentucky	293	2.2%
LA	Louisiana	154	1.2%
MA	Massachusetts	307	2.3%
MD	Maryland	339	2.5%
ME	Maine	179	1.3%
MI	Michigan	475	3.6%
MN	Minnesota	308	2.3%
MO	Missouri	264	2.0%
MS	Mississippi	102	0.8%
MT	Montana	53	0.4%
NC	North Carolina	400	3.0%
ND	North Dakota	57	0.4%
NE	Nebraska	115	0.9%
NH	New Hampshire	52	0.4%
NJ	New Jersey	335	2.5%
NM	New Mexico	141	1.1%
NV	Nevada	84	0.6%
NY	New York	1,000	7.5%
OH	Ohio	373	2.8%
OK	Oklahoma	191	1.4%

STATE: State abbreviations

Value	Label	Unweighted Frequency	%
OR	Oregon	224	1.7%
PA	Pennsylvania	533	4.0%
PR	Puerto Rico	157	1.2%
PW	Rep of Palau	1	0.0%
RI	Rhode Island	53	0.4%
SC	South Carolina	103	0.8%
SD	South Dakota	55	0.4%
TN	Tennessee	202	1.5%
TX	Texas	454	3.4%
UT	Utah	146	1.1%
VA	Virginia	208	1.6%
VI	Virgin Islands	3	0.0%
VT	Vermont	42	0.3%
WA	Washington	455	3.4%
WI	Wisconsin	250	1.9%
WV	West Virginia	82	0.6%
WY	Wyoming	60	0.4%
	<i>Total</i>	13,339	100%

Variable type: Character

DETOX: Offer detox

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

MARK 'YES' OR 'NO' FOR EACH

(2) Detoxification

Value	Label	Unweighted Frequency	%
0	No	10,838	81.3%
1	Yes	2,501	18.7%
	<i>Total</i>	13,339	100%

- Minimum: 0
- Maximum: 1

Variable type: Numeric

TREATMT: Offer substance abuse treatment

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

MARK 'YES' OR 'NO' FOR EACH

(3) Substance abuse treatment (services that focus on initiating and maintaining an individual's recovery from substance abuse and on averting relapse)

Value	Label	Unweighted Frequency	%
0	No	185	1.4%
1	Yes	13,154	98.6%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

OWNERSHP: Ownership

5. Is this facility operated by . . .

MARK ONE ONLY

If 1/2, skip to Q.6 or if 3/4/5, skip to Q.8

Value	Label	Unweighted Frequency	%
1	Private-for-profit org	3,985	29.9%
2	Private non-profit org	7,683	57.6%
3	State govt	380	2.8%
4	Local, county, or community govt	751	5.6%
5	Tribal govt	192	1.4%
6	Federal govt	348	2.6%
	<i>Total</i>	13,339	100%

- Minimum: 1
- Maximum: 6

Variable type: Numeric

FEDOWN: Federal government agency

5a. Which Federal Government agency?

MARK ONE ONLY

SKIP TO Q.8

Value	Label	Unweighted Frequency	%
1	Dept of Veterans Affairs	218	1.6%
2	Dept of Defense	91	0.7%
3	Indian Health Service	36	0.3%
4	Other	3	0.0%
.	Logical skip	12,991	97.4%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 4

Variable type: Numeric

HOSPITAL: Located in or operated by hospital

9. Is this facility located in, or operated by, a hospital?

IF NO, SKIP TO Q.10

Value	Label	Unweighted Frequency	%
0	No	11,794	88.4%
1	Yes	1,484	11.1%
.D	Don't know	2	0.0%
.M	Missing	59	0.4%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LOCS: Hospital type

9a. What type of hospital?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	General hospital (incl VA)	1,160	8.7%
2	Psychiatric hospital	272	2.0%
3	Other specialty hospital	52	0.4%
.	Logical skip	11,855	88.9%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 3

Variable type: Numeric

ASSESSMENT: Number of assessment and pre-treatment services offered

The total number of assessment services offered at this facility out of a maximum of 6

Value	Label	Unweighted Frequency	%
0	0 assessment services offered	259	1.9%
1	1 assessment service offered	610	4.6%
2	2 assessment services offered	1,966	14.7%
3	3 assessment services offered	2,325	17.4%
4	4 assessment services offered	3,449	25.9%
5	5 assessment services offered	2,730	20.5%
6	6 assessment services offered	1,995	15.0%
.	Logical skip	5	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 6

Variable type: Numeric

TESTING: Number of testing services offered

The total number of testing services offered at this facility (include tests performed at this location, even if specimen is sent to an outside source for chemical analysis) out of a maximum of 7

Value	Label	Unweighted Frequency	%
0	0 testing services offered	1,639	12.3%
1	1 testing service offered	2,525	18.9%
2	2 testing services offered	4,305	32.3%
3	3 testing services offered	1,369	10.3%
4	4 testing services offered	657	4.9%
5	5 testing services offered	598	4.5%
6	6 testing services offered	708	5.3%
7	7 testing services offered	1,532	11.5%
.	Logical skip	6	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 7

Variable type: Numeric

TRANSITION: Number of transitional services offered

The total number of transitional services offered at this facility out of a maximum of 2

Value	Label	Unweighted Frequency	%
0	0 transition services offered	499	3.7%
1	1 transition service offered	2,436	18.3%
2	2 transition services offered	10,397	77.9%
.	Logical skip	7	0.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 2

Variable type: Numeric

ANCILLARY: Number of ancillary services offered

The total number of ancillary services offered at this facility out of a maximum of 19

Value	Label	Unweighted Frequency	%
0	0 ancillary services offered	162	1.2%
1	1 ancillary service offered	405	3.0%
2	2 ancillary services offered	723	5.4%
3	3 ancillary services offered	841	6.3%
4	4 ancillary services offered	853	6.4%
5	5 ancillary services offered	1,004	7.5%
6	6 ancillary services offered	1,042	7.8%
7	7 ancillary services offered	1,075	8.1%
8	8 ancillary services offered	1,034	7.8%
9	9 ancillary services offered	1,155	8.7%
10	10 ancillary services offered	1,020	7.6%
11	11 ancillary services offered	921	6.9%
12	12 ancillary services offered	887	6.6%
13	13 ancillary services offered	754	5.7%
14	14 ancillary services offered	632	4.7%
15	15 ancillary services offered	409	3.1%
16	16 ancillary services offered	236	1.8%
17	17 ancillary service offered	129	1.0%
18	18 ancillary services offered	48	0.4%
19	19 ancillary services offered	5	0.0%
.	Logical skip	4	0.0%
	<i>Total</i>	13,339	100%

- Minimum: 0
- Maximum: 19

Variable type: Numeric

SRVC71: Pharmacotherapies - Naltrexone

11. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Pharmacotherapies

36. Naltrexone

Value	Label	Unweighted Frequency	%
0	No	11,091	83.1%
1	Yes	2,211	16.6%
.	Logical skip	1	0.0%
.D	Don't know	21	0.2%
.M	Missing	15	0.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC85: Pharmacotherapies - Methadone

11. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Pharmacotherapies

41. Methadone

Value	Label	Unweighted Frequency	%
0	No	11,809	88.5%
1	Yes	1,522	11.4%
.	Logical skip	1	0.0%
.D	Don't know	4	0.0%
.M	Missing	3	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC87: Pharmacotherapies - Buprenorphine with naloxone (Suboxone®)

11. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Pharmacotherapies

43. Buprenorphine - Suboxone®

Value	Label	Unweighted Frequency	%
0	No	10,937	82.0%
1	Yes	2,387	17.9%
.	Logical skip	1	0.0%
.D	Don't know	11	0.1%
.M	Missing	3	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC86: Pharmacotherapies - Buprenorphine without naloxone (Subutex®)

11. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Pharmacotherapies

42. Buprenorphine - Subutex®

Value	Label	Unweighted Frequency	%
0	No	12,177	91.3%
1	Yes	1,137	8.5%
.	Logical skip	1	0.0%
.D	Don't know	21	0.2%
.M	Missing	3	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

OTPALL: All clients in OTP

12a. Are ALL of the substance abuse clients at this facility currently in the Opioid Treatment Program?

Value	Label	Unweighted Frequency	%
0	No	548	4.1%
1	Yes	822	6.2%
.	Logical skip	11,969	89.7%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

OTPTYPE: OTP for maintenance/detoxification/both

12b. Does the Opioid Treatment Program at this location provide maintenance services, detoxification services, or both?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	Maintenance services	480	3.6%
2	Detoxification services	103	0.8%
3	Both	787	5.9%
.	Logical skip	11,969	89.7%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 3

Variable type: Numeric

DUI_DWI: Program for DUI/DWI/other offenders

16. Does this facility, at this location, offer a specially designed program or group intended exclusively for DUI/DWI or other drunk driver offenders?

IF NO, SKIP TO Q.17

Value	Label	Unweighted Frequency	%
0	No	9,445	70.8%
1	Yes	3,848	28.8%
.	Logical skip	1	0.0%
.M	Missing	44	0.3%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

ONLYDUI: Only DUI/DWI clients

16a. Does this facility serve only DUI/DWI clients?

Value	Label	Unweighted Frequency	%
0	No	3,727	27.9%
1	Yes	107	0.8%
.	Logical skip	9,491	71.2%
.D	Don't know	1	0.0%
.M	Missing	13	0.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SIGNLANG: Treatment in sign language

17. Does this facility provide substance abuse treatment services in sign language at this location for the hearing impaired (for example, American Sign Language, Signed English, or Cued Speech)?

- Mark “yes” if either a staff counselor or an on-call interpreter provides this service.

Value	Label	Unweighted Frequency	%
0	No	9,650	72.3%
1	Yes	3,689	27.7%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG: Treatment in language other than English

18. Does this facility provide substance abuse treatment services in a language other than English at this location?

IF NO, SKIP TO Q.19

Value	Label	Unweighted Frequency	%
0	No	7,679	57.6%
1	Yes	5,655	42.4%
.D	Don't know	2	0.0%
.M	Missing	3	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG1: Treatment language provided - Hopi

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

American Indian or Alaska Native:

1. Hopi

Value	Label	Unweighted Frequency	%
0	No	3,630	27.2%
1	Yes	10	0.1%
.	Logical skip	9,617	72.1%
.D	Don't know	1	0.0%
.M	Missing	81	0.6%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG2: Treatment language provided - Lakota

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

American Indian or Alaska Native:
2. Lakota

Value	Label	Unweighted Frequency	%
0	No	3,616	27.1%
1	Yes	22	0.2%
.	Logical skip	9,617	72.1%
.D	Don't know	2	0.0%
.M	Missing	82	0.6%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG3: Treatment language provided - Navajo

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

American Indian or Alaska Native:

3. Navajo

Value	Label	Unweighted Frequency	%
0	No	3,583	26.9%
1	Yes	42	0.3%
.	Logical skip	9,617	72.1%
.D	Don't know	2	0.0%
.M	Missing	95	0.7%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG4: Treatment language provided - Yupik

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

American Indian or Alaska Native:

4. Yupik

Value	Label	Unweighted Frequency	%
0	No	3,627	27.2%
1	Yes	8	0.1%
.	Logical skip	9,617	72.1%
.D	Don't know	2	0.0%
.M	Missing	85	0.6%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG5: Treatment language provided - Other American Indian or Alaska Native Language

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

American Indian or Alaska Native:

5. Other American Indian or Alaska Native language

Value	Label	Unweighted Frequency	%
0	No	3,661	27.4%
1	Yes	61	0.5%
.	Logical skip	9,617	72.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG6: Treatment language provided - Arabic

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

6. Arabic

Value	Label	Unweighted Frequency	%
0	No	3,500	26.2%
1	Yes	80	0.6%
.	Logical skip	9,617	72.1%
.D	Don't know	1	0.0%
.M	Missing	141	1.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG7: Treatment language provided - Any Chinese language

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

7. Any Chinese language

Value	Label	Unweighted Frequency	%
0	No	3,500	26.2%
1	Yes	84	0.6%
.	Logical skip	9,617	72.1%
.D	Don't know	1	0.0%
.M	Missing	137	1.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG8: Treatment language provided - Creole

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

8. Creole

Value	Label	Unweighted Frequency	%
0	No	3,453	25.9%
1	Yes	130	1.0%
.	Logical skip	9,617	72.1%
.D	Don't know	1	0.0%
.M	Missing	138	1.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG9: Treatment language provided - French

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

9. French

Value	Label	Unweighted Frequency	%
0	No	3,381	25.3%
1	Yes	210	1.6%
.	Logical skip	9,617	72.1%
.M	Missing	131	1.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG10: Treatment language provided - German

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

10. German

Value	Label	Unweighted Frequency	%
0	No	3,496	26.2%
1	Yes	87	0.7%
.	Logical skip	9,617	72.1%
.D	Don't know	2	0.0%
.M	Missing	137	1.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG11: Treatment language provided - Hmong

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

11. Hmong

Value	Label	Unweighted Frequency	%
0	No	3,530	26.5%
1	Yes	49	0.4%
.	Logical skip	9,617	72.1%
.D	Don't know	1	0.0%
.M	Missing	142	1.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG19: Treatment language provided - Italian

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

12. Italian

Value	Label	Unweighted Frequency	%
0	No	3,405	25.5%
1	Yes	77	0.6%
.	Logical skip	9,617	72.1%
.D	Don't know	2	0.0%
.M	Missing	238	1.8%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG12: Treatment language provided - Korean

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

13. Korean

Value	Label	Unweighted Frequency	%
0	No	3,518	26.4%
1	Yes	61	0.5%
.	Logical skip	9,617	72.1%
.D	Don't know	1	0.0%
.M	Missing	142	1.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG13: Treatment language provided - Polish

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

14. Polish

Value	Label	Unweighted Frequency	%
0	No	3,464	26.0%
1	Yes	113	0.8%
.	Logical skip	9,617	72.1%
.D	Don't know	1	0.0%
.M	Missing	144	1.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG14: Treatment language provided - Portuguese

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

15. Portuguese

Value	Label	Unweighted Frequency	%
0	No	3,438	25.8%
1	Yes	135	1.0%
.	Logical skip	9,617	72.1%
.D	Don't know	1	0.0%
.M	Missing	148	1.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG15: Treatment language provided - Russian

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

16. Russian

Value	Label	Unweighted Frequency	%
0	No	3,383	25.4%
1	Yes	195	1.5%
.	Logical skip	9,617	72.1%
.M	Missing	144	1.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG16: Treatment language provided - Spanish

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

17. Spanish

Value	Label	Unweighted Frequency	%
0	No	196	1.5%
1	Yes	3,497	26.2%
.	Logical skip	9,617	72.1%
.D	Don't know	1	0.0%
.M	Missing	28	0.2%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG20: Treatment language provided - Tagalog

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

18. Tagalog

Value	Label	Unweighted Frequency	%
0	No	3,334	25.0%
1	Yes	108	0.8%
.	Logical skip	9,617	72.1%
.D	Don't know	1	0.0%
.M	Missing	279	2.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG17: Treatment language provided - Vietnamese

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

19. Vietnamese

Value	Label	Unweighted Frequency	%
0	No	3,498	26.2%
1	Yes	76	0.6%
.	Logical skip	9,617	72.1%
.D	Don't know	1	0.0%
.M	Missing	147	1.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG18: Treatment language provided - Any other language

18b. In what other languages do staff counselors at this facility provide substance abuse treatment?

- Do not count language services provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:
20. Any other language

Value	Label	Unweighted Frequency	%
0	No	3,525	26.4%
1	Yes	197	1.5%
.	Logical skip	9,617	72.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC76: Adolescents accepted into treatment

19. Please indicate the types of clients accepted into treatment at this location.

Type of client
1. Adolescents

Value	Label	Unweighted Frequency	%
0	No	6,919	51.9%
1	Yes	6,368	47.7%
.D	Don't know	3	0.0%
.M	Missing	49	0.4%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC83: Adult women accepted into treatment

19. Please indicate the types of clients accepted into treatment at this location.

Type of client
7. Adult women

Value	Label	Unweighted Frequency	%
0	No	1,745	13.1%
1	Yes	11,560	86.7%
.M	Missing	32	0.2%
.X	Multiple responses	2	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC84: Adult men accepted into treatment

19. Please indicate the types of clients accepted into treatment at this location.

Type of client

9. Adult men

Value	Label	Unweighted Frequency	%
0	No	1,758	13.2%
1	Yes	11,547	86.6%
.M	Missing	33	0.2%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC31: Specially designed program/group for co-occurring

19. For each type of clients accepted into treatment at this location, indicate whether this facility offers a specially designed substance abuse program or group exclusively for that type of client at this location.

Type of client

2. Clients with co-occurring mental and substance abuse disorders

Value	Label	Unweighted Frequency	%
0	No	7,438	55.8%
1	Yes	4,975	37.3%
.	Logical skip	822	6.2%
.D	Don't know	2	0.0%
.M	Missing	101	0.8%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC32: Specially designed program/group for HIV/AIDS

19. For each type of clients accepted into treatment at this location, indicate whether this facility offers a specially designed substance abuse program or group exclusively for that type of client at this location.

Type of client

4. Persons with HIV or AIDS

Value	Label	Unweighted Frequency	%
0	No	11,481	86.1%
1	Yes	1,175	8.8%
.	Logical skip	608	4.6%
.D	Don't know	1	0.0%
.M	Missing	73	0.5%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC33: Specially designed program/group for pregnant/postpartum women

19. For each type of clients accepted into treatment at this location, indicate whether this facility offers a specially designed substance abuse program or group exclusively for that type of client at this location.

Type of client

8. Pregnant or postpartum women

Value	Label	Unweighted Frequency	%
0	No	9,282	69.6%
1	Yes	1,754	13.1%
.	Logical skip	2,233	16.7%
.D	Don't know	1	0.0%
.M	Missing	68	0.5%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC61: Specially designed program/group for ciminal justice clients

19. For each type of clients accepted into treatment at this location, indicate whether this facility offers a specially designed substance abuse program or group exclusively for that type of client at this location.

Type of client

3. Criminal justice clients (other than DUI/DWI)

Value	Label	Unweighted Frequency	%
0	No	8,488	63.6%
1	Yes	3,557	26.7%
.	Logical skip	1,215	9.1%
.D	Don't know	2	0.0%
.M	Missing	77	0.6%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC62: Specially designed program/group for LGBT

19. For each type of clients accepted into treatment at this location, indicate whether this facility offers a specially designed substance abuse program or group exclusively for that type of client at this location.

Type of client

5. Lesbian, gay, bisexual, or transgender (LGBT) clients

Value	Label	Unweighted Frequency	%
0	No	12,066	90.5%
1	Yes	801	6.0%
.	Logical skip	378	2.8%
.D	Don't know	2	0.0%
.M	Missing	91	0.7%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC63: Specially designed program/group for seniors/older adults

19. For each type of clients accepted into treatment at this location, indicate whether this facility offers a specially designed substance abuse program or group exclusively for that type of client at this location.

Type of client

6. Seniors or older adults

Value	Label	Unweighted Frequency	%
0	No	10,904	81.7%
1	Yes	916	6.9%
.	Logical skip	1,423	10.7%
.D	Don't know	5	0.0%
.M	Missing	90	0.7%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE4: Hospital inpatient substance abuse services

20. Does this facility offer HOSPITAL INPATIENT substance abuse services at this location, that is, the location listed on the front cover?

IF NO, SKIP TO Q.21

Value	Label	Unweighted Frequency	%
0	No	12,590	94.4%
1	Yes	748	5.6%
.D	Don't know	1	0.0%
<i>Total</i>		13,339	100%

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPEH11: Hospital inpatient detoxification offered

20a. Which of the following HOSPITAL INPATIENT services are offered by this facility?

MARK "YES" OR "NO" FOR EACH

1. Hospital inpatient detoxification (Similar to ASAM Levels IV-D and III.7-D, medically managed or monitored inpatient detoxification)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
0	No	82	0.6%
1	Yes	666	5.0%
.	Logical skip	12,591	94.4%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPEHI2: Hospital inpatient treatment offered

20a. Which of the following HOSPITAL INPATIENT services are offered by this facility?

MARK "YES" OR "NO" FOR EACH

2. Hospital inpatient treatment (Similar to ASAM Levels IV and III.7, medically managed or monitored intensive inpatient treatment)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
0	No	198	1.5%
1	Yes	548	4.1%
.	Logical skip	12,591	94.4%
.D	Don't know	2	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE7: Residential (non-hospital) substance abuse services

21. Does this facility offer RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

IF NO, SKIP TO Q.22

Value	Label	Unweighted Frequency	%
0	No	9,886	74.1%
1	Yes	3,452	25.9%
.R	Refused	1	0.0%
	<i>Total</i>	13,339	100%

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPERC1: Residential (non-hospital) detoxification

21a. Which of the following RESIDENTIAL services are offered by this facility?

MARK "YES" OR "NO" FOR EACH

1. Residential detoxification (Similar to ASAM Level III.2-D, clinically managed residential detoxification or social detoxification)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
0	No	2,559	19.2%
1	Yes	893	6.7%
.	Logical skip	9,887	74.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPERC3: Residential (non-hospital) short-term treatment

21a. Which of the following RESIDENTIAL services are offered by this facility?

MARK "YES" OR "NO" FOR EACH

2. Residential short-term treatment (Similar to ASAM Level III.5, clinically managed high-intensity residential treatment, typically 30 days or less)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
0	No	1,761	13.2%
1	Yes	1,691	12.7%
.	Logical skip	9,887	74.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPERC4: Residential (non-hospital) long-term treatment

21a. Which of the following RESIDENTIAL services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

3. Residential long-term treatment (Similar to ASAM Levels III.3 and III.1, clinically managed medium- or low-intensity residential treatment, typically more than 30 days)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
0	No	651	4.9%
1	Yes	2,801	21.0%
.	Logical skip	9,887	74.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE1: Outpatient substance abuse services

22. Does this facility offer OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

IF NO, SKIP TO Q.23

Value	Label	Unweighted Frequency	%
0	No	2,586	19.4%
1	Yes	10,753	80.6%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE6: Outpatient Detoxification

22a. Which of the following OUTPATIENT services are offered by this facility?

MARK "YES" OR "NO" FOR EACH

1. Outpatient detoxification (Similar to ASAM Levels I-D and II-D, ambulatory detoxification)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
0	No	9,523	71.4%
1	Yes	1,227	9.2%
.	Logical skip	2,586	19.4%
.D	Don't know	2	0.0%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPEML: Outpatient methadone maintenance

22a. Which of the following OUTPATIENT services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

2. Outpatient methadone maintenance

Value	Label	Unweighted Frequency	%
0	No	9,615	72.1%
1	Yes	1,137	8.5%
.	Logical skip	2,586	19.4%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPEOP: Outpatient day treatment/partial hospitalization

22a. Which of the following OUTPATIENT services are offered by this facility?

MARK "YES" OR "NO" FOR EACH

3. Outpatient day treatment or partial hospitalization (Similar to ASAM Level II.5, 20 or more hours per week)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
0	No	9,072	68.0%
1	Yes	1,678	12.6%
.	Logical skip	2,586	19.4%
.D	Don't know	2	0.0%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE2: Intensive outpatient treatment

22a. Which of the following OUTPATIENT services are offered by this facility?

MARK "YES" OR "NO" FOR EACH

4. Intensive outpatient treatment (Similar to ASAM Level II.1, 9 or more hours per week)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
0	No	4,762	35.7%
1	Yes	5,990	44.9%
.	Logical skip	2,586	19.4%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE3: Regular outpatient treatment

22a. Which of the following OUTPATIENT services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

5. Regular outpatient treatment (Similar to ASAM Level I, outpatient treatment, non-intensive)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
0	No	839	6.3%
1	Yes	9,914	74.3%
.	Logical skip	2,586	19.4%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

FEESCALE: Uses sliding fee scale

23. Does this facility use a sliding fee scale?

IF NO, SKIP TO Q.24

Value	Label	Unweighted Frequency	%
0	No	5,056	37.9%
1	Yes	8,247	61.8%
.D	Don't know	12	0.1%
.M	Missing	23	0.2%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

PAYASST: Offers no charge treatment

24. Does this facility offer treatment at no charge to clients who cannot afford to pay?

IF NO, SKIP TO Q.25

Value	Label	Unweighted Frequency	%
0	No	6,635	49.7%
1	Yes	6,638	49.8%
.	Logical skip	1	0.0%
.D	Don't know	15	0.1%
.M	Missing	49	0.4%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

EARMARK: Receive any federal, state, county, or local funds

25. Does this facility receive any funding or grants from the Federal Government, or state, county or local governments, to support its substance abuse treatment programs?

• Do not include Medicare, Medicaid, or federal military insurance. These forms of client payments are included in Q.26 below.

Value	Label	Unweighted Frequency	%
0	No	4,981	37.3%
1	Yes	7,977	59.8%
.D	Don't know	360	2.7%
.M	Missing	21	0.2%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK3: Free treatment to all clients

26. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

1. No payment accepted (free treatment for ALL clients)

Value	Label	Unweighted Frequency	%
0	No	12,807	96.0%
1	Yes	471	3.5%
.	Logical skip	1	0.0%
.D	Don't know	51	0.4%
.M	Missing	9	0.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK1: Accepts cash or self-payment

26. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

2. Cash or self-payment

Value	Label	Unweighted Frequency	%
0	No	1,206	9.0%
1	Yes	12,017	90.1%
.D	Don't know	106	0.8%
.M	Missing	10	0.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK8: Accepts Medicare payments

26. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

3. Medicare

Value	Label	Unweighted Frequency	%
0	No	8,584	64.4%
1	Yes	4,302	32.3%
.D	Don't know	438	3.3%
.M	Missing	14	0.1%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK5: Accepts Medicaid payments

26. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

4. Medicaid

Value	Label	Unweighted Frequency	%
0	No	5,710	42.8%
1	Yes	7,295	54.7%
.D	Don't know	321	2.4%
.M	Missing	11	0.1%
.R	Refused	1	0.0%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK10: Accepts state financed health insurance

26. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

5. A state-financed health insurance plan other than Medicaid

Value	Label	Unweighted Frequency	%
0	No	7,292	54.7%
1	Yes	5,146	38.6%
.D	Don't know	886	6.6%
.M	Missing	12	0.1%
.R	Refused	1	0.0%
.X	Multiple responses	2	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK15: Accepts Federal military insurance

26. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

6. Federal military insurance such as TRICARE or Champ VA

Value	Label	Unweighted Frequency	%
0	No	7,969	59.7%
1	Yes	4,276	32.1%
.D	Don't know	1,076	8.1%
.M	Missing	13	0.1%
.R	Refused	1	0.0%
.X	Multiple responses	4	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK2: Accepts private health insurance

26. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

7. Private health insurance

Value	Label	Unweighted Frequency	%
0	No	4,570	34.3%
1	Yes	8,462	63.4%
.D	Don't know	293	2.2%
.M	Missing	11	0.1%
.R	Refused	1	0.0%
.X	Multiple responses	2	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

T_CLI1: Hospital Inpatient clients, Detox - For OTP facilities

28a. On March 31, 2010, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Hospital inpatient detoxification (Similar to ASAM Levels IV-D and III.7-D, medically managed or monitored inpatient detoxification)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-5	23	2.0%
2	6-10	25	2.1%
3	11-15	6	0.5%
4	16-23	19	1.6%
5	24+	19	1.6%
.	Logical skip	1,074	92.1%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI1: Hospital Inpatient clients, Detox - For DUI_DWI facilities

28a. On March 31, 2010, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Hospital inpatient detoxification (Similar to ASAM Levels IV-D and III.7-D, medically managed or monitored inpatient detoxification)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-2	10	0.3%
2	3-4	8	0.2%
3	5-7	6	0.2%
4	8-12	10	0.3%
5	13+	15	0.4%
.	Logical skip	3,660	98.7%
	<i>Total</i>	3,709	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI1: Hospital Inpatient clients, Detox - For non-OPT and non-DUI_DWI facilities

28a. On March 31, 2010, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Hospital inpatient detoxification (Similar to ASAM Levels IV-D and III.7-D, medically managed or monitored inpatient detoxification)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-2	101	1.2%
2	3-4	79	0.9%
3	5-7	90	1.1%
4	8-12	82	1.0%
5	13+	87	1.0%
.	Logical skip	8,025	94.8%
	<i>Total</i>	<i>8,464</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI2: Hospital Inpatient clients, Treatment - For OTP facilities

28a. On March 31, 2010, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Hospital inpatient treatment (Similar to ASAM Levels IV and III.7, medically managed or monitored intensive inpatient treatment)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-5	10	0.9%
2	6-12	10	0.9%
3	13-20	11	0.9%
4	21-40	12	1.0%
5	41+	9	0.8%
.	Logical skip	1,114	95.5%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI2: Hospital Inpatient clients, Treatment - For DUI_DWI facilities

28a. On March 31, 2010, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Hospital inpatient treatment (Similar to ASAM Levels IV and III.7, medically managed or monitored intensive inpatient treatment)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-4	6	0.2%
2	5-8	8	0.2%
3	9-13	7	0.2%
4	14-25	8	0.2%
5	26+	8	0.2%
.	Logical skip	3,672	99.0%
	<i>Total</i>	<i>3,709</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI2: Hospital Inpatient clients, Treatment - For non-OTP and non-DUI_DWI facilities

28a. On March 31, 2010, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Hospital inpatient treatment (Similar to ASAM Levels IV and III.7, medically managed or monitored intensive inpatient treatment)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-3	72	0.9%
2	4-8	68	0.8%
3	9-14	55	0.6%
4	15-28	61	0.7%
5	29+	68	0.8%
.	Logical skip	8,140	96.2%
	<i>Total</i>	<i>8,464</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIHI: Total Number of Hospital Inpatients - For OTP facilities

28a. On March 31, 2010, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

HOSPITAL INPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-8	24	2.1%
2	9-15	15	1.3%
3	16-24	22	1.9%
4	25-42	19	1.6%
5	43+	20	1.7%
.	Logical skip	1,066	91.4%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIHI: Total Number of Hospital Inpatients - For DUI_DWI facilities

28a. On March 31, 2010, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

HOSPITAL INPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-4	13	0.4%
2	5-8	10	0.3%
3	9-15	9	0.2%
4	16-24	13	0.4%
5	25+	15	0.4%
.	Logical skip	3,649	98.4%
	<i>Total</i>	<i>3,709</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIHI: Total Number of Hospital Inpatients - For non-OTP and non-DUI_DWI facilities

28a. On March 31, 2010, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

HOSPITAL INPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-4	141	1.7%
2	5-8	93	1.1%
3	9-14	98	1.2%
4	15-25	97	1.1%
5	26+	110	1.3%
.	Logical skip	7,925	93.6%
	<i>Total</i>	<i>8,464</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

H_AGE1: Hospital inpatient clients under 18 years old

28b. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX were under the age of 18?

ENTER A NUMBER (IF NONE, ENTER "0")

Number under age 18

Value	Label	Unweighted Frequency	%
1	0-2	681	5.1%
2	3-4	15	0.1%
3	5-10	23	0.2%
4	11-17	14	0.1%
5	18+	15	0.1%
.	Logical skip	12,591	94.4%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

HIMETNUM: Total hospital inpatient clients receiving methadone

28c. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received:

- Include patients who received these drugs for detoxification or maintenance purposes.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Methadone dispensed at this facility

Value	Label	Unweighted Frequency	%
1	0-2	52	4.5%
2	3-5	16	1.4%
3	6-8	9	0.8%
4	9-16	12	1.0%
5	17+	12	1.0%
.	Logical skip	1,065	91.3%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

HIBUPNUM: Total hospital inpatient clients receiving buprenorphine

28c. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received:

- Include patients who received these drugs for detoxification or maintenance purposes.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Buprenorphine dispensed or prescribed at this facility

Value	Label	Unweighted Frequency	%
1	0-2	586	4.4%
2	3	36	0.3%
3	4-5	45	0.3%
4	6-9	33	0.2%
5	10+	48	0.4%
.	Logical skip	12,591	94.4%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

HIMATNUM: Total hospital inpatient clients receiving MAT - clients - March 31, 2010

The total number of clients in hospital inpatient facilities receiving medication-assisted treatment. Calculated total of HIMETNUM and HIBUPNUM.

Value	Label	Unweighted Frequency	%
1	0-3	39	0.3%
2	4-5	17	0.1%
3	6-9	16	0.1%
4	10-18	15	0.1%
5	19+	13	0.1%
.	Logical skip	13,239	99.3%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

HOSPBED: Total beds designated for substance abuse treatment-hospital inpatient

28d. On March 31, 2010, how many hospital inpatient beds at this facility were specifically designated for substance abuse treatment?

ENTER A NUMBER (IF NONE, ENTER "0")

Number of beds

Value	Label	Unweighted Frequency	%
1	0-10	359	2.7%
2	11-15	91	0.7%
3	16-20	91	0.7%
4	21-34	104	0.8%
5	35+	103	0.8%
.	Logical skip	12,591	94.4%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI3: Residential clients, detox - For OTP facilities

29a. On March 31, 2010, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential detoxification (Similar to ASAM Level III.2D, clinically managed residential detoxification or social detoxification)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-6	8	0.7%
2	7-12	9	0.8%
3	13-20	11	0.9%
4	21-31	4	0.3%
5	32+	7	0.6%
.	Logical skip	1,127	96.7%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI3: Residential clients, detox - For DUI_DWI facilities

29a. On March 31, 2010, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.
- ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential detoxification (Similar to ASAM Level III.2D, clinically managed residential detoxification or social detoxification)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-2	34	0.9%
2	3	7	0.2%
3	4-5	19	0.5%
4	6-10	20	0.5%
5	11+	24	0.6%
.	Logical skip	3,605	97.2%
	<i>Total</i>	<i>3,709</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI3: Residential clients, detox - For non-OTP and non-DUI_DWI facilities

29a. On March 31, 2010, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential detoxification (Similar to ASAM Level III.2D, clinically managed residential detoxification or social detoxification)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-2	102	1.2%
2	3-5	129	1.5%
3	6-8	70	0.8%
4	9-15	109	1.3%
5	16+	95	1.1%
.	Logical skip	7,959	94.0%
	<i>Total</i>	<i>8,464</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI9: Residential clients, Short-term detoxification - For OTP facilities

29a. On March 31, 2010, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential short-term treatment (Similar to ASAM Level III.5, clinically managed high-intensity residential treatment, typically 30 days or less)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-10	16	1.4%
2	11-17	11	0.9%
3	18-26	14	1.2%
4	27-47	10	0.9%
5	48+	13	1.1%
.	Logical skip	1,102	94.5%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI9: Residential clients, Short-term detoxification - For DUI_DWI facilities

29a. On March 31, 2010, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential short-term treatment (Similar to ASAM Level III.5, clinically managed high-intensity residential treatment, typically 30 days or less)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-6	32	0.9%
2	7-11	37	1.0%
3	12-18	40	1.1%
4	19-30	39	1.1%
5	31+	44	1.2%
.	Logical skip	3,517	94.8%
	<i>Total</i>	<i>3,709</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI9: Residential clients, Short-term detoxification - For non-OTP and non-DUI_DWI facilities

29a. On March 31, 2010, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Residential short-term treatment (Similar to ASAM Level III.5, clinically managed high-intensity residential treatment, typically 30 days or less)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-5	202	2.4%
2	6-10	217	2.6%
3	11-16	186	2.2%
4	17-29	203	2.4%
5	30+	207	2.4%
.	Logical skip	7,449	88.0%
	<i>Total</i>	<i>8,464</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI10: Residential clients, Long-term detoxification - For OTP facilities

29a. On March 31, 2010, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

3. Residential long-term treatment (Similar to ASAM Level III.3 and III.1, clinically managed medium- or low-intensity residential treatment, typically more than 30 days)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-8	8	0.7%
2	9-16	7	0.6%
3	17-42	7	0.6%
4	43-68	9	0.8%
5	69+	9	0.8%
.	Logical skip	1,126	96.6%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI10: Residential clients, Long-term detoxification - For DUI_DWI facilities

29a. On March 31, 2010, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

3. Residential long-term treatment (Similar to ASAM Level III.3 and III.1, clinically managed medium- or low-intensity residential treatment, typically more than 30 days)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-7	48	1.3%
2	8-13	41	1.1%
3	14-22	39	1.1%
4	23-42	46	1.2%
5	43+	45	1.2%
.	Logical skip	3,490	94.1%
	<i>Total</i>	<i>3,709</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI10: Residential clients, Long-term detoxification - For non-OTP and non-DUI_DWI facilities

29a. On March 31, 2010, how many clients received the following RESIDENTIAL substance abuse services at this facility?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

3. Residential long-term treatment (Similar to ASAM Level III.3 and III.1, clinically managed medium- or low-intensity residential treatment, typically more than 30 days)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-8	485	5.7%
2	9-14	451	5.3%
3	15-20	441	5.2%
4	21-36	454	5.4%
5	37+	445	5.3%
.	Logical skip	6,188	73.1%
	<i>Total</i>	<i>8,464</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIRC: Total number of residential clients - For OTP facilities

29a. On March 31, 2010, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential total box

Value	Label	Unweighted Frequency	%
1	0-16	23	2.0%
2	15-25	18	1.5%
3	26-40	13	1.1%
4	41-80	17	1.5%
5	81+	22	1.9%
.	Logical skip	1,073	92.0%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIRC: Total number of residential clients - For DUI_DWI facilities

29a. On March 31, 2010, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential total box

Value	Label	Unweighted Frequency	%
1	0-11	60	1.6%
2	12-18	60	1.6%
3	19-29	52	1.4%
4	30-50	64	1.7%
5	51+	72	1.9%
.	Logical skip	3,401	91.7%
	<i>Total</i>	<i>3,709</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIRC: Total number of residential clients - For non-OTP and non-DUI_DWI facilities

29a. On March 31, 2010, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential total box

Value	Label	Unweighted Frequency	%
1	0-10	656	7.8%
2	11-16	610	7.2%
3	17-24	516	6.1%
4	25-40	546	6.5%
5	41+	579	6.8%
.	Logical skip	5,557	65.7%
	<i>Total</i>	<i>8,464</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

R_AGE1: Residential (non-hospital) clients under 18 years old

29b. How many of the clients from the RESIDENTIAL TOTAL BOX were under the age of 18?

ENTER A NUMBER (IF NONE, ENTER "0")

Number under age 18

Value	Label	Unweighted Frequency	%
1	0-5	2,967	22.2%
2	6-10	90	0.7%
3	11-16	102	0.8%
4	17-25	95	0.7%
5	26+	94	0.7%
.	Logical skip	9,991	74.9%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

RCMETNUM: Total residential (non-hospital) clients receiving methadone

29c. How many of the clients from the RESIDENTIAL TOTAL BOX received:

- Include clients who received these drugs for detoxification or maintenance purposes

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Methadone dispensed at this facility

Value	Label	Unweighted Frequency	%
1	0-3	3,275	24.6%
2	4-6	28	0.2%
3	7-14	13	0.1%
4	15-25	18	0.1%
5	26+	14	0.1%
.	Logical skip	9,991	74.9%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

RCBUPNUM: Total residential (non-hospital) clients receiving buprenorphine

29c. How many of the clients from the RESIDENTIAL TOTAL BOX received:

- Include clients who received these drugs for detoxification or maintenance purposes

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Buprenorphine dispensed or prescribed at this facility

Value	Label	Unweighted Frequency	%
1	0-2	3,134	23.5%
3	3-4	89	0.7%
4	5-8	67	0.5%
5	9+	58	0.4%
.	Logical skip	9,991	74.9%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

RCMATNUM: Residential - Total MAT - clients - March 31, 2010

The total number of clients in residential (non-hospital) facilities receiving medication-assisted treatment. Calculated from RCMETNUM and RCBUPNUM.

Value	Label	Unweighted Frequency	%
1	0-3	40	0.3%
2	4-7	18	0.1%
3	8-14	7	0.1%
4	15-25	16	0.1%
5	26+	13	0.1%
.	Logical skip	13,245	99.3%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

RESBED: Total beds designated-residential clients

29d. On March 31, 2010, how many residential beds were specifically designated for substance abuse treatment?

ENTER A NUMBER (IF NONE, ENTER "0")

Number of beds

Value	Label	Unweighted Frequency	%
1	0-12	873	6.5%
2	13-18	580	4.3%
3	19-27	641	4.8%
4	29-47	583	4.4%
5	48+	671	5.0%
.	Logical skip	9,991	74.9%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI7: Outpatient clients, detoxification - For OTP facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient detoxification (Similar to ASAM Level I-D and II-D, ambulatory detoxification)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-3	76	6.5%
2	4-5	43	3.7%
3	6-10	62	5.3%
4	11-24	54	4.6%
5	25+	62	5.3%
.	Logical skip	869	74.5%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI7: Outpatient clients, detoxification - For DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient detoxification (Similar to ASAM Level I-D and II-D, ambulatory detoxification)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-2	20	0.5%
2	3-5	19	0.5%
3	6-10	24	0.6%
4	11-20	19	0.5%
5	21+	16	0.4%
.	Logical skip	3,611	97.4%
	<i>Total</i>	3,709	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI7: Outpatient clients, detoxification - For non-OTP and non-DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient detoxification (Similar to ASAM Level I-D and II-D, ambulatory detoxification)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-2	53	0.6%
2	3-5	73	0.9%
3	6-10	37	0.4%
4	11-25	43	0.5%
5	26+	51	0.6%
.	Logical skip	8,207	97.0%
	<i>Total</i>	<i>8,464</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIML: Outpatient clients, methadone maintenance - For OTP facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient methadone maintenance (Count methadone clients on this line only)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-110	182	15.6%
2	110-190	203	17.4%
3	191-286	195	16.7%
4	287-425	211	18.1%
5	426+	199	17.1%
.	Logical skip	176	15.1%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIML: Outpatient clients, methadone maintenance - For DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient methadone maintenance (Count methadone clients on this line only)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-3	5	0.1%
4	19-35	2	0.1%
5	36+	1	0.0%
.	Logical skip	3,701	99.8%
	<i>Total</i>	3,709	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIML: Outpatient clients, methadone maintenance - For non-OTP and non-DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient methadone maintenance (Count methadone clients on this line only)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-4	8	0.1%
2	5-10	6	0.1%
3	11-20	3	0.0%
4	21-43	8	0.1%
5	44+	11	0.1%
.	Logical skip	8,428	99.6%
	<i>Total</i>	<i>8,464</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI8: Outpatient clients, Day treatment/partial hospitalization - For OTP facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient day treatment (Similar to ASAM Level II.5, 20 or more hours per week)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-7	7	0.6%
2	8-12	10	0.9%
3	13-20	8	0.7%
4	21-35	13	1.1%
5	36+	10	0.9%
.	Logical skip	1,118	95.9%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI8: Outpatient clients, Day treatment/partial hospitalization - For DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient day treatment (Similar to ASAM Level II.5, 20 or more hours per week)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-4	57	1.5%
2	5-8	36	1.0%
3	9-15	39	1.1%
4	16-30	51	1.4%
5	31+	42	1.1%
.	Logical skip	3,484	93.9%
	<i>Total</i>	<i>3,709</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI8: Outpatient clients, Day treatment/partial hospitalization - For non-OTP and non-DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Outpatient day treatment (Similar to ASAM Level II.5, 20 or more hours per week)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-4	149	1.8%
2	5-9	140	1.7%
3	10-15	146	1.7%
4	16-30	153	1.8%
5	31+	132	1.6%
.	Logical skip	7,744	91.5%
	<i>Total</i>	<i>8,464</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI6: Outpatient clients, Intensive - For OTP facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Intensive outpatient treatment (Similar to ASAM level II.1, 9 or more hours per week)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-10	42	3.6%
2	11-18	21	1.8%
3	19-30	32	2.7%
4	31-55	39	3.3%
5	56+	36	3.1%
.	Logical skip	996	85.4%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI6: Outpatient clients, Intensive - For DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Intensive outpatient treatment (Similar to ASAM level II.1, 9 or more hours per week)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-6	348	9.4%
2	7-12	342	9.2%
3	13-22	343	9.2%
4	23-40	327	8.8%
5	41+	347	9.4%
.	Logical skip	2,002	54.0%
	<i>Total</i>	3,709	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI6: Outpatient clients, Intensive - For non-OTP and non-DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Intensive outpatient treatment (Similar to ASAM level II.1, 9 or more hours per week)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-7	524	6.2%
2	8-13	556	6.6%
3	14-21	526	6.2%
4	22-40	563	6.7%
5	41+	486	5.7%
.	Logical skip	5,809	68.6%
	<i>Total</i>	<i>8,464</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI5: Outpatient clients, Regular outpatient care - For OTP facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Regular outpatient treatment (Similar to ASAM Level I, outpatient treatment, non-intensive)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-9	62	5.3%
2	10-28	59	5.1%
3	29-75	60	5.1%
4	76-190	37	3.2%
5	191+	51	4.4%
.	Logical skip	897	76.9%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI5: Outpatient clients, Regular outpatient care - For DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Regular outpatient treatment (Similar to ASAM Level I, outpatient treatment, non-intensive)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-15	677	18.3%
2	16-30	585	15.8%
3	31-59	631	17.0%
4	60-111	675	18.2%
5	112+	676	18.2%
.	Logical skip	465	12.5%
	<i>Total</i>	3,709	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI5: Outpatient clients, Regular outpatient care - For non-OTP and non-DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Regular outpatient treatment (Similar to ASAM Level I, outpatient treatment, non-intensive)

NOTE: ASAM is the American Society of Addiction Medicine.

Value	Label	Unweighted Frequency	%
1	0-10	1,032	12.2%
2	11-22	859	10.1%
3	23-43	953	11.3%
4	44-89	961	11.4%
5	90+	973	11.5%
.	Logical skip	3,686	43.5%
	<i>Total</i>	<i>8,464</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIOP: Total number of outpatient clients - For OTP facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

OUTPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-121	193	16.6%
2	122-205	219	18.8%
3	206-307	220	18.9%
4	308-450	209	17.9%
5	451+	213	18.3%
.	Logical skip	112	9.6%
	<i>Total</i>	<i>1,166</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIOP: Total number of outpatient clients - For DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

OUTPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-20	679	18.3%
2	21-40	610	16.4%
3	41-72	702	18.9%
4	73-135	672	18.1%
5	136+	681	18.4%
.	Logical skip	365	9.8%
	<i>Total</i>	3,709	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIOP: Total number of outpatient clients - For non-OTP and non-DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2010?

- COUNT a patient in one service only, even if the patient received both services.

OUTPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-13	1,047	12.4%
2	12-28	1,075	12.7%
3	29-52	1,167	13.8%
4	53-103	1,058	12.5%
5	104+	1,121	13.2%
.	Logical skip	2,996	35.4%
	<i>Total</i>	<i>8,464</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

O_AGE1: Outpatient clients under 18 years old

30b. How many of the clients from the OUTPATIENT TOTAL BOX were under the age of 18?

ENTER A NUMBER (IF NONE, ENTER "0")

Number under age 18

Value	Label	Unweighted Frequency	%
1	0-3	7,030	52.7%
2	4-6	714	5.4%
3	7-12	798	6.0%
4	13-25	790	5.9%
5	26+	736	5.5%
.	Logical skip	3,271	24.5%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

OPMETNUM: Total outpatient clients receiving methadone

30c. How many of the clients from the OUTPATIENT TOTAL BOX received?

- Include clients who received these drugs for detoxification or maintenance purposes.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Methadone dispensed at this facility

Value	Label	Unweighted Frequency	%
1	0-112	9,251	69.4%
2	113-193	199	1.5%
3	194-289	203	1.5%
4	290-428	208	1.6%
5	429+	207	1.6%
.	Logical skip	3,271	24.5%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

OPBUPNUM: Total outpatient clients receiving buprenorphine

30c. How many of the clients from the OUTPATIENT TOTAL BOX received?

- Include clients who received these drugs for detoxification or maintenance purposes.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Buprenorphine dispensed or prescribed at this facility

Value	Label	Unweighted Frequency	%
1	0-3	9,298	69.7%
2	4-8	209	1.6%
3	9-15	170	1.3%
4	16-35	205	1.5%
5	36+	186	1.4%
.	Logical skip	3,271	24.5%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

OPMATNUM: Total outpatient clients receiving MAT - March 2010

The total number of clients in outpatient OTP facilities receiving medication-assisted treatment. Calculated using OPMETNUM and OPBUPNUM

Value	Label	Unweighted Frequency	%
1	0-111	222	1.7%
2	112-192	207	1.6%
3	193-290	208	1.6%
4	291-430	211	1.6%
5	431+	208	1.6%
.	Logical skip	12,283	92.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

B_PCT: Percent of clients treated for both alcohol and drug abuse

31. Some clients are treated for both alcohol and drug abuse, while others are treated for only alcohol or only drug abuse. Approximately what percent of the substance abuse clients enrolled at this facility on March 31, 2010, including hospital inpatient, residential, and/or outpatient, were being treated for:

1. BOTH alcohol and drug abuse

Value	Label	Unweighted Frequency	%
1	0-29	3,283	24.6%
2	30-50	3,362	25.2%
3	51-63	1,297	9.7%
4	64-80	2,274	17.0%
5	81+	2,178	16.3%
.	Logical skip	945	7.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

A_PCT: Percent of clients treated for only alcohol abuse

31. Some clients are treated for both alcohol and drug abuse, while others are treated for only alcohol or only drug abuse. Approximately what percent of the substance abuse clients enrolled at this facility on March 31, 2010, including hospital inpatient, residential, and/or outpatient, were being treated for:

2. ONLY alcohol abuse

Value	Label	Unweighted Frequency	%
1	0-10	5,245	39.3%
2	11-20	2,254	16.9%
3	21-25	1,360	10.2%
4	26-40	1,643	12.3%
5	41+	1,892	14.2%
.	Logical skip	945	7.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

D_PCT: Percent of clients treated for only drug abuse

31. Some clients are treated for both alcohol and drug abuse, while others are treated for only alcohol or only drug abuse. Approximately what percent of the substance abuse clients enrolled at this facility on March 31, 2010, including hospital inpatient, residential, and/or outpatient, were being treated for:

3. ONLY drug abuse

Value	Label	Unweighted Frequency	%
1	0-10	4,651	34.9%
2	11-20	2,209	16.6%
3	21-26	1,430	10.7%
4	27-50	2,203	16.5%
5	51+	1,901	14.3%
.	Logical skip	945	7.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

LOC5: Setting, halfway house

34. Does this facility operate a halfway house or other transitional housing for substance abuse clients at this location, that is, the location listed on the front cover?

Value	Label	Unweighted Frequency	%
0	No	12,122	90.9%
1	Yes	1,216	9.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LICEN: Lic/cert/accred by hospital or State authority

35. Is this facility or program licensed, certified, or accredited to provide substance abuse services by any of the following agencies: state substance abuse agency, state mental health department, state department of health, or hospital licensing authority?

Value	Label	Unweighted Frequency	%
1	Yes	12,129	90.9%
.M	Missing	1,210	9.1%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

ACCRED: Lic/cert/accred by JCAHO/CARF/NCQA/COA

35. Is this facility or program licensed, certified, or accredited to provide substance abuse services by any of the following organizations: JCAHO, CARF, NCQA, or COA.

Value	Label	Unweighted Frequency	%
1	Yes	5,744	43.1%
.M	Missing	7,595	56.9%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC75: Ancillary Residential Beds for children

11. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Ancillary Services

32. Residential beds for clients' children

Value	Label	Unweighted Frequency	%
0	No	12,801	96.0%
1	Yes	490	3.7%
.	Logical skip	1	0.0%
.M	Missing	47	0.4%
	<i>Total</i>	<i>13,339</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric