

SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

ICPSR 4469

National Survey of Substance Abuse Treatment Services (N-SSATS), 2005

United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Office of Applied Studies

Codebook

SAMHDA

is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
www.samhsa.gov

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@icpsr.umich.edu)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works to ICPSR for inclusion in a database of related publications (bibliography@icpsr.umich.edu).

Disclaimer

You acknowledge that SAMHSA and ICPSR will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ or ICPSR determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

ICPSR

Inter-university Consortium for Political and Social Research

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

DESCRIPTION OF THE NATIONAL SURVEY OF SUBSTANCE ABUSE TREATMENT SERVICES (N-SSATS)

The 2005 National Survey of Substance Abuse Treatment Services (N-SSATS) was conducted between March and October 2005, with a reference date of March 31, 2005. It is the 28th in a series of national surveys begun in the 1970s designed to collect data on the location, characteristics, and utilization of alcohol and drug treatment facilities and services throughout the 50 States, the District of Columbia, and other U.S. jurisdictions.¹ The Office of Applied Studies, Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs N-SSATS.

N-SSATS is designed to collect information from all facilities² in the United States, both public and private, that provide substance abuse treatment. (Additional information on N-SSATS, its history, and changes in the survey and survey universe over time is provided in Appendix C.)

N-SSATS provides the mechanism for quantifying the dynamic character and composition of the U.S. substance abuse treatment delivery system. The objectives of N-SSATS are to collect multi-purpose data that can be used to—

- assist SAMHSA and State and local governments in assessing the nature and extent of services provided in State-supported and

other treatment facilities and in forecasting treatment resource requirements;

- update SAMHSA's Inventory of Substance Abuse Treatment Services (I-SATS), which includes all known drug and alcohol abuse treatment facilities (see Appendix C);
- analyze treatment services trends and conduct comparative analyses for the nation, regions, and States;
- generate the *National Directory of Drug and Alcohol Abuse Treatment Programs*, a compendium of facilities approved by State substance abuse agencies for the provision of substance abuse treatment; and
- update the information in SAMHSA's Substance Abuse Treatment Facility Locator, a searchable database of facilities approved by State substance abuse agencies for the provision of substance abuse treatment. The Treatment Facility Locator is available on the Internet at:

<http://findtreatment.samhsa.gov>

Data Collection Procedures for the 2005 N-SSATS

Field period and reference date

The field period for the 2005 N-SSATS ran from March 31, 2005 through October 1, 2005, with a reference date of March 31, 2005.

Survey coverage

The 2005 N-SSATS facility universe included all 16,418 active treatment facilities on SAMHSA's I-SATS at a point 6 weeks prior to the survey reference date. Facilities added by State substance abuse agencies or discovered during the

¹ The jurisdictions include the territory of Guam, the Federated States of Micronesia, the Republic of Palau, the Commonwealth of Puerto Rico, and the Virgin Islands of the United States.

² In this report, entities responding to N-SSATS are referred to as "facilities." As discussed later in the report, a "facility" may be a program-level, clinic-level, or multi-site respondent.

first 3 weeks of the survey were also included in the survey universe.

Content

The 2005 N-SSATS survey instrument was a 12-page document with 37 numbered questions. (See Appendix A.) Topics included:

- Facility identification information
- Facility focus (substance abuse treatment services, mental health services, mix of mental health and substance abuse treatment services, general health care, other)
- Facility operation (private for-profit; private non-profit; government—local, county, or community; State; Federal; tribal)
- Hotline operation
- Services offered (assessment services, substance abuse therapy and counseling, pharmacotherapies, testing, transitional services, other services)
- Operation of an Opioid Treatment Program (OTP) certified by the Substance Abuse and Mental Health Services Administration
- Services in sign language for the hearing impaired
- Services in languages other than English
- Special programs or groups offered for specific types of clients (adolescents, clients with co-occurring mental and substance abuse disorders, criminal justice clients, persons with HIV or AIDS, gays or lesbians, seniors or older adults, adult women, pregnant or postpartum women, adult men, DUI/DWI offenders, other)
- Types of treatment provided
 - Hospital inpatient (detoxification, treatment)

- Non-hospital residential (detoxification; short-term, i.e., 30 days or less; long-term, i.e., more than 30 days)
- Outpatient (detoxification, methadone maintenance, day treatment or partial hospitalization, intensive, regular)
- Payment options
- Receipt of public funding for substance abuse treatment programs
- Managed care participation
- Number of clients in treatment on March 31, 2005 (total, clients under age 18, clients receiving methadone or buprenorphine)
- Number of beds designated for non-hospital residential and hospital inpatient substance abuse treatment
- Client substance abuse problem treated
- Facility licensure, certification, or accreditation
- Facility Internet access and web site availability

Data collection

Six weeks before the survey, letters were mailed to all facilities to alert them to expect the survey. An additional benefit of the letters was to update records with new address information returned from the post office. On the survey reference date, data collection packets, including the questionnaire, SAMHSA cover letter, State-specific letter of endorsement, information on completing the survey on the Internet, and a sheet of *Frequently Asked Questions*, were mailed to each facility. During the data collection phase, contract personnel were available to answer facilities' questions concerning the survey. Support in responding to questions for those facilities completing the questionnaire over the Internet was also available. Four to 5 weeks after the initial questionnaire mailing, thank you/reminder letters

Table 1.1
N-SSATS forms accounting, response rate, and mode of response: 2005

| | <i>Number</i> | <i>Percent</i> |
|-----------------------------------|---------------|----------------|
| Total facilities in survey | 16,418 | 100.0 |
| Closed/ineligible | 1,671 | 10.2 |
| Eligible | 14,747 | 89.8 |
| Total eligible | 14,747 | 100.0 |
| Non-respondents | 700 | 4.7 |
| Respondents | 14,047 | 95.3 |
| Excluded from report ¹ | 339 | 2.3 |
| Roll-ups ² | 341 | 2.3 |
| Included in report | 13,367 | 90.6 |
| Mode of response | 13,367 | 100.0 |
| Mail | 5,952 | 44.5 |
| Internet | 4,464 | 33.4 |
| Telephone | 2,951 | 22.1 |

¹ Facilities deemed out of the scope of this report. See text for details.

² Facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately.

SOURCE: Office of Applied Studies, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2005.

were sent to all facilities. Approximately 8 weeks after the initial questionnaire mailing, non-responding facilities were sent a second questionnaire mailing. About 4 to 5 weeks after the second questionnaire mailing, non-respondents received a reminder telephone call. Those facilities that had not responded within 2 to 3 weeks of the reminder call were telephoned and asked to complete the survey by telephone. The overall response rate was 95 percent.

Forms accounting and response rate

Summary response rate information is presented in Table 1.1. Questionnaires were mailed to a total of 16,418 facilities believed to offer substance abuse treatment services. Of these

facilities, 10 percent were found to be ineligible for the survey because they had closed or did not provide substance abuse treatment or detoxification on March 31, 2005. Of the remaining 14,747 facilities, 95 percent completed the survey.

Exclusions

Of the 14,047 survey respondents, 339 facilities provided information but were deemed out of the scope of this report and were excluded from the analyses presented here. The excluded facilities fell into three categories:

- 141 excluded facilities were halfway houses that did not provide substance abuse treatment. These facilities were included in the survey so that they could be listed in the Directory and on the Treatment Facility Locator, but were excluded from the analyses in this report.
- 33 excluded facilities were jails, prisons, or other organizations that treated incarcerated clients exclusively.
- 165 excluded facilities were solo practitioners. I-SATS and N-SSATS are designed to include facilities rather than individuals. Solo practitioners are listed and surveyed only if the State substance abuse agency explicitly requests that they be included. The excluded solo practitioners had not been identified for inclusion by the State substance abuse agency.

An additional 341 facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately were also excluded from facility counts in this report. However, their client counts are included.

After allowing for the exclusion of 339 out-of-scope facilities and 341 rolled-up facilities, 13,367 eligible respondent facilities were included in the 2005 N-SSATS report.

Table 1.2
Number of N-SSATS facilities reporting client and/or facility data: 2005

| <i>Type of data reported</i> | <i>Number of facilities for which facility characteristics were reported¹</i> | <i>Number of facilities for which client counts were reported</i> |
|---|--|---|
| Total | 13,367 | 13,621 |
| Facility characteristics and client counts for responding facility only | 11,738 | 11,737 |
| Facility characteristics for responding facility only; client counts for responding facility and other facilities as well | 649 | 1,884 |
| Facility characteristics only (client counts reported by another facility) | 980 | 0 |

¹ Excludes 141 non-treatment halfway houses, 33 facilities treating incarcerated clients only, and 165 non-State-approved solo practitioners.

SOURCE: Office of Applied Studies, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2005.

Number of respondents reporting facility and client data

Table 1.2. There were a total of 13,367 eligible respondents to the 2005 N-SSATS. The breakdown of these respondents with respect to their reporting of facility data and client counts is summarized below.

- 11,738 facilities reported facility data and client counts for their own organizations. (One facility reported facility data but refused to report client data.)
- 649 facilities reported facility characteristics for their own facility and provided client counts for their own facility and for other facilities. These 649 facilities reported client counts for a total of 1,884 facilities, including themselves.
- 980 facilities reported facility characteristics only. Their client counts were reported by another facility.

Quality assurance

All mail questionnaires were reviewed manually for consistency and for missing data. After data entry, automated quality assurance reviews were conducted. These incorporated the rules used in manual editing, plus consistency checks and checks for data outliers not readily implemented by manual review. Calls were made to facilities to clarify questionable responses and to obtain missing data.

If facilities could not be reached during the edit callbacks, responses that were clearly in error were replaced by imputation.

The Internet questionnaire was programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses.

Item non-response

Careful editing and extensive follow-up have minimized item non-response. Although there were instances of non-response in most data items, item non-response was generally low, between less

than 1 percent and 2 percent for most items. An exception was the question on payment types accepted by the facility, where non-response rates ranged as high as 12 percent for the various response categories.

Missing data for client count variables (e.g., the number of clients in hospital inpatient, non-hospital residential, and outpatient treatment) were imputed. For the remaining unimputed variables, facilities with missing values for a given variable were excluded from the tabulations using that variable. As a result, the number of treatment facilities on which tables are based may vary somewhat from table to table. The number of facilities actually reporting data is generally included on each table.

Methodology of Imputation of Missing Client Counts

A total of 89 facilities were missing one-day census client count values for one or more types of service (i.e., hospital inpatient detoxification, hospital inpatient treatment, non-hospital residential detoxification, etc.). A facility was given imputed values for a type of service if it reported that it provided the service but had not provided client counts for that service type. For example, if a facility reported that it provided hospital inpatient services and outpatient services, but not non-hospital residential services, client values were imputed for the hospital inpatient and outpatient variables only. Missing values for the number of clients under age 18 and the number of hospital inpatient beds and/or non-hospital residential beds were not imputed.

When available, client values from the 2004 N-SSATS were used to impute the missing client counts on the 2005 N-SSATS. In all other cases, the average client value, stratified by State and facility operation, was used to impute the missing client counts. If a facility were unique in its State and facility operation category, values were imputed using average values for the State only.

Client counts were imputed for each type of service (i.e., hospital inpatient detoxification, hospital inpatient treatment, non-hospital residential detoxification, etc.) and summed to the larger service type totals (total hospital inpatient clients, total non-hospital residential clients, and total outpatient clients), and finally to total clients.

Further Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2005 N-SSATS. Some general issues are listed below. Considerations and limitations of specific data items are discussed where the data are presented.

- N-SSATS attempts to obtain responses from all known treatment facilities, but it is a voluntary survey. There is no adjustment for the approximately 5 percent facility non-response.
- N-SSATS is a point-prevalence survey. It provides information on the substance abuse treatment system and its clients on the reference date. Client counts reported here do not represent annual totals. Rather, N-SSATS provides a “snapshot” of substance abuse treatment facilities and clients on an average day.
- Multiple responses were allowed for certain variables (e.g., services provided and specialized programs). Tabulations of these variables include the total number of facilities reporting each response.

N-SSATS BACKGROUND

Survey History

N-SSATS has evolved from national survey efforts begun in the 1970s by the National Institute on Drug Abuse (NIDA) to measure the scope and use of drug abuse treatment services in the United States. The sixth of these surveys, conducted in 1976, introduced the data elements and format that have formed the core of subsequent surveys. These include organizational focus, service orientation, services available, clients in treatment by type of care, and inpatient/residential capacity. The 1976 survey, called the National Drug Abuse Treatment Utilization Survey, was repeated in 1977 and 1978.

In 1979, the National Institute on Alcohol Abuse and Alcoholism (NIAAA) became a cosponsor of the survey, alcoholism treatment facilities were added, and the study was renamed the National Drug and Alcoholism Treatment Utilization Survey. This survey was repeated in 1980 and 1982. In 1984, a one-page version called the National Alcoholism and Drug Abuse Program Inventory was used. In 1987, the full version of the survey was reinstated and renamed the National Drug and Alcoholism Treatment Unit Survey (NDATUS). NDATUS was conducted annually from 1989 to 1993.

In 1992, with the creation of SAMHSA, responsibility for conducting the survey shifted to SAMHSA's Office of Applied Studies. The survey was redesigned, and conducted annually as the Uniform Facility Data Set (UFDS) survey from 1995 to 1998. During these years, the survey was conducted by mail with telephone follow-up of non-respondents. The 1999 survey year was a transition year during which the survey was redesigned, and an abbreviated telephone survey of treatment facilities was conducted. In 2000,

redesigned full mail survey was reinstated with telephone follow-up; it was renamed the National Survey of Substance Abuse Treatment Services (N-SSATS). The reference date for the annual survey had always been the end of September or beginning of October. After the 2000 survey, the reference date was changed to the end of March, and no survey was conducted during 2001.

In 2000, the use of an Internet-based questionnaire was tested, and beginning in 2002, all facilities were offered the opportunity to respond via the Internet.

N-SSATS in the Context of the Drug and Alcohol Services Information System (DASIS)

N-SSATS is one of the three components of SAMHSA's Drug and Alcohol Services Information System (DASIS). The core of DASIS is the Inventory of Substance Abuse Treatment Services (I-SATS), a continuously-updated, comprehensive listing of all known substance abuse treatment facilities. The other components of DASIS are N-SSATS and the Treatment Episode Data Set (TEDS), a client-level database of admissions to substance abuse treatment. Together, the components provide national- and State-level information on the numbers and characteristics of individuals admitted to alcohol and drug treatment programs and describe the facilities that deliver care to those individuals.

I-SATS is the list frame for N-SSATS. Facilities in I-SATS fall into two general categories and are distinguished by the relationship of the facility to its State substance abuse agency. These categories are described below.

Treatment facilities approved by State substance abuse agencies

The largest group of facilities (10,765 in 2005) includes facilities that are licensed, certified, or otherwise approved by the State substance abuse agency to provide substance abuse treatment. State DASIS representatives maintain this segment of I-SATS by reporting new facilities, closures, and address changes to SAMHSA. Some facilities are not licensed, certified, or otherwise approved by the State agency. Some private for-profit facilities fall into this category. This group also includes programs operated by Federal agencies, the Department of Veterans Affairs (VA), the Department of Defense, and the Indian Health Service. I-SATS records for Federally-operated facilities are updated annually through lists provided by these agencies.

Treatment facilities not approved by State substance abuse agencies

This group of facilities (about 2,000 in 2005) represents the SAMHSA effort in recent years to make I-SATS as comprehensive as possible by including treatment facilities that State substance abuse agencies, for a variety of reasons, do not fund, license, or certify. Many of these facilities are private for-profit, small group practices, or hospital-based programs. Most of them are identified through periodic screening of alternative source databases. (See *Special efforts to improve survey coverage*, below.) State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Survey Coverage

The use of I-SATS as the list frame for N-SSATS imposes certain constraints related to the unit of response and the scope of facilities included. In addition, the expansion of I-SATS in recent years to provide a more complete enumeration of substance abuse treatment facilities means that

year-to-year comparisons of the numbers of facilities reporting to N-SSATS must be interpreted with caution.

Unit of response

N-SSATS is designed to collect data from each physical location where treatment services are provided. Accordingly, SAMHSA requests that State substance abuse agencies use the point of delivery of service (i.e., physical location) as the defining factor for a facility. It also requests that facilities be included in I-SATS, N-SSATS, and TEDS at the same administrative level so that record linkage among the three data sets is valid. Because of the different State administrative systems, however, there are some inconsistencies in implementation. For example, in some States, multiple treatment programs (e.g., detoxification, residential, and outpatient) at the same address and under the same management have separate State licenses. These are treated as separate by the State substance abuse agency, and are given separate I-SATS ID numbers. In other States, multiple sites are included as a single entity under a parent or administrative unit. In many of these cases, individual sites can report services data in N-SSATS, but client data are available only at a higher administrative level. Beginning in 1995, efforts have been made to identify facility networks and to eliminate duplicate reporting by networks. For most facilities, reporting level remains consistent from year to year. However, beginning in 1998, an emphasis was placed on collecting minimum information from all physical locations, and this has resulted in an increase in the number of facilities.

Special efforts to improve survey coverage

The great majority of treatment facilities in I-SATS are administratively monitored by State substance abuse agencies. Therefore, the scope of facilities included in I-SATS is affected by differences in State systems of licensure, certification, accreditation, and the disbursement of public funds. For

example, some State substance abuse agencies regulate private facilities and individual practitioners while others do not. In some States, hospital-based substance abuse treatment facilities are not licensed through the State substance abuse agency.

To address these differences, SAMHSA conducted a large-scale effort during 1995 and 1996 to identify substance abuse treatment facilities that, for a variety of reasons, were not on I-SATS. Some 15 source lists were considered, and facilities not on I-SATS were contacted to ascertain whether they provided substance abuse treatment. As expected, this yielded a number of hospital-based and small private facilities that were not on I-SATS. (These facilities were surveyed in 1995 and 1996, but they were not included in the published results of the survey until 1997.) Analysis of the results of this effort led to similar but more targeted updates before subsequent surveys. Potential new facilities are identified using data from the American Business Index, the annual American Hospital Association survey, and SAMHSA's biannual Inventory of Mental Health Organizations, the source lists that yielded the most new facilities in 1995 and 1996. Additional facilities are also identified during the survey itself by survey participants, who are asked to report all of the treatment facilities in their administrative networks. All newly identified facilities are initially included as not approved by the State substance abuse agency. State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Expansion of survey coverage to include all sites within networks at which treatment was provided yielded a net increase of about 2,600 facilities between 1997 and 1998. These additions were not necessarily new facilities, but were facilities not previously included in the survey as separate sites. The number of facilities reporting continued to increase in 1999, but at a slower pace

net increase of 1,800 facilities. The increase between 1998 and 1999 was in large part because of the improved survey response rate (95 percent in 1999 vs. 90 percent in 1998). In 2003, the number of facilities reporting decreased slightly. The survey response rate decreased slightly in 2005 to 95 percent.

Data collection

Until 1996, State substance abuse agencies distributed and collected the UFDS survey forms. Beginning in 1996, data collection was centralized; since that time, SAMHSA has mailed facility survey forms directly to and collected forms directly from the facilities, and has conducted follow-up telephone interviews with the facility director or his/her designee.

Non-response

Beginning in 1992, SAMHSA expanded efforts to obtain information from non-responding facilities. A representative sample of non-respondents was contacted and administered an abbreviated version of the survey instrument via telephone. In 1993 and later years, this effort was extended to all non-responding facilities. In 1997, a series of measures was introduced to enhance the survey response rate. These included advance notification and improved methods for updating address and contact information. In 2004 and 2005, use of these methods and intensive telephone follow-up resulted in a non-response rate of only 5 percent. For 95 percent of facilities in the sample, it was possible either to complete the survey or to determine that the facility had closed or was otherwise ineligible.

Exclusions

In 1997, facilities offering only DUI/DWI programs were excluded; these facilities were reinstated in 1998.

Facilities operated by the Bureau of Prisons (BOP) were excluded from the 1997 UFDS sur-

Table C.1
Survey contents: 1995-2005

| <i>Survey content</i> | 1995 | 1996 | 1997 & 1998 | 1999 | 2000, 2002 - 2005 |
|--|------|------|-------------|------|-------------------|
| Ownership/operation | X | X | X | X | X |
| Primary focus | | | | X | X |
| Organizational setting | X | X | X | | |
| Services offered | X | X | X | | X |
| OTP/methadone/LAAM/Buprenorphine | X | X | X | X | X |
| Languages other than English | | | | | X |
| Programs or groups for special populations | X | | X | X | X |
| Type of treatment provided | X | X | X | X | X |
| Types of payment accepted | | | | X | X |
| Managed care agreements | X | X | X | X | X |
| Sources and amounts of revenue | X | X | X | | |
| No. of clients (total and under age 18) | | | | | X |
| No. of clients by age, sex, and race/ethnicity | X | X | X | | |
| No. of beds | X | X | X | | X |
| Client substance abuse problem treated | | X | X | X | X |
| Licensure/certification of facility | X | | X | X | X |
| Licensure/certification of staff | X | | | | |

vey and subsequent surveys because SAMHSA conducted a separate survey of correctional facilities.¹ During that survey, it was discovered that jails, prisons, and other organizations treating incarcerated persons only were poorly enumerated on I-SATS. Beginning in 1999, these facilities were identified during the survey and excluded from analyses and public-use data files.

I-SATS and N-SSATS are designed to include specialty substance abuse treatment facilities rather than individuals. Solo practitioners are listed on I-SATS and surveyed in N-SSATS only if the State substance abuse agency explicitly requests that they be included.

Beginning in 2000, halfway houses that did not provide substance abuse treatment were included

on I-SATS and in N-SSATS so that they could be listed in the *National Directory of Drug and Alcohol Abuse Treatment Programs* and on the Treatment Facility Locator (<http://findtreatment.samhsa.gov>). These facilities were excluded from analyses and public-use data files.

Changes in Survey Content

Since 1992, SAMHSA has made adjustments each year to the survey design, both to minimize non-response and to include areas of emerging interest such as the role of managed care. *Table 1.3* shows the major content areas for the survey from 1995 to 2005.

ICPSR 4469

National Survey of Substance Abuse Treatment Services (N-SSATS), 2005

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on [copyright and survey instruments](#).

CASEID: Case Identification Number

Based upon 13,371 valid cases out of 13,371 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

MODE: Control: Completes 1=phone 2=mail 9=web

Mode of Data Collection

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 1 | Phone | 2952 | 22.1 % |
| 2 | Mail | 5954 | 44.5 % |
| 9 | Web | 4465 | 33.4 % |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 9

Location: 6-6 (width: 1; decimal: 0)

Variable Type: numeric

STFIPS: Census State FIPS codes label

State FIPS codes consistent with those used by the U.S. Bureau of the Census.

| Value | Label | Unweighted Frequency | % |
|-------|------------------|----------------------|--------|
| 1 | ALABAMA | 133 | 1.0 % |
| 2 | ALASKA | 79 | 0.6 % |
| 4 | ARIZONA | 212 | 1.6 % |
| 5 | ARKANSAS | 49 | 0.4 % |
| 6 | CALIFORNIA | 1739 | 13.0 % |
| 8 | COLORADO | 430 | 3.2 % |
| 9 | CONNECTICUT | 216 | 1.6 % |
| 10 | DELAWARE | 44 | 0.3 % |
| 11 | DIST OF COLUMBIA | 49 | 0.4 % |
| 12 | FLORIDA | 563 | 4.2 % |
| 13 | GEORGIA | 282 | 2.1 % |
| 15 | HAWAII | 94 | 0.7 % |
| 16 | IDAHO | 73 | 0.5 % |
| 17 | ILLINOIS | 580 | 4.3 % |
| 18 | INDIANA | 335 | 2.5 % |
| 19 | IOWA | 128 | 1.0 % |
| 20 | KANSAS | 225 | 1.7 % |
| 21 | KENTUCKY | 314 | 2.3 % |

| Value | Label | Unweighted Frequency | % |
|-------|----------------|----------------------|-------------|
| 22 | LOUISIANA | 154 | 1.2 % |
| 23 | MAINE | 202 | 1.5 % |
| 24 | MARYLAND | 356 | 2.7 % |
| 25 | MASSACHUSETTS | 309 | 2.3 % |
| 26 | MICHIGAN | 546 | 4.1 % |
| 27 | MINNESOTA | 253 | 1.9 % |
| 28 | MISSISSIPPI | 111 | 0.8 % |
| 29 | MISSOURI | 221 | 1.7 % |
| 30 | MONTANA | 46 | 0.3 % |
| 31 | NEBRASKA | 111 | 0.8 % |
| 32 | NEVADA | 86 | 0.6 % |
| 33 | NEW HAMPSHIRE | 56 | 0.4 % |
| 34 | NEW JERSEY | 358 | 2.7 % |
| 35 | NEW MEXICO | 116 | 0.9 % |
| 36 | NEW YORK | 1044 | 7.8 % |
| 37 | NORTH CAROLINA | 343 | 2.6 % |
| 38 | NORTH DAKOTA | 51 | 0.4 % |
| 39 | OHIO | 430 | 3.2 % |
| 40 | OKLAHOMA | 152 | 1.1 % |
| 41 | OREGON | 223 | 1.7 % |
| 42 | PENNSYLVANIA | 443 | 3.3 % |
| 44 | RHODE ISLAND | 58 | 0.4 % |
| 45 | SOUTH CAROLINA | 98 | 0.7 % |
| 46 | SOUTH DAKOTA | 52 | 0.4 % |
| 47 | TENNESSEE | 186 | 1.4 % |
| 48 | TEXAS | 518 | 3.9 % |
| 49 | UTAH | 120 | 0.9 % |
| 50 | VERMONT | 37 | 0.3 % |
| 51 | VIRGINIA | 192 | 1.4 % |
| 53 | WASHINGTON | 357 | 2.7 % |
| 54 | WEST VIRGINIA | 84 | 0.6 % |
| 55 | WISCONSIN | 298 | 2.2 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 78

Location: 7-8 (width: 2; decimal: 0)

Variable Type: numeric

REGION: Added: Census Region

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: American Samoa, Fed Micronesia, Guam, Palau, Puerto Rico, Virgin Islands.
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------------|
| 0 | US Jurisdiction/Territory | 161 | 1.2 % |
| 1 | Northeast | 2723 | 20.4 % |
| 2 | Midwest | 3230 | 24.2 % |
| 3 | South | 3628 | 27.1 % |
| 4 | West | 3629 | 27.1 % |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 4

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

DIVISION: Added: Census Division

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states

included in them are:

- U.S. TERRITORIES: American Samoa, Fed Micronesia, Guam, Palau, Puerto Rico, Virgin Islands.
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------------|
| 0 | US Jurisdiction/Territory | 161 | 1.2 % |
| 1 | New England | 878 | 6.6 % |
| 2 | Mid-Atlantic | 1845 | 13.8 % |
| 3 | East North Central | 2189 | 16.4 % |
| 4 | West North Central | 1041 | 7.8 % |
| 5 | South Atlantic | 2011 | 15.0 % |
| 6 | East South Central | 744 | 5.6 % |
| 7 | West South Central | 873 | 6.5 % |
| 8 | Mountain | 1137 | 8.5 % |
| 9 | Pacific | 2492 | 18.6 % |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 9

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

OTHNONTX: Offer Intake /Assessment/Refer

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(1) Intake, assessment, or referral

IF THIS IS A MENTAL HEALTH FACILITY: Please respond about the substance abuse services that may be offered at this facility.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 855 | 6.4 % |
| 1 | Yes | 12514 | 93.6 % |
| | Missing Data | | |
| -2 | Missing | 2 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,369 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 11-13 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DETOX: Offer Detox

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(2) Detoxification

IF THIS IS A MENTAL HEALTH FACILITY: Please respond about the substance abuse services that may be offered at this facility.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 10530 | 78.8 % |
| 1 | Yes | 2841 | 21.2 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 14-16 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TREATMT: Offer SA Tx

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(3) Substance abuse treatment (services that focus on initiating and maintaining an individual's recovery from substance abuse and on averting relapse)

IF THIS IS A MENTAL HEALTH FACILITY: Please respond about the substance abuse services that may be offered at this facility.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 246 | 1.8 % |
| 1 | Yes | 13125 | 98.2 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 17-19 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ADMIN: Offer Other SA Services

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(4) Any other substance abuse services

IF THIS IS A MENTAL HEALTH FACILITY: Please respond about the substance abuse services that may be offered at this facility.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | No | 5601 | 41.9 % |
| 1 | Yes | 4732 | 35.4 % |
| | Missing Data | | |
| -7 | Not Applicable | 2952 | 22.1 % |
| -2 | Missing | 86 | 0.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 13,371 | 100% |

Based upon 10,333 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 20-22 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FOCUS: Is Primary focus SA Tx/MH/Mix/GH/Other

2. What is the primary focus of this facility at this location, that is, the location listed on the front cover?

MARK ONE ONLY

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Substance abuse treatment services | 8307 | 62.1 % |
| 2 | Mental health services | 1063 | 8.0 % |
| 3 | Mix of mental health and substance abuse | 3568 | 26.7 % |
| 4 | General health care | 249 | 1.9 % |
| 5 | Other | 184 | 1.4 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 5

Location: 23-25 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OWNERSHP: Ownership

3. Is this facility operated by . . .

MARK ONLY ONE

If 1 or 2 then Skip to Q.4

If 3, 4, or 5 then Skip to Q.7

If 6 then continue to Q.3a

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Private for-profit organization | 3571 | 26.7 % |
| 2 | Private non-profit organization | 7912 | 59.2 % |
| 3 | State government | 453 | 3.4 % |
| 4 | Local, county, or community government | 947 | 7.1 % |
| 5 | Tribal government | 170 | 1.3 % |
| 6 | Federal government | 318 | 2.4 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 6

Location: 26-28 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FEDOWN: Federal Government Agency

3a. Which federal government agency?

MARK ONLY ONE

Skip to Q.7

| Value | Label | Unweighted Frequency | % |
|-------|--------------------------------|----------------------|-------------|
| 1 | Department of Veterans Affairs | 186 | 1.4 % |
| 2 | Department of Defense | 93 | 0.7 % |
| 3 | Indian Health Service | 35 | 0.3 % |
| 4 | Other | 4 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 13053 | 97.6 % |
| | Total | 13,371 | 100% |

Based upon 318 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 4

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LOC15: Solo practice

4. Is this facility a solo practice, meaning, an office with a single practitioner or therapist?

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------|----------------------|-------------|
| 0 | No | 10601 | 79.3 % |
| 1 | Yes | 855 | 6.4 % |
| Missing Data | | | |
| -6 | Logical Skip | 1883 | 14.1 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 27 | 0.2 % |
| -1 | Don't Know | 4 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 11,456 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 32-34 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RELIG: Affiliated w/ religious organization

5. Is this facility affiliated with a religious organization?

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------|----------------------|-------------|
| 0 | No | 10536 | 78.8 % |
| 1 | Yes | 889 | 6.6 % |
| Missing Data | | | |
| -6 | Logical Skip | 1883 | 14.1 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 57 | 0.4 % |
| -1 | Don't Know | 5 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 11,425 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 35-37 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HOSPITAL: Located in/operated by hospital

7. Is this facility located in, or operated by, a hospital?

If No, Skip to Q.9

| Value | Label | Unweighted Frequency | % |
|---------------------|---------|----------------------|-------------|
| 0 | No | 11578 | 86.6 % |
| 1 | Yes | 1768 | 13.2 % |
| Missing Data | | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 23 | 0.2 % |
| Total | | 13,371 | 100% |

Based upon 13,346 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LOCS: Hospital Type

7a. What type of hospital?

MARK ONE ONLY

| Value | Label | Unweighted Frequency | % |
|---------------------|---------------------------------|----------------------|-------------|
| 1 | General hospital (including VA) | 1402 | 10.5 % |
| 2 | Psychiatric hospital | 296 | 2.2 % |
| 3 | Other specialty hospital | 52 | 0.4 % |
| Missing Data | | | |
| -6 | Logical Skip | 11603 | 86.8 % |
| -2 | Missing | 16 | 0.1 % |
| -1 | Don't Know | 2 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 1,750 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 3

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HOTYN: Hotline - yes/no

9. Does this facility operate a hotline that responds to substance abuse problems?

A hotline is a telephone service that provides information,

referral, or immediate counseling, frequently in a crisis situation.

If this facility is part of a group of facilities that operates a central hotline to respond to substance abuse problems, you should mark "yes."

Do not consider 911 or the local police number a hotline for the purpose of this survey.

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 10291 | 77.0 % |
| 1 | Yes | 3060 | 22.9 % |
| Missing Data | | | |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 15 | 0.1 % |
| -1 | Don't Know | 4 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 13,351 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC1: Assessment comprehensive SA

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Assessment Services:

- (1) Comprehensive substance abuse assessment or diagnosis

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 927 | 6.9 % |
| 1 | Yes | 12397 | 92.7 % |
| Missing Data | | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 42 | 0.3 % |
| -1 | Don't Know | 3 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 13,324 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC2: Assessment mental health

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Assessment Services:

(2) Comprehensive mental health assessment or diagnosis (for example, psychological or psychiatric evaluation and testing)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 7005 | 52.4 % |
| 1 | Yes | 5760 | 43.1 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 601 | 4.5 % |
| -1 | Don't Know | 3 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 12,765 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC4: Therapy family counseling

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:

(3) Family counseling

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | No | 3081 | 23.0 % |
| 1 | Yes | 10114 | 75.6 % |
| | Missing Data | | |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 174 | 1.3 % |
| | Total | 13,371 | 100% |

Based upon 13,195 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC5: Therapy group

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:

(4) Group therapy, not including relapse prevention

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 1284 | 9.6 % |
| 1 | Yes | 12006 | 89.8 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 79 | 0.6 % |
| | Total | 13,371 | 100% |

Based upon 13,290 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC6: Therapy individual

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:

(5) Individual therapy

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 686 | 5.1 % |
| 1 | Yes | 12638 | 94.5 % |
| Missing Data | | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 43 | 0.3 % |
| -1 | Don't Know | 2 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 13,324 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC8: Therapy relapse prevention

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:
(6) Relapse prevention groups

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 2477 | 18.5 % |
| 1 | Yes | 10723 | 80.2 % |
| Missing Data | | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 165 | 1.2 % |
| -1 | Don't Know | 4 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 13,200 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC27: Therapy aftercare counseling

10. Which of the following services are provided by this

facility at this location, that is, the location listed on the front cover?

Substance Abuse Therapy and Counseling:
(7) Aftercare counseling

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 2823 | 21.1 % |
| 1 | Yes | 10363 | 77.5 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 178 | 1.3 % |
| -1 | Don't Know | 5 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,186 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC70: Pharmacotherapies Antabuse

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:
(8) Antabuse

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 11055 | 82.7 % |
| 1 | Yes | 2114 | 15.8 % |
| | Missing Data | | |
| -4 | Refused | 3 | 0.0 % |
| -2 | Missing | 180 | 1.3 % |
| -1 | Don't Know | 19 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 13,169 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC71: Pharmacotherapies Naltrexone

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(9) Naltrexone

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 11486 | 85.9 % |
| 1 | Yes | 1621 | 12.1 % |
| | Missing Data | | |
| -4 | Refused | 3 | 0.0 % |
| -2 | Missing | 211 | 1.6 % |
| -1 | Don't Know | 50 | 0.4 % |
| | Total | 13,371 | 100% |

Based upon 13,107 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC88: Pharmacotherapies Campral

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(10) Campral

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 11969 | 89.5 % |
| 1 | Yes | 1090 | 8.2 % |
| | Missing Data | | |
| -4 | Refused | 4 | 0.0 % |
| -2 | Missing | 245 | 1.8 % |
| -1 | Don't Know | 63 | 0.5 % |
| | Total | 13,371 | 100% |

Based upon 13,059 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC86: Pharmacotherapies Buprenorphine - Subutex

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(11) Buprenorphine - Subutex

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 12341 | 92.3 % |
| 1 | Yes | 682 | 5.1 % |
| | Missing Data | | |
| -4 | Refused | 3 | 0.0 % |
| -2 | Missing | 271 | 2.0 % |
| -1 | Don't Know | 74 | 0.6 % |
| | Total | 13,371 | 100% |

Based upon 13,023 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC87: Pharmacotherapies Buprenorphine - Suboxone

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(12) Buprenorphine - Suboxone

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | No | 12033 | 90.0 % |
| 1 | Yes | 1028 | 7.7 % |
| | Missing Data | | |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| -4 | Refused | 4 | 0.0 % |
| -2 | Missing | 227 | 1.7 % |
| -1 | Don't Know | 79 | 0.6 % |
| | Total | 13,371 | 100% |

Based upon 13,061 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC85: Pharmacotherapies Methadone

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Pharmacotherapies:

(13) Methadone

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 11860 | 88.7 % |
| 1 | Yes | 1292 | 9.7 % |
| | Missing Data | | |
| -4 | Refused | 3 | 0.0 % |
| -2 | Missing | 195 | 1.5 % |
| -1 | Don't Know | 21 | 0.2 % |
| | Total | 13,371 | 100% |

Based upon 13,152 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC10: Testing blood/alcohol

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(14) Breathalyzer or other blood alcohol testing

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 5855 | 43.8 % |
| 1 | Yes | 7405 | 55.4 % |
| Missing Data | | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 106 | 0.8 % |
| -1 | Don't Know | 3 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 13,260 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC11: Testing drug/alcohol urine screen

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(15) Drug or alcohol urine screening

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 2417 | 18.1 % |
| 1 | Yes | 10914 | 81.6 % |
| Missing Data | | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 36 | 0.3 % |
| -1 | Don't Know | 2 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 13,331 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 89-91 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC73: Testing Hepatitis B

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:
 (16) Screening for Hepatitis B

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 10220 | 76.4 % |
| 1 | Yes | 2871 | 21.5 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 267 | 2.0 % |
| -1 | Don't Know | 11 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 13,091 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 92-94 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC74: Testing Hepatitis C

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:
 (17) Screening for Hepatitis C

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | No | 10120 | 75.7 % |
| 1 | Yes | 2988 | 22.3 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 248 | 1.9 % |
| -1 | Don't Know | 13 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 13,108 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC14: Testing HIV

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:

(18) HIV testing

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 9086 | 68.0 % |
| 1 | Yes | 4090 | 30.6 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 189 | 1.4 % |
| -1 | Don't Know | 4 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,176 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC15: Testing STD

10. Which of the following services are provided by this

facility at this location, that is, the location listed on the front cover?

Testing:
(19) STD testing

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 10246 | 76.6 % |
| 1 | Yes | 2871 | 21.5 % |
| Missing Data | | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 242 | 1.8 % |
| -1 | Don't Know | 10 | 0.1 % |
| Total | | 13,371 | 100% |

Based upon 13,117 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC16: Testing TB screen

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Testing:
(20) TB screening

Include tests performed at this location, even if specimen is sent to outside source for chemical analysis.

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 8681 | 64.9 % |
| 1 | Yes | 4489 | 33.6 % |
| Missing Data | | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 193 | 1.4 % |
| -1 | Don't Know | 6 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 13,170 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC36: Transitional Assist. Social Services

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Transitional Services:

(21) Assistance with obtaining social services

(for example, Medicaid, WIC, SSI, SSDI)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 5955 | 44.5 % |
| 1 | Yes | 7288 | 54.5 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 120 | 0.9 % |
| -1 | Don't Know | 6 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,243 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 107-109 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC37: Transitional Discharge Plan

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Transitional Services:

(22) Discharge planning

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | No | 2015 | 15.1 % |
| 1 | Yes | 11319 | 84.7 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 27 | 0.2 % |
| -1 | Don't Know | 8 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 13,334 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC38: Transitional Employment

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Transitional Services:

(23) Employment counseling or training for clients

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 8491 | 63.5 % |
| 1 | Yes | 4733 | 35.4 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 145 | 1.1 % |
| | Total | 13,371 | 100% |

Based upon 13,224 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC39: Transitional Housing Assist

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Transitional Services:

(24) Assistance in locating housing for clients

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 6156 | 46.0 % |
| 1 | Yes | 7058 | 52.8 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 147 | 1.1 % |
| -1 | Don't Know | 8 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 13,214 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC49: Other Services Case Management

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(25) Case management services

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 4134 | 30.9 % |
| 1 | Yes | 9180 | 68.7 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 52 | 0.4 % |
| -1 | Don't Know | 3 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,314 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC50: Other Child Care

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(26) Child care for clients' children

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 12064 | 90.2 % |
| 1 | Yes | 1161 | 8.7 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 143 | 1.1 % |
| -1 | Don't Know | 1 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,225 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC52: Other Domestic Violence

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(27) Domestic violence-family or partner violence services (physical, sexual, and emotional abuse)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 9023 | 67.5 % |
| 1 | Yes | 4216 | 31.5 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 123 | 0.9 % |
| -1 | Don't Know | 7 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 13,239 valid cases out of 13,371 total cases.

- Minimum: 0

- Maximum: 1

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC24: Other HIV/AIDS Edu

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(28) HIV or AIDS education, counseling, or support

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 6013 | 45.0 % |
| 1 | Yes | 7270 | 54.4 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 78 | 0.6 % |
| -1 | Don't Know | 8 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 13,283 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 128-130 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC55: Other Outcome Follow-Up

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(29) Outcome follow-up after discharge

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | No | 6014 | 45.0 % |
| 1 | Yes | 7261 | 54.3 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 86 | 0.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| -1 | Don't Know | 8 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 13,275 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 131-133 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC59: Other Transportation Assistance

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(30) Transportation assistance to treatment

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 8640 | 64.6 % |
| 1 | Yes | 4612 | 34.5 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 113 | 0.8 % |
| -1 | Don't Know | 4 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,252 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 134-136 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC48: Other Acupuncture

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(31) Acupuncture

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 12609 | 94.3 % |
| 1 | Yes | 588 | 4.4 % |
| Missing Data | | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 171 | 1.3 % |
| -1 | Don't Know | 1 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 13,197 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC75: Other Residential Beds for Client's children

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

Other Services:

(32) Residential beds for clients' children

| Value | Label | Unweighted Frequency | % |
|---------------------|---------|----------------------|-------------|
| 0 | No | 12606 | 94.3 % |
| 1 | Yes | 582 | 4.4 % |
| Missing Data | | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 181 | 1.4 % |
| Total | | 13,371 | 100% |

Based upon 13,188 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 140-142 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTP: Does facility operate an Opioid Treatment Program?

11. Does this facility operate an Opioid Treatment Program (OTP) at this location?

Opioid Treatment Programs are certified by SAMHSA's Center for Substance Abuse Treatment to use opioid drugs such as methadone or buprenorphine in the treatment of opiate (narcotic) addiction.

If No, Skip to Q.12

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 12302 | 92.0 % |
| 1 | Yes | 1069 | 8.0 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 143-145 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTPTYPE: Is OTP a Maintenance/Detoxification program or Both?

11a. Is the Opioid Treatment Program at this location a maintenance program, a detoxification program, or both?

MARK ONE ONLY

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 1 | Maintenance program | 399 | 3.0 % |
| 2 | Detoxification program | 86 | 0.6 % |
| 3 | Both | 584 | 4.4 % |
| | Missing Data | | |
| -6 | Logical Skip | 12302 | 92.0 % |
| | Total | 13,371 | 100% |

Based upon 1,069 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 3

Location: 146-148 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTPALL: All Clients in OTP?

11b. Are ALL of the substance abuse clients at this facility currently in the Opioid Treatment Program?

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------|----------------------|-------------|
| 0 | No | 341 | 2.6 % |
| 1 | Yes | 704 | 5.3 % |
| Missing Data | | | |
| -6 | Logical Skip | 12325 | 92.2 % |
| -2 | Missing | 1 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 1,045 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 149-151 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

DUI_DWI: Program for DUI/DWI/other offenders

12. Does this facility offer a special program for DUI/DWI or other drunk driver offenders at this location?

Mark "yes" if this facility serves only DUI/DWI clients
OR if this facility has a special DUI/DWI program.

If No, Skip to Q.13

| Value | Label | Unweighted Frequency | % |
|---------------------|---------|----------------------|-------------|
| 0 | No | 9072 | 67.8 % |
| 1 | Yes | 4207 | 31.5 % |
| Missing Data | | | |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 91 | 0.7 % |
| Total | | 13,371 | 100% |

Based upon 13,279 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 152-154 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ONLYDUI: Are all clients in DUI/DWI program?

12a. Are ALL of the substance abuse treatment clients at this facility enrolled in the DUI/DWI program?

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------|----------------------|-------------|
| 0 | No | 3913 | 29.3 % |
| 1 | Yes | 278 | 2.1 % |
| Missing Data | | | |
| -6 | Logical Skip | 9164 | 68.5 % |
| -2 | Missing | 15 | 0.1 % |
| -1 | Don't Know | 1 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 4,191 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 155-157 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SIGNLANG: Does Facility offer sign language?

13. Does this facility provide substance abuse treatment services in sign language (for example, American Sign Language, Signed English, or Cued Speech) for the hearing impaired at this location?

Mark "yes" if either a staff counselor or an on-call interpreter provides this service.

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 9397 | 70.3 % |
| 1 | Yes | 3912 | 29.3 % |
| Missing Data | | | |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 54 | 0.4 % |
| -1 | Don't Know | 7 | 0.1 % |
| Total | | 13,371 | 100% |

Based upon 13,309 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 158-160 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG: Tx in language other than English-y/n

14. Does this facility provide substance abuse treatment services in a language other than English at this location?

Mark "yes" if either a staff counselor or an on-call interpreter provides this service.

If No, Skip to Q.15

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 7048 | 52.7 % |
| 1 | Yes | 6307 | 47.2 % |
| Missing Data | | | |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 10 | 0.1 % |
| -1 | Don't Know | 4 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 13,355 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 161-163 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANGPROV: Who Tx in language other than English

14a. At this facility, who provides substance abuse treatment services in a language other than English?

MARK ONE ONLY

- 1. Staff counselor who speaks a language other than English
(Skip to Q.14b)
- 2. On-call interpreter brought in when needed (Skip to Q.15)
- 3. BOTH staff counselor and on-call interpreter
(Skip to Q.14b)

| Value | Label | Unweighted Frequency | % |
|---------------------|---------------------|----------------------|--------|
| 1 | Staff counselor | 2708 | 20.3 % |
| 2 | On-call interpreter | 2352 | 17.6 % |
| 3 | Both | 1226 | 9.2 % |
| Missing Data | | | |
| -6 | Logical Skip | 7064 | 52.8 % |
| -2 | Missing | 19 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|--------------|------------|----------------------|-------------|
| -1 | Don't Know | 2 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 6,286 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 3

Location: 164-166 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG1: Hopi

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(1) Hopi

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------|----------------------|-------------|
| 0 | No | 3863 | 28.9 % |
| 1 | Yes | 12 | 0.1 % |
| Missing Data | | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 57 | 0.4 % |
| -1 | Don't Know | 2 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 3,875 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 167-169 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG2: Lakota

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(2) Lakota

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | No | 3854 | 28.8 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 18 | 0.1 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 59 | 0.4 % |
| -1 | Don't Know | 3 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,872 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 170-172 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG3: Navajo

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(3) Navajo

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3818 | 28.6 % |
| 1 | Yes | 52 | 0.4 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 62 | 0.5 % |
| -1 | Don't Know | 2 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,870 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 173-175 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG4: Yupik

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(4) Yupik

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3854 | 28.8 % |
| 1 | Yes | 9 | 0.1 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 69 | 0.5 % |
| -1 | Don't Know | 2 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,863 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 176-178 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG5: Tx in Other American Indian/Alaska Native

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(5) Other American Indian or Alaska Native language

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3789 | 28.3 % |
| 1 | Yes | 66 | 0.5 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 77 | 0.6 % |
| -1 | Don't Know | 2 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,855 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG6: Arabic

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(6) Arabic

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------|----------------------|-------------|
| 0 | No | 3800 | 28.4 % |
| 1 | Yes | 67 | 0.5 % |
| Missing Data | | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 65 | 0.5 % |
| -1 | Don't Know | 2 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 3,867 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG7: Chinese

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(7) Chinese

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------|----------------------|-------------|
| 0 | No | 3776 | 28.2 % |
| 1 | Yes | 87 | 0.7 % |
| Missing Data | | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 69 | 0.5 % |
| -1 | Don't Know | 2 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 3,863 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG8: Creole

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(8) Creole

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3777 | 28.2 % |
| 1 | Yes | 88 | 0.7 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 66 | 0.5 % |
| -1 | Don't Know | 3 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,865 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG9: French

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(9) French

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3661 | 27.4 % |
| 1 | Yes | 205 | 1.5 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 65 | 0.5 % |
| -1 | Don't Know | 3 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,866 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG10: German

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(10) German

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3776 | 28.2 % |
| 1 | Yes | 88 | 0.7 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 67 | 0.5 % |
| -1 | Don't Know | 3 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,864 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 194-196 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG11: Hmong

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(11) Hmong

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3812 | 28.5 % |
| 1 | Yes | 47 | 0.4 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 71 | 0.5 % |
| -1 | Don't Know | 4 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,859 valid cases out of 13,371 total cases.

- Minimum: 0

- Maximum: 1

Location: 197-199 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG12: Korean

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(12) Korean

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3800 | 28.4 % |
| 1 | Yes | 54 | 0.4 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 76 | 0.6 % |
| -1 | Don't Know | 4 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,854 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 200-202 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG13: Polish

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(13) Polish

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3747 | 28.0 % |
| 1 | Yes | 110 | 0.8 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 74 | 0.6 % |
| -1 | Don't Know | 3 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,857 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 203-205 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG14: Portuguese

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(14) Portuguese

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3740 | 28.0 % |
| 1 | Yes | 120 | 0.9 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 71 | 0.5 % |
| -1 | Don't Know | 3 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,860 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG15: Russian

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(15) Russian

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | No | 3696 | 27.6 % |
| 1 | Yes | 160 | 1.2 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 76 | 0.6 % |
| -1 | Don't Know | 2 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 13,371 | 100% |

Based upon 3,856 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 209-211 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG16: Spanish

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(16) Spanish

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 294 | 2.2 % |
| 1 | Yes | 3608 | 27.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 32 | 0.2 % |
| | Total | 13,371 | 100% |

Based upon 3,902 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 212-214 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG17: Vietnamese

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(17) Vietnamese

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | No | 3771 | 28.2 % |
| 1 | Yes | 90 | 0.7 % |
| | Missing Data | | |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 70 | 0.5 % |
| -1 | Don't Know | 3 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,861 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 215-217 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LANG18: Other Language

14b. In what other languages do staff counselors provide substance abuse treatment at this facility?

(18) Other language

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3433 | 25.7 % |
| 1 | Yes | 306 | 2.3 % |
| | Missing Data | | |
| -6 | Logical Skip | 9437 | 70.6 % |
| -2 | Missing | 192 | 1.4 % |
| -1 | Don't Know | 3 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,739 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC76: Accepts adolescents

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate

whether this facility accepts these clients into treatment at this location.

(1) Adolescents

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 6582 | 49.2 % |
| 1 | Yes | 6770 | 50.6 % |
| | Missing Data | | |
| -2 | Missing | 19 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 13,352 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC30: Program/gr'p for adolescents

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(1) Adolescents

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 2416 | 18.1 % |
| 1 | Yes | 4299 | 32.2 % |
| | Missing Data | | |
| -6 | Logical Skip | 6601 | 49.4 % |
| -2 | Missing | 54 | 0.4 % |
| -1 | Don't Know | 1 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 6,715 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 224-226 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC31: Program/gr'p for co-occurring

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(2) Clients with co-occurring mental and substance abuse disorders

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 7048 | 52.7 % |
| 1 | Yes | 5024 | 37.6 % |
| | Missing Data | | |
| -6 | Logical Skip | 1181 | 8.8 % |
| -5 | Multiple Responses | 1 | 0.0 % |
| -2 | Missing | 111 | 0.8 % |
| -1 | Don't Know | 6 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 12,072 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 227-229 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC61: Program/gr'p for crimn'l justice clients

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(3) Criminal justice clients (other than DUI/DWI)

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------------|----------------------|-------------|
| 0 | No | 8137 | 60.9 % |
| 1 | Yes | 3746 | 28.0 % |
| Missing Data | | | |
| -6 | Logical Skip | 1374 | 10.3 % |
| -5 | Multiple Responses | 2 | 0.0 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 108 | 0.8 % |
| -1 | Don't Know | 3 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 11,883 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 230-232 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC32: Program/gr'p for persons with HIV/AIDS

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(4) Persons with HIV or AIDS

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------|----------------------|-------------|
| 0 | No | 11089 | 82.9 % |
| 1 | Yes | 1526 | 11.4 % |
| Missing Data | | | |
| -6 | Logical Skip | 636 | 4.8 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 118 | 0.9 % |
| -1 | Don't Know | 1 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 12,615 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 233-235 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC62: Program/gr'p for gays/lesbians

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(5) Gays or lesbians

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 12038 | 90.0 % |
| 1 | Yes | 792 | 5.9 % |
| | Missing Data | | |
| -6 | Logical Skip | 414 | 3.1 % |
| -5 | Multiple Responses | 1 | 0.0 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 123 | 0.9 % |
| -1 | Don't Know | 2 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 12,830 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC63: Program/gr'p for seniors

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(6) Seniors or older adults

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------------|----------------------|-------------|
| 0 | No | 10742 | 80.3 % |
| 1 | Yes | 970 | 7.3 % |
| Missing Data | | | |
| -6 | Logical Skip | 1537 | 11.5 % |
| -5 | Multiple Responses | 1 | 0.0 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 118 | 0.9 % |
| -1 | Don't Know | 2 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 11,712 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 239-241 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC83: Accepts women

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

(7) Adult women

| Value | Label | Unweighted Frequency | % |
|---------------------|---------|----------------------|-------------|
| 0 | No | 1814 | 13.6 % |
| 1 | Yes | 11521 | 86.2 % |
| Missing Data | | | |
| -2 | Missing | 36 | 0.3 % |
| Total | | 13,371 | 100% |

Based upon 13,335 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 242-244 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC34: Program/gr'p for women

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(7) Adult women

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 7018 | 52.5 % |
| 1 | Yes | 4380 | 32.8 % |
| | Missing Data | | |
| -6 | Logical Skip | 1850 | 13.8 % |
| -5 | Multiple Responses | 1 | 0.0 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 115 | 0.9 % |
| -1 | Don't Know | 6 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 11,398 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 245-247 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC33: Program/gr'p for preg't/postpart'm women

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(8) Pregnant or postpartum women

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 8942 | 66.9 % |
| 1 | Yes | 1880 | 14.1 % |
| | Missing Data | | |
| -6 | Logical Skip | 2440 | 18.2 % |
| -5 | Multiple Responses | 1 | 0.0 % |
| -2 | Missing | 106 | 0.8 % |
| -1 | Don't Know | 2 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 10,822 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC84: Accepts men

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column A - For each type of client listed below: Indicate whether this facility accepts these clients into treatment at this location.

(9) Adult men

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 1835 | 13.7 % |
| 1 | Yes | 11485 | 85.9 % |
| | Missing Data | | |
| -2 | Missing | 51 | 0.4 % |
| | Total | 13,371 | 100% |

Based upon 13,320 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 251-253 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC64: Program/gr'p for men

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(9) Adult men

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 7987 | 59.7 % |
| 1 | Yes | 3348 | 25.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 1886 | 14.1 % |
| -2 | Missing | 148 | 1.1 % |
| -1 | Don't Know | 2 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 11,335 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 254-256 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

SRVC35: Program/gr'p for other groups

15. This question has two parts. Column A asks about the types of clients accepted into treatment at this facility. Column B asks whether this facility offers specially designed treatment programs or groups for each type of client.

Column B - For each yes in Column A: Indicate whether this facility offers a specially designed substance abuse treatment program or group exclusively for that type of client at this location.

(10) Specially designed programs or groups for any other types of clients

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 11628 | 87.0 % |
| 1 | Yes | 1591 | 11.9 % |
| | Missing Data | | |
| -2 | Missing | 150 | 1.1 % |
| -1 | Don't Know | 2 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,219 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 257-259 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE4: Hosp Inpat'nt SA care offered currently

16. Does this facility offer HOSPITAL INPATIENT substance abuse services at this location, that is, the location listed on the front cover?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 12385 | 92.6 % |
| 1 | Yes | 986 | 7.4 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 260-262 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEHI1: Hosp Inpat'nt Detoxification care offered

16. Does this facility offer either of the following HOSPITAL INPATIENT substance abuse services at this location, that is, the location listed on the front cover?

- (1) Inpatient detoxification

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 12537 | 93.8 % |
| 1 | Yes | 834 | 6.2 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 263-265 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEH12: Hosp Inpat'nt Rehabilitation care offered

16. Does this facility offer either of the following HOSPITAL INPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(2) Inpatient treatment

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 12718 | 95.1 % |
| 1 | Yes | 653 | 4.9 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 266-268 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE7: Non-hosp Res SA care offered currently

17. Does this facility offer RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 9693 | 72.5 % |
| 1 | Yes | 3678 | 27.5 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 269-271 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPERC1: Non-hosp Res Detoxification care offered

17. Does this facility offer any of the following RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

(1) Residential detoxification

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 12465 | 93.2 % |
| 1 | Yes | 905 | 6.8 % |
| | Missing Data | | |
| -1 | Don't Know | 1 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,370 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 272-274 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPERC3: Non-hosp Res Short Term Tx

17. Does this facility offer any of the following RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

(2) Residential short-term treatment (30 days or less)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 11792 | 88.2 % |
| 1 | Yes | 1579 | 11.8 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 275-277 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPERC4: Non-hosp Res Long Term Tx

17. Does this facility offer any of the following RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

(3) Residential long-term treatment (more than 30 days)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 10337 | 77.3 % |
| 1 | Yes | 3034 | 22.7 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 278-280 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE1: Any Outpat'nt SA care offered currently

18. Does this facility offer OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 2563 | 19.2 % |
| 1 | Yes | 10807 | 80.8 % |
| | Missing Data | | |
| -1 | Don't Know | 1 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,370 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 281-283 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE6: Outpatient Detox offered currently

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(1) Outpatient detoxification

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 11914 | 89.1 % |
| 1 | Yes | 1455 | 10.9 % |
| Missing Data | | | |
| -1 | Don't Know | 2 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 13,369 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 284-286 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEML: Outpatient Mathadone maintenance offered

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(2) Outpatient methadone/buprenorphine maintenance

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 12142 | 90.8 % |
| 1 | Yes | 1225 | 9.2 % |
| Missing Data | | | |
| -1 | Don't Know | 4 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 13,367 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 287-289 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPEOP: Day Tx/Partial Hosp offered currently

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(3) Outpatient day treatment or partial hospitalization (20 or more hours per week)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 11510 | 86.1 % |
| 1 | Yes | 1859 | 13.9 % |
| | Missing Data | | |
| -1 | Don't Know | 2 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,369 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 290-292 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE2: Intensive Outpat'nt offered currently

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(4) Intensive outpatient treatment (a minimum of 2 hours per day on 3 or more days per week)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 7672 | 57.4 % |
| 1 | Yes | 5698 | 42.6 % |
| | Missing Data | | |
| -2 | Missing | 1 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,370 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 293-295 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYPE3: Regular Outpat'nt offered currently

18. Does this facility offer any of the following OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

(5) Regular outpatient treatment
(fewer hours per week than intensive)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 3679 | 27.5 % |
| 1 | Yes | 9690 | 72.5 % |
| | Missing Data | | |
| -4 | Refused | 2 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,369 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 296-298 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FEESCALE: Uses sliding fee scale

19. Does this facility use a sliding fee scale?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 4845 | 36.2 % |
| 1 | Yes | 8474 | 63.4 % |
| | Missing Data | | |
| -2 | Missing | 25 | 0.2 % |
| -1 | Don't Know | 27 | 0.2 % |
| | Total | 13,371 | 100% |

Based upon 13,319 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 299-301 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

PAYASST: Offers no charge or free tx

19b. Does this facility offer treatment at no charge to clients who cannot afford to pay?

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------------|----------------------|-------------|
| 0 | No | 6113 | 45.7 % |
| 1 | Yes | 7186 | 53.7 % |
| Missing Data | | | |
| -5 | Multiple Responses | 1 | 0.0 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 46 | 0.3 % |
| -1 | Don't Know | 24 | 0.2 % |
| Total | | 13,371 | 100% |

Based upon 13,299 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 302-304 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK1: Accepts cash or self-payment

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(1) Cash or self-payment

| Value | Label | Unweighted Frequency | % |
|---------------------|------------|----------------------|-------------|
| 0 | No | 1106 | 8.3 % |
| 1 | Yes | 12127 | 90.7 % |
| Missing Data | | | |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 27 | 0.2 % |
| -1 | Don't Know | 110 | 0.8 % |
| Total | | 13,371 | 100% |

Based upon 13,233 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 305-307 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK8: Accepts Medicare payments

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(2) Medicare

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 8162 | 61.0 % |
| 1 | Yes | 4504 | 33.7 % |
| | Missing Data | | |
| -5 | Multiple Responses | 2 | 0.0 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 27 | 0.2 % |
| -1 | Don't Know | 675 | 5.0 % |
| | Total | 13,371 | 100% |

Based upon 12,666 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 308-310 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK5: Accepts Medicaid payments

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(3) Medicaid

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 5823 | 43.5 % |
| 1 | Yes | 7065 | 52.8 % |
| | Missing Data | | |
| -5 | Multiple Responses | 2 | 0.0 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 27 | 0.2 % |
| -1 | Don't Know | 453 | 3.4 % |
| | Total | 13,371 | 100% |

Based upon 12,888 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 311-313 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK10: Accepts state financed health ins

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(4) A state-financed health insurance plan other than Medicaid (for example, State Children's Health Insurance Program (SCHIP) or high risk insurance pools)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 7242 | 54.2 % |
| 1 | Yes | 4845 | 36.2 % |
| | Missing Data | | |
| -5 | Multiple Responses | 2 | 0.0 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 26 | 0.2 % |
| -1 | Don't Know | 1255 | 9.4 % |
| | Total | 13,371 | 100% |

Based upon 12,087 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 314-316 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK15: Accepts Federal military insurance

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(5) Federal military insurance such as TRICARE or Champ VA

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 7467 | 55.8 % |
| 1 | Yes | 4511 | 33.7 % |
| | Missing Data | | |
| -5 | Multiple Responses | 6 | 0.0 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 29 | 0.2 % |
| -1 | Don't Know | 1357 | 10.1 % |
| | Total | 13,371 | 100% |

Based upon 11,978 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 317-319 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK2: Accepts Private Health insurance

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(6) Private health insurance

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 4122 | 30.8 % |
| 1 | Yes | 8871 | 66.3 % |
| | Missing Data | | |
| -5 | Multiple Responses | 2 | 0.0 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 28 | 0.2 % |
| -1 | Don't Know | 347 | 2.6 % |
| | Total | 13,371 | 100% |

Based upon 12,993 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 320-322 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK3: Accepts Free Tx to all Clients

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(7) No payment accepted (free treatment for ALL clients)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | No | 12776 | 95.6 % |
| 1 | Yes | 539 | 4.0 % |
| | Missing Data | | |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 26 | 0.2 % |
| -1 | Don't Know | 29 | 0.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 13,371 | 100% |

Based upon 13,315 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 323-325 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

REVCHK2A: Accepts Other Payments

20. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

(8) Other

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 8016 | 60.0 % |
| 1 | Yes | 397 | 3.0 % |
| | Missing Data | | |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 1628 | 12.2 % |
| -1 | Don't Know | 3329 | 24.9 % |
| | Total | 13,371 | 100% |

Based upon 8,413 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 326-328 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

EARMARK: Receive any Fed,State,C'ty,Local Funds

21. Does this facility receive any public funds such as federal, state, county, or local government funds for substance abuse treatment programs?

Do not include Medicare, Medicaid, or federal military insurance.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | No | 4488 | 33.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Yes | 8572 | 64.1 % |
| | Missing Data | | |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 30 | 0.2 % |
| -1 | Don't Know | 280 | 2.1 % |
| | Total | 13,371 | 100% |

Based upon 13,060 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 329-331 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

WRITARRA: Agrmnts/contrs w/Mang'd Care Org

22. Does this facility have agreements or contracts with managed care organizations for providing substance abuse treatment services?

Managed care organizations have agreements with certain health care providers who give services to plan members, usually at discounted rates. Examples include managed behavioral healthcare organizations (MBHOs), health maintenance organizations (HMOs), and preferred provider organizations (PPOs).

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 6394 | 47.8 % |
| 1 | Yes | 6317 | 47.2 % |
| | Missing Data | | |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 43 | 0.3 % |
| -1 | Don't Know | 616 | 4.6 % |
| | Total | 13,371 | 100% |

Based upon 12,711 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 332-334 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHFAC2: Client counts-This Facility Only

23. Questions 24 through 28 ask about the number of clients in treatment at this facility at specified times.

Please check the option below that best describes how client counts will be reported in these questions.

(1) Questions 24 through 28 will include client counts for this facility alone -> Skip to Q24 (Page 7)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 1629 | 12.2 % |
| 1 | Yes | 11742 | 87.8 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 335-337 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHFAC1: Client counts-Fac Combined w/Others

23. Questions 24 through 28 ask about the number of clients in treatment at this facility at specified times.

Please check the option below that best describes how client counts will be reported in these questions.

(2) Questions 24 through 28 will include client counts for this facility combined with other facilities -> Skip to Q24 (Page 7)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 12722 | 95.1 % |
| 1 | Yes | 649 | 4.9 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 338-340 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHFAC3: Cannot Provide Any Client Counts

(23) Questions 24 through 28 ask about the number of clients in treatment at this facility at specified times.

Please check the option below that best describes how client counts will be reported in these questions.

(3) Client counts for this facility will be reported by another facility -> Skip to Q31 (Page 10)

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 12391 | 92.7 % |
| 1 | Yes | 980 | 7.3 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 341-343 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TYPE4: Any patients rec'd Hosp Inpat'nt SA services, 3/31/05

24. On March 31, 2005, did any patients receive HOSPITAL INPATIENT substance abuse services at this facility?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 11527 | 86.2 % |
| 1 | Yes | 843 | 6.3 % |
| | Missing Data | | |
| -6 | Logical Skip | 980 | 7.3 % |
| -4 | Refused | 7 | 0.1 % |
| -2 | Missing | 1 | 0.0 % |
| -1 | Don't Know | 13 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 12,370 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 344-346 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI1: Hosp. Inpatient clients, detox

25a. On March 31, 2005, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility?

(1) Inpatient detoxification

COUNT a client in one service only, even if the client received both services.

DO NOT count family members, friends, or other non-treatment clients.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 285 | 2.1 % |
| 1 | - | 65 | 0.5 % |
| 2 | - | 91 | 0.7 % |
| 3 | - | 64 | 0.5 % |
| 4 | - | 53 | 0.4 % |
| 5 | - | 69 | 0.5 % |
| 6 | - | 46 | 0.3 % |
| 7 | - | 31 | 0.2 % |
| 8 | - | 42 | 0.3 % |
| 9 | - | 18 | 0.1 % |
| 10 | - | 35 | 0.3 % |
| 11 | - | 9 | 0.1 % |
| 12 | - | 17 | 0.1 % |
| 13 | - | 13 | 0.1 % |
| 14 | - | 10 | 0.1 % |
| 15 | - | 11 | 0.1 % |
| 16 | - | 15 | 0.1 % |
| 17 | - | 4 | 0.0 % |
| 18 | - | 12 | 0.1 % |
| 19 | - | 2 | 0.0 % |
| 20 | - | 13 | 0.1 % |
| 21 | - | 1 | 0.0 % |
| 22 | - | 5 | 0.0 % |
| 24 | - | 2 | 0.0 % |
| 25 | - | 2 | 0.0 % |
| 26 | - | 2 | 0.0 % |
| 27 | - | 2 | 0.0 % |
| 28 | - | 5 | 0.0 % |
| 30 | - | 8 | 0.1 % |
| 31 | - | 2 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 33 | - | 2 | 0.0 % |
| 34 | - | 2 | 0.0 % |
| 35 | - | 1 | 0.0 % |
| 37 | - | 1 | 0.0 % |
| 38 | - | 1 | 0.0 % |
| 40 | - | 1 | 0.0 % |
| 41 | - | 1 | 0.0 % |
| 45 | - | 1 | 0.0 % |
| 48 | - | 1 | 0.0 % |
| 51 | - | 1 | 0.0 % |
| 56 | - | 1 | 0.0 % |
| 60 | - | 1 | 0.0 % |
| 63 | - | 1 | 0.0 % |
| 66 | - | 1 | 0.0 % |
| 67 | - | 1 | 0.0 % |
| 84 | - | 1 | 0.0 % |
| 100 | - | 1 | 0.0 % |
| 209 | - | 1 | 0.0 % |
| 245 | - | 1 | 0.0 % |
| 249 | - | 1 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 12393 | 92.7 % |
| -4 | Refused | 7 | 0.1 % |
| -2 | Missing | 1 | 0.0 % |
| -1 | Don't Know | 14 | 0.1 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 956 valid cases out of 13,371 total cases.

- Mean: 6.67
- Median: 3.00
- Mode: 0.00
- Minimum: 0
- Maximum: 249
- Standard Deviation: 15.82

Location: 347-349 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI2: Hosp. Inpatient clients, Tx

24a. On March 31, 2005, how many patients received the following

HOSPITAL INPATIENT substance abuse services at this facility?

(2) Inpatient treatment

COUNT a client in one service only, even if the client received both services.

DO NOT count family members, friends, or other non-treatment clients.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 473 | 3.5 % |
| 1 | - | 25 | 0.2 % |
| 2 | - | 35 | 0.3 % |
| 3 | - | 23 | 0.2 % |
| 4 | - | 19 | 0.1 % |
| 5 | - | 30 | 0.2 % |
| 6 | - | 18 | 0.1 % |
| 7 | - | 20 | 0.1 % |
| 8 | - | 23 | 0.2 % |
| 9 | - | 16 | 0.1 % |
| 10 | - | 28 | 0.2 % |
| 11 | - | 13 | 0.1 % |
| 12 | - | 16 | 0.1 % |
| 13 | - | 6 | 0.0 % |
| 14 | - | 8 | 0.1 % |
| 15 | - | 22 | 0.2 % |
| 16 | - | 11 | 0.1 % |
| 17 | - | 5 | 0.0 % |
| 18 | - | 11 | 0.1 % |
| 19 | - | 8 | 0.1 % |
| 20 | - | 15 | 0.1 % |
| 21 | - | 3 | 0.0 % |
| 22 | - | 6 | 0.0 % |
| 23 | - | 5 | 0.0 % |
| 24 | - | 6 | 0.0 % |
| 25 | - | 12 | 0.1 % |
| 26 | - | 6 | 0.0 % |
| 27 | - | 2 | 0.0 % |
| 28 | - | 7 | 0.1 % |
| 29 | - | 1 | 0.0 % |
| 30 | - | 8 | 0.1 % |
| 31 | - | 1 | 0.0 % |
| 32 | - | 5 | 0.0 % |
| 33 | - | 5 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 34 | - | 2 | 0.0 % |
| 35 | - | 5 | 0.0 % |
| 36 | - | 2 | 0.0 % |
| 37 | - | 1 | 0.0 % |
| 38 | - | 4 | 0.0 % |
| 39 | - | 3 | 0.0 % |
| 40 | - | 8 | 0.1 % |
| 41 | - | 2 | 0.0 % |
| 42 | - | 1 | 0.0 % |
| 43 | - | 2 | 0.0 % |
| 44 | - | 3 | 0.0 % |
| 46 | - | 2 | 0.0 % |
| 47 | - | 1 | 0.0 % |
| 49 | - | 2 | 0.0 % |
| 50 | - | 4 | 0.0 % |
| 52 | - | 3 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 12393 | 92.7 % |
| -4 | Refused | 7 | 0.1 % |
| -2 | Missing | 1 | 0.0 % |
| -1 | Don't Know | 13 | 0.1 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 957 valid cases out of 13,371 total cases.

- Mean: 9.25
- Median: 1.00
- Mode: 0.00
- Minimum: 0
- Maximum: 500
- Standard Deviation: 23.23

Location: 350-352 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIHI: Total Number of Hospital Inpatients

24a. On March 31, 2005, how many patients received HOSPITAL INPATIENT substance abuse services at this facility?

_____ HOSPITAL INPATIENT TOTAL

COUNT a client in one service only, even if the client

received both services.

DO NOT count family members, friends, or other non-treatment clients.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 143 | 1.1 % |
| 1 | - | 47 | 0.4 % |
| 2 | - | 53 | 0.4 % |
| 3 | - | 42 | 0.3 % |
| 4 | - | 35 | 0.3 % |
| 5 | - | 42 | 0.3 % |
| 6 | - | 38 | 0.3 % |
| 7 | - | 30 | 0.2 % |
| 8 | - | 33 | 0.2 % |
| 9 | - | 24 | 0.2 % |
| 10 | - | 42 | 0.3 % |
| 11 | - | 17 | 0.1 % |
| 12 | - | 21 | 0.2 % |
| 13 | - | 21 | 0.2 % |
| 14 | - | 26 | 0.2 % |
| 15 | - | 26 | 0.2 % |
| 16 | - | 30 | 0.2 % |
| 17 | - | 9 | 0.1 % |
| 18 | - | 30 | 0.2 % |
| 19 | - | 12 | 0.1 % |
| 20 | - | 22 | 0.2 % |
| 21 | - | 7 | 0.1 % |
| 22 | - | 12 | 0.1 % |
| 23 | - | 3 | 0.0 % |
| 24 | - | 11 | 0.1 % |
| 25 | - | 12 | 0.1 % |
| 26 | - | 10 | 0.1 % |
| 27 | - | 5 | 0.0 % |
| 28 | - | 12 | 0.1 % |
| 29 | - | 1 | 0.0 % |
| 30 | - | 15 | 0.1 % |
| 31 | - | 5 | 0.0 % |
| 32 | - | 3 | 0.0 % |
| 33 | - | 6 | 0.0 % |
| 34 | - | 2 | 0.0 % |
| 35 | - | 7 | 0.1 % |
| 36 | - | 5 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 37 | - | 1 | 0.0 % |
| 38 | - | 9 | 0.1 % |
| 39 | - | 2 | 0.0 % |
| 40 | - | 9 | 0.1 % |
| 41 | - | 4 | 0.0 % |
| 42 | - | 4 | 0.0 % |
| 43 | - | 3 | 0.0 % |
| 44 | - | 3 | 0.0 % |
| 45 | - | 7 | 0.1 % |
| 46 | - | 2 | 0.0 % |
| 48 | - | 2 | 0.0 % |
| 49 | - | 4 | 0.0 % |
| 50 | - | 3 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 12393 | 92.7 % |
| -4 | Refused | 7 | 0.1 % |
| -2 | Missing | 1 | 0.0 % |
| -1 | Don't Know | 13 | 0.1 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 957 valid cases out of 13,371 total cases.

- Mean: 15.91
- Median: 9.00
- Mode: 0.00
- Minimum: 0
- Maximum: 500
- Standard Deviation: 27.75

Location: 353-355 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

H_AGE1: Hosp Inp Clients Under 18 years old

24b. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX were under the age of 18?

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 836 | 6.3 % |
| 1 | - | 25 | 0.2 % |
| 2 | - | 17 | 0.1 % |
| 3 | - | 8 | 0.1 % |
| 4 | - | 4 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 5 | - | 8 | 0.1 % |
| 6 | - | 4 | 0.0 % |
| 7 | - | 8 | 0.1 % |
| 8 | - | 3 | 0.0 % |
| 9 | - | 1 | 0.0 % |
| 10 | - | 5 | 0.0 % |
| 12 | - | 2 | 0.0 % |
| 13 | - | 1 | 0.0 % |
| 14 | - | 2 | 0.0 % |
| 15 | - | 4 | 0.0 % |
| 16 | - | 4 | 0.0 % |
| 17 | - | 3 | 0.0 % |
| 18 | - | 3 | 0.0 % |
| 20 | - | 1 | 0.0 % |
| 22 | - | 1 | 0.0 % |
| 23 | - | 1 | 0.0 % |
| 24 | - | 1 | 0.0 % |
| 25 | - | 1 | 0.0 % |
| 30 | - | 1 | 0.0 % |
| 35 | - | 1 | 0.0 % |
| 40 | - | 1 | 0.0 % |
| 49 | - | 1 | 0.0 % |
| 50 | - | 1 | 0.0 % |
| 70 | - | 1 | 0.0 % |
| 74 | - | 1 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 12393 | 92.7 % |
| -4 | Refused | 7 | 0.1 % |
| -2 | Missing | 8 | 0.1 % |
| -1 | Don't Know | 13 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 950 valid cases out of 13,371 total cases.

- Mean: 1.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 74
- Standard Deviation: 5.31

Location: 356-358 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HIMETNUM: Total Methadone Inpatients

24c. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(1) Methadone

Include clients who received these drugs for detoxification or maintenance purposes.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | - | 12336 | 92.3 % |
| 1 | - | 9 | 0.1 % |
| 2 | - | 9 | 0.1 % |
| 3 | - | 8 | 0.1 % |
| 4 | - | 6 | 0.0 % |
| 5 | - | 8 | 0.1 % |
| 6 | - | 1 | 0.0 % |
| 7 | - | 1 | 0.0 % |
| 8 | - | 5 | 0.0 % |
| 9 | - | 4 | 0.0 % |
| 10 | - | 4 | 0.0 % |
| 11 | - | 2 | 0.0 % |
| 12 | - | 2 | 0.0 % |
| 13 | - | 2 | 0.0 % |
| 14 | - | 1 | 0.0 % |
| 15 | - | 1 | 0.0 % |
| 16 | - | 1 | 0.0 % |
| 17 | - | 1 | 0.0 % |
| 18 | - | 1 | 0.0 % |
| 19 | - | 1 | 0.0 % |
| 20 | - | 1 | 0.0 % |
| 22 | - | 1 | 0.0 % |
| 24 | - | 1 | 0.0 % |
| 29 | - | 1 | 0.0 % |
| 30 | - | 2 | 0.0 % |
| 35 | - | 1 | 0.0 % |
| 36 | - | 1 | 0.0 % |
| 45 | - | 1 | 0.0 % |
| 149 | - | 1 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 956 | 7.1 % |
| -1 | Don't Know | 2 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 13,371 | 100% |

Based upon 12,413 valid cases out of 13,371 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 149
- Standard Deviation: 1.68

Location: 359-361 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HIBUPNUM: Total Buprenorphine Inpatients

24c. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(2) Buprenorphine

Include clients who received these drugs for detoxification or maintenance purposes.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 814 | 6.1 % |
| 1 | - | 33 | 0.2 % |
| 2 | - | 28 | 0.2 % |
| 3 | - | 12 | 0.1 % |
| 4 | - | 10 | 0.1 % |
| 5 | - | 16 | 0.1 % |
| 6 | - | 4 | 0.0 % |
| 7 | - | 2 | 0.0 % |
| 8 | - | 2 | 0.0 % |
| 9 | - | 1 | 0.0 % |
| 10 | - | 8 | 0.1 % |
| 12 | - | 2 | 0.0 % |
| 15 | - | 2 | 0.0 % |
| 20 | - | 2 | 0.0 % |
| 26 | - | 1 | 0.0 % |
| 35 | - | 1 | 0.0 % |
| 45 | - | 2 | 0.0 % |
| 50 | - | 1 | 0.0 % |
| 60 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| | Missing Data | | |
| -6 | Logical Skip | 12393 | 92.7 % |
| -4 | Refused | 8 | 0.1 % |
| -2 | Missing | 2 | 0.0 % |
| -1 | Don't Know | 26 | 0.2 % |
| | Total | 13,371 | 100% |

Based upon 942 valid cases out of 13,371 total cases.

- Mean: 0.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 60
- Standard Deviation: 4.00

Location: 362-364 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HOSPBED: Total Beds Designated-Hospital Inpatient

24d. On March 31, 2005, how many hospital inpatient beds at this facility were specifically designated for substance abuse treatment?

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 237 | 1.8 % |
| 1 | - | 6 | 0.0 % |
| 2 | - | 14 | 0.1 % |
| 3 | - | 7 | 0.1 % |
| 4 | - | 19 | 0.1 % |
| 5 | - | 17 | 0.1 % |
| 6 | - | 24 | 0.2 % |
| 7 | - | 5 | 0.0 % |
| 8 | - | 20 | 0.1 % |
| 9 | - | 7 | 0.1 % |
| 10 | - | 46 | 0.3 % |
| 11 | - | 5 | 0.0 % |
| 12 | - | 33 | 0.2 % |
| 13 | - | 5 | 0.0 % |
| 14 | - | 17 | 0.1 % |
| 15 | - | 18 | 0.1 % |
| 16 | - | 25 | 0.2 % |
| 17 | - | 8 | 0.1 % |
| 18 | - | 23 | 0.2 % |
| 19 | - | 8 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 20 | - | 41 | 0.3 % |
| 21 | - | 5 | 0.0 % |
| 22 | - | 14 | 0.1 % |
| 23 | - | 4 | 0.0 % |
| 24 | - | 23 | 0.2 % |
| 25 | - | 13 | 0.1 % |
| 26 | - | 8 | 0.1 % |
| 27 | - | 4 | 0.0 % |
| 28 | - | 10 | 0.1 % |
| 29 | - | 2 | 0.0 % |
| 30 | - | 22 | 0.2 % |
| 31 | - | 2 | 0.0 % |
| 32 | - | 8 | 0.1 % |
| 33 | - | 4 | 0.0 % |
| 34 | - | 8 | 0.1 % |
| 35 | - | 6 | 0.0 % |
| 36 | - | 4 | 0.0 % |
| 37 | - | 1 | 0.0 % |
| 38 | - | 1 | 0.0 % |
| 39 | - | 3 | 0.0 % |
| 40 | - | 13 | 0.1 % |
| 41 | - | 1 | 0.0 % |
| 42 | - | 3 | 0.0 % |
| 43 | - | 3 | 0.0 % |
| 44 | - | 6 | 0.0 % |
| 45 | - | 11 | 0.1 % |
| 47 | - | 1 | 0.0 % |
| 48 | - | 5 | 0.0 % |
| 49 | - | 1 | 0.0 % |
| 50 | - | 4 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 12393 | 92.7 % |
| -4 | Refused | 8 | 0.1 % |
| -2 | Missing | 148 | 1.1 % |
| -1 | Don't Know | 16 | 0.1 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 806 valid cases out of 13,371 total cases.

- Mean: 15.92
- Median: 11.00

- Mode: 0.00
- Minimum: 0
- Maximum: 270
- Standard Deviation: 21.58

Location: 365-367 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TYPE7: Any clients rec'd Res Non-Hosp SA services, 3/31/05

25. On March 31, 2005, did any clients receive RESIDENTIAL (non-hospital) substance abuse services at this facility?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 8931 | 66.8 % |
| 1 | Yes | 3444 | 25.8 % |
| | Missing Data | | |
| -6 | Logical Skip | 980 | 7.3 % |
| -4 | Refused | 9 | 0.1 % |
| -2 | Missing | 2 | 0.0 % |
| -1 | Don't Know | 5 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 12,375 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 368-370 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI3: Residential Clients, Detox

25a. On March 31, 2005, how many clients received the following RESIDENTIAL substance abuse services at this facility?

(1) Residential detoxification

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 2822 | 21.1 % |
| 1 | - | 71 | 0.5 % |
| 2 | - | 76 | 0.6 % |
| 3 | - | 46 | 0.3 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 4 | - | 55 | 0.4 % |
| 5 | - | 56 | 0.4 % |
| 6 | - | 37 | 0.3 % |
| 7 | - | 37 | 0.3 % |
| 8 | - | 44 | 0.3 % |
| 9 | - | 18 | 0.1 % |
| 10 | - | 37 | 0.3 % |
| 11 | - | 10 | 0.1 % |
| 12 | - | 29 | 0.2 % |
| 13 | - | 9 | 0.1 % |
| 14 | - | 20 | 0.1 % |
| 15 | - | 11 | 0.1 % |
| 16 | - | 8 | 0.1 % |
| 17 | - | 4 | 0.0 % |
| 18 | - | 7 | 0.1 % |
| 19 | - | 8 | 0.1 % |
| 20 | - | 10 | 0.1 % |
| 21 | - | 4 | 0.0 % |
| 22 | - | 7 | 0.1 % |
| 23 | - | 3 | 0.0 % |
| 24 | - | 7 | 0.1 % |
| 25 | - | 6 | 0.0 % |
| 26 | - | 4 | 0.0 % |
| 27 | - | 4 | 0.0 % |
| 28 | - | 5 | 0.0 % |
| 29 | - | 3 | 0.0 % |
| 30 | - | 7 | 0.1 % |
| 31 | - | 3 | 0.0 % |
| 32 | - | 2 | 0.0 % |
| 33 | - | 2 | 0.0 % |
| 34 | - | 3 | 0.0 % |
| 35 | - | 1 | 0.0 % |
| 36 | - | 2 | 0.0 % |
| 40 | - | 4 | 0.0 % |
| 42 | - | 1 | 0.0 % |
| 45 | - | 2 | 0.0 % |
| 47 | - | 1 | 0.0 % |
| 48 | - | 2 | 0.0 % |
| 51 | - | 1 | 0.0 % |
| 57 | - | 1 | 0.0 % |
| 60 | - | 2 | 0.0 % |
| 63 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 65 | - | 1 | 0.0 % |
| 66 | - | 1 | 0.0 % |
| 76 | - | 1 | 0.0 % |
| 82 | - | 1 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 9856 | 73.7 % |
| -4 | Refused | 9 | 0.1 % |
| -2 | Missing | 2 | 0.0 % |
| -1 | Don't Know | 5 | 0.0 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,499 valid cases out of 13,371 total cases.

- Mean: 2.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 575
- Standard Deviation: 11.56

Location: 371-373 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI9: Residential Clients, Short-term Tx

25a. On March 31, 2005, how many clients received the following RESIDENTIAL substance abuse services at this facility?

(2) Residential short-term treatment (30 days or less)

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 2257 | 16.9 % |
| 1 | - | 50 | 0.4 % |
| 2 | - | 78 | 0.6 % |
| 3 | - | 44 | 0.3 % |
| 4 | - | 48 | 0.4 % |
| 5 | - | 62 | 0.5 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 6 | - | 56 | 0.4 % |
| 7 | - | 48 | 0.4 % |
| 8 | - | 53 | 0.4 % |
| 9 | - | 28 | 0.2 % |
| 10 | - | 54 | 0.4 % |
| 11 | - | 19 | 0.1 % |
| 12 | - | 49 | 0.4 % |
| 13 | - | 22 | 0.2 % |
| 14 | - | 39 | 0.3 % |
| 15 | - | 55 | 0.4 % |
| 16 | - | 35 | 0.3 % |
| 17 | - | 17 | 0.1 % |
| 18 | - | 30 | 0.2 % |
| 19 | - | 21 | 0.2 % |
| 20 | - | 46 | 0.3 % |
| 21 | - | 17 | 0.1 % |
| 22 | - | 23 | 0.2 % |
| 23 | - | 13 | 0.1 % |
| 24 | - | 23 | 0.2 % |
| 25 | - | 39 | 0.3 % |
| 26 | - | 18 | 0.1 % |
| 27 | - | 8 | 0.1 % |
| 28 | - | 15 | 0.1 % |
| 29 | - | 12 | 0.1 % |
| 30 | - | 19 | 0.1 % |
| 31 | - | 6 | 0.0 % |
| 32 | - | 13 | 0.1 % |
| 33 | - | 3 | 0.0 % |
| 34 | - | 7 | 0.1 % |
| 35 | - | 17 | 0.1 % |
| 36 | - | 12 | 0.1 % |
| 37 | - | 5 | 0.0 % |
| 38 | - | 8 | 0.1 % |
| 39 | - | 3 | 0.0 % |
| 40 | - | 12 | 0.1 % |
| 41 | - | 4 | 0.0 % |
| 42 | - | 9 | 0.1 % |
| 43 | - | 2 | 0.0 % |
| 44 | - | 3 | 0.0 % |
| 45 | - | 4 | 0.0 % |
| 46 | - | 2 | 0.0 % |
| 47 | - | 3 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 48 | - | 3 | 0.0 % |
| 49 | - | 1 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 9856 | 73.7 % |
| -4 | Refused | 9 | 0.1 % |
| -2 | Missing | 2 | 0.0 % |
| -1 | Don't Know | 7 | 0.1 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,497 valid cases out of 13,371 total cases.

- Mean: 6.68
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 248
- Standard Deviation: 15.36

Location: 374-376 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI10: Residential Clients, Long-term Tx

25a. On March 31, 2005, how many clients received the following RESIDENTIAL substance abuse services at this facility?

(3) Residential long-term treatment (more than 30 days)

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 768 | 5.7 % |
| 1 | - | 37 | 0.3 % |
| 2 | - | 46 | 0.3 % |
| 3 | - | 42 | 0.3 % |
| 4 | - | 65 | 0.5 % |
| 5 | - | 82 | 0.6 % |
| 6 | - | 117 | 0.9 % |
| 7 | - | 55 | 0.4 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 8 | - | 110 | 0.8 % |
| 9 | - | 57 | 0.4 % |
| 10 | - | 148 | 1.1 % |
| 11 | - | 78 | 0.6 % |
| 12 | - | 131 | 1.0 % |
| 13 | - | 55 | 0.4 % |
| 14 | - | 102 | 0.8 % |
| 15 | - | 118 | 0.9 % |
| 16 | - | 113 | 0.8 % |
| 17 | - | 52 | 0.4 % |
| 18 | - | 84 | 0.6 % |
| 19 | - | 36 | 0.3 % |
| 20 | - | 115 | 0.9 % |
| 21 | - | 32 | 0.2 % |
| 22 | - | 52 | 0.4 % |
| 23 | - | 34 | 0.3 % |
| 24 | - | 52 | 0.4 % |
| 25 | - | 73 | 0.5 % |
| 26 | - | 35 | 0.3 % |
| 27 | - | 31 | 0.2 % |
| 28 | - | 35 | 0.3 % |
| 29 | - | 28 | 0.2 % |
| 30 | - | 48 | 0.4 % |
| 31 | - | 16 | 0.1 % |
| 32 | - | 30 | 0.2 % |
| 33 | - | 19 | 0.1 % |
| 34 | - | 13 | 0.1 % |
| 35 | - | 23 | 0.2 % |
| 36 | - | 19 | 0.1 % |
| 37 | - | 11 | 0.1 % |
| 38 | - | 10 | 0.1 % |
| 39 | - | 8 | 0.1 % |
| 40 | - | 32 | 0.2 % |
| 41 | - | 11 | 0.1 % |
| 42 | - | 21 | 0.2 % |
| 43 | - | 11 | 0.1 % |
| 44 | - | 15 | 0.1 % |
| 45 | - | 28 | 0.2 % |
| 46 | - | 12 | 0.1 % |
| 47 | - | 15 | 0.1 % |
| 48 | - | 20 | 0.1 % |
| 49 | - | 8 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| | Missing Data | | |
| -6 | Logical Skip | 9856 | 73.7 % |
| -4 | Refused | 9 | 0.1 % |
| -2 | Missing | 3 | 0.0 % |
| -1 | Don't Know | 6 | 0.0 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,497 valid cases out of 13,371 total cases.

- Mean: 20.97
- Median: 13.00
- Mode: 0.00
- Minimum: 0
- Maximum: 450
- Standard Deviation: 30.65

Location: 377-379 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIRC: Total Residential Clients

25a. On March 31, 2005, how many clients received RESIDENTIAL substance abuse services at this facility?

_____ RESIDENTIAL TOTAL

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 85 | 0.6 % |
| 1 | - | 15 | 0.1 % |
| 2 | - | 24 | 0.2 % |
| 3 | - | 31 | 0.2 % |
| 4 | - | 49 | 0.4 % |
| 5 | - | 72 | 0.5 % |
| 6 | - | 127 | 0.9 % |
| 7 | - | 68 | 0.5 % |
| 8 | - | 113 | 0.8 % |
| 9 | - | 67 | 0.5 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 10 | - | 161 | 1.2 % |
| 11 | - | 76 | 0.6 % |
| 12 | - | 166 | 1.2 % |
| 13 | - | 67 | 0.5 % |
| 14 | - | 118 | 0.9 % |
| 15 | - | 139 | 1.0 % |
| 16 | - | 143 | 1.1 % |
| 17 | - | 62 | 0.5 % |
| 18 | - | 107 | 0.8 % |
| 19 | - | 53 | 0.4 % |
| 20 | - | 133 | 1.0 % |
| 21 | - | 50 | 0.4 % |
| 22 | - | 63 | 0.5 % |
| 23 | - | 58 | 0.4 % |
| 24 | - | 77 | 0.6 % |
| 25 | - | 83 | 0.6 % |
| 26 | - | 59 | 0.4 % |
| 27 | - | 51 | 0.4 % |
| 28 | - | 53 | 0.4 % |
| 29 | - | 33 | 0.2 % |
| 30 | - | 77 | 0.6 % |
| 31 | - | 27 | 0.2 % |
| 32 | - | 43 | 0.3 % |
| 33 | - | 28 | 0.2 % |
| 34 | - | 17 | 0.1 % |
| 35 | - | 38 | 0.3 % |
| 36 | - | 35 | 0.3 % |
| 37 | - | 25 | 0.2 % |
| 38 | - | 27 | 0.2 % |
| 39 | - | 16 | 0.1 % |
| 40 | - | 53 | 0.4 % |
| 41 | - | 12 | 0.1 % |
| 42 | - | 29 | 0.2 % |
| 43 | - | 16 | 0.1 % |
| 44 | - | 24 | 0.2 % |
| 45 | - | 23 | 0.2 % |
| 46 | - | 15 | 0.1 % |
| 47 | - | 17 | 0.1 % |
| 48 | - | 26 | 0.2 % |
| 49 | - | 10 | 0.1 % |
| | Missing Data | | |
| -6 | Logical Skip | 9856 | 73.7 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| -4 | Refused | 9 | 0.1 % |
| -2 | Missing | 2 | 0.0 % |
| -1 | Don't Know | 5 | 0.0 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,499 valid cases out of 13,371 total cases.

- Mean: 29.73
- Median: 20.00
- Mode: 12.00
- Minimum: 0
- Maximum: 575
- Standard Deviation: 34.64

Location: 380-382 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

R_AGE1: Residential Clients Under 18 years old

25b. How many of the clients from the RESIDENTIAL TOTAL BOX were under the age of 18?

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 2896 | 21.7 % |
| 1 | - | 37 | 0.3 % |
| 2 | - | 35 | 0.3 % |
| 3 | - | 28 | 0.2 % |
| 4 | - | 23 | 0.2 % |
| 5 | - | 22 | 0.2 % |
| 6 | - | 38 | 0.3 % |
| 7 | - | 13 | 0.1 % |
| 8 | - | 22 | 0.2 % |
| 9 | - | 16 | 0.1 % |
| 10 | - | 28 | 0.2 % |
| 11 | - | 15 | 0.1 % |
| 12 | - | 18 | 0.1 % |
| 13 | - | 16 | 0.1 % |
| 14 | - | 20 | 0.1 % |
| 15 | - | 33 | 0.2 % |
| 16 | - | 18 | 0.1 % |
| 17 | - | 9 | 0.1 % |
| 18 | - | 17 | 0.1 % |
| 19 | - | 7 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 20 | - | 25 | 0.2 % |
| 21 | - | 5 | 0.0 % |
| 22 | - | 6 | 0.0 % |
| 23 | - | 7 | 0.1 % |
| 24 | - | 6 | 0.0 % |
| 25 | - | 8 | 0.1 % |
| 26 | - | 11 | 0.1 % |
| 27 | - | 4 | 0.0 % |
| 28 | - | 9 | 0.1 % |
| 29 | - | 3 | 0.0 % |
| 30 | - | 12 | 0.1 % |
| 31 | - | 1 | 0.0 % |
| 32 | - | 10 | 0.1 % |
| 33 | - | 6 | 0.0 % |
| 34 | - | 2 | 0.0 % |
| 35 | - | 6 | 0.0 % |
| 36 | - | 1 | 0.0 % |
| 37 | - | 1 | 0.0 % |
| 38 | - | 4 | 0.0 % |
| 39 | - | 3 | 0.0 % |
| 40 | - | 7 | 0.1 % |
| 41 | - | 2 | 0.0 % |
| 42 | - | 1 | 0.0 % |
| 43 | - | 1 | 0.0 % |
| 44 | - | 3 | 0.0 % |
| 45 | - | 4 | 0.0 % |
| 47 | - | 2 | 0.0 % |
| 48 | - | 1 | 0.0 % |
| 49 | - | 1 | 0.0 % |
| 50 | - | 2 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 9856 | 73.7 % |
| -4 | Refused | 10 | 0.1 % |
| -2 | Missing | 8 | 0.1 % |
| -1 | Don't Know | 9 | 0.1 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,488 valid cases out of 13,371 total cases.

- Mean: 2.96
- Median: 0.00

- Mode: 0.00
- Minimum: 0
- Maximum: 180
- Standard Deviation: 10.65

Location: 383-385 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RCMETNUM: Total Methadone Residential

26c. How many of the clients from the RESIDENTIAL TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(1) Methadone

Include clients who received these drugs for detoxification or maintenance purposes.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 12337 | 92.3 % |
| 1 | - | 4 | 0.0 % |
| 2 | - | 2 | 0.0 % |
| 3 | - | 4 | 0.0 % |
| 4 | - | 2 | 0.0 % |
| 5 | - | 6 | 0.0 % |
| 7 | - | 1 | 0.0 % |
| 8 | - | 2 | 0.0 % |
| 10 | - | 5 | 0.0 % |
| 11 | - | 3 | 0.0 % |
| 12 | - | 2 | 0.0 % |
| 14 | - | 3 | 0.0 % |
| 15 | - | 1 | 0.0 % |
| 17 | - | 2 | 0.0 % |
| 18 | - | 2 | 0.0 % |
| 20 | - | 3 | 0.0 % |
| 21 | - | 1 | 0.0 % |
| 24 | - | 1 | 0.0 % |
| 25 | - | 1 | 0.0 % |
| 28 | - | 1 | 0.0 % |
| 29 | - | 1 | 0.0 % |
| 30 | - | 1 | 0.0 % |
| 32 | - | 1 | 0.0 % |
| 34 | - | 1 | 0.0 % |
| 35 | - | 2 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 37 | - | 1 | 0.0 % |
| 45 | - | 1 | 0.0 % |
| 61 | - | 1 | 0.0 % |
| 70 | - | 1 | 0.0 % |
| 75 | - | 1 | 0.0 % |
| 120 | - | 1 | 0.0 % |
| 233 | - | 1 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 972 | 7.3 % |
| -1 | Don't Know | 3 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 12,396 valid cases out of 13,371 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 233
- Standard Deviation: 2.84

Location: 386-388 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RCBUPNUM: Total Buprenorphine Residential

25c. How many of the clients from the RESIDENTIAL TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(2) Buprenorphine

Include clients who received these drugs for detoxification or maintenance purposes.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 3360 | 25.1 % |
| 1 | - | 24 | 0.2 % |
| 2 | - | 25 | 0.2 % |
| 3 | - | 15 | 0.1 % |
| 4 | - | 15 | 0.1 % |
| 5 | - | 12 | 0.1 % |
| 6 | - | 9 | 0.1 % |
| 7 | - | 5 | 0.0 % |
| 8 | - | 4 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 9 | - | 2 | 0.0 % |
| 10 | - | 3 | 0.0 % |
| 11 | - | 1 | 0.0 % |
| 12 | - | 1 | 0.0 % |
| 13 | - | 1 | 0.0 % |
| 14 | - | 3 | 0.0 % |
| 15 | - | 1 | 0.0 % |
| 16 | - | 1 | 0.0 % |
| 18 | - | 2 | 0.0 % |
| 21 | - | 1 | 0.0 % |
| 39 | - | 1 | 0.0 % |
| 41 | - | 1 | 0.0 % |
| 44 | - | 1 | 0.0 % |
| 54 | - | 1 | 0.0 % |
| 60 | - | 1 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 9856 | 73.7 % |
| -4 | Refused | 10 | 0.1 % |
| -2 | Missing | 2 | 0.0 % |
| -1 | Don't Know | 13 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 3,490 valid cases out of 13,371 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 60
- Standard Deviation: 2.15

Location: 389-391 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RESBED: Total Beds-Residential Clients

25d. On March 31, 2005, how many residential beds at this facility were specifically designated for substance abuse treatment?

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 119 | 0.9 % |
| 1 | - | 2 | 0.0 % |
| 2 | - | 7 | 0.1 % |
| 3 | - | 5 | 0.0 % |
| 4 | - | 26 | 0.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 5 | - | 35 | 0.3 % |
| 6 | - | 146 | 1.1 % |
| 7 | - | 27 | 0.2 % |
| 8 | - | 93 | 0.7 % |
| 9 | - | 36 | 0.3 % |
| 10 | - | 152 | 1.1 % |
| 11 | - | 46 | 0.3 % |
| 12 | - | 179 | 1.3 % |
| 13 | - | 44 | 0.3 % |
| 14 | - | 115 | 0.9 % |
| 15 | - | 113 | 0.8 % |
| 16 | - | 192 | 1.4 % |
| 17 | - | 37 | 0.3 % |
| 18 | - | 94 | 0.7 % |
| 19 | - | 26 | 0.2 % |
| 20 | - | 191 | 1.4 % |
| 21 | - | 30 | 0.2 % |
| 22 | - | 65 | 0.5 % |
| 23 | - | 32 | 0.2 % |
| 24 | - | 135 | 1.0 % |
| 25 | - | 78 | 0.6 % |
| 26 | - | 53 | 0.4 % |
| 27 | - | 31 | 0.2 % |
| 28 | - | 63 | 0.5 % |
| 29 | - | 19 | 0.1 % |
| 30 | - | 128 | 1.0 % |
| 31 | - | 16 | 0.1 % |
| 32 | - | 63 | 0.5 % |
| 33 | - | 22 | 0.2 % |
| 34 | - | 18 | 0.1 % |
| 35 | - | 42 | 0.3 % |
| 36 | - | 39 | 0.3 % |
| 37 | - | 14 | 0.1 % |
| 38 | - | 19 | 0.1 % |
| 39 | - | 8 | 0.1 % |
| 40 | - | 86 | 0.6 % |
| 41 | - | 11 | 0.1 % |
| 42 | - | 27 | 0.2 % |
| 43 | - | 12 | 0.1 % |
| 44 | - | 16 | 0.1 % |
| 45 | - | 29 | 0.2 % |
| 46 | - | 14 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------|----------------------|-------------|
| 47 | - | 12 | 0.1 % |
| 48 | - | 29 | 0.2 % |
| 49 | - | 11 | 0.1 % |
| Missing Data | | | |
| -6 | Logical Skip | 9856 | 73.7 % |
| -4 | Refused | 11 | 0.1 % |
| -2 | Missing | 92 | 0.7 % |
| -1 | Don't Know | 10 | 0.1 % |
| Total | | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,402 valid cases out of 13,371 total cases.

- Mean: 32.03
- Median: 21.00
- Mode: 16.00
- Minimum: 0
- Maximum: 457
- Standard Deviation: 35.98

Location: 392-394 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TYPE1: Any clients rec'd Outpat'nt SA services, 3/31/05

26. During the month of March 2005, did any clients receive OUTPATIENT substance abuse services at this facility?

| Value | Label | Unweighted Frequency | % |
|---------------------|--------------|----------------------|-------------|
| 0 | No | 2589 | 19.4 % |
| 1 | Yes | 9786 | 73.2 % |
| Missing Data | | | |
| -6 | Logical Skip | 980 | 7.3 % |
| -4 | Refused | 9 | 0.1 % |
| -2 | Missing | 2 | 0.0 % |
| -1 | Don't Know | 5 | 0.0 % |
| Total | | 13,371 | 100% |

Based upon 12,375 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 395-397 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI7: Clients in Outpat'nt detox

26a. As of March 31, 2005, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(1) Outpatient detoxification

An active outpatient client is someone who:

1 - was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2005

AND

2 - was still enrolled in treatment on March 31, 2005.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 9106 | 68.1 % |
| 1 | - | 104 | 0.8 % |
| 2 | - | 110 | 0.8 % |
| 3 | - | 72 | 0.5 % |
| 4 | - | 44 | 0.3 % |
| 5 | - | 92 | 0.7 % |
| 6 | - | 26 | 0.2 % |
| 7 | - | 19 | 0.1 % |
| 8 | - | 21 | 0.2 % |
| 9 | - | 13 | 0.1 % |
| 10 | - | 60 | 0.4 % |
| 11 | - | 8 | 0.1 % |
| 12 | - | 19 | 0.1 % |
| 13 | - | 4 | 0.0 % |
| 14 | - | 8 | 0.1 % |
| 15 | - | 21 | 0.2 % |
| 16 | - | 8 | 0.1 % |
| 17 | - | 2 | 0.0 % |
| 18 | - | 3 | 0.0 % |
| 19 | - | 5 | 0.0 % |
| 20 | - | 27 | 0.2 % |
| 21 | - | 6 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 22 | - | 3 | 0.0 % |
| 23 | - | 2 | 0.0 % |
| 24 | - | 1 | 0.0 % |
| 25 | - | 17 | 0.1 % |
| 26 | - | 5 | 0.0 % |
| 27 | - | 8 | 0.1 % |
| 28 | - | 2 | 0.0 % |
| 29 | - | 2 | 0.0 % |
| 30 | - | 16 | 0.1 % |
| 32 | - | 1 | 0.0 % |
| 34 | - | 2 | 0.0 % |
| 35 | - | 1 | 0.0 % |
| 38 | - | 1 | 0.0 % |
| 39 | - | 3 | 0.0 % |
| 40 | - | 6 | 0.0 % |
| 43 | - | 1 | 0.0 % |
| 44 | - | 3 | 0.0 % |
| 45 | - | 3 | 0.0 % |
| 46 | - | 1 | 0.0 % |
| 48 | - | 3 | 0.0 % |
| 50 | - | 11 | 0.1 % |
| 52 | - | 1 | 0.0 % |
| 53 | - | 1 | 0.0 % |
| 54 | - | 1 | 0.0 % |
| 55 | - | 1 | 0.0 % |
| 56 | - | 1 | 0.0 % |
| 60 | - | 3 | 0.0 % |
| 62 | - | 1 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 3421 | 25.6 % |
| -4 | Refused | 9 | 0.1 % |
| -2 | Missing | 3 | 0.0 % |
| -1 | Don't Know | 10 | 0.1 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,928 valid cases out of 13,371 total cases.

- Mean: 1.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0

- Maximum: 350
- Standard Deviation: 10.12

Location: 398-400 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIML: Clients in Outpat'nt meth Treat.

26a. As of March 31, 2005, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(2) Outpatient methadone/buprenorphine maintenance
(count methadone and buprenorphine maintenance clients on this line only)

An active outpatient client is someone who:

1 - was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2005

AND

2 - was still enrolled in treatment on March 31, 2005.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 9034 | 67.6 % |
| 2 | - | 4 | 0.0 % |
| 3 | - | 1 | 0.0 % |
| 4 | - | 1 | 0.0 % |
| 5 | - | 1 | 0.0 % |
| 6 | - | 1 | 0.0 % |
| 8 | - | 2 | 0.0 % |
| 10 | - | 1 | 0.0 % |
| 12 | - | 1 | 0.0 % |
| 14 | - | 1 | 0.0 % |
| 16 | - | 1 | 0.0 % |
| 17 | - | 2 | 0.0 % |
| 19 | - | 2 | 0.0 % |
| 20 | - | 1 | 0.0 % |
| 22 | - | 2 | 0.0 % |
| 24 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 25 | - | 1 | 0.0 % |
| 26 | - | 2 | 0.0 % |
| 29 | - | 1 | 0.0 % |
| 30 | - | 6 | 0.0 % |
| 32 | - | 2 | 0.0 % |
| 33 | - | 2 | 0.0 % |
| 34 | - | 1 | 0.0 % |
| 35 | - | 1 | 0.0 % |
| 36 | - | 2 | 0.0 % |
| 37 | - | 1 | 0.0 % |
| 40 | - | 6 | 0.0 % |
| 42 | - | 1 | 0.0 % |
| 43 | - | 1 | 0.0 % |
| 44 | - | 1 | 0.0 % |
| 45 | - | 2 | 0.0 % |
| 47 | - | 1 | 0.0 % |
| 48 | - | 2 | 0.0 % |
| 49 | - | 1 | 0.0 % |
| 50 | - | 8 | 0.1 % |
| 52 | - | 2 | 0.0 % |
| 53 | - | 1 | 0.0 % |
| 54 | - | 1 | 0.0 % |
| 55 | - | 3 | 0.0 % |
| 56 | - | 1 | 0.0 % |
| 57 | - | 1 | 0.0 % |
| 59 | - | 1 | 0.0 % |
| 61 | - | 4 | 0.0 % |
| 62 | - | 1 | 0.0 % |
| 63 | - | 1 | 0.0 % |
| 64 | - | 1 | 0.0 % |
| 65 | - | 6 | 0.0 % |
| 67 | - | 1 | 0.0 % |
| 68 | - | 1 | 0.0 % |
| 70 | - | 5 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 3421 | 25.6 % |
| -4 | Refused | 9 | 0.1 % |
| -2 | Missing | 3 | 0.0 % |
| -1 | Don't Know | 8 | 0.1 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,930 valid cases out of 13,371 total cases.

- Mean: 23.02
- Minimum: 0
- Maximum: 2225
- Standard Deviation: 93.78

Location: 401-404 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI8: Clients in Day Tx/Partial Hosp

26a. As of March 31, 2005, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(3) Outpatient day treatment or partial hospitalization
(20 or more hours per week)

An active outpatient client is someone who:

1 - was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2005

AND

2 - was still enrolled in treatment on March 31, 2005.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 8623 | 64.5 % |
| 1 | - | 89 | 0.7 % |
| 2 | - | 90 | 0.7 % |
| 3 | - | 67 | 0.5 % |
| 4 | - | 79 | 0.6 % |
| 5 | - | 79 | 0.6 % |
| 6 | - | 48 | 0.4 % |
| 7 | - | 36 | 0.3 % |
| 8 | - | 57 | 0.4 % |
| 9 | - | 23 | 0.2 % |
| 10 | - | 92 | 0.7 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 11 | - | 13 | 0.1 % |
| 12 | - | 53 | 0.4 % |
| 13 | - | 11 | 0.1 % |
| 14 | - | 22 | 0.2 % |
| 15 | - | 67 | 0.5 % |
| 16 | - | 17 | 0.1 % |
| 17 | - | 9 | 0.1 % |
| 18 | - | 22 | 0.2 % |
| 19 | - | 15 | 0.1 % |
| 20 | - | 60 | 0.4 % |
| 21 | - | 19 | 0.1 % |
| 22 | - | 19 | 0.1 % |
| 23 | - | 10 | 0.1 % |
| 24 | - | 10 | 0.1 % |
| 25 | - | 24 | 0.2 % |
| 26 | - | 15 | 0.1 % |
| 27 | - | 5 | 0.0 % |
| 28 | - | 6 | 0.0 % |
| 29 | - | 4 | 0.0 % |
| 30 | - | 31 | 0.2 % |
| 31 | - | 5 | 0.0 % |
| 32 | - | 9 | 0.1 % |
| 33 | - | 2 | 0.0 % |
| 34 | - | 4 | 0.0 % |
| 35 | - | 16 | 0.1 % |
| 36 | - | 5 | 0.0 % |
| 37 | - | 5 | 0.0 % |
| 38 | - | 8 | 0.1 % |
| 39 | - | 2 | 0.0 % |
| 40 | - | 21 | 0.2 % |
| 41 | - | 3 | 0.0 % |
| 42 | - | 5 | 0.0 % |
| 43 | - | 3 | 0.0 % |
| 44 | - | 3 | 0.0 % |
| 45 | - | 8 | 0.1 % |
| 46 | - | 5 | 0.0 % |
| 48 | - | 2 | 0.0 % |
| 49 | - | 2 | 0.0 % |
| 50 | - | 14 | 0.1 % |
| | Missing Data | | |
| -6 | Logical Skip | 3421 | 25.6 % |
| -4 | Refused | 9 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| -2 | Missing | 3 | 0.0 % |
| -1 | Don't Know | 6 | 0.0 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,932 valid cases out of 13,371 total cases.

- Mean: 2.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 800
- Standard Deviation: 13.17

Location: 405-407 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI6: Clients in Intensive Outpat'nt

26a. As of March 31, 2005, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(4) Intensive outpatient treatment
(a minimum of 2 hours per day on 3 or more days per week)

An active outpatient client is someone who:

1 - was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2005

AND

2 - was still enrolled in treatment on March 31, 2005.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 5373 | 40.2 % |
| 1 | - | 101 | 0.8 % |
| 2 | - | 152 | 1.1 % |
| 3 | - | 166 | 1.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 4 | - | 140 | 1.0 % |
| 5 | - | 204 | 1.5 % |
| 6 | - | 162 | 1.2 % |
| 7 | - | 113 | 0.8 % |
| 8 | - | 182 | 1.4 % |
| 9 | - | 80 | 0.6 % |
| 10 | - | 316 | 2.4 % |
| 11 | - | 74 | 0.6 % |
| 12 | - | 202 | 1.5 % |
| 13 | - | 72 | 0.5 % |
| 14 | - | 88 | 0.7 % |
| 15 | - | 233 | 1.7 % |
| 16 | - | 80 | 0.6 % |
| 17 | - | 57 | 0.4 % |
| 18 | - | 81 | 0.6 % |
| 19 | - | 38 | 0.3 % |
| 20 | - | 247 | 1.8 % |
| 21 | - | 50 | 0.4 % |
| 22 | - | 57 | 0.4 % |
| 23 | - | 48 | 0.4 % |
| 24 | - | 62 | 0.5 % |
| 25 | - | 132 | 1.0 % |
| 26 | - | 38 | 0.3 % |
| 27 | - | 30 | 0.2 % |
| 28 | - | 33 | 0.2 % |
| 29 | - | 15 | 0.1 % |
| 30 | - | 154 | 1.2 % |
| 31 | - | 23 | 0.2 % |
| 32 | - | 30 | 0.2 % |
| 33 | - | 22 | 0.2 % |
| 34 | - | 19 | 0.1 % |
| 35 | - | 71 | 0.5 % |
| 36 | - | 32 | 0.2 % |
| 37 | - | 14 | 0.1 % |
| 38 | - | 19 | 0.1 % |
| 39 | - | 15 | 0.1 % |
| 40 | - | 92 | 0.7 % |
| 41 | - | 9 | 0.1 % |
| 42 | - | 13 | 0.1 % |
| 43 | - | 15 | 0.1 % |
| 44 | - | 10 | 0.1 % |
| 45 | - | 57 | 0.4 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 46 | - | 10 | 0.1 % |
| 47 | - | 9 | 0.1 % |
| 48 | - | 21 | 0.2 % |
| 49 | - | 8 | 0.1 % |
| | Missing Data | | |
| -6 | Logical Skip | 3421 | 25.6 % |
| -4 | Refused | 9 | 0.1 % |
| -2 | Missing | 3 | 0.0 % |
| -1 | Don't Know | 7 | 0.1 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,931 valid cases out of 13,371 total cases.

- Mean: 12.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 514
- Standard Deviation: 29.41

Location: 408-410 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI5: Clients in regular Outpat'nt Care

26a. As of March 31, 2005, how many active clients were enrolled in each of the following OUTPATIENT substance abuse services at this facility?

(5) Regular outpatient treatment
(fewer hours per week than intensive)

An active outpatient client is someone who:

1 - was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2005

AND

2 - was still enrolled in treatment on March 31, 2005.

COUNT a client in one service only, even if the client received multiple services.

DO NOT count family members, friends, or other non-treatment

clients.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 1851 | 13.8 % |
| 1 | - | 97 | 0.7 % |
| 2 | - | 149 | 1.1 % |
| 3 | - | 160 | 1.2 % |
| 4 | - | 135 | 1.0 % |
| 5 | - | 225 | 1.7 % |
| 6 | - | 141 | 1.1 % |
| 7 | - | 82 | 0.6 % |
| 8 | - | 163 | 1.2 % |
| 9 | - | 74 | 0.6 % |
| 10 | - | 308 | 2.3 % |
| 11 | - | 61 | 0.5 % |
| 12 | - | 187 | 1.4 % |
| 13 | - | 69 | 0.5 % |
| 14 | - | 89 | 0.7 % |
| 15 | - | 287 | 2.1 % |
| 16 | - | 85 | 0.6 % |
| 17 | - | 70 | 0.5 % |
| 18 | - | 86 | 0.6 % |
| 19 | - | 46 | 0.3 % |
| 20 | - | 291 | 2.2 % |
| 21 | - | 53 | 0.4 % |
| 22 | - | 70 | 0.5 % |
| 23 | - | 51 | 0.4 % |
| 24 | - | 55 | 0.4 % |
| 25 | - | 229 | 1.7 % |
| 26 | - | 45 | 0.3 % |
| 27 | - | 65 | 0.5 % |
| 28 | - | 49 | 0.4 % |
| 29 | - | 42 | 0.3 % |
| 30 | - | 272 | 2.0 % |
| 31 | - | 32 | 0.2 % |
| 32 | - | 49 | 0.4 % |
| 33 | - | 32 | 0.2 % |
| 34 | - | 44 | 0.3 % |
| 35 | - | 126 | 0.9 % |
| 36 | - | 40 | 0.3 % |
| 37 | - | 43 | 0.3 % |
| 38 | - | 42 | 0.3 % |
| 39 | - | 29 | 0.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 40 | - | 197 | 1.5 % |
| 41 | - | 32 | 0.2 % |
| 42 | - | 51 | 0.4 % |
| 43 | - | 34 | 0.3 % |
| 44 | - | 33 | 0.2 % |
| 45 | - | 136 | 1.0 % |
| 46 | - | 31 | 0.2 % |
| 47 | - | 38 | 0.3 % |
| 48 | - | 42 | 0.3 % |
| 49 | - | 24 | 0.2 % |
| | Missing Data | | |
| -6 | Logical Skip | 3421 | 25.6 % |
| -4 | Refused | 9 | 0.1 % |
| -2 | Missing | 2 | 0.0 % |
| -1 | Don't Know | 12 | 0.1 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,927 valid cases out of 13,371 total cases.

- Mean: 57.35
- Minimum: 0
- Maximum: 2875
- Standard Deviation: 104.44

Location: 411-414 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIOP: Total Number of Outpat'nt Clients

26a. As of March 31, 2005, how many active clients were enrolled in OUTPATIENT substance abuse services at this facility?

_____ OUTPATIENT TOTAL

An active outpatient client is someone who:

1 - was seen at this facility for substance abuse treatment or detoxification at least once during the month of March 2005

AND

2 - was still enrolled in treatment on March 31, 2005.

COUNT a client in one service only, even if the client

received multiple services.

DO NOT count family members, friends, or other non-treatment clients.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 268 | 2.0 % |
| 1 | - | 74 | 0.6 % |
| 2 | - | 91 | 0.7 % |
| 3 | - | 103 | 0.8 % |
| 4 | - | 84 | 0.6 % |
| 5 | - | 161 | 1.2 % |
| 6 | - | 103 | 0.8 % |
| 7 | - | 91 | 0.7 % |
| 8 | - | 137 | 1.0 % |
| 9 | - | 70 | 0.5 % |
| 10 | - | 222 | 1.7 % |
| 11 | - | 77 | 0.6 % |
| 12 | - | 181 | 1.4 % |
| 13 | - | 87 | 0.7 % |
| 14 | - | 106 | 0.8 % |
| 15 | - | 212 | 1.6 % |
| 16 | - | 100 | 0.7 % |
| 17 | - | 90 | 0.7 % |
| 18 | - | 94 | 0.7 % |
| 19 | - | 65 | 0.5 % |
| 20 | - | 228 | 1.7 % |
| 21 | - | 72 | 0.5 % |
| 22 | - | 105 | 0.8 % |
| 23 | - | 63 | 0.5 % |
| 24 | - | 79 | 0.6 % |
| 25 | - | 211 | 1.6 % |
| 26 | - | 74 | 0.6 % |
| 27 | - | 80 | 0.6 % |
| 28 | - | 78 | 0.6 % |
| 29 | - | 55 | 0.4 % |
| 30 | - | 229 | 1.7 % |
| 31 | - | 62 | 0.5 % |
| 32 | - | 72 | 0.5 % |
| 33 | - | 53 | 0.4 % |
| 34 | - | 56 | 0.4 % |
| 35 | - | 154 | 1.2 % |
| 36 | - | 58 | 0.4 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 37 | - | 49 | 0.4 % |
| 38 | - | 53 | 0.4 % |
| 39 | - | 32 | 0.2 % |
| 40 | - | 173 | 1.3 % |
| 41 | - | 31 | 0.2 % |
| 42 | - | 81 | 0.6 % |
| 43 | - | 42 | 0.3 % |
| 44 | - | 50 | 0.4 % |
| 45 | - | 145 | 1.1 % |
| 46 | - | 48 | 0.4 % |
| 47 | - | 53 | 0.4 % |
| 48 | - | 59 | 0.4 % |
| 49 | - | 41 | 0.3 % |
| | Missing Data | | |
| -6 | Logical Skip | 3421 | 25.6 % |
| -4 | Refused | 9 | 0.1 % |
| -2 | Missing | 2 | 0.0 % |
| -1 | Don't Know | 5 | 0.0 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,934 valid cases out of 13,371 total cases.

- Mean: 96.82
- Minimum: 0
- Maximum: 3082
- Standard Deviation: 143.43

Location: 415-418 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

O_AGE1: Outpat'nt clients under 18 years old

26b. How many of the clients from the OUTPATIENT TOTAL BOX were under the age of 18?

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 5652 | 42.3 % |
| 1 | - | 347 | 2.6 % |
| 2 | - | 388 | 2.9 % |
| 3 | - | 319 | 2.4 % |
| 4 | - | 252 | 1.9 % |
| 5 | - | 270 | 2.0 % |
| 6 | - | 176 | 1.3 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 7 | - | 137 | 1.0 % |
| 8 | - | 154 | 1.2 % |
| 9 | - | 85 | 0.6 % |
| 10 | - | 270 | 2.0 % |
| 11 | - | 52 | 0.4 % |
| 12 | - | 138 | 1.0 % |
| 13 | - | 50 | 0.4 % |
| 14 | - | 51 | 0.4 % |
| 15 | - | 183 | 1.4 % |
| 16 | - | 53 | 0.4 % |
| 17 | - | 49 | 0.4 % |
| 18 | - | 42 | 0.3 % |
| 19 | - | 28 | 0.2 % |
| 20 | - | 154 | 1.2 % |
| 21 | - | 27 | 0.2 % |
| 22 | - | 26 | 0.2 % |
| 23 | - | 38 | 0.3 % |
| 24 | - | 29 | 0.2 % |
| 25 | - | 119 | 0.9 % |
| 26 | - | 18 | 0.1 % |
| 27 | - | 22 | 0.2 % |
| 28 | - | 25 | 0.2 % |
| 29 | - | 9 | 0.1 % |
| 30 | - | 80 | 0.6 % |
| 31 | - | 19 | 0.1 % |
| 32 | - | 20 | 0.1 % |
| 33 | - | 20 | 0.1 % |
| 34 | - | 11 | 0.1 % |
| 35 | - | 43 | 0.3 % |
| 36 | - | 12 | 0.1 % |
| 37 | - | 10 | 0.1 % |
| 38 | - | 20 | 0.1 % |
| 39 | - | 9 | 0.1 % |
| 40 | - | 51 | 0.4 % |
| 41 | - | 7 | 0.1 % |
| 42 | - | 13 | 0.1 % |
| 43 | - | 10 | 0.1 % |
| 44 | - | 6 | 0.0 % |
| 45 | - | 28 | 0.2 % |
| 46 | - | 5 | 0.0 % |
| 47 | - | 9 | 0.1 % |
| 48 | - | 10 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 49 | - | 4 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 3421 | 25.6 % |
| -4 | Refused | 11 | 0.1 % |
| -2 | Missing | 51 | 0.4 % |
| -1 | Don't Know | 13 | 0.1 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,875 valid cases out of 13,371 total cases.

- Mean: 7.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 600
- Standard Deviation: 22.26

Location: 419-421 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OPMETNUM: Total Methadone Outpat'nts

26c. How many of the clients from the OUTPATIENT TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(1) Methadone

Include clients who received these drugs for detoxification or maintenance purposes.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 12359 | 92.4 % |
| 1 | - | 1 | 0.0 % |
| 4 | - | 1 | 0.0 % |
| 5 | - | 3 | 0.0 % |
| 6 | - | 1 | 0.0 % |
| 7 | - | 1 | 0.0 % |
| 8 | - | 1 | 0.0 % |
| 9 | - | 1 | 0.0 % |
| 10 | - | 3 | 0.0 % |
| 11 | - | 1 | 0.0 % |
| 12 | - | 1 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------|
| 13 | - | 1 | 0.0 % |
| 14 | - | 1 | 0.0 % |
| 16 | - | 2 | 0.0 % |
| 17 | - | 1 | 0.0 % |
| 19 | - | 2 | 0.0 % |
| 20 | - | 2 | 0.0 % |
| 25 | - | 3 | 0.0 % |
| 28 | - | 1 | 0.0 % |
| 30 | - | 2 | 0.0 % |
| 33 | - | 1 | 0.0 % |
| 34 | - | 1 | 0.0 % |
| 35 | - | 1 | 0.0 % |
| 36 | - | 1 | 0.0 % |
| 37 | - | 1 | 0.0 % |
| 38 | - | 1 | 0.0 % |
| 40 | - | 1 | 0.0 % |
| 42 | - | 2 | 0.0 % |
| 43 | - | 1 | 0.0 % |
| 44 | - | 4 | 0.0 % |
| 45 | - | 1 | 0.0 % |
| 48 | - | 1 | 0.0 % |
| 49 | - | 1 | 0.0 % |
| 50 | - | 6 | 0.0 % |
| 52 | - | 3 | 0.0 % |
| 53 | - | 1 | 0.0 % |
| 54 | - | 1 | 0.0 % |
| 55 | - | 4 | 0.0 % |
| 57 | - | 1 | 0.0 % |
| 59 | - | 1 | 0.0 % |
| 60 | - | 2 | 0.0 % |
| 62 | - | 2 | 0.0 % |
| 65 | - | 5 | 0.0 % |
| 66 | - | 1 | 0.0 % |
| 67 | - | 1 | 0.0 % |
| 68 | - | 2 | 0.0 % |
| 70 | - | 4 | 0.0 % |
| 72 | - | 4 | 0.0 % |
| 73 | - | 1 | 0.0 % |
| 74 | - | 1 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 108 | 0.8 % |
| -2 | Missing | 22 | 0.2 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| -1 | Don't Know | 1 | 0.0 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 13,240 valid cases out of 13,371 total cases.

- Mean: 17.65
- Minimum: 0
- Maximum: 1750
- Standard Deviation: 83.43

Location: 422-425 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OPBUPNUM: Total Buprenorphine Outpat'nts

26c. How many of the clients from the OUTPATIENT TOTAL BOX received methadone or buprenorphine dispensed by this facility?

(2) Buprenorphine

Include clients who received these drugs for detoxification or maintenance purposes.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 9580 | 71.6 % |
| 1 | - | 28 | 0.2 % |
| 2 | - | 53 | 0.4 % |
| 3 | - | 31 | 0.2 % |
| 4 | - | 20 | 0.1 % |
| 5 | - | 31 | 0.2 % |
| 6 | - | 12 | 0.1 % |
| 7 | - | 6 | 0.0 % |
| 8 | - | 12 | 0.1 % |
| 9 | - | 3 | 0.0 % |
| 10 | - | 21 | 0.2 % |
| 11 | - | 2 | 0.0 % |
| 12 | - | 11 | 0.1 % |
| 13 | - | 1 | 0.0 % |
| 14 | - | 6 | 0.0 % |
| 15 | - | 10 | 0.1 % |
| 16 | - | 4 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 18 | - | 4 | 0.0 % |
| 19 | - | 2 | 0.0 % |
| 20 | - | 14 | 0.1 % |
| 21 | - | 1 | 0.0 % |
| 23 | - | 2 | 0.0 % |
| 24 | - | 1 | 0.0 % |
| 25 | - | 4 | 0.0 % |
| 26 | - | 1 | 0.0 % |
| 28 | - | 1 | 0.0 % |
| 29 | - | 3 | 0.0 % |
| 30 | - | 16 | 0.1 % |
| 31 | - | 1 | 0.0 % |
| 40 | - | 1 | 0.0 % |
| 45 | - | 1 | 0.0 % |
| 47 | - | 1 | 0.0 % |
| 53 | - | 1 | 0.0 % |
| 65 | - | 1 | 0.0 % |
| 69 | - | 1 | 0.0 % |
| 75 | - | 1 | 0.0 % |
| 155 | - | 1 | 0.0 % |
| 158 | - | 1 | 0.0 % |
| 230 | - | 1 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 3421 | 25.6 % |
| -4 | Refused | 12 | 0.1 % |
| -2 | Missing | 29 | 0.2 % |
| -1 | Don't Know | 18 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 9,891 valid cases out of 13,371 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 230
- Standard Deviation: 4.11

Location: 426-428 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

B_PCT: % of Clients Treated for Alc/Drug Abuse

27. Thinking about all of your substance abuse treatment

clients - including hospital inpatient, residential, and/or outpatient - approximately what percent of the substance abuse treatment clients enrolled at this facility on March 31, 2005, were being treated for . . .

(1) . . . Abuse of both alcohol and drugs?

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 701 | 5.2 % |
| 1 | - | 52 | 0.4 % |
| 2 | - | 46 | 0.3 % |
| 3 | - | 39 | 0.3 % |
| 4 | - | 18 | 0.1 % |
| 5 | - | 177 | 1.3 % |
| 6 | - | 22 | 0.2 % |
| 7 | - | 11 | 0.1 % |
| 8 | - | 21 | 0.2 % |
| 9 | - | 17 | 0.1 % |
| 10 | - | 384 | 2.9 % |
| 11 | - | 14 | 0.1 % |
| 12 | - | 16 | 0.1 % |
| 13 | - | 19 | 0.1 % |
| 14 | - | 21 | 0.2 % |
| 15 | - | 182 | 1.4 % |
| 16 | - | 19 | 0.1 % |
| 17 | - | 12 | 0.1 % |
| 18 | - | 18 | 0.1 % |
| 19 | - | 17 | 0.1 % |
| 20 | - | 446 | 3.3 % |
| 21 | - | 21 | 0.2 % |
| 22 | - | 27 | 0.2 % |
| 23 | - | 29 | 0.2 % |
| 24 | - | 13 | 0.1 % |
| 25 | - | 388 | 2.9 % |
| 26 | - | 22 | 0.2 % |
| 27 | - | 22 | 0.2 % |
| 28 | - | 23 | 0.2 % |
| 29 | - | 20 | 0.1 % |
| 30 | - | 471 | 3.5 % |
| 31 | - | 24 | 0.2 % |
| 32 | - | 33 | 0.2 % |
| 33 | - | 87 | 0.7 % |
| 34 | - | 54 | 0.4 % |
| 35 | - | 191 | 1.4 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 36 | - | 28 | 0.2 % |
| 37 | - | 27 | 0.2 % |
| 38 | - | 41 | 0.3 % |
| 39 | - | 16 | 0.1 % |
| 40 | - | 515 | 3.9 % |
| 41 | - | 15 | 0.1 % |
| 42 | - | 26 | 0.2 % |
| 43 | - | 43 | 0.3 % |
| 44 | - | 21 | 0.2 % |
| 45 | - | 155 | 1.2 % |
| 46 | - | 22 | 0.2 % |
| 47 | - | 25 | 0.2 % |
| 48 | - | 27 | 0.2 % |
| 49 | - | 16 | 0.1 % |
| | Missing Data | | |
| -6 | Logical Skip | 1169 | 8.7 % |
| -4 | Refused | 12 | 0.1 % |
| -2 | Missing | 71 | 0.5 % |
| -1 | Don't Know | 36 | 0.3 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,083 valid cases out of 13,371 total cases.

- Mean: 53.97
- Median: 55.00
- Mode: 50.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 30.19

Location: 429-431 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

A_PCT: % of Clients Treated for Alc Abuse

27. Thinking about all of your substance abuse treatment clients - including hospital inpatient, residential, and/or outpatient - approximately what percent of the substance abuse treatment clients enrolled at this facility on March 31, 2005, were being treated for . . .

(2) . . . Alcohol abuse only?

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 2312 | 17.3 % |
| 1 | - | 154 | 1.2 % |
| 2 | - | 173 | 1.3 % |
| 3 | - | 95 | 0.7 % |
| 4 | - | 37 | 0.3 % |
| 5 | - | 861 | 6.4 % |
| 6 | - | 55 | 0.4 % |
| 7 | - | 69 | 0.5 % |
| 8 | - | 101 | 0.8 % |
| 9 | - | 34 | 0.3 % |
| 10 | - | 1625 | 12.2 % |
| 11 | - | 42 | 0.3 % |
| 12 | - | 82 | 0.6 % |
| 13 | - | 48 | 0.4 % |
| 14 | - | 60 | 0.4 % |
| 15 | - | 613 | 4.6 % |
| 16 | - | 39 | 0.3 % |
| 17 | - | 48 | 0.4 % |
| 18 | - | 43 | 0.3 % |
| 19 | - | 26 | 0.2 % |
| 20 | - | 1145 | 8.6 % |
| 21 | - | 48 | 0.4 % |
| 22 | - | 43 | 0.3 % |
| 23 | - | 37 | 0.3 % |
| 24 | - | 30 | 0.2 % |
| 25 | - | 845 | 6.3 % |
| 26 | - | 21 | 0.2 % |
| 27 | - | 27 | 0.2 % |
| 28 | - | 24 | 0.2 % |
| 29 | - | 31 | 0.2 % |
| 30 | - | 631 | 4.7 % |
| 31 | - | 26 | 0.2 % |
| 32 | - | 23 | 0.2 % |
| 33 | - | 109 | 0.8 % |
| 34 | - | 26 | 0.2 % |
| 35 | - | 156 | 1.2 % |
| 36 | - | 20 | 0.1 % |
| 37 | - | 27 | 0.2 % |
| 38 | - | 26 | 0.2 % |
| 39 | - | 17 | 0.1 % |
| 40 | - | 345 | 2.6 % |
| 41 | - | 17 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 42 | - | 15 | 0.1 % |
| 43 | - | 20 | 0.1 % |
| 44 | - | 14 | 0.1 % |
| 45 | - | 93 | 0.7 % |
| 46 | - | 17 | 0.1 % |
| 47 | - | 14 | 0.1 % |
| 48 | - | 20 | 0.1 % |
| 49 | - | 12 | 0.1 % |
| | Missing Data | | |
| -6 | Logical Skip | 1169 | 8.7 % |
| -4 | Refused | 12 | 0.1 % |
| -2 | Missing | 71 | 0.5 % |
| -1 | Don't Know | 35 | 0.3 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,084 valid cases out of 13,371 total cases.

- Mean: 21.54
- Median: 15.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 22.64

Location: 432-434 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

D_PCT: % of Clients Treated for Drug Abuse

27. Thinking about all of your substance abuse treatment clients - including hospital inpatient, residential, and/or outpatient - approximately what percent of the substance abuse treatment clients enrolled at this facility on March 31, 2005, were being treated for . . .

(3) . . . Drug abuse only?

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 2106 | 15.8 % |
| 1 | - | 91 | 0.7 % |
| 2 | - | 119 | 0.9 % |
| 3 | - | 77 | 0.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 4 | - | 48 | 0.4 % |
| 5 | - | 851 | 6.4 % |
| 6 | - | 54 | 0.4 % |
| 7 | - | 58 | 0.4 % |
| 8 | - | 92 | 0.7 % |
| 9 | - | 40 | 0.3 % |
| 10 | - | 1601 | 12.0 % |
| 11 | - | 50 | 0.4 % |
| 12 | - | 55 | 0.4 % |
| 13 | - | 50 | 0.4 % |
| 14 | - | 45 | 0.3 % |
| 15 | - | 690 | 5.2 % |
| 16 | - | 37 | 0.3 % |
| 17 | - | 62 | 0.5 % |
| 18 | - | 42 | 0.3 % |
| 19 | - | 32 | 0.2 % |
| 20 | - | 1187 | 8.9 % |
| 21 | - | 41 | 0.3 % |
| 22 | - | 38 | 0.3 % |
| 23 | - | 37 | 0.3 % |
| 24 | - | 40 | 0.3 % |
| 25 | - | 913 | 6.8 % |
| 26 | - | 37 | 0.3 % |
| 27 | - | 33 | 0.2 % |
| 28 | - | 38 | 0.3 % |
| 29 | - | 32 | 0.2 % |
| 30 | - | 586 | 4.4 % |
| 31 | - | 36 | 0.3 % |
| 32 | - | 28 | 0.2 % |
| 33 | - | 85 | 0.6 % |
| 34 | - | 34 | 0.3 % |
| 35 | - | 162 | 1.2 % |
| 36 | - | 31 | 0.2 % |
| 37 | - | 23 | 0.2 % |
| 38 | - | 22 | 0.2 % |
| 39 | - | 8 | 0.1 % |
| 40 | - | 332 | 2.5 % |
| 41 | - | 15 | 0.1 % |
| 42 | - | 21 | 0.2 % |
| 43 | - | 24 | 0.2 % |
| 44 | - | 16 | 0.1 % |
| 45 | - | 86 | 0.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 46 | - | 12 | 0.1 % |
| 47 | - | 21 | 0.2 % |
| 48 | - | 11 | 0.1 % |
| 49 | - | 7 | 0.1 % |
| | Missing Data | | |
| -6 | Logical Skip | 1169 | 8.7 % |
| -4 | Refused | 12 | 0.1 % |
| -2 | Missing | 72 | 0.5 % |
| -1 | Don't Know | 35 | 0.3 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,083 valid cases out of 13,371 total cases.

- Mean: 24.51
- Median: 16.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 26.47

Location: 435-437 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TOTADMIS: Total # of admissions for Sub Abuse Tx

28. In the 12 months beginning April 1, 2004, and ending March 31, 2005, how many ADMISSIONS for substance abuse treatment did this facility have? Count every admission and re-admission in this 12-month period. If a person was admitted 3 times, count this as 3 admissions.

Number of substance abuse admissions in 12-month period

FOR OUTPATIENT CLIENTS, consider an admission to be the initiation of a treatment program or course of treatment. Count admissions into treatment, not individual treatment visits.

IF DATA FOR THIS TIME PERIOD are not available, use the most recent 12-month period for which you have data.

IF THIS IS A MENTAL HEALTH FACILITY, count all admissions in which clients received substance abuse treatment, even if substance abuse was their secondary diagnosis.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 74 | 0.6 % |
| 1 | - | 21 | 0.2 % |
| 2 | - | 20 | 0.1 % |
| 3 | - | 19 | 0.1 % |
| 4 | - | 19 | 0.1 % |
| 5 | - | 39 | 0.3 % |
| 6 | - | 38 | 0.3 % |
| 7 | - | 25 | 0.2 % |
| 8 | - | 43 | 0.3 % |
| 9 | - | 21 | 0.2 % |
| 10 | - | 68 | 0.5 % |
| 11 | - | 26 | 0.2 % |
| 12 | - | 59 | 0.4 % |
| 13 | - | 18 | 0.1 % |
| 14 | - | 32 | 0.2 % |
| 15 | - | 86 | 0.6 % |
| 16 | - | 29 | 0.2 % |
| 17 | - | 21 | 0.2 % |
| 18 | - | 45 | 0.3 % |
| 19 | - | 22 | 0.2 % |
| 20 | - | 131 | 1.0 % |
| 21 | - | 35 | 0.3 % |
| 22 | - | 30 | 0.2 % |
| 23 | - | 27 | 0.2 % |
| 24 | - | 60 | 0.4 % |
| 25 | - | 110 | 0.8 % |
| 26 | - | 29 | 0.2 % |
| 27 | - | 32 | 0.2 % |
| 28 | - | 40 | 0.3 % |
| 29 | - | 35 | 0.3 % |
| 30 | - | 156 | 1.2 % |
| 31 | - | 37 | 0.3 % |
| 32 | - | 42 | 0.3 % |
| 33 | - | 34 | 0.3 % |
| 34 | - | 24 | 0.2 % |
| 35 | - | 84 | 0.6 % |
| 36 | - | 60 | 0.4 % |
| 37 | - | 34 | 0.3 % |
| 38 | - | 29 | 0.2 % |
| 39 | - | 32 | 0.2 % |
| 40 | - | 153 | 1.1 % |
| 41 | - | 20 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 42 | - | 58 | 0.4 % |
| 43 | - | 33 | 0.2 % |
| 44 | - | 23 | 0.2 % |
| 45 | - | 95 | 0.7 % |
| 46 | - | 34 | 0.3 % |
| 47 | - | 25 | 0.2 % |
| 48 | - | 48 | 0.4 % |
| 49 | - | 28 | 0.2 % |
| | Missing Data | | |
| -6 | Logical Skip | 980 | 7.3 % |
| -4 | Refused | 36 | 0.3 % |
| -2 | Missing | 94 | 0.7 % |
| -1 | Don't Know | 209 | 1.6 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,052 valid cases out of 13,371 total cases.

- Mean: 296.99
- Minimum: 0
- Maximum: 10815
- Standard Deviation: 475.79

Location: 438-442 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FACCLI: Other facilities included in client ct

29. How many facilities are included in the client counts reported in questions 25 through 29?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------|----------------------|-------------|
| 1 | Only this facility | 11741 | 87.8 % |
| 2 | This facility plus others | 649 | 4.9 % |
| | Missing Data | | |
| -6 | Logical Skip | 980 | 7.3 % |
| -4 | Refused | 1 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 12,390 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 2

Location: 443-445 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

FACNUM: # of Facilities in Client Count Data

29. How many facilities are included in the client counts reported in questions 25 through 29?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | - | 11741 | 87.8 % |
| 2 | - | 378 | 2.8 % |
| 3 | - | 156 | 1.2 % |
| 4 | - | 47 | 0.4 % |
| 5 | - | 21 | 0.2 % |
| 6 | - | 20 | 0.1 % |
| 7 | - | 9 | 0.1 % |
| 8 | - | 9 | 0.1 % |
| 9 | - | 2 | 0.0 % |
| 10 | - | 4 | 0.0 % |
| 12 | - | 1 | 0.0 % |
| 15 | - | 1 | 0.0 % |
| 27 | - | 1 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 981 | 7.3 % |
| | Total | 13,371 | 100% |

Based upon 12,390 valid cases out of 13,371 total cases.

- Mean: 1.10
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 27
- Standard Deviation: 0.59

Location: 446-448 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ACTHI: Actual or estimate hosp inpat'nt client ct

30. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(1) Hospital inpatient clients (Q.24a, Pg. 7)

Mark "N/A" for any type of care not provided by this facility on March 31, 2005.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Actual | 431 | 3.2 % |
| 2 | Estimate | 352 | 2.6 % |
| | Missing Data | | |
| -7 | Not Applicable | 11573 | 86.6 % |
| -6 | Logical Skip | 980 | 7.3 % |
| -5 | Multiple Responses | 1 | 0.0 % |
| -4 | Refused | 1 | 0.0 % |
| -2 | Missing | 33 | 0.2 % |
| | Total | 13,371 | 100% |

Based upon 783 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 2

Location: 449-451 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ACTRES: Actual or estimate non-hosp res client ct

30. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(2) Residential clients (Q.25a, Pg. 7)

Mark "N/A" for any type of care not provided by this facility on March 31, 2005.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Actual | 2375 | 17.8 % |
| 2 | Estimate | 979 | 7.3 % |
| | Missing Data | | |
| -7 | Not Applicable | 8993 | 67.3 % |
| -6 | Logical Skip | 980 | 7.3 % |
| -5 | Multiple Responses | 1 | 0.0 % |
| -4 | Refused | 2 | 0.0 % |
| -2 | Missing | 40 | 0.3 % |
| -1 | Don't Know | 1 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 3,354 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 2

Location: 452-454 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

ACTOP: Actual or estimate outpat'nt client ct

30. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(3) Outpatient clients (Q.26a, Pg. 8)

Mark "N/A" for any type of care not provided by this facility on March 31, 2005.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Actual | 4575 | 34.2 % |
| 2 | Estimate | 4871 | 36.4 % |
| | Missing Data | | |
| -7 | Not Applicable | 2820 | 21.1 % |
| -6 | Logical Skip | 980 | 7.3 % |
| -5 | Multiple Responses | 1 | 0.0 % |
| -4 | Refused | 8 | 0.1 % |
| -2 | Missing | 108 | 0.8 % |
| -1 | Don't Know | 8 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 9,446 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 2

Location: 455-457 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

TOTADEST: Actual or Estimate admis no.

30. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(4) 12-month admissions (Q.28)

Mark "N/A" for any type of care not provided by this facility on March 31, 2005.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 1 | Actual | 5150 | 38.5 % |
| 2 | Estimate | 6335 | 47.4 % |
| | Missing Data | | |
| -7 | Not Applicable | 450 | 3.4 % |
| -6 | Logical Skip | 980 | 7.3 % |
| -5 | Multiple Responses | 3 | 0.0 % |
| -4 | Refused | 9 | 0.1 % |
| -2 | Missing | 438 | 3.3 % |
| -1 | Don't Know | 6 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 11,485 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 2

Location: 458-460 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LOC5: Setting, Halfway House

31. Does this facility operate a halfway house or other transitional housing for substance abuse clients at this location, that is, the location listed on the front cover?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 12010 | 89.8 % |
| 1 | Yes | 1332 | 10.0 % |
| | Missing Data | | |
| -4 | Refused | 24 | 0.2 % |
| -2 | Missing | 3 | 0.0 % |
| -1 | Don't Know | 2 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,342 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 461-463 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENSED: Licns'd/certif'd by State SA Agency

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(1) State substance abuse agency

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 2602 | 19.5 % |
| 1 | Yes | 10769 | 80.5 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 464-466 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENMH: Licns'd/certif'd by Mental Health Dept.

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(2) State mental health department

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 9263 | 69.3 % |
| 1 | Yes | 4108 | 30.7 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 467-469 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENPH: Licns'd/certif'd by Public Health Dept.

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(3) State department of health

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 8148 | 60.9 % |
| 1 | Yes | 5223 | 39.1 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 470-472 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

LICENHOS: Licns'd/certif'd by Hospital authority

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(4) Hospital licensing authority

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|--------|
| 0 | No | 12250 | 91.6 % |
| 1 | Yes | 1121 | 8.4 % |
| | Missing Data | | |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 473-475 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

JCAHO: Accred't'd by JCAHO

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(5) JCAHO (Joint Commission on Accreditation of Healthcare Organizations)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 10266 | 76.8 % |
| 1 | Yes | 3105 | 23.2 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 476-478 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CARF: Accred't'd by CARF

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(6) CARF (Commission on Accreditation of Rehabilitation Facilities)

Only include facility-level licensing, accreditation, etc.,

related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 11188 | 83.7 % |
| 1 | Yes | 2183 | 16.3 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 479-481 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

NCQA: Accred't'd by NCQA

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(7) NCQA (National Committee for Quality Assurance)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 13017 | 97.4 % |
| 1 | Yes | 354 | 2.6 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 482-484 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

COA: Accred't'd by COA

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(8) COA (Council on Accreditation for Children & Family Services)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 12769 | 95.5 % |
| 1 | Yes | 602 | 4.5 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 485-487 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

OTHSTATE: Licns'd/certif'd by other State Agency

32. Does this facility or program have licensing, certification, or accreditation from any of the following organizations?

(9) Another state or local agency or other organization

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 11917 | 89.1 % |
| 1 | Yes | 1454 | 10.9 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 488-490 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

INTERNET: Has internet access

33. Does this facility have internet access?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 853 | 6.4 % |
| 1 | Yes | 12486 | 93.4 % |
| | Missing Data | | |
| -5 | Multiple Responses | 1 | 0.0 % |
| -4 | Refused | 17 | 0.1 % |
| -2 | Missing | 13 | 0.1 % |
| -1 | Don't Know | 1 | 0.0 % |
| | Total | 13,371 | 100% |

Based upon 13,339 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 491-493 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

HASWEB: Has Web site- y/n

34. Does this facility have a website or web page with information about the facility's substance abuse treatment programs?

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | No | 5235 | 39.2 % |
| 1 | Yes | 7938 | 59.4 % |
| | Missing Data | | |
| -4 | Refused | 22 | 0.2 % |
| -2 | Missing | 53 | 0.4 % |
| -1 | Don't Know | 123 | 0.9 % |
| | Total | 13,371 | 100% |

Based upon 13,173 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 494-496 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

RPTLVL: Added: Reporting for Self, Self & Others, No Counts

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | Reporting for self | 11742 | 87.8 % |
| 2 | Reporting for self and others | 649 | 4.9 % |
| 3 | Client counts reported by another facility | 980 | 7.3 % |
| | Missing Data | | |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 1
- Maximum: 3

Location: 497-499 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLI11: Added: Total t_cli11 3/29/05

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 0 | - | 168 | 1.3 % |
| 1 | - | 56 | 0.4 % |
| 2 | - | 87 | 0.7 % |
| 3 | - | 90 | 0.7 % |
| 4 | - | 97 | 0.7 % |
| 5 | - | 184 | 1.4 % |
| 6 | - | 198 | 1.5 % |
| 7 | - | 130 | 1.0 % |
| 8 | - | 193 | 1.4 % |
| 9 | - | 115 | 0.9 % |
| 10 | - | 285 | 2.1 % |
| 11 | - | 134 | 1.0 % |
| 12 | - | 275 | 2.1 % |
| 13 | - | 134 | 1.0 % |
| 14 | - | 188 | 1.4 % |
| 15 | - | 295 | 2.2 % |
| 16 | - | 195 | 1.5 % |
| 17 | - | 135 | 1.0 % |
| 18 | - | 168 | 1.3 % |
| 19 | - | 101 | 0.8 % |
| 20 | - | 308 | 2.3 % |
| 21 | - | 101 | 0.8 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 22 | - | 153 | 1.1 % |
| 23 | - | 96 | 0.7 % |
| 24 | - | 148 | 1.1 % |
| 25 | - | 266 | 2.0 % |
| 26 | - | 133 | 1.0 % |
| 27 | - | 118 | 0.9 % |
| 28 | - | 116 | 0.9 % |
| 29 | - | 88 | 0.7 % |
| 30 | - | 270 | 2.0 % |
| 31 | - | 82 | 0.6 % |
| 32 | - | 96 | 0.7 % |
| 33 | - | 79 | 0.6 % |
| 34 | - | 79 | 0.6 % |
| 35 | - | 176 | 1.3 % |
| 36 | - | 84 | 0.6 % |
| 37 | - | 67 | 0.5 % |
| 38 | - | 74 | 0.6 % |
| 39 | - | 56 | 0.4 % |
| 40 | - | 205 | 1.5 % |
| 41 | - | 47 | 0.4 % |
| 42 | - | 105 | 0.8 % |
| 43 | - | 58 | 0.4 % |
| 44 | - | 73 | 0.5 % |
| 45 | - | 157 | 1.2 % |
| 46 | - | 64 | 0.5 % |
| 47 | - | 75 | 0.6 % |
| 48 | - | 85 | 0.6 % |
| 49 | - | 46 | 0.3 % |
| | Missing Data | | |
| -6 | Logical Skip | 999 | 7.5 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,372 valid cases out of 13,371 total cases.

- Mean: 87.38
- Minimum: 0
- Maximum: 3102
- Standard Deviation: 133.30

Location: 500-503 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIUV: Added: Total t_cli11 Under Age 18 3/29/05

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 7599 | 56.8 % |
| 1 | - | 377 | 2.8 % |
| 2 | - | 412 | 3.1 % |
| 3 | - | 337 | 2.5 % |
| 4 | - | 263 | 2.0 % |
| 5 | - | 285 | 2.1 % |
| 6 | - | 204 | 1.5 % |
| 7 | - | 143 | 1.1 % |
| 8 | - | 162 | 1.2 % |
| 9 | - | 97 | 0.7 % |
| 10 | - | 289 | 2.2 % |
| 11 | - | 64 | 0.5 % |
| 12 | - | 151 | 1.1 % |
| 13 | - | 64 | 0.5 % |
| 14 | - | 74 | 0.6 % |
| 15 | - | 188 | 1.4 % |
| 16 | - | 66 | 0.5 % |
| 17 | - | 60 | 0.4 % |
| 18 | - | 60 | 0.4 % |
| 19 | - | 34 | 0.3 % |
| 20 | - | 178 | 1.3 % |
| 21 | - | 38 | 0.3 % |
| 22 | - | 34 | 0.3 % |
| 23 | - | 44 | 0.3 % |
| 24 | - | 36 | 0.3 % |
| 25 | - | 127 | 0.9 % |
| 26 | - | 28 | 0.2 % |
| 27 | - | 23 | 0.2 % |
| 28 | - | 31 | 0.2 % |
| 29 | - | 12 | 0.1 % |
| 30 | - | 92 | 0.7 % |
| 31 | - | 22 | 0.2 % |
| 32 | - | 32 | 0.2 % |
| 33 | - | 24 | 0.2 % |
| 34 | - | 17 | 0.1 % |
| 35 | - | 47 | 0.4 % |
| 36 | - | 13 | 0.1 % |
| 37 | - | 13 | 0.1 % |
| 38 | - | 21 | 0.2 % |
| 39 | - | 12 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 40 | - | 52 | 0.4 % |
| 41 | - | 7 | 0.1 % |
| 42 | - | 15 | 0.1 % |
| 43 | - | 14 | 0.1 % |
| 44 | - | 8 | 0.1 % |
| 45 | - | 30 | 0.2 % |
| 46 | - | 6 | 0.0 % |
| 47 | - | 9 | 0.1 % |
| 48 | - | 11 | 0.1 % |
| 49 | - | 5 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 1061 | 7.9 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,310 valid cases out of 13,371 total cases.

- Mean: 7.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1502
- Standard Deviation: 25.22

Location: 504-507 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_METH: Added: Total HI, RC, & OP meth clients

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 12340 | 92.3 % |
| 1 | - | 8 | 0.1 % |
| 2 | - | 10 | 0.1 % |
| 3 | - | 8 | 0.1 % |
| 4 | - | 9 | 0.1 % |
| 5 | - | 12 | 0.1 % |
| 6 | - | 2 | 0.0 % |
| 7 | - | 2 | 0.0 % |
| 8 | - | 7 | 0.1 % |
| 9 | - | 5 | 0.0 % |
| 10 | - | 9 | 0.1 % |
| 11 | - | 4 | 0.0 % |
| 12 | - | 2 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 13 | - | 3 | 0.0 % |
| 14 | - | 4 | 0.0 % |
| 15 | - | 2 | 0.0 % |
| 16 | - | 3 | 0.0 % |
| 17 | - | 3 | 0.0 % |
| 18 | - | 3 | 0.0 % |
| 19 | - | 2 | 0.0 % |
| 20 | - | 6 | 0.0 % |
| 21 | - | 1 | 0.0 % |
| 22 | - | 1 | 0.0 % |
| 23 | - | 1 | 0.0 % |
| 24 | - | 3 | 0.0 % |
| 25 | - | 4 | 0.0 % |
| 28 | - | 2 | 0.0 % |
| 29 | - | 1 | 0.0 % |
| 30 | - | 4 | 0.0 % |
| 32 | - | 1 | 0.0 % |
| 33 | - | 1 | 0.0 % |
| 34 | - | 1 | 0.0 % |
| 35 | - | 4 | 0.0 % |
| 36 | - | 1 | 0.0 % |
| 37 | - | 2 | 0.0 % |
| 38 | - | 1 | 0.0 % |
| 40 | - | 2 | 0.0 % |
| 42 | - | 1 | 0.0 % |
| 43 | - | 2 | 0.0 % |
| 44 | - | 4 | 0.0 % |
| 45 | - | 3 | 0.0 % |
| 48 | - | 2 | 0.0 % |
| 49 | - | 1 | 0.0 % |
| 50 | - | 6 | 0.0 % |
| 52 | - | 2 | 0.0 % |
| 53 | - | 1 | 0.0 % |
| 54 | - | 1 | 0.0 % |
| 55 | - | 4 | 0.0 % |
| 57 | - | 1 | 0.0 % |
| 59 | - | 1 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 43 | 0.3 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 13,328 valid cases out of 13,371 total cases.

- Mean: 17.69
- Minimum: 0
- Maximum: 1750
- Standard Deviation: 83.24

Location: 508-511 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_BUPR: Added: Total HI, RC, & OP bupr clients

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 11816 | 88.4 % |
| 1 | - | 62 | 0.5 % |
| 2 | - | 88 | 0.7 % |
| 3 | - | 50 | 0.4 % |
| 4 | - | 40 | 0.3 % |
| 5 | - | 49 | 0.4 % |
| 6 | - | 25 | 0.2 % |
| 7 | - | 11 | 0.1 % |
| 8 | - | 23 | 0.2 % |
| 9 | - | 10 | 0.1 % |
| 10 | - | 27 | 0.2 % |
| 11 | - | 4 | 0.0 % |
| 12 | - | 14 | 0.1 % |
| 13 | - | 2 | 0.0 % |
| 14 | - | 9 | 0.1 % |
| 15 | - | 12 | 0.1 % |
| 16 | - | 6 | 0.0 % |
| 17 | - | 1 | 0.0 % |
| 18 | - | 3 | 0.0 % |
| 19 | - | 4 | 0.0 % |
| 20 | - | 14 | 0.1 % |
| 21 | - | 3 | 0.0 % |
| 22 | - | 1 | 0.0 % |
| 23 | - | 4 | 0.0 % |
| 24 | - | 1 | 0.0 % |
| 25 | - | 4 | 0.0 % |
| 26 | - | 3 | 0.0 % |
| 28 | - | 1 | 0.0 % |
| 29 | - | 3 | 0.0 % |
| 30 | - | 14 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 31 | - | 2 | 0.0 % |
| 32 | - | 2 | 0.0 % |
| 35 | - | 1 | 0.0 % |
| 39 | - | 1 | 0.0 % |
| 40 | - | 1 | 0.0 % |
| 41 | - | 1 | 0.0 % |
| 44 | - | 1 | 0.0 % |
| 45 | - | 2 | 0.0 % |
| 47 | - | 1 | 0.0 % |
| 50 | - | 1 | 0.0 % |
| 53 | - | 1 | 0.0 % |
| 54 | - | 1 | 0.0 % |
| 63 | - | 1 | 0.0 % |
| 65 | - | 1 | 0.0 % |
| 69 | - | 1 | 0.0 % |
| 75 | - | 1 | 0.0 % |
| 120 | - | 1 | 0.0 % |
| 155 | - | 1 | 0.0 % |
| 158 | - | 1 | 0.0 % |
| 230 | - | 1 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 1044 | 7.8 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,327 valid cases out of 13,371 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 230
- Standard Deviation: 4.13

Location: 512-514 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

T_CLIMET: Added: Total Meth/Bupren Detox/Maint 3/29/05

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 11935 | 89.3 % |
| 1 | - | 57 | 0.4 % |
| 2 | - | 77 | 0.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 3 | - | 42 | 0.3 % |
| 4 | - | 40 | 0.3 % |
| 5 | - | 51 | 0.4 % |
| 6 | - | 23 | 0.2 % |
| 7 | - | 9 | 0.1 % |
| 8 | - | 25 | 0.2 % |
| 9 | - | 12 | 0.1 % |
| 10 | - | 35 | 0.3 % |
| 11 | - | 9 | 0.1 % |
| 12 | - | 14 | 0.1 % |
| 13 | - | 4 | 0.0 % |
| 14 | - | 11 | 0.1 % |
| 15 | - | 14 | 0.1 % |
| 16 | - | 5 | 0.0 % |
| 17 | - | 4 | 0.0 % |
| 18 | - | 6 | 0.0 % |
| 19 | - | 5 | 0.0 % |
| 20 | - | 17 | 0.1 % |
| 21 | - | 4 | 0.0 % |
| 22 | - | 2 | 0.0 % |
| 23 | - | 4 | 0.0 % |
| 24 | - | 2 | 0.0 % |
| 25 | - | 7 | 0.1 % |
| 26 | - | 3 | 0.0 % |
| 28 | - | 2 | 0.0 % |
| 29 | - | 3 | 0.0 % |
| 30 | - | 11 | 0.1 % |
| 31 | - | 2 | 0.0 % |
| 32 | - | 4 | 0.0 % |
| 33 | - | 1 | 0.0 % |
| 34 | - | 1 | 0.0 % |
| 35 | - | 5 | 0.0 % |
| 36 | - | 2 | 0.0 % |
| 37 | - | 2 | 0.0 % |
| 38 | - | 1 | 0.0 % |
| 39 | - | 2 | 0.0 % |
| 40 | - | 4 | 0.0 % |
| 41 | - | 1 | 0.0 % |
| 42 | - | 1 | 0.0 % |
| 43 | - | 1 | 0.0 % |
| 44 | - | 5 | 0.0 % |
| 45 | - | 4 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 46 | - | 1 | 0.0 % |
| 47 | - | 2 | 0.0 % |
| 48 | - | 2 | 0.0 % |
| 50 | - | 10 | 0.1 % |
| 52 | - | 2 | 0.0 % |
| | Missing Data | | |
| -6 | Logical Skip | 43 | 0.3 % |
| | Total | 13,371 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 13,328 valid cases out of 13,371 total cases.

- Mean: 18.18
- Minimum: 0
- Maximum: 1750
- Standard Deviation: 84.15

Location: 515-518 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -2 , -1

CTYP4_ER: Flag: Hosp Inpat'nt SA care offered currently

| Value | Label | Unweighted Frequency | % |
|-------|------------------|----------------------|-------------|
| 0 | Data Not Imputed | 13363 | 99.9 % |
| 1 | Data Imputed | 8 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 519-519 (width: 1; decimal: 0)

Variable Type: numeric

CTYP7_ER: Flag: Non-hosp Res SA care offered currently

| Value | Label | Unweighted Frequency | % |
|-------|------------------|----------------------|-------------|
| 0 | Data Not Imputed | 13340 | 99.8 % |
| 1 | Data Imputed | 31 | 0.2 % |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0

- Maximum: 1

Location: 520-520 (width: 1; decimal: 0)

Variable Type: numeric

CTYP1_ER: Flag: Any Outpat'nt SA care offered currently

| Value | Label | Unweighted Frequency | % |
|-------|------------------|----------------------|-------------|
| 0 | Data Not Imputed | 13357 | 99.9 % |
| 1 | Data Imputed | 14 | 0.1 % |
| | Total | 13,371 | 100% |

Based upon 13,371 valid cases out of 13,371 total cases.

- Minimum: 0
- Maximum: 1

Location: 521-521 (width: 1; decimal: 0)

Variable Type: numeric