

**National Survey of Substance
Abuse Treatment Services
(N-SSATS), 2013**

*Center for Behavioral Health Statistics and Quality.
Substance Abuse and Mental Health Services Administration*

Codebook

Acknowledgements

This data file was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS), by Synectics for Management Decisions, Inc. (Synectics), Arlington, Virginia. Data collection was performed by Mathematica Policy Research (Mathematica), Princeton, New Jersey.

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Study Respondents

Any intentional identification of a study respondent (whether an individual or an organization) or unauthorized disclosure of identifiable information violates the pledge given to the providers of the information. Disclosure of identifiable information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for reidentification of specific study respondents.
- To make no use of the identity of any study respondents discovered inadvertently and to report any such discovery to SAMHSA (SAMHSA_support@smdi.com).

Public Domain Notice

All material appearing in this report is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. However, this publication may not be reproduced or distributed for a fee without the specific, written authorization of the Office of Communications, SAMHSA, U.S. Department of Health and Human Services.

Data Citation

Data users agree to reference the following citation in any of the publications that use these public use data.

Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS): 2013. Data on Substance Abuse Treatment Facilities. Behavioral Health Services Information System, Rockville, MD: Substance Abuse and Mental Health Services Administration, 2015.

Authors of publications that use these data are required to send citations of their published works to SAMHSA for inclusion in a database of related publications (SAMHSA_support@smdi.com)

Disclaimer

Data users acknowledge that SAMHSA and SMDI (Synectics) will bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

Violations

If SAMHSA or SMDI determines that this “Terms of Use” agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

DESCRIPTION OF THE NATIONAL SURVEY OF SUBSTANCE ABUSE TREATMENT SERVICES (N-SSATS)

The 2013 National Survey of Substance Abuse Treatment Services (N-SSATS) was conducted between March and November 2013, with a reference date of March 29, 2013. It is the 36th in a series of national surveys begun in the 1970s. The surveys were designed to collect data on the location, characteristics, and use of alcohol and drug abuse treatment facilities and services throughout the 50 states, the District of Columbia, and other U.S. jurisdictions.¹ The Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs N-SSATS.

N-SSATS is designed to collect information from all facilities² in the United States, both public and private, that provide substance abuse treatment.

N-SSATS provides the mechanism for quantifying the dynamic character and composition of the U.S. substance abuse treatment delivery system. N-SSATS collects multipurpose data that can be used to:

- Assist SAMHSA and state and local governments in assessing the nature and extent of services provided in state-supported and other substance abuse treatment facilities and in forecasting substance abuse treatment resource requirements;
- Update SAMHSA's Inventory of Behavioral Health Services (I-BHS), formerly called the Inventory of Substance Abuse Treatment Services (I-SATS), and which includes all known drug and alcohol abuse treatment facilities;
- Analyze substance abuse treatment services trends and conduct comparative analyses for the nation, regions, and states;
- Generate the *National Directory of Drug and Alcohol Abuse Treatment Programs*, a compendium of facilities approved by state substance abuse agencies for the provision of substance abuse treatment; and
- Update the information in SAMHSA's Behavioral Health Treatment Services Locator, which includes a searchable database of facilities approved by state substance abuse agencies for the provision of substance abuse treatment. The Treatment Services Locator is available on the Internet at:

<https://findtreatment.samhsa.gov>

¹ The jurisdictions include the territory of Guam, the Federated States of Micronesia, the Republic of Palau, the Commonwealth of Puerto Rico, and the Virgin Islands of the United States.

² Entities responding to N-SSATS are referred to as "facilities." A "facility" may be a program-level, clinic-level, or multi-site respondent.

Data Collection Procedures for the 2013 N-SSATS

Field period and reference date

The survey reference date for the 2013 N-SSATS was March 29, 2013. The field period was from March 29, 2013, through November 18, 2013.

Survey universe

The 2013 N-SSATS facility universe totaled 18,048 facilities, including all 17,777 active treatment facilities on SAMHSA's I-BHS at a point 6 weeks before the survey reference date and 271 facilities that were added by state substance abuse agencies or otherwise discovered during the first 3 months of the survey.

Content

The 2013 N-SSATS questionnaire was a 16-page document with 41 numbered questions. Topics included:

- Facility identification information
- Operating entity
- Type of care provided
 - Outpatient treatment services (regular outpatient treatment, intensive outpatient treatment, day treatment or partial hospitalization, detoxification, methadone/buprenorphine maintenance or Vivitrol® treatment)
 - Residential (non-hospital) treatment services (long-term—more than 30 days, short-term—30 days or fewer, detoxification)
 - Hospital treatment services (inpatient treatment, inpatient detoxification)
- Services offered (assessment and pre-treatment services, counseling, pharmacotherapies, testing, transitional services, ancillary services)
- Clinical/therapeutic approaches
- Specifically tailored programs or groups provided for specific client types
- Provision of services in sign language and/or in languages other than English
- Detoxification from alcohol, benzodiazepines, opioids, cocaine, methamphetamines, or other drugs, and routine use of medication during detoxification
- Client outreach (outreach to persons in the community who may need treatment, provision of a facility website)
- Licensure, certification, or accreditation agencies or organizations
- Standard operating procedures
- Payment options accepted, including use of a sliding fee scale and/or treatment at no charge

- Work activity methods
- Receipt of government funding
- Smoking policy
- Operation of an Opioid Treatment Program (OTP) certified by SAMHSA and offering maintenance and/or detoxification with opioid drugs such as methadone
- Number of clients in treatment on March 29, 2013 (total, clients under age 18, clients receiving methadone, clients receiving buprenorphine, clients receiving Vivitrol®)
- Percentage of clients in treatment on March 29, 2013, for abuse of both alcohol and drugs, alcohol abuse only, and drug abuse only
- Percentage of clients in treatment on March 29, 2013, with diagnosed co-occurring mental and substance abuse disorders
- Number of beds designated for residential (non-hospital) and hospital inpatient substance abuse treatment on March 29, 2013

Data collection

Three data collection modes were employed: a secure web-based questionnaire, a paper questionnaire sent by mail, and a telephone interview. Five weeks before the survey reference date of March 29, 2013, letters were mailed to all facilities to announce the survey. The letters also served to update records with new address information received from the U.S. Postal Service. During the last week of March 2013, a data collection packet (including the SAMHSA cover letter, state-specific letter of endorsement, state profile, information on completing the survey on the web, and a sheet of *Frequently Asked Questions*) was mailed to each facility. Initially, respondents could also request a paper questionnaire be sent to them. During the data collection phase, contract personnel were available to answer facilities' questions concerning the survey. Web-based support for facilities completing the questionnaire on the web was also available. Three weeks after the initial data collection packet mailing, thank you/reminder letters were sent to all facilities. Approximately 8 weeks after the initial packet mailing, non-responding facilities that had completed a hard-copy questionnaire in either of the past two years (2012 or 2011) were mailed a second packet that included a hard-copy questionnaire along with the rest of first packet mailing materials. Eleven weeks after the second packet mailing, all the facilities that had not responded to previous mailings were mailed a hard-copy questionnaire along with the first and second packet mailing materials. About 2 weeks after the questionnaire mailing, nonrespondents received a reminder telephone call. Those facilities that had not responded within 3 to 4 weeks of the reminder call were telephoned and asked to complete the survey by computer-assisted telephone interview (CATI).

Facility status and response rate

Table 1.1 presents a summary of response rate information. There were 18,048 facilities in the survey universe. Of these facilities, 14 percent were found to be ineligible for the survey because they had closed or did not provide substance abuse treatment or detoxification. Of the remaining 15,496 facilities, 14,630 facilities (94 percent) completed the survey and 14,148 (91 percent of the respondents) were eligible to be included in the data file.

Table 1.1. N-SSATS facilities, by status and mode of response: 2013

	<i>Number</i>	<i>Percent</i>
Total facilities in survey	18,048	100.0
Closed/ineligible	2,552	14.1
Eligible	15,496	85.9
Total eligible	15,496	100.0
Non-respondents	866	5.6
Respondents	14,630	94.4
Excluded from data file ¹	313	2.0
Roll-ups ²	169	1.1
Included in report	14,148	91.3
Mode of response	14,148	100.0
Internet	12,348	87.3
Telephone	1,456	10.3
Mail	344	2.4

¹ Facilities excluded from the data file included 208 non-treatment halfway houses, 74 solo practices not approved by the state agency for inclusion, and 31 facilities that treated incarcerated clients only.

² Facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2013.

Quality assurance

The web questionnaire was programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses.

All mail questionnaires were reviewed manually for consistency and for missing data. Calls were made to facilities to resolve unclear responses and to obtain missing data. After data entry, automated quality assurance reviews were conducted. The reviews incorporated the rules used in manual editing, plus consistency checks and checks for data outliers not readily identified by manual review.

Item non-response was minimized through careful editing and extensive follow-up. The item response rate for the 2013 N-SSATS averaged 97 percent across 242 separate items.

Facility Selection for the 2013 N-SSATS Report and Data File

Table 1.1. The N-SSATS questionnaire is deliberately sent to some facilities that are excluded from the data file, as explained below. For this cycle, 313 of the 14,630 questionnaire respondents provided information but were deemed out of the scope and excluded from the data file. The excluded facilities and reasons for exclusion fell into three categories:

- 208 facilities were halfway houses that did not provide substance abuse treatment. These facilities were included in the survey so that they could be listed in the *Directory* and the *Locator*.

- 74 facilities were solo practitioners. I-BHS and N-SSATS are designed to include facilities rather than individuals. Solo practitioners are listed and surveyed only if a state substance abuse agency explicitly requests that they be included in the survey. The excluded solo practitioners had not been identified for inclusion by a state substance abuse agency.
- 31 facilities were jails, prisons, or other organizations that treated incarcerated clients exclusively.

An additional 169 facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately were excluded from facility counts in this report. However, their client counts are included.


After the exclusion of 313 out-of-scope facilities and 169 rolled-up facilities, 14,148 eligible respondent facilities remained to be included in the 2013 N-SSATS data file.

Number of respondents reporting facility and client data

There were 14,148 eligible respondents to the 2013 N-SSATS. The breakdown of facility data and client counts reported by these respondents is summarized below.

- 13,006 facilities reported facility data and client counts for themselves only.
- 401 facilities reported facility characteristics for themselves and provided client counts for their own facility and for 910 other facilities.³
- 741 facilities reported facility characteristics only. Their client counts were reported by another facility.

Figure 1. Survey Response Mode: 2003-2013



SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2003-2013.

³ The 910 facilities include 741 facilities reporting facility characteristics only and 169 rolled-up facilities.

Survey Response Mode

Figure 1. The proportion of facilities using the web survey to respond to N-SSATS has increased steadily since introduction of the option in 2002. The percentage of facilities responding via the web increased from 27 percent in 2003 to 87 percent in 2013. Mail response declined from 49 percent in 2003 to 2 percent in 2013. Telephone response, which represents follow-up of facilities that had not responded by mail or web, also declined, from 23 percent in 2003 to 10 percent in 2013.

Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2013 N-SSATS. Considerations and limitations of specific data items are discussed where the data are presented.

- N-SSATS attempts to obtain responses from all known treatment facilities, but it is a voluntary survey. There was no adjustment for the 7 percent facility non-response.
- N-SSATS is a point-prevalence survey. It provides information on the substance abuse treatment system and its clients on the reference date. Client counts reported here do not represent annual totals. Rather, N-SSATS provides a “snapshot” of substance abuse treatment facilities and clients on an average day.
- Multiple responses were allowed for certain variables (e.g., services provided and specifically tailored programs). Tabulations of these variables will include the total number of facilities reporting each response.

Terminology

- *Facility operation* indicates the type of entity responsible for the operation of the facility:
 - Private for-profit
 - Private non-profit
 - Government
 - Local, county, or community
 - State
 - Federal (Dept. of Veterans Affairs, Dept. of Defense, Indian Health Service, other)
 - Tribal
- *Type of care* indicates the services the facility offers:
 - Outpatient
 - Regular
 - Intensive
 - Outpatient day treatment or partial hospitalization
 - Outpatient detoxification
 - Outpatient methadone/buprenorphine maintenance or Vivitrol® treatment
 - Residential (non-hospital)
 - Short-term (30 days or less)
 - Long-term (more than 30 days)
 - Detoxification

- Hospital inpatient
 - Inpatient detoxification
 - Inpatient treatment
- *Clients in treatment* were defined as:
 - Hospital inpatient and residential (non-hospital) clients receiving substance abuse treatment services at the facility on March 29, 2013
 - and*
 - Outpatient clients who were seen at the facility for a substance abuse treatment or detoxification service at least once during the month of March 2013, and who were still enrolled in treatment on March 29, 2013

N-SSATS BACKGROUND

Survey History

N-SSATS has evolved from national survey efforts begun in the 1970s by the National Institute on Drug Abuse (NIDA) to measure the scope and use of drug abuse treatment services in the United States. The sixth of these surveys, conducted in 1976, introduced the data elements and format that have formed the core of subsequent surveys. These include organizational focus, service orientation, services available, clients in treatment by type of care, and hospital inpatient/residential capacity. The 1976 survey, called the National Drug Abuse Treatment Utilization Survey, was repeated in 1977 and 1978.

In 1979, the National Institute on Alcohol Abuse and Alcoholism (NIAAA) became a cosponsor of the survey, alcoholism treatment facilities were added, and the study was renamed the National Drug and Alcoholism Treatment Utilization Survey. This survey was repeated in 1980 and 1982. In 1984, a one-page version called the National Alcoholism and Drug Abuse Program Inventory was used. In 1987, the full version of the survey was reinstated and renamed the National Drug and Alcoholism Treatment Unit Survey (NDATUS). NDATUS was conducted annually from 1989 to 1993.

In 1992, with the creation of SAMHSA, responsibility for conducting the survey shifted to SAMHSA's Office of Applied Studies (now the Center for Behavioral Health Statistics and Quality). The survey was redesigned, and it was conducted annually as the Uniform Facility Data Set (UFDS) survey from 1995 to 1998. During these years, the survey was conducted by mail with telephone follow-up of non-respondents. The 1999 survey year was a transition year during which the survey was redesigned and an abbreviated telephone survey of treatment facilities was conducted. In 2000, a redesigned full mail survey was reinstated with telephone follow-up; it was renamed the National Survey of Substance Abuse Treatment Services (N-SSATS). The reference date for the annual survey had always been the end of September or beginning of October. After the 2000 survey, the reference date was changed to the end of March, and no survey was conducted during 2001.

In 2000, the use of an Internet-based questionnaire was tested; beginning in 2002, all facilities were offered the opportunity to respond via the Internet.

N-SSATS in the Context of the Behavioral Health Services Information System (BHSIS)

N-SSATS is one of the main components of SAMHSA's Behavioral Health Services Information System (BHSIS—formerly the Drug and Alcohol Services Information System, or DASIS) that contain information on substance abuse treatment.⁴ The core of BHSIS includes the Inventory of

⁴ The fourth BHSIS component is the National Mental Health Services Survey (N-MHSS).

Behavioral Health Services (I-BHS), until recently called the Inventory of Substance Abuse Treatment Services (I-SATS). I-BHS includes a continuously updated, comprehensive listing of all known substance abuse treatment facilities. The other substance abuse component of BHSIS is the Treatment Episode Data Set (TEDS), a client-level database of admissions to and discharges from substance abuse treatment. Together, the components provide national- and state-level information on the numbers and characteristics of individuals admitted to alcohol and drug treatment programs and describe the facilities that deliver care to those individuals.

I-BHS is the list frame for N-SSATS. Facilities in I-BHS fall into two general categories and are distinguished by the relationship of the facility to its state substance abuse agency. These categories are described below.

Treatment facilities approved by state substance abuse agencies

The largest group of facilities (11,496 in 2013) includes facilities that are licensed, certified, or otherwise approved by the state substance abuse agency to provide substance abuse treatment. State BHSIS representatives maintain this segment of I-BHS by reporting new facilities, closures, and address changes to SAMHSA. Some facilities are not licensed, certified, or otherwise approved by the state agency. Some private for-profit facilities fall into this category. The approved facility group also includes programs operated by federal agencies—the Department of Veterans Affairs (VA), the Department of Defense, the Indian Health Service—and Opioid Treatment Programs certified by SAMHSA. I-BHS records for federally-operated facilities are updated annually through lists provided by these agencies.

Treatment facilities not approved by state substance abuse agencies

This group of facilities (2,652 in 2013) represents the SAMHSA effort since the mid-1990s to make I-BHS as comprehensive as possible by including treatment facilities that state substance abuse agencies, for a variety of reasons, do not fund, license, or certify. Many of these facilities are private for-profit, small group practices, or hospital-based programs. Most of them are identified through periodic screening of alternative source databases. (See *Special efforts to improve survey coverage* below.) State substance abuse agencies are given the opportunity to review these facilities and to add them to the state agency-approved list, if appropriate.

Survey Coverage

The use of I-BHS as the list frame for N-SSATS imposes certain constraints related to the unit of response and the scope of facilities included. In addition, the expansion of I-BHS in recent years to provide a more complete enumeration of substance abuse treatment facilities means that year-to-year comparisons of the numbers of facilities reporting to N-SSATS must be interpreted with caution.

Unit of response

N-SSATS is designed to collect data from each physical location where treatment services are provided. Accordingly, SAMHSA requests that state substance abuse agencies use the point of delivery of service (i.e., physical location) as the defining factor for a facility. Because of the different state administrative systems, however, there are some inconsistencies in implementation.

For example, in some states, multiple treatment programs (e.g., detoxification, residential, and outpatient) at the same address and under the same management have separate state licenses. These are treated as separate by the state substance abuse agency, and are given separate I-BHS ID numbers. In other states, multiple sites are included as a single entity under a parent or administrative unit. In many of these cases, individual sites can report services data in N-SSATS, but client data are available only at a higher administrative level. Beginning in 1995, efforts have been made to identify facility networks and to eliminate duplicate reporting by networks. For most facilities, reporting level remains consistent from year to year. However, beginning in 1998, an emphasis was placed on collecting minimum information from all physical locations, and this has resulted in an increase in the number of facilities.

Special efforts to improve survey coverage

The great majority of treatment facilities in I-BHS are administratively monitored by state substance abuse agencies. Therefore, the scope of facilities included in I-BHS is affected by differences in state systems of licensure, certification, accreditation, and the disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency.

To address these differences, SAMHSA conducted a large-scale effort during 1995 and 1996 to identify substance abuse treatment facilities that, for a variety of reasons, were not on the inventory. Some 15 source lists were examined, and facilities not on the inventory were contacted to ascertain whether they provided substance abuse treatment. As expected, this yielded a number of hospital-based and small private facilities that were not on the inventory. (These facilities were surveyed in 1995 and 1996, but they were not included in the published results of the survey until 1997.) Analysis of the results of this effort led to similar but more targeted updates before subsequent surveys. Potential new facilities are identified using data from the American Business Index and the annual American Hospital Association survey, and SAMHSA's National Mental Health Services Survey (which was then called the Inventory of Mental Health Organizations), the source lists that yielded the most new facilities in 1995 and 1996. Survey participants, who are asked to report all of the treatment facilities in their administrative networks, also identify additional facilities during the survey itself. All newly identified facilities are initially included as not approved by the state substance abuse agency. State substance abuse agencies are given the opportunity to review these facilities and to add them to the state agency-approved list, if appropriate.

Expansion of survey coverage to include all sites within networks at which treatment was provided yielded a net increase of about 2,600 facilities between 1997 and 1998. These additions were not necessarily new facilities, but were facilities not previously included in the survey as separate sites. The number of facilities reporting continued to increase in 1999, but at a slower pace, a net increase of 1,800 facilities. The increase between 1998 and 1999 was in large part because of the improved survey response rate (95 percent in 1999 vs. 90 percent in 1998). Between 2003 and 2013, the number of facilities eligible for inclusion in this report increased steadily, from 13,623 to 14,148. The total number is deceptive, however. There was significant turnover as facilities closed and others opened.

Data collection

Until 1996, state substance abuse agencies distributed and collected the facility survey forms. Beginning in 1996, data collection was centralized; and SAMHSA began mailing survey forms directly to and collected forms directly from the facilities and conducting follow-up telephone interviews with the facility director or his/her designee. In 2000, SAMHSA introduced an on-line web version of the questionnaire for a few facilities in addition to the hard-copy questionnaire. The web version of the questionnaire was fully implemented in 2002. The proportion of facilities using the web survey to respond to N-SSATS has increased steadily since its full inception in 2002. Beginning with the 2011 N-SSATS, a questionnaire is only mailed to respondents by request.

Non-response

Beginning in 1992, SAMHSA expanded efforts to obtain information from non-responding facilities. A representative sample of non-respondents was contacted and administered an abbreviated version of the survey instrument via telephone. In 1993 and later years, this effort was extended to all non-responding facilities. In 1997, a series of measures was introduced to enhance the survey response rate. These included advance notification and improved methods for updating address and contact information. Between 2004 and 2012, use of these methods and intensive telephone follow-up resulted in an annual follow-up rate (i.e., facilities in the sample either completed the survey or were determined to be closed or otherwise ineligible) of 92 to 96 percent. In 2013, the final response rate was 95.2 percent.

Exclusions

In 1997, facilities offering only DUI/DWI programs were excluded; these facilities were reinstated in 1998.

Facilities operated by the Bureau of Prisons (BOP) were excluded from the 1997 survey and subsequent surveys because SAMHSA conducted a separate survey of correctional facilities.⁵ During that survey, it was discovered that jails, prisons, and other organizations treating incarcerated persons only were poorly enumerated on the inventory. Beginning in 1999, these facilities were identified during the survey and excluded from analyses and public-use data files.

I-BHS and N-SSATS are designed to include specialty substance abuse treatment facilities rather than individuals. Solo practitioners are listed on I-BHS and surveyed in N-SSATS only if the state substance abuse agency explicitly requests that they be included.

Beginning in 2000, halfway houses that did not provide substance abuse treatment were included on the inventory and in N-SSATS so that they could be listed in the *National Directory of Drug and Alcohol Abuse Treatment Programs* and on the Behavioral Health Treatment Services Locator (<https://findtreatment.samhsa.gov>). These facilities are excluded from analyses and public-use data files.

⁵ SAMHSA, Office of Applied Studies. *Substance Abuse Treatment in Adult and Juvenile Correctional Facilities: Findings from the Uniform Facility Data Set 1997 Survey of Correctional Facilities*. Drug and Alcohol Services Information System Series: S-9. DHHS Publication No. (SMA) 00-3380. Rockville, MD, 2000.

Changes in Survey Content

Since 1992, SAMHSA has made adjustments each year to the survey design, both to minimize non-response and to include areas of emerging interest. For example, questions on the number of clients in treatment receiving specific medication-assisted opioid therapies have changed over the years: LAAM was replaced by buprenorphine in 2004 and Vivitrol® was added in 2013. Questions about clinical/therapeutic methods, standard practices, and Access to Recovery grants were added in 2007. Questions about facility smoking policy were added in 2011; questions about outpatient facility operating capacity and Vivitrol® as a pharmacotherapy were added in 2012; and questions about work activity and means to accomplish them as well as the Vivitrol® client count question were added in 2013.

There have also been changes within content areas. For example, in response to concerns about over-reporting of programs or groups for specific client types, the survey question was revised in 2003 to distinguish between those facilities that accepted specific client types and those facilities that offered specially designed programs or groups for that client type. As a result, the number and proportion of facilities offering programs or groups for each of the specified client types decreased. Surveys from 2003 and later are believed to more accurately represent the number and proportions of facilities providing programs or groups for the specified client types. In addition, over time more categories have been added to the specific client types (e.g., persons who have experienced trauma, active duty military, and members of military families in 2012 and special programs for young adults, persons who have experienced sexual abuse, and persons who have experienced intimate partner violence, domestic violence were added in 2013). Because of the increase of programs for specific client types, and the corresponding question of those types of clients being accepted into treatment, the question was again revised in 2013 to clarify and reduce respondent burden. Moreover, the programs are now described as “specifically tailored” for specific client types.

FREQUENCIES

CASEID: CASE IDENTIFICATION NUMBER

Program generated case (record) identifier.

Variable type: Numeric

STATE: State abbreviations

Value	Label	Unweighted Frequency	%
AK	Alaska	93	0.7%
AL	Alabama	154	1.1%
AR	Arkansas	89	0.6%
AZ	Arizona	313	2.2%
CA	California	1,551	11.0%
CO	Colorado	488	3.4%
CT	Connecticut	212	1.5%
DC	District of Columbia	37	0.3%
DE	Delaware	42	0.3%
FL	Florida	622	4.4%
FM	Fed States of Micronesia	1	0.0%
GA	Georgia	360	2.5%
GU	Guam	4	0.0%
HI	Hawaii	123	0.9%
IA	Iowa	144	1.0%
ID	Idaho	117	0.8%
IL	Illinois	650	4.6%
IN	Indiana	275	1.9%
KS	Kansas	210	1.5%
KY	Kentucky	328	2.3%
LA	Louisiana	166	1.2%
MA	Massachusetts	316	2.2%
MD	Maryland	360	2.5%
ME	Maine	222	1.6%
MI	Michigan	489	3.5%
MN	Minnesota	354	2.5%
MO	Missouri	258	1.8%
MS	Mississippi	101	0.7%
MT	Montana	72	0.5%
NC	North Carolina	433	3.1%
ND	North Dakota	65	0.5%
NE	Nebraska	114	0.8%
NH	New Hampshire	55	0.4%
NJ	New Jersey	372	2.6%
NM	New Mexico	139	1.0%
NV	Nevada	81	0.6%
NY	New York	905	6.4%
OH	Ohio	378	2.7%
OK	Oklahoma	223	1.6%

STATE: State abbreviations

Value	Label	Unweighted Frequency	%
OR	Oregon	246	1.7%
PA	Pennsylvania	539	3.8%
PR	Puerto Rico	161	1.1%
PW	Rep of Palau	1	0.0%
RI	Rhode Island	62	0.4%
SC	South Carolina	111	0.8%
SD	South Dakota	63	0.4%
TN	Tennessee	221	1.6%
TX	Texas	461	3.3%
UT	Utah	171	1.2%
VA	Virginia	226	1.6%
VI	Virgin Islands	3	0.0%
VT	Vermont	44	0.3%
WA	Washington	451	3.2%
WI	Wisconsin	318	2.2%
WV	West Virginia	101	0.7%
WY	Wyoming	53	0.4%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

Variable type: Character

DETOX: Offer Detox

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(2) Detoxification

Value	Label	Unweighted Frequency	%
0	No	11,553	81.7%
1	Yes	2,594	18.3%
.D	Don't know	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

TREATMT: Offer SA Tx

1. Which of the following substance abuse services are offered by this facility at this location, that is, the location listed on the front cover?

(3) Substance abuse treatment (services that focus on initiating and maintaining an individual's recovery from substance abuse and on averting relapse)

Value	Label	Unweighted Frequency	%
0	No	167	1.2%
1	Yes	13,981	98.8%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

OWNERSHP: Ownership

4. Is this facility operated by . . .

MARK ONE ONLY

If 1/2, skip to Q.5 or if 3/4/5, skip to Q.7

Value	Label	Unweighted Frequency	%
1	Private-for-profit org	4,575	32.3%
2	Private non-profit org	7,820	55.3%
3	State govt	351	2.5%
4	Local, county, or community govt	739	5.2%
5	Tribal govt	293	2.1%
6	Federal govt	370	2.6%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 6

Variable type: Numeric

FEDOWN: Federal Government Agency

4a. Which Federal Government agency?

MARK ONE ONLY

SKIP TO Q.7

Value	Label	Unweighted Frequency	%
1	Dept of Veterans Affairs	228	1.6%
2	Dept of Defense	88	0.6%
3	Indian Health Service	42	0.3%
4	Other	12	0.1%
.	Logical skip	13,776	97.4%
.D	Don't know	1	0.0%
.M	Missing	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 4

Variable type: Numeric

HOSPITAL: Located in/operated by hospital

8. Is this facility a hospital or located in or operated by a hospital?

If 1, go to Q.8a or if 0, go to Q.9

Value	Label	Unweighted Frequency	%
0	No	12,706	89.8%
1	Yes	1,436	10.1%
.D	Don't know	1	0.0%
.M	Missing	5	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LOCS: Hospital Type

8a. What type of hospital?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	General hospital (incl VA)	1,053	7.4%
2	Psychiatric hospital	306	2.2%
3	Other specialty hospital	68	0.5%
.	Logical skip	12,712	89.9%
.D	Don't know	1	0.0%
.M	Missing	8	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

ASSESSMENT: Number of assessment services offered

The total number of assessment services offered at this facility out of a maximum of 7

Value	Label	Unweighted Frequency	%
0	0 assessment services offered	197	1.4%
1	1 assessment service offered	314	2.2%
2	2 assessment services offered	1,051	7.4%
3	3 assessment services offered	1,644	11.6%
4	4 assessment services offered	2,507	17.7%
5	5 assessment services offered	3,080	21.8%
6	6 assessment services offered	3,208	22.7%
7	7 assessment services offered	2,145	15.2%
.	Logical skip	2	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 7

Variable type: Numeric

TESTING: Number of testing services offered

The total number of testing services offered at this facility out of a maximum of 7

Value	Label	Unweighted Frequency	%
0	0 testing services offered	1,603	11.3%
1	1 testing service offered	2,494	17.6%
2	2 testing services offered	4,504	31.8%
3	3 testing services offered	1,475	10.4%
4	4 testing services offered	775	5.5%
5	5 testing services offered	756	5.3%
6	6 testing services offered	800	5.7%
7	7 testing services offered	1,732	12.2%
.	Logical skip	9	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 7

Variable type: Numeric

TRANSITION: Number of transition services offered

The total number of transitional services offered at this facility out of a maximum of 2

Value	Label	Unweighted Frequency	%
0	0 transition services offered	203	1.4%
1	1 transition service offered	2,230	15.8%
2	2 transition services offered	11,712	82.8%
.	Logical skip	3	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 2

Variable type: Numeric

ANCILLARY: Number of ancillary services offered

The total number of ancillary services offered at this facility out of a maximum of 19

Value	Label	Unweighted Frequency	%
0	0 ancillary services offered	54	0.4%
1	1 ancillary service offered	307	2.2%
2	2 ancillary services offered	534	3.8%
3	3 ancillary services offered	730	5.2%
4	4 ancillary services offered	870	6.1%
5	5 ancillary services offered	896	6.3%
6	6 ancillary services offered	999	7.1%
7	7 ancillary services offered	1,043	7.4%
8	8 ancillary services offered	1,037	7.3%
9	9 ancillary services offered	1,178	8.3%
10	10 ancillary services offered	1,181	8.3%
11	11 ancillary services offered	1,068	7.5%
12	12 ancillary services offered	1,116	7.9%
13	13 ancillary services offered	1,010	7.1%
14	14 ancillary services offered	782	5.5%
15	15 ancillary services offered	669	4.7%
16	16 ancillary services offered	423	3.0%
17	17 ancillary service offered	158	1.1%
18	18 ancillary services offered	86	0.6%
19	19 ancillary services offered	5	0.0%
.	Logical skip	2	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 19

Variable type: Numeric

OTHER_SRVC: Number of other services offered

The total number of other services offered at this facility out of a maximum of 3

Value	Label	Unweighted Frequency	%
0	0 other services offered	9,940	70.3%
1	1 other service offered	2,347	16.6%
2	2 other services offered	748	5.3%
3	3 other services offered	1,097	7.8%
.	Logical skip	16	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 3

Variable type: Numeric

SRVC71: Pharmacotherapies Naltrexone

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Pharmacotherapies
45. Naltrexone (oral)

Value	Label	Unweighted Frequency	%
0	No	11,417	80.7%
1	Yes	2,696	19.1%
.D	Don't know	18	0.1%
.M	Missing	17	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC108: Pharmacotherapies Vivitrol

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Pharmacotherapies

46. Vivitrol® (injectable Naltrexone)

Value	Label	Unweighted Frequency	%
0	No	12,389	87.6%
1	Yes	1,718	12.1%
.D	Don't know	24	0.2%
.M	Missing	17	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC85: Pharmacotherapies Methadone

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Pharmacotherapies

51. Methadone

Value	Label	Unweighted Frequency	%
0	No	12,494	88.3%
1	Yes	1,635	11.6%
.D	Don't know	2	0.0%
.M	Missing	17	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC87: Pharmacotherapies Buprenorphine with naloxone (Suboxone)

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Pharmacotherapies

52. Buprenorphine with naloxone (Suboxone®)

Value	Label	Unweighted Frequency	%
0	No	11,146	78.8%
1	Yes	2,975	21.0%
.D	Don't know	10	0.1%
.M	Missing	17	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC86: Pharmacotherapies Buprenorphine without naloxone

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Pharmacotherapies

53. Buprenorphine without naloxone

Value	Label	Unweighted Frequency	%
0	No	12,405	87.7%
1	Yes	1,686	11.9%
.D	Don't know	40	0.3%
.M	Missing	17	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

OTP: Operate an Opioid Treatment Program

11. Does this facility operate an Opioid Treatment Program (OTP) at this location?

- OTPs are certified by SAMHSA's Center for Substance Abuse Treatment (CSAT) to dispense the opioid drugs methadone and Buprenorphine in the treatment of opioid (narcotic) addiction.
- Some SAMHSA-certified OTPs dispense only Buprenorphine in the treatment of opioid (narcotic) addiction.
- Physicians with a waiver may prescribe Buprenorphine without being affiliated with an OTP. Therefore, not all facilities that prescribe Buprenorphine are OTPs.

If no, skip to Q.12

Value	Label	Unweighted Frequency	%
0	No	12,862	90.9%
1	Yes	1,282	9.1%
.D	Don't know	4	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

OTPALL: All clients in OTP

11a. Are ALL of the substance abuse clients at this facility currently in the Opioid Treatment Program?

Value	Label	Unweighted Frequency	%
0	No	638	4.5%
1	Yes	893	6.3%
.	Logical skip	12,617	89.2%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

OTPTYPE: OTP for maintenance/detoxification/both

11b. Does the Opioid Treatment Program at this location provide maintenance services, detoxification services, or both?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	Maintenance program	547	3.9%
2	Detoxification program	83	0.6%
3	Both	900	6.4%
.	Logical skip	12,617	89.2%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 3

Variable type: Numeric

COMPSAT: Use frequency of computerized substance abuse treatment

13. For each type of clinical/therapeutic approach listed below, please mark the box that best describes how often that approach is used at this facility.

- Definitions of these approaches can be found at: <http://info.nssats.com>

CLINICAL/THERAPEUTIC APPROACHES

13. Computerized substance abuse treatment/telemedicine (including Internet, Web, mobile, and desktop programs)

Value	Label	Unweighted Frequency	%
1	Never	9,239	65.3%
2	Rarely	1,686	11.9%
3	Sometimes	1,051	7.4%
4	Always/often	573	4.1%
5	Approach unfamiliar	699	4.9%
.D	Don't know	2	0.0%
.M	Missing	898	6.3%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

DUI_DWI: Program for DUI/DWI/other offenders

15. Does this facility, at this location, offer a specially designed program or group intended exclusively for DUI/DWI or other drunk driver offenders?

If no, skip to Q.16

Value	Label	Unweighted Frequency	%
0	No	10,041	71.0%
1	Yes	4,105	29.0%
.D	Don't know	1	0.0%
.M	Missing	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

ONLYDUI: All Substance Abuse Treatment clients DUI/DWI

15a. Does this facility serve only DUI/DWI clients?

Value	Label	Unweighted Frequency	%
0	No	3,993	28.2%
1	Yes	109	0.8%
.	Logical skip	10,043	71.0%
.M	Missing	3	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SIGNLANG: Treatment in sign language-y/n

16. Does this facility provide substance abuse treatment services in sign language at this location for the hearing impaired (for example, American Sign Language, Signed English, or Cued Speech)?

- Mark "yes" if either a staff counselor or an on-call interpreter provides this service.

Value	Label	Unweighted Frequency	%
0	No	10,191	72.0%
1	Yes	3,955	28.0%
.M	Missing	2	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG: Treatment in language other than English-y/n

17. Does this facility provide substance abuse treatment services in a language other than English at this location?

If no, skip to Q.18

Value	Label	Unweighted Frequency	%
0	No	8,347	59.0%
1	Yes	5,799	41.0%
.D	Don't know	1	0.0%
.M	Missing	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG16: Do staff counselors provide Substance Abuse Treatment in Spanish

17a1. Do staff counselors provide substance abuse treatment in Spanish at this facility?

If no, skip to Q.17b

Value	Label	Unweighted Frequency	%
0	No	296	2.1%
1	Yes	3,528	24.9%
.	Logical skip	10,309	72.9%
.M	Missing	15	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG1: Treatment in Hopi

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

American Indian or Alaska Native:

1. Hopi

Value	Label	Unweighted Frequency	%
0	No	848	6.0%
1	Yes	11	0.1%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG2: Treatment in Lakota

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

American Indian or Alaska Native:

2. Lakota

Value	Label	Unweighted Frequency	%
0	No	844	6.0%
1	Yes	15	0.1%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG3: Treatment in Navajo

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

American Indian or Alaska Native:

3. Navajo

Value	Label	Unweighted Frequency	%
0	No	810	5.7%
1	Yes	49	0.3%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG21: Treatment in Ojibwa

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

American Indian or Alaska Native:

4. Ojibwa

Value	Label	Unweighted Frequency	%
0	No	851	6.0%
1	Yes	8	0.1%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG4: Treatment in Yupik

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

American Indian or Alaska Native:

5. Yupik

Value	Label	Unweighted Frequency	%
0	No	853	6.0%
1	Yes	6	0.0%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG5: Treatment in Other American Indian/Alaska Native

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

American Indian or Alaska Native:

6. Other American Indian or Alaska Native language

Value	Label	Unweighted Frequency	%
0	No	860	6.1%
1	Yes	51	0.4%
.	Logical skip	13,223	93.5%
.M	Missing	14	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG6: Treatment in Arabic

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

7. Arabic

Value	Label	Unweighted Frequency	%
0	No	797	5.6%
1	Yes	62	0.4%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG7: Treatment in Chinese

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

8. Any Chinese language

Value	Label	Unweighted Frequency	%
0	No	790	5.6%
1	Yes	69	0.5%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG8: Treatment in Creole

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

9. Creole

Value	Label	Unweighted Frequency	%
0	No	758	5.4%
1	Yes	101	0.7%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG9: Treatment in French

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

10. French

Value	Label	Unweighted Frequency	%
0	No	706	5.0%
1	Yes	153	1.1%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG10: Treatment in German

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

11. German

Value	Label	Unweighted Frequency	%
0	No	789	5.6%
1	Yes	70	0.5%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG22: Treatment in Greek

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

12. Greek

Value	Label	Unweighted Frequency	%
0	No	848	6.0%
1	Yes	11	0.1%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG11: Treatment in Hmong

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

13. Hmong

Value	Label	Unweighted Frequency	%
0	No	817	5.8%
1	Yes	42	0.3%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG19: Treatment in Italian

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

14. Italian

Value	Label	Unweighted Frequency	%
0	No	807	5.7%
1	Yes	52	0.4%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG23: Treatment in Japanese

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

15. Japanese

Value	Label	Unweighted Frequency	%
0	No	824	5.8%
1	Yes	35	0.2%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG12: Treatment in Korean

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

16. Korean

Value	Label	Unweighted Frequency	%
0	No	806	5.7%
1	Yes	53	0.4%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG13: Treatment in Polish

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

17. Polish

Value	Label	Unweighted Frequency	%
0	No	748	5.3%
1	Yes	111	0.8%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG14: Treatment in Portuguese

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

18. Portuguese

Value	Label	Unweighted Frequency	%
0	No	746	5.3%
1	Yes	113	0.8%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG15: Treatment in Russian

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

19. Russian

Value	Label	Unweighted Frequency	%
0	No	700	4.9%
1	Yes	159	1.1%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG20: Treatment in Tagalog

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

20. Tagalog

Value	Label	Unweighted Frequency	%
0	No	779	5.5%
1	Yes	80	0.6%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG17: Treatment in Vietnamese

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

21. Vietnamese

Value	Label	Unweighted Frequency	%
0	No	806	5.7%
1	Yes	53	0.4%
.	Logical skip	13,223	93.5%
.M	Missing	66	0.5%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LANG18: Treatment in other language

17b. In what other languages do staff counselors provide substance abuse treatment at this facility?

- Do not count languages provided only by on-call interpreters.

MARK ALL THAT APPLY

Other Languages:

22. Any other language

Value	Label	Unweighted Frequency	%
0	No	772	5.5%
1	Yes	139	1.0%
.	Logical skip	13,223	93.5%
.M	Missing	14	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC76: Adolescents served by this facility

18. Individuals seeking substance abuse treatment can vary by age, gender or other characteristics. Which categories of individuals listed below are served by this facility, at this location?

SERVED BY THIS FACILITY

Type of Client

1. Adolescents

Value	Label	Unweighted Frequency	%
0	No	7,372	52.1%
1	Yes	6,774	47.9%
.D	Don't know	2	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC83: Adult women served by this facility

18. Individuals seeking substance abuse treatment can vary by age, gender or other characteristics. Which categories of individuals listed below are served by this facility, at this location?

SERVED BY THIS FACILITY

Type of Client

2. Adult women

Value	Label	Unweighted Frequency	%
0	No	1,651	11.7%
1	Yes	12,497	88.3%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC84: Adult men served by this facility

18. Individuals seeking substance abuse treatment can vary by age, gender or other characteristics. Which categories of individuals listed below are served by this facility, at this location?

SERVED BY THIS FACILITY

Type of Client

3. Adult men

Value	Label	Unweighted Frequency	%
0	No	1,698	12.0%
1	Yes	12,450	88.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC126: Specific Program/group for adolescents

18. Individuals seeking substance abuse treatment can vary by age, gender or other characteristics. Which categories of individuals listed below are served by this facility, at this location?

OFFERS SPECIFICALLY TAILORED PROGRAMS OR GROUPS

Type of Client

1. Adolescents

Value	Label	Unweighted Frequency	%
0	No	2,374	16.8%
1	Yes	4,220	29.8%
.	Logical skip	7,374	52.1%
.D	Don't know	1	0.0%
.M	Missing	178	1.3%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC127: Specific Program/group for adult women

18. Individuals seeking substance abuse treatment can vary by age, gender or other characteristics. Which categories of individuals listed below are served by this facility, at this location?

OFFERS SPECIFICALLY TAILORED PROGRAMS OR GROUPS

Type of Client

2. Adult women

Value	Label	Unweighted Frequency	%
0	No	5,880	41.6%
1	Yes	6,262	44.3%
.	Logical skip	1,651	11.7%
.D	Don't know	2	0.0%
.M	Missing	352	2.5%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC128: Specific Program/group for adult men

18. Individuals seeking substance abuse treatment can vary by age, gender or other characteristics. Which categories of individuals listed below are served by this facility, at this location?

OFFERS SPECIFICALLY TAILORED PROGRAMS OR GROUPS

Type of Client

3. Adult men

Value	Label	Unweighted Frequency	%
0	No	6,533	46.2%
1	Yes	5,456	38.6%
.	Logical skip	1,698	12.0%
.D	Don't know	2	0.0%
.M	Missing	458	3.2%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC33: Specific Program/group for pregnant/postpartum women

18a. Many facilities have clients with one or more of the following characteristics. For which characteristic(s) does this facility offer a substance abuse treatment program or group specifically tailored for those individuals, at this location. If you treat these clients for substance abuse but do not have a specifically tailored program or group for them, do not check.

MARK ALL THAT APPLY

1. Pregnant/postpartum women

Value	Label	Unweighted Frequency	%
0	No	11,773	83.2%
1	Yes	2,362	16.7%
.D	Don't know	1	0.0%
.M	Missing	11	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC63: Specific Program/group for seniors

18a. Many facilities have clients with one or more of the following characteristics. For which characteristic(s) does this facility offer a substance abuse treatment program or group specifically tailored for those individuals, at this location. If you treat these clients for substance abuse but do not have a specifically tailored program or group for them, do not check.

MARK ALL THAT APPLY

2. Seniors or older adults

Value	Label	Unweighted Frequency	%
0	No	12,423	87.8%
1	Yes	1,712	12.1%
.D	Don't know	1	0.0%
.M	Missing	11	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC62: Specific Program/group for lesbian/gay/bisexual/trans/ques (LGBTQ)

18a. Many facilities have clients with one or more of the following characteristics. For which characteristic(s) does this facility offer a substance abuse treatment program or group specifically tailored for those individuals, at this location. If you treat these clients for substance abuse but do not have a specifically tailored program or group for them, do not check.

MARK ALL THAT APPLY

4. Lesbian, gay, bisexual, transgender (LGBT) clients

Value	Label	Unweighted Frequency	%
0	No	12,395	87.6%
1	Yes	1,739	12.3%
.D	Don't know	2	0.0%
.M	Missing	11	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC113: Specific Program/group for veterans

18a. Many facilities have clients with one or more of the following characteristics. For which characteristic(s) does this facility offer a substance abuse treatment program or group specifically tailored for those individuals, at this location. If you treat these clients for substance abuse but do not have a specifically tailored program or group for them, do not check.

MARK ALL THAT APPLY

5. Veterans

Value	Label	Unweighted Frequency	%
0	No	12,281	86.8%
1	Yes	1,853	13.1%
.D	Don't know	2	0.0%
.M	Missing	11	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC114: Specific Program/group for active duty military

18a. Many facilities have clients with one or more of the following characteristics. For which characteristic(s) does this facility offer a substance abuse treatment program or group specifically tailored for those individuals, at this location. If you treat these clients for substance abuse but do not have a specifically tailored program or group for them, do not check.

MARK ALL THAT APPLY

6. Active duty military

Value	Label	Unweighted Frequency	%
0	No	13,264	93.8%
1	Yes	870	6.1%
.D	Don't know	2	0.0%
.M	Missing	11	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC115: Specific Program/group for military families

18a. Many facilities have clients with one or more of the following characteristics. For which characteristic(s) does this facility offer a substance abuse treatment program or group specifically tailored for those individuals, at this location. If you treat these clients for substance abuse but do not have a specifically tailored program or group for them, do not check.

MARK ALL THAT APPLY

7. Members of military families

Value	Label	Unweighted Frequency	%
0	No	13,161	93.0%
1	Yes	973	6.9%
.D	Don't know	2	0.0%
.M	Missing	11	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC61: Specific Program/group for criminal justice clients

18a. Many facilities have clients with one or more of the following characteristics. For which characteristic(s) does this facility offer a substance abuse treatment program or group specifically tailored for those individuals, at this location. If you treat these clients for substance abuse but do not have a specifically tailored program or group for them, do not check.

MARK ALL THAT APPLY

8. Criminal justice clients (other than DUI/DWI)

Value	Label	Unweighted Frequency	%
0	No	9,460	66.9%
1	Yes	4,675	33.0%
.D	Don't know	1	0.0%
.M	Missing	11	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC31: Specific Program/group for co-occurring

18a. Many facilities have clients with one or more of the following characteristics. For which characteristic(s) does this facility offer a substance abuse treatment program or group specifically tailored for those individuals, at this location. If you treat these clients for substance abuse but do not have a specifically tailored program or group for them, do not check.

MARK ALL THAT APPLY

9. Clients with co-occurring mental and substance abuse disorders

Value	Label	Unweighted Frequency	%
0	No	8,073	57.1%
1	Yes	6,062	42.8%
.D	Don't know	1	0.0%
.M	Missing	11	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC32: Specific Program/group for persons with HIV/AIDS

18a. Many facilities have clients with one or more of the following characteristics. For which characteristic(s) does this facility offer a substance abuse treatment program or group specifically tailored for those individuals, at this location. If you treat these clients for substance abuse but do not have a specifically tailored program or group for them, do not check.

MARK ALL THAT APPLY

10. Persons with HIV or AIDS

Value	Label	Unweighted Frequency	%
0	No	12,093	85.5%
1	Yes	2,039	14.4%
.D	Don't know	4	0.0%
.M	Missing	11	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC116: Specific Program/group for persons who have experienced trauma

18a. Many facilities have clients with one or more of the following characteristics. For which characteristic(s) does this facility offer a substance abuse treatment program or group specifically tailored for those individuals, at this location. If you treat these clients for substance abuse but do not have a specifically tailored program or group for them, do not check.

MARK ALL THAT APPLY

13. Persons who have experienced trauma

Value	Label	Unweighted Frequency	%
0	No	9,995	70.6%
1	Yes	4,141	29.3%
.M	Missing	11	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE4: Hospital Inpatient SA care offered currently

19. Does this facility offer HOSPITAL INPATIENT substance abuse services at this location, that is, the location listed on the front cover?

If no, SKIP TO Q.20 (PAGE 6)

Value	Label	Unweighted Frequency	%
0	No	13,395	94.7%
1	Yes	753	5.3%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPEH11: Hospital Inpatient Detoxification care offered

19a. Which of the following HOSPITAL INPATIENT services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

1. Hospital inpatient detoxification (Similar to ASAM Levels IV-D and III.7-D, medically managed or monitored inpatient detoxification)

Value	Label	Unweighted Frequency	%
0	No	93	0.7%
1	Yes	660	4.7%
.	Logical skip	13,395	94.7%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPEHI2: Hospital Inpatient Treatment care offered

19a. Which of the following HOSPITAL INPATIENT services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

2. Hospital inpatient treatment (Similar to ASAM Levels IV and III.7, medically managed or monitored intensive inpatient treatment)

Value	Label	Unweighted Frequency	%
0	No	204	1.4%
1	Yes	547	3.9%
.	Logical skip	13,395	94.7%
.D	Don't know	2	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE7: Non-hospital Residential Substance Abuse care offered currently

20. Does this facility offer RESIDENTIAL (non-hospital) substance abuse services at this location, that is, the location listed on the front cover?

If no, SKIP TO Q.21

Value	Label	Unweighted Frequency	%
0	No	10,697	75.6%
1	Yes	3,450	24.4%
.D	Don't know	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPERC1: Non-hospital Residential Detoxification care offered

20a. Which of the following RESIDENTIAL services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

1. Residential detoxification (Similar to ASAM Level III.2-D, clinically managed residential detoxification or social detoxification)

Value	Label	Unweighted Frequency	%
0	No	2,589	18.3%
1	Yes	861	6.1%
.	Logical skip	10,698	75.6%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPERC3: Non-hospital Residential Short Term Treatment offered

20a. Which of the following RESIDENTIAL services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

2. Residential short-term treatment (Similar to ASAM Level III.5, clinically managed high-intensity residential treatment, typically 30 days or less)

Value	Label	Unweighted Frequency	%
0	No	1,714	12.1%
1	Yes	1,736	12.3%
.	Logical skip	10,698	75.6%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPERC4: Non-hospital Residential Long Term Treatment offered

20a. Which of the following RESIDENTIAL services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

3. Residential long-term treatment (Similar to ASAM Levels III.3 and III.1, clinically managed medium- or low-intensity residential treatment, typically more than 30 days)

Value	Label	Unweighted Frequency	%
0	No	591	4.2%
1	Yes	2,858	20.2%
.	Logical skip	10,698	75.6%
.D	Don't know	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE1: Any Outpatient Substance Abuse care offered currently

21. Does this facility offer OUTPATIENT substance abuse services at this location, that is, the location listed on the front cover?

If no, SKIP TO Q.22 (TOP OF NEXT COLUMN)

Value	Label	Unweighted Frequency	%
0	No	2,606	18.4%
1	Yes	11,542	81.6%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE6: Outpatient Detox offered

21a. Which of the following OUTPATIENT services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

1. Outpatient detoxification (Similar to ASAM Levels I-D and II-D, ambulatory detoxification)

Value	Label	Unweighted Frequency	%
0	No	10,178	71.9%
1	Yes	1,362	9.6%
.	Logical skip	2,606	18.4%
.D	Don't know	2	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPEML: Outpatient methadone maintenance offered

21a. Which of the following OUTPATIENT services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

2. Outpatient methadone/Buprenorphine maintenance or Vivitrol® treatment

Value	Label	Unweighted Frequency	%
0	No	9,693	68.5%
1	Yes	1,848	13.1%
.	Logical skip	2,606	18.4%
.D	Don't know	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPEOP: Day Treatment/partial hospital offered

21a. Which of the following OUTPATIENT services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

3. Outpatient day treatment or partial hospitalization (Similar to ASAM Level II.5, 20 or more hours per week)

Value	Label	Unweighted Frequency	%
0	No	9,800	69.3%
1	Yes	1,742	12.3%
.	Logical skip	2,606	18.4%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE2: Intensive outpatient Treatment offered

21a. Which of the following OUTPATIENT services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

4. Intensive outpatient treatment (Similar to ASAM Level II.1, 9 or more hours per week)

Value	Label	Unweighted Frequency	%
0	No	5,173	36.6%
1	Yes	6,363	45.0%
.	Logical skip	2,606	18.4%
.D	Don't know	6	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

CTYPE3: Regular outpatient Treatment offered

21a. Which of the following OUTPATIENT services are offered at this facility?

MARK "YES" OR "NO" FOR EACH

5. Regular outpatient treatment (Similar to ASAM Level I, outpatient treatment, non-intensive)

Value	Label	Unweighted Frequency	%
0	No	770	5.4%
1	Yes	10,771	76.1%
.	Logical skip	2,606	18.4%
.D	Don't know	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

FEESCALE: Uses sliding fee scale

22. Does this facility use a sliding fee scale?

SKIP TO Q.23

Value	Label	Unweighted Frequency	%
0	No	5,399	38.2%
1	Yes	8,726	61.7%
.D	Don't know	12	0.1%
.M	Missing	11	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

PAYASST: Offers no charge or free Treatment

23. Does this facility offer treatment at no charge to clients who cannot afford to pay?

SKIP TO Q.24

Value	Label	Unweighted Frequency	%
0	No	7,262	51.3%
1	Yes	6,852	48.4%
.D	Don't know	22	0.2%
.M	Missing	12	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

EARMARK: Receive any Federal, State, County, or Local Funds

24. Does this facility receive any funding or grants from the Federal Government, or state, county or local governments, to support its substance abuse treatment programs?

• Do not include Medicare, Medicaid, or federal military insurance. These forms of client payments are included in Q.25 on next page.

Value	Label	Unweighted Frequency	%
0	No	5,758	40.7%
1	Yes	8,034	56.8%
.D	Don't know	348	2.5%
.M	Missing	8	0.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK3: Free Treatment to all clients

25. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

1. No payment accepted (free treatment for ALL clients)

Value	Label	Unweighted Frequency	%
0	No	13,678	96.7%
1	Yes	441	3.1%
.D	Don't know	29	0.2%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK1: Accepts cash or self-payment

25. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

2. Cash or self-payment

Value	Label	Unweighted Frequency	%
0	No	1,289	9.1%
1	Yes	12,774	90.3%
.D	Don't know	85	0.6%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK8: Accepts Medicare payments

25. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

3. Medicare

Value	Label	Unweighted Frequency	%
0	No	9,076	64.2%
1	Yes	4,694	33.2%
.D	Don't know	378	2.7%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK5: Accepts Medicaid payments

25. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

4. Medicaid

Value	Label	Unweighted Frequency	%
0	No	5,530	39.1%
1	Yes	8,335	58.9%
.D	Don't know	283	2.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK10: Accepts state financed health insurance

25. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

5. State-financed health insurance plan other than Medicaid

Value	Label	Unweighted Frequency	%
0	No	7,487	52.9%
1	Yes	5,848	41.3%
.D	Don't know	812	5.7%
.X	Multiple responses	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK15: Accepts Federal military insurance

25. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

6. Federal military insurance (e.g., TRICARE)

Value	Label	Unweighted Frequency	%
0	No	8,502	60.1%
1	Yes	4,650	32.9%
.D	Don't know	996	7.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK2: Accepts private health insurance

25. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

7. Private health insurance

Value	Label	Unweighted Frequency	%
0	No	4,676	33.1%
1	Yes	9,250	65.4%
.D	Don't know	222	1.6%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

REVCHK17: Accepts IHS/638 contract care funds

25. Which of the following types of client payments or insurance are accepted by this facility for substance abuse treatment?

MARK "YES," "NO," OR "DON'T KNOW" FOR EACH

9. IHS/638 contract care funds

Value	Label	Unweighted Frequency	%
0	No	8,858	62.6%
1	Yes	653	4.6%
.D	Don't know	4,637	32.8%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

T_CLI1: Hospital Inpatient clients, Detox - For OTP facilities

28a. On March 29, 2013, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility? COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Hospital inpatient detoxification (Similar to ASAM Levels IV-D and III.7-D, medically managed or monitored inpatient detoxification)

Value	Label	Unweighted Frequency	%
1	0-5	35	2.7%
2	6-10	23	1.8%
3	11-15	13	1.0%
4	16-23	22	1.7%
5	24+	18	1.4%
.	Logical skip	1,171	91.3%
	<i>Total</i>	<i>1,282</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI1: Hospital Inpatient clients, Detox - For DUI_DWI facilities

28a. On March 29, 2013, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility? COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Hospital inpatient detoxification (Similar to ASAM Levels IV-D and III.7-D, medically managed or monitored inpatient detoxification)

Value	Label	Unweighted Frequency	%
1	0-2	17	0.4%
2	3-4	8	0.2%
3	5-7	7	0.2%
4	8-12	4	0.1%
5	13+	10	0.3%
.	Logical skip	3,910	98.8%
	<i>Total</i>	<i>3,956</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI1: Hospital Inpatient clients, Detox - For non-OTP and non-DUI_DWI facilities

28a. On March 29, 2013, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility? COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

1. Hospital inpatient detoxification (Similar to ASAM Levels IV-D and III.7-D, medically managed or monitored inpatient detoxification)

Value	Label	Unweighted Frequency	%
1	0-2	262	2.9%
2	3-4	76	0.9%
3	5-7	87	1.0%
4	8-12	91	1.0%
5	13+	93	1.0%
.	Logical skip	8,301	93.2%
	<i>Total</i>	<i>8,910</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI2: Hospital Inpatient clients, Treatment - For OTP facilities

28a. On March 29, 2013, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility? COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Hospital inpatient treatment (Similar to ASAM Levels IV and III.7, medically managed or monitored intensive inpatient treatment)

Value	Label	Unweighted Frequency	%
1	0-5	65	5.1%
2	6-12	8	0.6%
3	13-20	13	1.0%
4	21-40	11	0.9%
5	41+	13	1.0%
.	Logical skip	1,172	91.4%
	<i>Total</i>	<i>1,282</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI2: Hospital Inpatient clients, Treatment - For DUI_DWI facilities

28a. On March 29, 2013, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility? COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Hospital inpatient treatment (Similar to ASAM Levels IV and III.7, medically managed or monitored intensive inpatient treatment)

Value	Label	Unweighted Frequency	%
1	0-4	21	0.5%
2	5-8	3	0.1%
3	9-13	6	0.2%
4	14-25	7	0.2%
5	26+	8	0.2%
.	Logical skip	3,911	98.9%
	<i>Total</i>	<i>3,956</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI2: Hospital Inpatient clients, Treatment - For non-OTP and non-DUI_DWI facilities

28a. On March 29, 2013, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility? COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

2. Hospital inpatient treatment (Similar to ASAM Levels IV and III.7, medically managed or monitored intensive inpatient treatment)

Value	Label	Unweighted Frequency	%
1	0-3	336	3.8%
2	4-8	78	0.9%
3	9-14	58	0.7%
4	15-28	63	0.7%
5	29+	66	0.7%
.	Logical skip	8,309	93.3%
	<i>Total</i>	<i>8,910</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIHI: Total Number of Hospital Inpatients - For OTP facilities

28a. On March 29, 2013, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility? COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

HOSPITAL INPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-8	24	1.9%
2	9-15	18	1.4%
3	16-24	25	2.0%
4	25-42	18	1.4%
5	43+	26	2.0%
.	Logical skip	1,171	91.3%
	<i>Total</i>	<i>1,282</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIHI: Total Number of Hospital Inpatients - For DUI_DWI facilities

28a. On March 29, 2013, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility? COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

HOSPITAL INPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-4	14	0.4%
2	5-8	5	0.1%
3	9-15	6	0.2%
4	16-24	8	0.2%
5	25+	13	0.3%
.	Logical skip	3,910	98.8%
	<i>Total</i>	3,956	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIHI: Total Number of Hospital Inpatients - For non-OTP and non-DUI_DWI facilities

28a. On March 29, 2013, how many patients received the following HOSPITAL INPATIENT substance abuse services at this facility? COUNT a patient in one service only, even if the patient received both services.

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

HOSPITAL INPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-4	198	2.2%
2	5-8	92	1.0%
3	9-14	103	1.2%
4	15-25	102	1.1%
5	26+	111	1.2%
.	Logical skip	8,304	93.2%
	<i>Total</i>	<i>8,910</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

H_AGE1: Hospital Inpatient Clients Under 18 years old

28b. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX were under the age of 18?

ENTER A NUMBER FOR EACH (IF NONE, ENTER "0")

Number under age 18

Value	Label	Unweighted Frequency	%
1	0-2	709	5.0%
2	3-4	12	0.1%
3	5-10	11	0.1%
4	11-17	12	0.1%
5	18+	19	0.1%
.	Logical skip	13,385	94.6%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

HIMETNUM: Total methadone inpatients - For OTP facilities

28c. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received:

1. Methadone dispensed at this facility

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-2	51	4.0%
2	3-5	21	1.6%
3	6-8	12	0.9%
4	9-16	14	1.1%
5	17+	12	0.9%
.	Logical skip	1,172	91.4%
	<i>Total</i>	<i>1,282</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

HIBUPNUM: Total buprenorphine inpatients

28c. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received:

2. Buprenorphine dispensed or prescribed at this facility

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-2	586	4.1%
2	3	31	0.2%
3	4-5	40	0.3%
4	6-9	43	0.3%
5	10+	63	0.4%
.	Logical skip	13,385	94.6%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

HIVVNUM: Total Vivitrol® inpatients

28c. How many of the patients from the HOSPITAL INPATIENT TOTAL BOX received:

3. Vivitrol® administered at this facility

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-1	735	5.2%
2	2	6	0.0%
3	3	6	0.0%
4	4-5	8	0.1%
5	6+	8	0.1%
.	Logical skip	13,385	94.6%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

HIMATNUM: Hospital Inpatient - Total MAT - clients - March 29, 2013

The total number of clients in hospital inpatient OTP facilities receiving medication-assisted treatment

Value	Label	Unweighted Frequency	%
1	0-3	36	0.3%
2	4-5	16	0.1%
3	6-9	19	0.1%
4	10-18	18	0.1%
5	19+	21	0.1%
.	Logical skip	14,038	99.2%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

HOSPBED: Total beds designated-hospital inpatient

28d. On March 29, 2013, how many hospital inpatient beds were specifically designated for substance abuse treatment?

Number of beds

Enter a number (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-10	378	2.7%
2	11-15	81	0.6%
3	16-20	97	0.7%
4	21-34	99	0.7%
5	35+	108	0.8%
.	Logical skip	13,385	94.6%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI3: Residential clients, detox - For OTP facilities

29a. On March 29, 2013, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential detoxification

Enter a number for each (if none, enter '0')

Value	Label	Unweighted Frequency	%
1	0-6	64	5.0%
2	7-12	9	0.7%
3	13-20	6	0.5%
4	21-31	12	0.9%
5	32+	9	0.7%
.	Logical skip	1,182	92.2%
	<i>Total</i>	<i>1,282</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI3: Residential clients, detox - For DUI_DWI facilities

29a. On March 29, 2013, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential detoxification

Enter a number for each (if none, enter '0')

Value	Label	Unweighted Frequency	%
1	0-2	239	6.0%
2	3	17	0.4%
3	4-5	15	0.4%
4	6-10	22	0.6%
5	11+	22	0.6%
.	Logical skip	3,641	92.0%
	<i>Total</i>	3,956	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI3: Residential clients, detox - For non-OTP and non-DUI_DWI facilities

29a. On March 29, 2013, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential detoxification

Enter a number for each (if none, enter '0')

Value	Label	Unweighted Frequency	%
1	0-2	2,608	29.3%
2	3-5	118	1.3%
3	6-8	73	0.8%
4	9-15	106	1.2%
5	16+	93	1.0%
.	Logical skip	5,912	66.4%
	<i>Total</i>	<i>8,910</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI9: Residential clients, Short-term detoxification - For OTP facilities

29a. On March 29, 2013, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential short-term treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-10	41	3.2%
2	11-17	15	1.2%
3	18-26	14	1.1%
4	27-47	18	1.4%
5	48+	13	1.0%
.	Logical skip	1,181	92.1%
	<i>Total</i>	<i>1,282</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI9: Residential clients, Short-term detoxification - For DUI_DWI facilities

29a. On March 29, 2013, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential short-term treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-6	175	4.4%
2	7-11	41	1.0%
3	12-18	32	0.8%
4	19-30	36	0.9%
5	31+	35	0.9%
.	Logical skip	3,637	91.9%
	<i>Total</i>	3,956	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI9: Residential clients, Short-term detoxification - For non-OTP and non-DUI_DWI facilities

29a. On March 29, 2013, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential short-term treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-5	2,192	24.6%
2	6-10	226	2.5%
3	11-16	180	2.0%
4	17-29	214	2.4%
5	30+	206	2.3%
.	Logical skip	5,892	66.1%
	<i>Total</i>	<i>8,910</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI10: Residential clients, Long-term detoxification - For OTP facilities

29a. On March 29, 2013, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential long-term treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-8	66	5.1%
2	9-16	11	0.9%
3	17-42	9	0.7%
4	43-68	6	0.5%
5	69+	8	0.6%
.	Logical skip	1,182	92.2%
	<i>Total</i>	<i>1,282</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI10: Residential clients, Long-term detoxification - For DUI_DWI facilities

29a. On March 29, 2013, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential long-term treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-7	150	3.8%
2	8-13	49	1.2%
3	14-22	39	1.0%
4	23-42	42	1.1%
5	43+	39	1.0%
.	Logical skip	3,637	91.9%
	<i>Total</i>	3,956	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI10: Residential clients, Long-term detoxification - For non-OTP and non-DUI_DWI facilities

29a. On March 29, 2013, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential long-term treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-8	1,214	13.6%
2	9-14	506	5.7%
3	15-20	438	4.9%
4	21-36	463	5.2%
5	37+	428	4.8%
.	Logical skip	5,861	65.8%
	<i>Total</i>	<i>8,910</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIRC: Total number of residential clients - For OTP facilities

29a. On March 29, 2013, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential total box

Value	Label	Unweighted Frequency	%
1	0-16	24	1.9%
2	15-25	15	1.2%
3	26-40	24	1.9%
4	41-80	20	1.6%
5	81+	18	1.4%
.	Logical skip	1,181	92.1%
	<i>Total</i>	<i>1,282</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIRC: Total number of residential clients - For DUI_DWI facilities

29a. On March 29, 2013, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential total box

Value	Label	Unweighted Frequency	%
1	0-11	88	2.2%
2	12-18	70	1.8%
3	19-29	51	1.3%
4	30-50	54	1.4%
5	51+	58	1.5%
.	Logical skip	3,635	91.9%
	<i>Total</i>	<i>3,956</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIRC: Total number of residential clients - For non-OTP and non-DUI_DWI facilities

29a. On March 29, 2013, how many clients received the following RESIDENTIAL substance abuse services at this facility?

Residential total box

Value	Label	Unweighted Frequency	%
1	0-10	797	8.9%
2	11-16	630	7.1%
3	17-24	543	6.1%
4	25-40	536	6.0%
5	41+	551	6.2%
.	Logical skip	5,853	65.7%
	<i>Total</i>	<i>8,910</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

R_AGE1: Residential clients under 18 years old

29b. How many of the clients from the RESIDENTIAL TOTAL BOX were under the age of 18?

Number under age 18

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-5	3,047	21.5%
2	6-10	94	0.7%
3	11-16	96	0.7%
4	17-25	80	0.6%
5	26+	82	0.6%
.	Logical skip	10,749	76.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

RCMETNUM: Total methadone residential - For OTP facilities

29c. How many of the clients from the RESIDENTIAL TOTAL BOX received:

1. Methadone dispensed at this facility

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-3	57	4.4%
2	4-6	8	0.6%
3	7-14	17	1.3%
4	15-25	9	0.7%
5	26+	9	0.7%
.	Logical skip	1,182	92.2%
	<i>Total</i>	<i>1,282</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

RCBUPNUM: Total buprenorphine residential

29c. How many of the clients from the RESIDENTIAL TOTAL BOX received:

2. Buprenorphine dispensed or prescribed at this facility

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-2	3,111	22.0%
3	3-4	93	0.7%
4	5-8	85	0.6%
5	9+	110	0.8%
.	Logical skip	10,749	76.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

RCVIVNUM: Total Vivitrol® residential

29c. How many of the clients from the RESIDENTIAL TOTAL BOX received:

3. Vivitrol® administered at this facility

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-1	3,306	23.4%
2	2	35	0.2%
4	3-5	34	0.2%
5	6+	24	0.2%
.	Logical skip	10,749	76.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

RCMATNUM: Residential - Total MAT - clients - March 29, 2013

The total number of clients in residential OTP facilities receiving medication-assisted treatment

Value	Label	Unweighted Frequency	%
1	0-3	44	0.3%
2	4-7	12	0.1%
3	8-14	14	0.1%
4	15-25	14	0.1%
5	26+	15	0.1%
.	Logical skip	14,049	99.3%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

RESBED: Total beds designated-residential clients

29d. On March 29, 2013, how many residential beds were specifically designated for substance abuse treatment?

Number of beds

Enter a number (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-12	952	6.7%
2	13-18	608	4.3%
3	19-27	635	4.5%
4	29-47	591	4.2%
5	48+	613	4.3%
.	Logical skip	10,749	76.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI7: Outpatient clients, detoxification - For OTP facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Outpatient detoxification

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-3	922	71.9%
2	4-5	42	3.3%
3	6-10	57	4.4%
4	11-24	70	5.5%
5	25+	69	5.4%
.	Logical skip	122	9.5%
	<i>Total</i>	1,282	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI7: Outpatient clients, detoxification - For DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Outpatient detoxification

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-2	3,558	89.9%
2	3-5	27	0.7%
3	6-10	24	0.6%
4	11-20	18	0.5%
5	21+	23	0.6%
.	Logical skip	306	7.7%
	<i>Total</i>	3,956	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI7: Outpatient clients, detoxification - For non-OTP and non-DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Outpatient detoxification

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-2	5,879	66.0%
2	3-5	76	0.9%
3	6-10	47	0.5%
4	11-20	51	0.6%
5	21+	44	0.5%
.	Logical skip	2,813	31.6%
	<i>Total</i>	<i>8,910</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIML: Outpatient clients, methadone maintenance - For OTP facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Outpatient methadone/Buprenorphine maintenance or Vivitrol ® treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-110	316	24.6%
2	110-190	201	15.7%
3	191-286	210	16.4%
4	287-425	189	14.7%
5	426+	246	19.2%
.	Logical skip	120	9.4%
	<i>Total</i>	1,282	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIML: Outpatient clients, methadone maintenance - For DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Outpatient methadone/Buprenorphine maintenance or Vivitrol ® treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-3	3,485	88.1%
2	5-8	37	0.9%
3	9-18	36	0.9%
4	19-35	45	1.1%
5	36+	46	1.2%
.	Logical skip	307	7.8%
	<i>Total</i>	3,956	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIML: Outpatient clients, methadone maintenance - For non-OTP and non-DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Outpatient methadone/Buprenorphine maintenance or Vivitrol ® treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-4	5,767	64.7%
2	5-10	80	0.9%
3	11-20	66	0.7%
4	21-43	75	0.8%
5	44+	113	1.3%
.	Logical skip	2,809	31.5%
	<i>Total</i>	<i>8,910</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI8: Outpatient clients, Day treatment/partial hospitalization - For OTP facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Outpatient day treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-7	1,122	87.5%
2	8-12	8	0.6%
3	13-20	10	0.8%
4	21-35	8	0.6%
5	36+	10	0.8%
.	Logical skip	124	9.7%
	<i>Total</i>	<i>1,282</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI8: Outpatient clients, Day treatment/partial hospitalization - For DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Outpatient day treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-4	3,480	88.0%
2	5-8	53	1.3%
3	9-15	49	1.2%
4	16-30	47	1.2%
5	31+	41	1.0%
.	Logical skip	286	7.2%
	<i>Total</i>	3,956	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI8: Outpatient clients, Day treatment/partial hospitalization - For non-OTP and non-DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Outpatient day treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-4	5,487	61.6%
2	5-9	163	1.8%
3	10-15	155	1.7%
4	16-30	176	2.0%
5	31+	140	1.6%
.	Logical skip	2,789	31.3%
	<i>Total</i>	<i>8,910</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI6: Outpatient clients, Intensive - For OTP facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Intensive outpatient treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-10	1,003	78.2%
2	11-18	40	3.1%
3	19-30	43	3.4%
4	31-55	32	2.5%
5	56+	40	3.1%
.	Logical skip	124	9.7%
	<i>Total</i>	1,282	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI6: Outpatient clients, Intensive - For DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Intensive outpatient treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-6	2,336	59.0%
2	12	396	10.0%
3	22	325	8.2%
4	40	356	9.0%
5	41+	349	8.8%
.	Logical skip	194	4.9%
	<i>Total</i>	3,956	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI6: Outpatient clients, Intensive - For non-OTP and non-DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Intensive outpatient treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-7	3,958	44.4%
2	8-13	611	6.9%
3	14-21	564	6.3%
4	22-40	579	6.5%
5	41+	519	5.8%
.	Logical skip	2,679	30.1%
	<i>Total</i>	<i>8,910</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI5: Outpatient clients, Regular outpatient care - For OTP facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Regular outpatient treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-9	881	68.7%
2	10-28	57	4.4%
3	29-75	74	5.8%
4	76-190	83	6.5%
5	191+	66	5.1%
.	Logical skip	121	9.4%
	<i>Total</i>	1,282	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI5: Outpatient clients, Regular outpatient care - For DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Regular outpatient treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-15	1,087	27.5%
2	16-30	685	17.3%
3	31-59	765	19.3%
4	60-111	686	17.3%
5	112+	630	15.9%
.	Logical skip	103	2.6%
	<i>Total</i>	3,956	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLI5: Outpatient clients, Regular outpatient care - For non-OTP and non-DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

Regular outpatient treatment

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-10	2,240	25.1%
2	11-22	1,086	12.2%
3	23-43	1,084	12.2%
4	44-89	1,056	11.9%
5	90+	980	11.0%
.	Logical skip	2,464	27.7%
	<i>Total</i>	<i>8,910</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIOP: Total number of outpatient clients - For OTP facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

OUTPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-121	225	17.6%
2	122-205	239	18.6%
3	206-307	214	16.7%
4	308-450	224	17.5%
5	451+	260	20.3%
.	Logical skip	120	9.4%
	<i>Total</i>	1,282	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIOP: Total number of outpatient clients - For DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

OUTPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-20	977	24.7%
2	21-40	748	18.9%
3	41-72	758	19.2%
4	73-135	689	17.4%
5	136+	680	17.2%
.	Logical skip	104	2.6%
	<i>Total</i>	3,956	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

T_CLIOP: Total number of outpatient clients - For non-OTP and non-DUI_DWI facilities

30a. How many clients received each of the following OUTPATIENT substance abuse services at this facility during March 2013?

OUTPATIENT TOTAL BOX

Value	Label	Unweighted Frequency	%
1	0-13	1,558	17.5%
2	12-28	1,290	14.5%
3	29-52	1,215	13.6%
4	53-103	1,223	13.7%
5	104+	1,163	13.1%
.	Logical skip	2,461	27.6%
	<i>Total</i>	<i>8,910</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

O_AGE1: Outpatient clients under 18 years old

30b. How many of the clients from the OUTPATIENT TOTAL BOX were under the age of 18?

Number under age 18

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-3	7,922	56.0%
2	4-6	744	5.3%
3	7-12	763	5.4%
4	13-25	770	5.4%
5	26+	679	4.8%
.	Logical skip	3,270	23.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

OPMETNUM: Total methadone outpatients - For OTP facilities

30c. How many of the clients from the OUTPATIENT TOTAL BOX received:

1. Methadone dispensed at this facility

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-112	280	21.8%
2	113-193	207	16.1%
3	194-289	224	17.5%
4	290-428	206	16.1%
5	429+	240	18.7%
.	Logical skip	125	9.8%
	<i>Total</i>	1,282	100%

- Minimum: 1
- Maximum: 5

Variable type: Numeric

OPBUPNUM: Total buprenorphine outpatients

30c. How many of the clients from the OUTPATIENT TOTAL BOX received:

2. Buprenorphine dispensed or prescribed at this facility

Enter a number for each (if none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-3	9,840	69.6%
2	4-8	222	1.6%
3	9-15	203	1.4%
4	16-35	282	2.0%
5	36+	331	2.3%
.	Logical skip	3,270	23.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

OPVIVNUM: Total Vivitrol® Outpatients

30c. How many of the clients from the OUTPATIENT TOTAL BOX received:

3. Vivitrol® administered at this facility

Enter a number for each (If none, enter "0")

Value	Label	Unweighted Frequency	%
1	0-1	10,605	75.0%
2	2	59	0.4%
3	3-5	97	0.7%
4	6-10	65	0.5%
5	11+	52	0.4%
.	Logical skip	3,270	23.1%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

OPMATNUM: Outpatient - Total MAT - clients - March 29, 2013

The total number of clients in outpatient OTP facilities receiving medication-assisted treatment

Value	Label	Unweighted Frequency	%
1	0-111	250	1.8%
2	112-192	217	1.5%
3	193-290	222	1.6%
4	291-430	213	1.5%
5	431+	254	1.8%
.	Logical skip	12,992	91.8%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

B_PCT: Percent of clients treated for both alcohol and drug abuse

1. BOTH alcohol and substances other than alcohol

Value	Label	Unweighted Frequency	%
1	0-29	3,753	26.5%
2	30-50	3,983	28.2%
3	51-63	1,391	9.8%
4	64-80	2,558	18.1%
5	81+	2,147	15.2%
.	Logical skip	316	2.2%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

A_PCT: Percent of clients treated for only alcohol abuse

2. ONLY alcohol

Value	Label	Unweighted Frequency	%
1	0-10	5,830	41.2%
2	11-20	2,555	18.1%
3	21-25	1,514	10.7%
4	26-40	1,867	13.2%
5	41+	2,066	14.6%
.	Logical skip	316	2.2%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

D_PCT: Percent of clients treated for only drug abuse

3. ONLY substances other than alcohol

Value	Label	Unweighted Frequency	%
1	0-10	4,927	34.8%
2	11-20	2,333	16.5%
3	21-26	1,497	10.6%
4	27-50	2,741	19.4%
5	51+	2,334	16.5%
.	Logical skip	316	2.2%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 1
- Maximum: 5

Variable type: Numeric

LOC5: Setting, halfway house

34. Does this facility operate transitional housing or a halfway house for substance abuse clients at this location, that is, the location listed on the front cover?

Value	Label	Unweighted Frequency	%
0	No	12,854	90.9%
1	Yes	1,281	9.1%
.M	Missing	12	0.1%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

LICEN: Lic/cert/accred by hospital or State authority

The facility is licensed by any of these agencies: state substance abuse agency, state mental health department, state department of health, or hospital licensing authority.

Value	Label	Unweighted Frequency	%
1	Yes	12,845	90.8%
.M	Missing	1,303	9.2%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

ACCRED: Lic/cert/accred by JCAHO/CARF/NCQA/COA

The facility is accredited by any of these organizations: The Joint Commission, CARF, NCQA, or COA.

Value	Label	Unweighted Frequency	%
1	Yes	6,367	45.0%
.M	Missing	7,781	55.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric

SRVC75: Ancillary Residential Beds for children

10. Which of the following services are provided by this facility at this location, that is, the location listed on the front cover?

MARK ALL THAT APPLY

Ancillary Services

36. Residential beds for clients' children

Value	Label	Unweighted Frequency	%
0	No	13,636	96.4%
1	Yes	509	3.6%
.D	Don't know	1	0.0%
.M	Missing	1	0.0%
.R	Refused	1	0.0%
	<i>Total</i>	<i>14,148</i>	<i>100%</i>

- Minimum: 0
- Maximum: 1

Variable type: Numeric