

**NATIONAL SURVEY OF SUBSTANCE ABUSE
TREATMENT SERVICES (N-SSATS), 2019**

CODEBOOK

Center for Behavioral Health Statistics and Quality
Substance Abuse and Mental Health Services Administration

Acknowledgments

This data file was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS).

Terms of Use

These data are distributed under the following terms of use; by continuing past this page, you signify agreement to comply with the requirements below.

Privacy of Study Respondents

Any intentional identification of an individual or organization, or unauthorized disclosure of identifiable information, violates the promise of confidentiality given to the providers of the information. Disclosure of identifiable information may also be punishable under federal law. Therefore, users of data agree to:

Use these data sets solely for research or statistical purposes, and not for investigation or re-identification of specific individuals or organizations.

Make no use of the identity of any individual discovered inadvertently, and report any such discovery to SAMHSA (BHSIS_HelpDesk@eagletechva.com).

Public Domain Notice

All material appearing in this document is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. This publication may not be reproduced or distributed for a fee without specific, written authorization of the Office of Communications, SAMHSA, U.S. Department of Health and Human Services.

Recommended Citation

Substance Abuse and Mental Health Services Administration, *National Survey of Substance Abuse Treatment Services (N-SSATS): 2019. Data on Substance Abuse Treatment Facilities*. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2020.

Authors that use these data are strongly encouraged to send citations of their publications to SAMHSA for inclusion in a database of related work (BHSIS_HelpDesk@eagletechva.com).

Disclaimers

Data users acknowledge that SAMHSA and Eagle Technologies, Inc., bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

SAMHSA complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. *SAMHSA cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo.*

Violations

If SAMHSA determines this terms of use agreement has been violated, possible sanctions include:

- report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution;
- report of the violation to the Federal Office for Human Research Protections, if the confidentiality of human subjects has been violated;
- report of the violation of federal law to the United States Attorney General for possible prosecution;
- court-awarded payments of damages to any individual(s) or organization(s) harmed by the breach of confidential data.

DESCRIPTION OF THE NATIONAL SURVEY OF SUBSTANCE ABUSE TREATMENT SERVICES (N-SSATS)

The 2019 National Survey of Substance Abuse Treatment Services (N-SSATS) was conducted between March and December 2019, with a reference date of March 29, 2019. It is the 42nd in a series of national surveys begun in the 1970s. The surveys were designed to collect data on the location, characteristics, and use of alcohol and drug abuse treatment facilities and services throughout the 50 states, the District of Columbia, and other jurisdictions.¹ The Center for Behavioral Health Statistics and Quality (CBHSQ) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs the N-SSATS.

N-SSATS is designed to collect information from all facilities in the United States, both public and private, that provide substance abuse treatment.²

N-SSATS provides a mechanism for quantifying the dynamic characteristics and composition of the U.S. substance abuse treatment delivery system. N-SSATS collects multipurpose data that can be used to:

- assist SAMHSA and state and local governments in assessing the nature and extent of services provided in state-supported and other substance abuse treatment facilities and in forecasting substance abuse treatment resource requirements;
- update SAMHSA's Inventory of Behavioral Health Services (I-BHS), which includes all known drug and alcohol abuse treatment facilities, both public and private;
- analyze substance abuse treatment services trends and conduct comparative analyses for the nation, regions, and states;
- generate the *National Directory of Drug and Alcohol Abuse Treatment Facilities*, a compendium of facilities approved by state substance abuse agencies for the provision of substance abuse treatment; and
- update the information in SAMHSA's Behavioral Health Treatment Services Locator, a searchable database of facilities that provide treatment. The Treatment Services Locator is available on the Internet at: <https://findtreatment.samhsa.gov>

¹ The jurisdictions include the territory of Guam, the Federated States of Micronesia, the Commonwealth of the Northern Mariana Islands, the Republic of Palau, the Commonwealth of Puerto Rico, and the Virgin Islands of the United States.

² Entities responding to N-SSATS are referred to as "facilities," which may be a program-level, clinic-level, or multi-site respondent.

Data Collection Procedures for the 2019 N-SSATS

Field period and reference date

The survey reference date for the 2019 N-SSATS was March 29, 2019. The field period was from March 29, 2019, through December 17, 2019.

Survey universe

The 2019 N-SSATS facility universe totaled 19,795 facilities, including all 17,421 active treatment facilities on SAMHSA's I-BHS at a point four weeks before the survey reference date, and 2,374 facilities that were added by state substance abuse agencies or otherwise discovered during the data collection period.

Content

The 2019 N-SSATS questionnaire contained 37 numbered questions. Topics included:

- facility identification information;
- operating entity;
- primary focus;
- type of care provided, i.e.
 - outpatient treatment services (regular outpatient treatment, intensive outpatient treatment, day treatment or partial hospitalization, detoxification, methadone/buprenorphine maintenance or naltrexone treatment),
 - residential (non-hospital) treatment services (long-term—more than 30 days, short-term—30 days or fewer, detoxification), and
 - hospital inpatient treatment services (inpatient treatment, inpatient detoxification);
- services offered (assessment and pre-treatment services, medical services, recovery support services, education and counseling services, pharmacotherapies, testing, transitional services, ancillary services, and other services);
- clinical/therapeutic approaches;
- special programs or groups provided for specific client types;
- provision of treatment services in sign language and/or in languages other than English;
- detoxification from alcohol, benzodiazepines, opioids, cocaine, methamphetamines, or other drugs, and routine use of medication during detoxification;
- client outreach (outreach to persons in the community who may need treatment);
- licensure, certification, or accreditation agencies or organizations;

- payment options accepted, including use of a sliding fee scale and/or treatment at no charge or minimal payment;
- receipt of government funding;
- smoking policy;
- the operation of an opioid treatment program (OTP) certified by SAMHSA offering maintenance and/or detoxification, and medications used;
- number of clients in treatment on March 29, 2019 (total clients; clients by type of treatment; total clients under the age of 18 years; and clients who were receiving methadone, buprenorphine, or naltrexone);
- percentage of clients in treatment on March 29, 2019, for abuse of both alcohol and drugs, alcohol abuse only, and drug abuse only;
- percentage of clients in treatment on March 29, 2019, with diagnosed co-occurring mental and substance use disorders;
- number of beds designated for residential (non-hospital) and hospital inpatient substance abuse treatment on March 29, 2019;
- whether the facility is a Federally Qualified Health Center (FQHC);
- how alcohol use disorder is treated and medications used;
- number of clients in treatment on March 29, 2019, who received medication for alcohol use disorder, medications used, and the type of care provided; and
- for Veterans Affairs (VA) facilities, suicide prevention-related services offered, suicide prevention interventions used, standardized suicide screening and evaluation tools used or made available, the number of clients identified for high risk of suicide, and the types of care provided to such clients.

Data collection

There were three modes of data collection employed: a secure web-based questionnaire, a paper questionnaire sent by mail, and a telephone interview. About five weeks before the survey reference date of March 29, 2019, letters were mailed to all facilities to announce the survey. The letters also served to update records with new address information received from the U.S. Postal Service. During the last week of March 2019, a data collection packet (including the SAMHSA cover letter, state-specific letter of endorsement, state profile, information on completing the survey on the web, and a sheet of frequently asked questions) was mailed to each facility. To ease the burden on respondents, many of the data items that typically do not change from year to year were prefilled in the web-based questionnaire for those facilities that had completed the 2018 survey. Respondents could also request a paper questionnaire be sent to them.

During the data collection phase, contract personnel was available to answer facilities' questions concerning the survey. Support for facilities completing the questionnaire on the web was also available by e-mail. About three weeks after the initial data collection packet mailing, thank you/

reminder letters were sent to all facilities. Approximately nine weeks after the initial packet mailing, non-responding facilities were mailed a second packet. About one week after the second packet mailing, non-respondents received a reminder telephone call. A third packet containing a hard copy questionnaire was mailed about nine weeks after the second packet mailing. Those facilities that had not completed the survey by June 7, 2019, received reminder calls and were asked to complete the survey by computer-assisted telephone interview (CATI).

Quality assurance

The web questionnaire was programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses.

All mail questionnaires were reviewed manually for consistency and for missing data. Calls were made to facilities to resolve unclear responses and to obtain missing data. After data entry, automated quality assurance reviews were conducted. The reviews incorporated the rules used in manual editing, plus consistency checks and checks for data outliers not readily identified by manual review.

Item non-response was minimized through editing and extensive follow-up. The item response rate for the 2019 N-SSATS averaged more than 99 percent across 329 separate items.

Facility status and response rate

Table 1.1 presents a summary of response rate information. There were 19,795 facilities in the survey universe. Of these facilities, 1,987 facilities (10 percent) were found to be ineligible for the survey because they had closed or did not provide substance abuse treatment or detoxification. Of the remaining 17,808 facilities, 16,275 facilities (91 percent) completed the survey, and 15,961 (90 percent) were included in the 2019 N-SSATS report.

Table 1.1. N-SSATS facilities, by status and mode of response: 2019

| | <i>Number</i> | <i>Percent</i> |
|-------------------------------------|---------------|----------------|
| Total facilities in universe | 19,795 | 100.0 |
| Closed/ineligible | 1,987 | 10.0 |
| Eligible | 17,808 | 90.0 |
| Total eligible | 17,808 | 100.0 |
| Non-respondents | 1,533 | 8.6 |
| Respondents | 16,275 | 91.4 |
| Excluded from report ¹ | 213 | 1.2 |
| Roll-ups ² | 101 | 0.6 |
| Included in report | 15,961 | 89.6 |
| Mode of response | 15,961 | 100.0 |
| Internet | 14,338 | 89.6 |
| Telephone | 1,450 | 9.1 |
| Mail | 173 | 1.1 |

¹ Facilities excluded from the report included 125 non-treatment halfway houses, 55 solo practices not approved by the state agency for inclusion, and 33 facilities that treated incarcerated clients only.

² Facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2019.

Facility Selection for the 2019 N-SSATS Report


Table 1.1. The N-SSATS questionnaire is deliberately sent to some facilities that are excluded from the 2019 N-SSATS report, as explained below. For this cycle, 213 of the 16,275 questionnaire respondents provided information but were deemed out of the scope of the 2019 N-SSATS report. The excluded facilities and reasons for exclusion fell into three categories:

- 125 facilities were halfway houses that did not provide substance abuse treatment. These facilities were included in the survey so that they could be listed in the Directory and SAMHSA’s Behavioral Health Treatment Services Locator.
- 55 facilities were solo practitioners. I-BHS and N-SSATS are designed to include facilities rather than individuals. Solo practitioners are listed and surveyed only if a state substance abuse agency explicitly requests that they be included in the survey. The excluded solo practitioners were not identified for inclusion by a state substance abuse agency.
- 33 facilities were jails, prisons, or other organizations that treated incarcerated clients exclusively.

In addition to the facilities that were excluded from the report, there were 101 facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately. After the exclusion of 213 out-of-scope facilities and the roll-up of 101 facilities, 15,961 eligible respondent facilities remained to be included in the 2019 N-SSATS report.

Survey Response Mode

Figure 1. The proportion of facilities using the web survey to respond to N-SSATS has increased steadily since the option was introduced in 2002. The percentage of facilities responding via the web increased from 33 percent in 2005 to 90 percent in 2019. Mail response declined from 45 percent in 2005 to 1 percent in 2019. Telephone response, which represents a follow-up of facilities that had not responded by mail or web, also declined, from 22 percent in 2005 to 9 percent in 2019.



SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2005–2019.

Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2019 N-SSATS.

- N-SSATS attempts to obtain responses from all known treatment facilities, but it is a voluntary survey. There was no adjustment for the 9 percent facility non-response.
- N-SSATS is a point-prevalence survey. It provides information on the substance abuse treatment system and its clients on the reference date. Client counts reported do not represent annual totals. Rather, N-SSATS provides a “snapshot” of substance abuse treatment facilities and clients on an average day.
- Multiple responses were allowed for certain variables (e.g., services provided and specialized programs). Tabulations of these variables include the total number of facilities reporting each response.

Terminology

The majority of tables in the 2019 N-SSATS report are organized by facility operation and type of care. Therefore, it is important to define these terms.

Facility operation indicates the type of entity responsible for the operation of the facility:

- private for-profit
- private non-profit
- government
 - local, county, or community
 - state
 - federal (Department of Veterans Affairs, Department of Defense, Indian Health Service, other)
 - tribal

Clients in treatment were defined as:

- hospital inpatient or residential (non-hospital) clients who received substance abuse treatment services at the facility on March 29, 2019; and
- outpatient clients who were seen at the facility for a substance abuse treatment or detoxification service at least once during the month of March 2019, and who were still enrolled in treatment on March 29, 2019.

Type of care indicates the services the facility offers:

- outpatient
 - regular outpatient
 - intensive outpatient
 - outpatient day treatment or partial hospitalization

- outpatient detoxification
- outpatient methadone/buprenorphine maintenance or naltrexone treatment
- residential (non-hospital)
 - short-term (30 days or less)
 - long-term (more than 30 days)
 - detoxification
- hospital inpatient
 - inpatient detoxification
 - inpatient treatment

For more information about the 2019 N-SSATS, including data tables, see:

<https://www.samhsa.gov/data/data-we-collect/n-ssats-national-survey-substance-abuse-treatment-services>

N-SSATS BACKGROUND

Survey History

N-SSATS has evolved from national survey efforts begun in the 1970s by the National Institute on Drug Abuse (NIDA) to measure the scope and use of drug abuse treatment services in the United States. The sixth of these surveys, conducted in 1976, introduced the data elements and format that have formed the core of subsequent surveys. These include organizational focus, service orientation, services available, clients in treatment by type of care, and hospital inpatient/residential capacity. The 1976 survey, called the National Drug Abuse Treatment Utilization Survey, was repeated in 1977 and 1978.

In 1979, the National Institute on Alcohol Abuse and Alcoholism (NIAAA) became a co-sponsor of the survey, alcoholism treatment facilities were added, and the study was renamed the National Drug and Alcoholism Treatment Utilization Survey. This survey was repeated in 1980 and 1982. In 1984, a one-page version called the National Alcoholism and Drug Abuse Program Inventory was used. In 1987, the full version of the survey was reinstated and renamed the National Drug and Alcoholism Treatment Unit Survey (NDATUS). NDATUS was conducted annually from 1989 to 1993.

In 1992, with the creation of SAMHSA, responsibility for conducting the survey shifted to SAMHSA's Office of Applied Studies (now the Center for Behavioral Health Statistics and Quality). The survey was redesigned, and it was conducted annually as the Uniform Facility Data Set (UFDS) survey from 1995 to 1998. During these years, the survey was conducted by mail with telephone follow-up of non-respondents. The 1999 survey year was a transition year during which the survey was redesigned and an abbreviated telephone survey of treatment facilities was conducted. In 2000, a redesigned full mail survey was reinstated with telephone follow-up; it was renamed the National Survey of Substance Abuse Treatment Services (N-SSATS). The reference date for the annual survey had always been the end of September or beginning of October. After the 2000 survey, the reference date was changed to the end of March, and no survey was conducted during 2001.

In 2000, the use of an Internet-based questionnaire was tested; beginning in 2002, all facilities were offered the opportunity to respond via the Internet.

Since 2013, the full N-SSATS questionnaire (with client counts) has alternated with an abbreviated version of the questionnaire. The full questionnaire, fielded in odd-numbered years, collects data on programs and clients; in alternate (even-numbered) years, an abbreviated N-SSATS questionnaire collects the program information needed to update the substance abuse section of the Behavioral Health Treatment Services Locator and collects information on other facility-related topics.

N-SSATS in the Context of the Behavioral Health Services Information System (BHSIS)

N-SSATS is one of the components of SAMHSA’s Behavioral Health Services Information System (BHSIS). The core of BHSIS is the Inventory of Behavioral Health Services (I-BHS), a continuously updated, comprehensive listing of all known substance abuse treatment facilities and mental health treatment facilities. The other substance abuse component of BHSIS is the Treatment Episode Data Set (TEDS), a client-level database of admissions to and discharges from substance abuse treatment. Together, the components provide national- and state-level information on the numbers and characteristics of individuals admitted to alcohol and drug treatment programs and describe the facilities that deliver care to those individuals.

I-BHS is the list frame for N-SSATS. Facilities in I-BHS fall into two general categories and are distinguished by the relationship of the facility to its state substance abuse agency. These categories are described below.

Treatment facilities approved by state substance abuse agencies

The largest group of facilities (17,087 in 2019) includes facilities that are licensed, certified, or otherwise approved by the state substance abuse agency to provide substance abuse treatment. State BHSIS representatives maintain this segment of I-BHS by reporting new facilities, closures, and address changes to SAMHSA. Some facilities are not licensed, certified, or otherwise approved by the state agency. Some private for-profit facilities fall into this category. The approved facility group also includes programs operated by federal agencies—the Department of Veterans Affairs (VA), the Department of Defense, the Indian Health Service—and opioid treatment programs certified by SAMHSA. I-BHS records for federally operated facilities are updated annually through lists provided by these agencies.

Treatment facilities not approved by state substance abuse agencies

This group of facilities (2,708 in 2019) represents SAMHSA’s effort since the mid-1990s to make I-BHS as comprehensive as possible by including treatment facilities that state substance abuse agencies, for a variety of reasons, do not fund, license, or certify. Many of these facilities are private for-profit, small group practices, or hospital-based programs. Most of them are identified through periodic screening of alternative source databases. (See *Special efforts to improve survey coverage*.) State substance abuse agencies are given the opportunity to review these facilities and to add them to the state agency-approved list, if appropriate.

Survey Coverage

The use of I-BHS as the list frame for N-SSATS imposes certain constraints related to the unit of response and the scope of facilities included. In addition, the expansion of I-BHS in recent years to provide a more complete enumeration of substance abuse treatment facilities means that year-to-year comparisons of the numbers of facilities reporting to N-SSATS must be interpreted with caution.

Unit of response

N-SSATS is designed to collect data from each physical location where treatment services are provided. Accordingly, SAMHSA requests that state substance abuse agencies use the point of

delivery of service (i.e., physical location) as the defining factor for a facility. Because of the different state administrative systems, however, there are some inconsistencies in implementation. For example, in some states, multiple treatment programs (e.g., detoxification, residential, and outpatient) at the same address and under the same management have separate state licenses. These are treated as separate by the state substance abuse agency, and are given separate I-BHS ID numbers. In other states, multiple sites are included as a single entity under a parent or administrative unit. In many of these cases, individual sites can report services data in N-SSATS, but client data are available only at a higher administrative level. Beginning in 1995, efforts have been made to identify facility networks and to eliminate duplicate reporting by networks. For most facilities, reporting levels remain consistent from year to year. However, beginning in 1998, an emphasis was placed on collecting minimum information from all physical locations, and this resulted in an increase in the number of facilities.

Special efforts to improve survey coverage

The great majority of treatment facilities in I-BHS are administratively monitored by state substance abuse agencies. Therefore, the scope of facilities included in I-BHS is affected by differences in state systems of licensure, certification, accreditation, and the disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency.

To address these differences, SAMHSA conducted a large-scale effort during 1995 and 1996 to identify substance abuse treatment facilities that, for a variety of reasons, were not on the inventory. About 15 source lists were examined, and facilities not on the inventory were contacted to ascertain whether or not they provided substance abuse treatment. As expected, this yielded a number of hospital-based and small private facilities that were not on the inventory. (These facilities were surveyed in 1995 and 1996, but they were not included in the published results of the survey until 1997.) Analysis of the results of this effort led to similar but more targeted updates before subsequent surveys. Potential new facilities are identified using data from infoUSA (formerly the American Business Index), the annual American Hospital Association survey, and SAMHSA's National Mental Health Services Survey, the source lists that yielded the most new facilities in 1995 and 1996. Survey participants, who are asked to report all of the treatment facilities in their administrative networks, also identify additional facilities during the survey itself. All newly identified facilities are initially included as not approved by the state substance abuse agency. State substance abuse agencies are given the opportunity to review these facilities and to add them to the state agency-approved list, if appropriate.

Expansion of survey coverage to include all sites within networks at which treatment was provided yielded a net increase of about 2,600 facilities between 1997 and 1998. These additions were not necessarily new facilities, but were facilities not previously included in the survey as separate sites. Between 2009 and 2019, the number of facilities eligible for inclusion in the 2019 N-SSATS report varied between 13,513 and 15,961. The total number is deceptive, however. There was significant turnover as facilities closed and others opened.

Data collection

Until 1996, state substance abuse agencies distributed and collected the facility survey forms. Beginning in 1996, data collection was centralized; since that time, SAMHSA has mailed survey forms directly to and collected forms directly from the facilities and has conducted follow-up telephone interviews with the facility director or his/her designee. In 2000, SAMHSA introduced an online web version of the questionnaire for a few facilities in addition to the hard copy questionnaire. The web version of the questionnaire was fully implemented in 2002. The proportion of facilities using the web survey to respond to N-SSATS has increased steadily since its full inception in 2002.

Non-response

Beginning in 1992, SAMHSA expanded efforts to obtain information from non-responding facilities. A representative sample of non-respondents was contacted and administered an abbreviated version of the survey instrument via telephone. In 1993 and later years, this effort was extended to all non-responding facilities. In 1997, a series of measures was introduced to enhance the survey response rate. These included advance notification and improved methods for updating address and contact information. Between 2004 and 2018, use of these methods and intensive telephone follow-up resulted in an annual follow-up rate (i.e., facilities in the sample either completed the survey or were determined to be closed or otherwise ineligible) of 92 to 96 percent. In 2019, the final response rate, counting eligible facilities, was 91 percent.

Exclusions

In 1997, facilities offering only DUI/DWI programs were excluded; these facilities were reinstated in 1998.

Facilities operated by the Bureau of Prisons (BOP) were excluded from the 1997 survey and subsequent surveys because SAMHSA conducted a separate survey of correctional facilities.³ During that survey, it was discovered that jails, prisons, and other organizations treating incarcerated persons only were poorly enumerated on the inventory. Beginning in 1999, these facilities were identified during the survey and excluded from analyses and public use data files.

I-BHS and N-SSATS are designed to include specialty substance abuse treatment facilities rather than individuals. Solo practitioners are listed on I-BHS and surveyed in N-SSATS only if the state substance abuse agency explicitly requests that they be included.

Beginning in 2000, halfway houses that did not provide substance abuse treatment were included on the inventory and in N-SSATS so that they could be listed in the *National Directory of Drug and Alcohol Abuse Treatment Facilities* (formerly the *National Directory of Drug and Alcohol Abuse Treatment Programs*) and on the Behavioral Health Treatment Services Locator (<https://findtreatment.samhsa.gov>). These facilities are excluded from analyses and public use data files.

³ SAMHSA, Office of Applied Studies. *Substance Abuse Treatment in Adult and Juvenile Correctional Facilities: Findings From the Uniform Facility Data Set 1997 Survey of Correctional Facilities*. Drug and Alcohol Services Information System Series: S-9. DHHS Publication No. (SMA) 00-3380. Rockville, MD, 2000.

Changes in Survey Content

Since 1992, SAMHSA has made adjustments each year to the survey design, both to minimize non-response and to include areas of emerging interest. For example, questions on the number of clients in treatment receiving buprenorphine were added in 2004. Questions about clinical/therapeutic methods, standard practices, and Access to Recovery grants were added in 2007. Questions about facility smoking policy were added in 2011; questions about outpatient facility operating capacity were modified in 2012; questions about injectable naltrexone (Vivitrol®) as a pharmacotherapy were added in 2011; questions about work activity and means to accomplish them, as well as the question asking for client counts of those prescribed extended-release injectable naltrexone (Vivitrol®), were added in 2013; and in 2017 the questions asking for client counts of those prescribed Vivitrol® were changed to request client counts of those receiving naltrexone for opioid use disorder.

There have also been changes within content areas. For example, in response to concerns about over-reporting of programs or groups for specific client types, the survey question was revised in 2003 to distinguish between those facilities that accepted specific client types and those facilities that offered specially designed programs or groups for that client type. As a result, the number and proportion of facilities offering programs or groups for each of the specified client types decreased. Surveys from 2003 and later are believed to more accurately represent the number and proportions of facilities providing programs or groups for the specified client types. In addition, over time more categories have been added to the specific client types (e.g., persons who have experienced trauma, active duty military, and members of military families in 2012 and young adults, persons who have experienced sexual abuse, and persons who have experienced intimate partner violence, domestic violence in 2013). Because of the increase in client types, the question was split in 2013. The portion asking if specific client types were served was limited to adolescents, adult women, and adult men. In addition, programs or groups were described as “specifically tailored.” In 2014, the first part of the question was revised again to collect another level of detail (i.e., the age range of males and females served, if any). The client types of adolescents, adult women, and adult men were added back to the second part of the question.

Since 2013, the full N-SSATS questionnaire (with client counts) has alternated with an abbreviated version of the questionnaire. This abbreviated questionnaire, first introduced in 2014, collects the facility, program, and services information that are needed to update the Behavioral Health Treatment Services Locator. It omits Section B, which includes the client counts. Other changes to the 2014 questionnaire included reinstatement of the “primary focus” question, which had been dropped from the 2013 questionnaire; in addition, the question asking if a facility operates an opioid treatment program (OTP) was revised: The informational bullets describing OTPs were reworded, and the response categories were more explicit about whether or not the facility operates an OTP, as well as whether or not methadone and/or buprenorphine are used. In 2015, the OTP question was again revised to ask facilities how they treat opioid addiction; the response categories were even more specific about how they used, or did not use, methadone, buprenorphine, or extended-release injectable naltrexone (Vivitrol®) and whether or not the facility was a federally certified OTP. In 2017, reference to Vivitrol® was deleted, and the question referred simply to naltrexone.

Changes in the 2019 survey

In 2019, the question regarding services offered was revised by including three new categories (medical services, recovery support services, and education and counseling services), regrouping items from previous iterations of the survey, and adding new response options.

The 2019 questionnaire also introduced new questions about the sources of medication-assisted therapy (MAT) for opioid use disorder (OUD), as well as the estimated percentages of clients receiving these medication services. Section B of the 2019 survey was further enhanced with questions about the number of clients who received specific medications for alcohol use disorder (AUD) in each service setting.

An addendum to the 2019 questionnaire was also sent to VA facilities for purposes of collecting information about suicide prevention-related services offered.

FREQUENCIES

Notes: The number in parentheses that follows each variable's headline description, e.g. "(Q.7)," denotes the corresponding question and response in the [survey instrument](#) from which the variable is drawn. All client count variables are derived from more than one question.

CASEID: Case identification number

Program generated case (record) identifier.

A frequency distribution of this variable is not shown; each case has a unique value generated for identification purposes.

Variable Type: numeric

STATE: State abbreviations

| Value | Label | Frequency | % |
|-------|----------------------|-----------|-------|
| AK | Alaska | 96 | 0.6% |
| AL | Alabama | 153 | 1.0% |
| AR | Arkansas | 167 | 1.0% |
| AZ | Arizona | 446 | 2.8% |
| CA | California | 1,797 | 11.3% |
| CO | Colorado | 408 | 2.6% |
| CT | Connecticut | 220 | 1.4% |
| DC | District of Columbia | 26 | 0.2% |
| DE | Delaware | 44 | 0.3% |
| FL | Florida | 725 | 4.5% |
| GA | Georgia | 358 | 2.2% |
| HI | Hawaii | 167 | 1.0% |
| IA | Iowa | 187 | 1.2% |
| ID | Idaho | 124 | 0.8% |
| IL | Illinois | 775 | 4.9% |
| IN | Indiana | 393 | 2.5% |
| KS | Kansas | 179 | 1.1% |
| KY | Kentucky | 449 | 2.8% |
| LA | Louisiana | 146 | 0.9% |
| MA | Massachusetts | 438 | 2.7% |
| MD | Maryland | 431 | 2.7% |
| ME | Maine | 186 | 1.2% |
| MI | Michigan | 467 | 2.9% |
| MN | Minnesota | 403 | 2.5% |
| MO | Missouri | 281 | 1.8% |
| MS | Mississippi | 110 | 0.7% |
| MT | Montana | 88 | 0.6% |
| NC | North Carolina | 552 | 3.5% |
| ND | North Dakota | 85 | 0.5% |
| NE | Nebraska | 131 | 0.8% |
| NH | New Hampshire | 80 | 0.5% |
| NJ | New Jersey | 370 | 2.3% |

STATE: State abbreviations

| Value | Label | Frequency | % |
|-------|---------------------|---------------|-------------|
| NM | New Mexico | 166 | 1.0% |
| NV | Nevada | 106 | 0.7% |
| NY | New York | 925 | 5.8% |
| OH | Ohio | 554 | 3.5% |
| OK | Oklahoma | 208 | 1.3% |
| OR | Oregon | 234 | 1.5% |
| PA | Pennsylvania | 600 | 3.8% |
| PR | Puerto Rico | 97 | 0.6% |
| RI | Rhode Island | 59 | 0.4% |
| SC | South Carolina | 121 | 0.8% |
| SD | South Dakota | 59 | 0.4% |
| TN | Tennessee | 313 | 2.0% |
| TX | Texas | 512 | 3.2% |
| UT | Utah | 310 | 1.9% |
| VA | Virginia | 254 | 1.6% |
| VT | Vermont | 48 | 0.3% |
| WA | Washington | 452 | 2.8% |
| WI | Wisconsin | 276 | 1.7% |
| WV | West Virginia | 116 | 0.7% |
| WY | Wyoming | 57 | 0.4% |
| ZZ | Other jurisdictions | 12 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: character

DETOX: Facility offers detoxification (Q.1)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 12,453 | 78.0% |
| 1 | Yes | 3,508 | 22.0% |
| | <i>Total</i> | 15,961 | 100% |

Variable Type: numeric

TREATMT: Facility offers substance use treatment (Q.1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 178 | 1.1% |
| 1 | Yes | 15,783 | 98.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SMISEDSUD: Facility offers treatment for co-occurring serious mental illness (SMI)/serious emotional disturbance (SED) and substance use disorders (Q.1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,559 | 41.1% |
| 1 | Yes | 9,402 | 58.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OWNERSHP: Organization that operates the facility (Q.8)

| Value | Label | Frequency | % |
|-------|--|---------------|-------------|
| 1 | Private for-profit organization | 6,327 | 39.6% |
| 2 | Private non-profit organization | 8,043 | 50.4% |
| 3 | State government | 310 | 1.9% |
| 4 | Local, county, or community government | 694 | 4.3% |
| 5 | Tribal government | 254 | 1.6% |
| 6 | Federal government | 333 | 2.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

FEDOWN: Federal government agency that operates the facility (Q.8a)

| Value | Label | Frequency | % |
|--------------|--------------------------|------------------|-------------|
| . | Logical skip | 15,628 | 97.9% |
| 1 | Dept of Veterans Affairs | 222 | 1.4% |
| 2 | Dept of Defense | 69 | 0.4% |
| 3 | Indian Health Service | 31 | 0.2% |
| 4 | Other | 11 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

HOSPITAL: Facility is a hospital or located in or operated by a hospital (Q.24)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 41 | 0.3% |
| 0 | No | 14,530 | 91.0% |
| 1 | Yes | 1,390 | 8.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LOCS: Type of hospital (Q.24a)

| Value | Label | Frequency | % |
|-------|---|---------------|-------------|
| . | Logical skip | 14,569 | 91.3% |
| M | Missing | 2 | 0.0% |
| 1 | General hospital (including VA hospitals) | 1,005 | 6.3% |
| 2 | Psychiatric hospital | 320 | 2.0% |
| 3 | Other specialty hospital | 65 | 0.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LOC5: Facility operates transitional housing or a halfway house for substance abuse clients (Q.25)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 4 | 0.0% |
| 0 | No | 14,393 | 90.2% |
| 1 | Yes | 1,564 | 9.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OTP: Facility operates an opioid treatment program (Q.13)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 14,270 | 89.4% |
| 1 | Yes | 1,691 | 10.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

ASSESSMENT: Number of assessment and pre-treatment services offered by this facility (Q.12)

| Value | Label | Frequency | % |
|-------|-------------------------------|---------------|-------------|
| . | Logical skip | 1 | 0.0% |
| 0 | 0 assessment services offered | 166 | 1.0% |
| 1 | 1 assessment service offered | 218 | 1.4% |
| 2 | 2 assessment services offered | 750 | 4.7% |
| 3 | 3 assessment services offered | 1,370 | 8.6% |
| 4 | 4 assessment services offered | 2,315 | 14.5% |
| 5 | 5 assessment services offered | 3,255 | 20.4% |
| 6 | 6 assessment services offered | 3,562 | 22.3% |
| 7 | 7 assessment services offered | 3,203 | 20.1% |
| 8 | 8 assessment services offered | 1,121 | 7.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

TESTING: Number of testing services offered by this facility (Q.12)

| Value | Label | Frequency | % |
|-------|----------------------------|---------------|-------------|
| . | Logical skip | 1 | 0.0% |
| 0 | 0 testing services offered | 1,445 | 9.1% |
| 1 | 1 testing service offered | 2,198 | 13.8% |
| 2 | 2 testing services offered | 3,924 | 24.6% |
| 3 | 3 testing services offered | 2,474 | 15.5% |
| 4 | 4 testing services offered | 1,098 | 6.9% |
| 5 | 5 testing services offered | 829 | 5.2% |
| 6 | 6 testing services offered | 981 | 6.1% |
| 7 | 7 testing services offered | 1,730 | 10.8% |
| 8 | 8 testing services offered | 966 | 6.1% |
| 9 | 9 testing services offered | 315 | 2.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

MEDICAL: Number of medical services offered by this facility (Q.12)

| Value | Label | Frequency | % |
|--------------|----------------------------|------------------|-------------|
| . | Logical skip | 1 | 0.0% |
| 0 | 0 medical services offered | 14,303 | 89.6% |
| 1 | 1 medical service offered | 271 | 1.7% |
| 2 | 2 medical services offered | 1,386 | 8.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

TRANSITION: Number of transitional services offered by this facility (Q.12)

| Value | Label | Frequency | % |
|--------------|---------------------------------|------------------|-------------|
| . | Logical skip | 1 | 0.0% |
| 0 | 0 transitional services offered | 197 | 1.2% |
| 1 | 1 transitional service offered | 863 | 5.4% |
| 2 | 2 transitional services offered | 3,160 | 19.8% |
| 3 | 3 transitional services offered | 6,134 | 38.4% |
| 4 | 4 transitional services offered | 5,606 | 35.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

RECOVERY: Number of recovery support services offered by this facility (Q.12)

| Value | Label | Frequency | % |
|-------|-------------------------------------|---------------|-------------|
| . | Logical skip | 1 | 0.0% |
| 0 | 0 recovery support services offered | 1,890 | 11.8% |
| 1 | 1 recovery support service offered | 1,929 | 12.1% |
| 2 | 2 recovery support services offered | 2,354 | 14.7% |
| 3 | 3 recovery support services offered | 2,791 | 17.5% |
| 4 | 4 recovery support services offered | 2,906 | 18.2% |
| 5 | 5 recovery support services offered | 2,802 | 17.6% |
| 6 | 6 recovery support services offered | 1,288 | 8.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

EDUCATION: Number of education and counseling services offered by this facility (Q.12)

| Value | Label | Frequency | % |
|-------|--|---------------|-------------|
| . | Logical skip | 2 | 0.0% |
| 0 | 0 education and counseling services offered | 81 | 0.5% |
| 1 | 1 education and counseling service offered | 99 | 0.6% |
| 2 | 2 education and counseling services offered | 211 | 1.3% |
| 3 | 3 education and counseling services offered | 822 | 5.2% |
| 4 | 4 education and counseling services offered | 1,271 | 8.0% |
| 5 | 5 education and counseling services offered | 2,440 | 15.3% |
| 6 | 6 education and counseling services offered | 2,319 | 14.5% |
| 7 | 7 education and counseling services offered | 2,193 | 13.7% |
| 8 | 8 education and counseling services offered | 2,461 | 15.4% |
| 9 | 9 education and counseling services offered | 3,077 | 19.3% |
| 10 | 10 education and counseling services offered | 985 | 6.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

ANCILLARY: Number of ancillary services offered by this facility (Q.12)

| Value | Label | Frequency | % |
|-------|------------------------------|---------------|-------------|
| . | Logical skip | 1 | 0.0% |
| 0 | 0 ancillary services offered | 584 | 3.7% |
| 1 | 1 ancillary service offered | 1,454 | 9.1% |
| 2 | 2 ancillary services offered | 2,541 | 15.9% |
| 3 | 3 ancillary services offered | 3,335 | 20.9% |
| 4 | 4 ancillary services offered | 3,597 | 22.5% |
| 5 | 5 ancillary services offered | 2,564 | 16.1% |
| 6 | 6 ancillary services offered | 1,334 | 8.4% |
| 7 | 7 ancillary services offered | 411 | 2.6% |
| 8 | 8 ancillary services offered | 135 | 0.8% |
| 9 | 9 ancillary services offered | 5 | 0.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OTHER_SRVC: Number of other services offered by this facility (Q.12)

| Value | Label | Frequency | % |
|--------------|--------------------------|------------------|-------------|
| . | Logical skip | 1 | 0.0% |
| 0 | 0 other services offered | 9,259 | 58.0% |
| 1 | 1 other service offered | 3,460 | 21.7% |
| 2 | 2 other services offered | 1,094 | 6.9% |
| 3 | 3 other services offered | 2,147 | 13.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

PHARMACOTHERAPIES: Number of pharmacotherapies offered by this facility (Q.12)

| Value | Label | Frequency | % |
|--------------|------------------------------|------------------|-------------|
| 0 | 0 pharmacotherapies offered | 5,534 | 34.7% |
| 1 | 1 pharmacotherapy offered | 1,953 | 12.2% |
| 2 | 2 pharmacotherapies offered | 1,074 | 6.7% |
| 3 | 3 pharmacotherapies offered | 1,015 | 6.4% |
| 4 | 4 pharmacotherapies offered | 811 | 5.1% |
| 5 | 5 pharmacotherapies offered | 780 | 4.9% |
| 6 | 6 pharmacotherapies offered | 715 | 4.5% |
| 7 | 7 pharmacotherapies offered | 711 | 4.5% |
| 8 | 8 pharmacotherapies offered | 743 | 4.7% |
| 9 | 9 pharmacotherapies offered | 677 | 4.2% |
| 10 | 10 pharmacotherapies offered | 643 | 4.0% |
| 11 | 11 pharmacotherapies offered | 561 | 3.5% |
| 12 | 12 pharmacotherapies offered | 333 | 2.1% |
| 13 | 13 pharmacotherapies offered | 250 | 1.6% |
| 14 | 14 pharmacotherapies offered | 76 | 0.5% |
| 15 | 15 pharmacotherapies offered | 60 | 0.4% |
| 16 | 16 pharmacotherapies offered | 25 | 0.2% |
| | <i>Total</i> | 15,961 | 100% |

Variable Type: numeric

SRVC89: Facility offers screening for substance abuse (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 517 | 3.2% |
| 1 | Yes | 15,443 | 96.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC90: Facility offers screening for mental health disorders (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 3,609 | 22.6% |
| 1 | Yes | 12,351 | 77.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC1: Facility offers comprehensive substance abuse assessment or diagnosis (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 999 | 6.3% |
| 1 | Yes | 14,961 | 93.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC2: Facility offers comprehensive mental health assessment or diagnosis (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 6,996 | 43.8% |
| 1 | Yes | 8,964 | 56.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC107: Facility offers screening for tobacco use (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 4,396 | 27.5% |
| 1 | Yes | 11,564 | 72.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC91: Facility offers outreach to persons in the community who may need treatment (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 5,678 | 35.6% |
| 1 | Yes | 10,282 | 64.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC93: Facility offers interim services for clients when immediate admission is not possible (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 8,301 | 52.0% |
| 1 | Yes | 7,659 | 48.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCEDCON: Facility offers professional interventionist/educational consultant (Q.12)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 13,060 | 81.8% |
| 1 | Yes | 2,900 | 18.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCORAL: Facility offers drug and alcohol oral fluid testing (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 11,824 | 74.1% |
| 1 | Yes | 4,136 | 25.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC10: Facility offers breathalyzer or other blood alcohol testing (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 5,728 | 35.9% |
| 1 | Yes | 10,232 | 64.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC11: Facility offers drug or alcohol urine screening (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 1,967 | 12.3% |
| 1 | Yes | 13,993 | 87.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC73: Facility offers screening for hepatitis B (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 11,672 | 73.1% |
| 1 | Yes | 4,288 | 26.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC74: Facility offers screening for hepatitis C (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 11,079 | 69.4% |
| 1 | Yes | 4,881 | 30.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC14: Facility offers HIV testing (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 10,956 | 68.6% |
| 1 | Yes | 5,004 | 31.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC15: Facility offers STD testing (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 11,868 | 74.4% |
| 1 | Yes | 4,092 | 25.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC16: Facility offers TB screening (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 9,310 | 58.3% |
| 1 | Yes | 6,650 | 41.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCMETA: Facility offers testing for metabolic syndrome (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 14,672 | 91.9% |
| 1 | Yes | 1,288 | 8.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCHAV: Facility offers hepatitis A (HAV) vaccination (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 14,427 | 90.4% |
| 1 | Yes | 1,533 | 9.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCHBV: Facility offers hepatitis B (HBV) vaccination (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 14,450 | 90.5% |
| 1 | Yes | 1,510 | 9.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC37: Facility offers discharge planning (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 731 | 4.6% |
| 1 | Yes | 15,229 | 95.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC27: Facility offers aftercare/continuing care (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 2,095 | 13.1% |
| 1 | Yes | 13,865 | 86.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCODED: Facility offers naloxone and overdose education (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 7,953 | 49.8% |
| 1 | Yes | 8,007 | 50.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCOUTCM: Facility offers outcome follow-up after discharge (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 5,052 | 31.7% |
| 1 | Yes | 10,908 | 68.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC97: Facility offers mentoring/peer support (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 6,181 | 38.7% |
| 1 | Yes | 9,779 | 61.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC102: Facility offers self-help groups (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 8,147 | 51.0% |
| 1 | Yes | 7,813 | 49.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC39: Facility offers assistance in locating housing for clients (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 6,196 | 38.8% |
| 1 | Yes | 9,764 | 61.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC38: Facility offers employment counseling or training for clients (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 9,103 | 57.0% |
| 1 | Yes | 6,857 | 43.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC36: Facility offers assistance with obtaining social services (for example, Medicaid, WIC, SSI, SSDI) (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 5,414 | 33.9% |
| 1 | Yes | 10,546 | 66.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCCOACH: Facility offers recovery coach (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 12,347 | 77.4% |
| 1 | Yes | 3,613 | 22.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC24: Facility offers HIV or AIDS education, counseling, or support (Q.12)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 2 | 0.0% |
| 0 | No | 6,633 | 41.6% |
| 1 | Yes | 9,326 | 58.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC104: Facility offers hepatitis education, counseling, or support (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 2 | 0.0% |
| 0 | No | 7,532 | 47.2% |
| 1 | Yes | 8,427 | 52.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC99: Facility offers health education other than HIV/AIDS or hepatitis (Q.12)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 2 | 0.0% |
| 0 | No | 6,892 | 43.2% |
| 1 | Yes | 9,067 | 56.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC100: Facility offers substance abuse education (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 2 | 0.0% |
| 0 | No | 477 | 3.0% |
| 1 | Yes | 15,482 | 97.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC105: Facility offers smoking/tobacco cessation counseling (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 2 | 0.0% |
| 0 | No | 6,811 | 42.7% |
| 1 | Yes | 9,148 | 57.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC6: Facility offers individual counseling (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 2 | 0.0% |
| 0 | No | 514 | 3.2% |
| 1 | Yes | 15,445 | 96.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC5: Facility offers group counseling (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 2 | 0.0% |
| 0 | No | 1,109 | 6.9% |
| 1 | Yes | 14,850 | 93.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC4: Facility offers family counseling (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 2 | 0.0% |
| 0 | No | 2,989 | 18.7% |
| 1 | Yes | 12,970 | 81.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC103: Facility offers marital/couples counseling (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 2 | 0.0% |
| 0 | No | 6,395 | 40.1% |
| 1 | Yes | 9,564 | 59.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCVOCED: Facility offers vocational training or educational support (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 2 | 0.0% |
| 0 | No | 13,471 | 84.4% |
| 1 | Yes | 2,488 | 15.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC49: Facility offers case management services (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 2,759 | 17.3% |
| 1 | Yes | 13,201 | 82.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC96: Facility offers social skills development (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 3,979 | 24.9% |
| 1 | Yes | 11,981 | 75.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC50: Facility offers child care for clients' children (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 15,024 | 94.1% |
| 1 | Yes | 936 | 5.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC52: Facility offers domestic (family or partner) violence services (Q.12)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 9,853 | 61.7% |
| 1 | Yes | 6,107 | 38.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC98: Facility offers early intervention for HIV (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 12,290 | 77.0% |
| 1 | Yes | 3,670 | 23.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC59: Facility offers transportation assistance to treatment (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 8,584 | 53.8% |
| 1 | Yes | 7,376 | 46.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC101: Facility offers mental health services (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 4,858 | 30.4% |
| 1 | Yes | 11,102 | 69.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC48: Facility offers acupuncture (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 14,983 | 93.9% |
| 1 | Yes | 977 | 6.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC75: Facility offers residential beds for clients' children (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 15,555 | 97.5% |
| 1 | Yes | 405 | 2.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC117: Facility offers treatment services for gambling disorder (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 11,807 | 74.0% |
| 1 | Yes | 4,153 | 26.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC118: Facility offers treatment services for Internet use disorder (Q.12)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 13,543 | 84.9% |
| 1 | Yes | 2,417 | 15.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC119: Facility offers treatment services for other addiction disorder (non-substance abuse) (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 10,441 | 65.4% |
| 1 | Yes | 5,519 | 34.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC70: Facility offers disulfram (Antabuse®) pharmacotherapy services (Q.12)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 12,245 | 76.7% |
| 1 | Yes | 3,715 | 23.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC71: Facility offers naltrexone (oral) pharmacotherapy services (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,251 | 64.2% |
| 1 | Yes | 5,710 | 35.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC108: Facility offers naltrexone (extended-release, injectable, for example, Vivitrol®) pharmacotherapy services (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,367 | 65.0% |
| 1 | Yes | 5,594 | 35.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC88: Facility offers acamprosate (Campral®) pharmacotherapy services (Q.12)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 12,080 | 75.7% |
| 1 | Yes | 3,880 | 24.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC94: Facility offers nicotine replacement pharmacotherapy services (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 10,789 | 67.6% |
| 1 | Yes | 5,171 | 32.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC106: Facility offers non-nicotine smoking/tobacco cessation medications (for example, bupropion, varenicline) (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 11,722 | 73.4% |
| 1 | Yes | 4,238 | 26.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC95: Facility offers medications for psychiatric disorders (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 8,200 | 51.4% |
| 1 | Yes | 7,760 | 48.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC85: Facility offers methadone pharmacotherapy services (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 14,002 | 87.7% |
| 1 | Yes | 1,959 | 12.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC87: Facility offers buprenorphine with naloxone pharmacotherapy services (Q.12)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| 0 | No | 9,778 | 61.3% |
| 1 | Yes | 6,183 | 38.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC86: Facility offers buprenorphine without naloxone pharmacotherapy services (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,655 | 73.0% |
| 1 | Yes | 4,306 | 27.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC129: Facility offers buprenorphine sub-dermal implant (Probuphine®) pharmacotherapy services (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,423 | 96.6% |
| 1 | Yes | 538 | 3.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC130: Facility offers buprenorphine (extended-release, injectable, for example, Sublocade®) pharmacotherapy services (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 14,317 | 89.7% |
| 1 | Yes | 1,644 | 10.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCMEDHIV: Facility offers medications for HIV treatment (for example, antiretroviral medications such as tenofovir, efavirenz, emtricitabine, atazanavir, and lamivudine) (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 14,659 | 91.8% |
| 1 | Yes | 1,301 | 8.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCMEDHCV: Facility offers medications for hepatitis C (HCV) treatment (for example, sofosbuvir, ledipasvir, interferon, peginterferon, ribavirin) (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 14,545 | 91.1% |
| 1 | Yes | 1,416 | 8.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCMEDLOFE: Facility offers lofexidine pharmacotherapy services (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 15,312 | 95.9% |
| 1 | Yes | 648 | 4.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCMEDCLON: Facility offers clonidine pharmacotherapy services (Q.12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 1 | 0.0% |
| 0 | No | 12,218 | 76.5% |
| 1 | Yes | 3,742 | 23.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC30: Facility has a tailored program for adolescents (Q.19a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 12,131 | 76.0% |
| 1 | Yes | 3,814 | 23.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC120: Facility has a tailored program for young adults (Q.19a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 11,016 | 69.0% |
| 1 | Yes | 4,929 | 30.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC34: Facility has a tailored program for adult women (Q.19a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 8,110 | 50.8% |
| 1 | Yes | 7,835 | 49.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC33: Facility has a tailored program for pregnant/postpartum women (Q.19a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 12,070 | 75.6% |
| 1 | Yes | 3,875 | 24.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC64: Facility has a tailored program for adult men (Q.19a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 8,441 | 52.9% |
| 1 | Yes | 7,504 | 47.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC63: Facility has a tailored program for seniors or older adults (Q.19a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 12,244 | 76.7% |
| 1 | Yes | 3,701 | 23.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC62: Facility has a tailored program for lesbian, gay, bisexual, transgender (LGBT) clients (Q.19a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 12,345 | 77.3% |
| 1 | Yes | 3,600 | 22.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC113: Facility has a tailored program for veterans (Q.19a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 12,486 | 78.2% |
| 1 | Yes | 3,459 | 21.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC114: Facility has a tailored program for active duty military (Q.19a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 13,950 | 87.4% |
| 1 | Yes | 1,995 | 12.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC115: Facility has a tailored program for members of military families (Q.19a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 13,660 | 85.6% |
| 1 | Yes | 2,285 | 14.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

**SRVC61: Facility has a tailored program for criminal justice clients (other than DUI/DWI)
(Q.19a)**

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 10,197 | 63.9% |
| 1 | Yes | 5,748 | 36.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC31: Facility has a tailored program for clients with co-occurring mental and substance use disorders (Q.19a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 7,561 | 47.4% |
| 1 | Yes | 8,384 | 52.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVCPAINSA: Facility has a tailored program for clients with co-occurring pain and substance use (Q.19a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 12,955 | 81.2% |
| 1 | Yes | 2,990 | 18.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC32: Facility has a tailored program for clients with HIV or AIDS (Q.19a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 12,764 | 80.0% |
| 1 | Yes | 3,181 | 19.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC121: Facility has a tailored program for clients who have experienced sexual abuse (Q.19a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 11,436 | 71.6% |
| 1 | Yes | 4,509 | 28.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC122: Facility has a tailored program for clients who have experienced intimate partner violence, domestic violence (Q.19a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 11,454 | 71.8% |
| 1 | Yes | 4,491 | 28.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC116: Facility has a tailored program for clients who have experienced trauma (Q.19a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 16 | 0.1% |
| 0 | No | 9,133 | 57.2% |
| 1 | Yes | 6,812 | 42.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SRVC35: Facility has a tailored program for other types of clients (Q.19a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| 0 | No | 15,204 | 95.3% |
| 1 | Yes | 757 | 4.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CTYPE4: Facility offers any hospital inpatient substance abuse services (Q.9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,063 | 94.4% |
| 1 | Yes | 898 | 5.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CTYPEH1: Facility offers hospital inpatient detoxification (Q.9a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,063 | 94.4% |
| 0 | No | 92 | 0.6% |
| 1 | Yes | 806 | 5.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CTYPEHI2: Facility offers hospital inpatient treatment services (Q.9a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,063 | 94.4% |
| 0 | No | 218 | 1.4% |
| 1 | Yes | 680 | 4.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CTYPE7: Facility offers non-hospital residential treatment services (Q.10)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| 0 | No | 12,167 | 76.2% |
| 1 | Yes | 3,794 | 23.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CTYPERC1: Facility offers non-hospital residential detoxification (Q.10a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 12,167 | 76.2% |
| 0 | No | 2,384 | 14.9% |
| 1 | Yes | 1,410 | 8.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CTYPERC3: Facility offers non-hospital residential short-term treatment (Q.10a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 12,167 | 76.2% |
| 0 | No | 1,408 | 8.8% |
| 1 | Yes | 2,386 | 14.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CTYPERC4: Facility offers non-hospital residential long-term treatment (Q.10a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 12,167 | 76.2% |
| 0 | No | 836 | 5.2% |
| 1 | Yes | 2,958 | 18.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CTYPE1: Facility offers any outpatient substance abuse services (Q.11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,917 | 18.3% |
| 1 | Yes | 13,044 | 81.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CTYPE6: Facility offers outpatient detoxification (Q.11a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 2,917 | 18.3% |
| 0 | No | 11,292 | 70.7% |
| 1 | Yes | 1,752 | 11.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CTYPEML: Facility offers outpatient methadone/buprenorphine maintenance or naltrexone treatment (Q.11a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 2,917 | 18.3% |
| 0 | No | 7,788 | 48.8% |
| 1 | Yes | 5,256 | 32.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CTYPEOP: Facility offers outpatient day treatment or partial hospitalization (Q.11a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 2,917 | 18.3% |
| 0 | No | 10,789 | 67.6% |
| 1 | Yes | 2,255 | 14.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CTYPE2: Facility offers intensive outpatient treatment services (Q.11a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 2,917 | 18.3% |
| 0 | No | 5,719 | 35.8% |
| 1 | Yes | 7,325 | 45.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CTYPE3: Facility offers regular outpatient treatment services (Q.11a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 2,917 | 18.3% |
| 0 | No | 930 | 5.8% |
| 1 | Yes | 12,114 | 75.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

SIGNLANG: Facility provides substance use treatment services in sign language (Q.17)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| M | Missing | 39 | 0.2% |
| 0 | No | 10,342 | 64.8% |
| 1 | Yes | 5,580 | 35.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG: Facility provides substance use treatment in a language other than English (Q.18)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 22 | 0.1% |
| 0 | No | 7,529 | 47.2% |
| 1 | Yes | 8,410 | 52.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG1: Staff counselors provide substance use treatment in Hopi (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 884 | 5.5% |
| 1 | Yes | 12 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG2: Staff counselors provide substance use treatment in Lakota (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 878 | 5.5% |
| 1 | Yes | 18 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG3: Staff counselors provide substance use treatment in Navajo (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 845 | 5.3% |
| 1 | Yes | 51 | 0.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG4: Staff counselors provide substance use treatment in Yupik (Q.18b)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 885 | 5.5% |
| 1 | Yes | 11 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG5: Staff counselors provide substance use treatment in other American Indian or Alaska Native language (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 871 | 5.5% |
| 1 | Yes | 25 | 0.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG6: Staff counselors provide substance use treatment in Arabic (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 799 | 5.0% |
| 1 | Yes | 97 | 0.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG7: Staff counselors provide substance use treatment in any Chinese language (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 810 | 5.1% |
| 1 | Yes | 86 | 0.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG8: Staff counselors provide substance use treatment in Creole (Q.18b)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 758 | 4.7% |
| 1 | Yes | 138 | 0.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG9: Staff counselors provide substance use treatment in French (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 753 | 4.7% |
| 1 | Yes | 143 | 0.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG10: Staff counselors provide substance use treatment in German (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 844 | 5.3% |
| 1 | Yes | 52 | 0.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG11: Staff counselors provide substance use treatment in Hmong (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 860 | 5.4% |
| 1 | Yes | 36 | 0.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG12: Staff counselors provide substance use treatment in Korean (Q.18b)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 838 | 5.3% |
| 1 | Yes | 58 | 0.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG13: Staff counselors provide substance use treatment in Polish (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 793 | 5.0% |
| 1 | Yes | 103 | 0.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG14: Staff counselors provide substance use treatment in Portuguese (Q.18b)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 777 | 4.9% |
| 1 | Yes | 119 | 0.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG15: Staff counselors provide substance use treatment in Russian (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 725 | 4.5% |
| 1 | Yes | 171 | 1.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG16: Staff counselors provide substance use treatment in Spanish (Q.18a1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 11,880 | 74.4% |
| M | Missing | 2 | 0.0% |
| 0 | No | 253 | 1.6% |
| 1 | Yes | 3,826 | 24.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG17: Staff counselors provide substance use treatment in Vietnamese (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 838 | 5.3% |
| 1 | Yes | 58 | 0.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG18: Staff counselors provide substance use treatment in any other language (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 761 | 4.8% |
| 1 | Yes | 135 | 0.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG19: Staff counselors provide substance use treatment in Italian (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 833 | 5.2% |
| 1 | Yes | 63 | 0.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG20: Staff counselors provide substance use treatment in Tagalog (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 815 | 5.1% |
| 1 | Yes | 81 | 0.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG21: Staff counselors provide substance use treatment in Ojibwa (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 884 | 5.5% |
| 1 | Yes | 12 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG22: Staff counselors provide substance use treatment in Greek (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 869 | 5.4% |
| 1 | Yes | 27 | 0.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG23: Staff counselors provide substance use treatment in Japanese (Q.18b)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 864 | 5.4% |
| 1 | Yes | 32 | 0.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG24: Staff counselors provide substance use treatment in Farsi (Q.18b)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 822 | 5.2% |
| 1 | Yes | 74 | 0.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG25: Staff counselors provide substance use treatment in Hebrew (Q.18b)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 849 | 5.3% |
| 1 | Yes | 47 | 0.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LANG26: Staff counselors provide substance use treatment in Hindi (Q.18b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,065 | 94.4% |
| 0 | No | 812 | 5.1% |
| 1 | Yes | 84 | 0.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

DUI_DWI: Facility offers a specially designed program for DUI/DWI or other drunk driver offenders (Q.16)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 34 | 0.2% |
| 0 | No | 12,101 | 75.8% |
| 1 | Yes | 3,826 | 24.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

ONLYDUI: Facility serves only DUI/DWI clients (Q.16a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 12,135 | 76.0% |
| M | Missing | 6 | 0.0% |
| 0 | No | 3,738 | 23.4% |
| 1 | Yes | 82 | 0.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

ONLYOUD: Facility serves only opioid use disorder clients (Q.13b)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 2,952 | 18.5% |
| M | Missing | 6 | 0.0% |
| 0 | No | 11,752 | 73.6% |
| 1 | Yes | 1,251 | 7.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OPIOIDDETOX: Facility provides detoxification from opioids of abuse with methadone or buprenorphine for treating opioid use disorder (Q.13c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 8,456 | 53.0% |
| M | Missing | 8 | 0.1% |
| 0 | No | 5,148 | 32.3% |
| 1 | Yes | 2,349 | 14.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OPIOIDDLOFE: Facility provides detoxification from opioids of abuse with lofexidine or clonidine for treating opioid use disorder (Q.13c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 8,456 | 53.0% |
| M | Missing | 8 | 0.1% |
| 0 | No | 6,239 | 39.1% |
| 1 | Yes | 1,258 | 7.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OPIOIDMAINT: Facility provides maintenance services with methadone or buprenorphine for treating opioid use disorder (Q.13c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 8,456 | 53.0% |
| M | Missing | 8 | 0.1% |
| 0 | No | 2,460 | 15.4% |
| 1 | Yes | 5,037 | 31.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OPIOIDNAL: Facility provides relapse prevention with naltrexone for treating opioid use disorder (Q.13c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 8,455 | 53.0% |
| M | Missing | 8 | 0.1% |
| 0 | No | 3,044 | 19.1% |
| 1 | Yes | 4,454 | 27.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OPIOIDOTH: Facility provides other medication services for treating opioid use disorder (Q.13c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 8,456 | 53.0% |
| 0 | No | 7,497 | 47.0% |
| 1 | Yes | 8 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OPIOIDWDRAW: Facility provides maintenance services with medically supervised withdrawal (or taper) after a period of stabilization for treating opioid use disorder (Q.13c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 8,456 | 53.0% |
| M | Missing | 8 | 0.1% |
| 0 | No | 3,910 | 24.5% |
| 1 | Yes | 3,587 | 22.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

FEESCALE: Facility uses a sliding fee scale (Q.20)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 37 | 0.2% |
| 0 | No | 6,737 | 42.2% |
| 1 | Yes | 9,187 | 57.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

PAYASST: Facility offers treatment at no charge or minimal payment to clients who cannot afford to pay (Q.21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 44 | 0.3% |
| 0 | No | 8,731 | 54.7% |
| 1 | Yes | 7,186 | 45.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

EARMARK: Facility receives funding or grants from the federal government, or state, county, or local governments, to support its substance use treatment programs (Q.22)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| D | Don't know | 588 | 3.7% |
| M | Missing | 32 | 0.2% |
| 0 | No | 7,087 | 44.4% |
| 1 | Yes | 8,254 | 51.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

REVCHK1: Accepts cash or self-payment for substance use treatment (Q.23)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 99 | 0.6% |
| 0 | No | 1,454 | 9.1% |
| 1 | Yes | 14,408 | 90.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

REVCHK2: Accepts private health insurance as source of payment for substance use treatment (Q.23)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 99 | 0.6% |
| 0 | No | 4,153 | 26.0% |
| 1 | Yes | 11,709 | 73.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

REVCHK3: Substance use treatment is free for all clients (Q.23)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 99 | 0.6% |
| 0 | No | 15,409 | 96.5% |
| 1 | Yes | 453 | 2.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

REVCHK5: Accepts Medicaid as source of payment for substance use treatment (Q.23)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 99 | 0.6% |
| 0 | No | 4,984 | 31.2% |
| 1 | Yes | 10,878 | 68.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

REVCHK8: Accepts Medicare as source of payment for substance use treatment (Q.23)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 99 | 0.6% |
| 0 | No | 9,919 | 62.1% |
| 1 | Yes | 5,943 | 37.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

REVCHK10: Accepts state-financed health insurance plan other than Medicaid as source of payment for substance use treatment (Q.23)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 99 | 0.6% |
| 0 | No | 8,097 | 50.7% |
| 1 | Yes | 7,765 | 48.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

REVCHK15: Accepts federal military insurance (such as TRICARE) as source of payment for substance use treatment (Q.23)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 99 | 0.6% |
| 0 | No | 9,856 | 61.8% |
| 1 | Yes | 6,006 | 37.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

REVCHK17: Accepts IHS/Tribal/Urban (ITU) funds as source of payment for substance use treatment (Q.23)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| M | Missing | 99 | 0.6% |
| 0 | No | 14,024 | 87.9% |
| 1 | Yes | 1,838 | 11.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

ACCRED: Facility is licensed, certified, or accredited to provide substance abuse services by any of the organizations referenced (Q.27)

| Value | Label | Frequency | % |
|-------|--|---------------|-------------|
| V | Logical skip/missing/unknown/incomplete/not applicable | 35 | 0.2% |
| 0 | Not licensed, certified, or accredited by any of these organizations | 7,294 | 45.7% |
| 1 | Licensed, certified, or accredited by any of these organizations | 8,632 | 54.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LICEN: Facility is licensed by hospital licensing authority or state authority (Q.27)

| Value | Label | Frequency | % |
|-------|--|---------------|-------------|
| V | Logical skip/missing/unknown/incomplete/not applicable | 35 | 0.2% |
| 0 | Not licensed, certified, or accredited by any of these organizations | 1,741 | 10.9% |
| 1 | Licensed, certified, or accredited by any of these organizations | 14,185 | 88.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LICENHOS: Facility is licensed by hospital licensing authority (Q.27)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| M | Missing | 34 | 0.2% |
| N | Not applicable | 1 | 0.0% |
| 0 | No | 15,101 | 94.6% |
| 1 | Yes | 825 | 5.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LICENMH: Facility is licensed by state mental health department (Q.27)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| M | Missing | 34 | 0.2% |
| N | Not applicable | 1 | 0.0% |
| 0 | No | 9,588 | 60.1% |
| 1 | Yes | 6,338 | 39.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LICENPH: Facility is licensed by state department of health (Q.27)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| M | Missing | 34 | 0.2% |
| N | Not applicable | 1 | 0.0% |
| 0 | No | 8,405 | 52.7% |
| 1 | Yes | 7,521 | 47.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

LICENSED: Facility is licensed by state substance abuse agency (Q.27)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| M | Missing | 34 | 0.2% |
| N | Not applicable | 1 | 0.0% |
| 0 | No | 3,465 | 21.7% |
| 1 | Yes | 12,461 | 78.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

JCAHO: Facility has Joint Commission accreditation (Q.27)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| M | Missing | 34 | 0.2% |
| N | Not applicable | 1 | 0.0% |
| 0 | No | 12,283 | 77.0% |
| 1 | Yes | 3,643 | 22.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

CARF: Facility is Commission on Accreditation of Rehabilitation Facilities (CARF)-accredited (Q.27)

| Value | Label | Frequency | % |
|--------------|----------------|------------------|-------------|
| M | Missing | 34 | 0.2% |
| N | Not applicable | 1 | 0.0% |
| 0 | No | 11,221 | 70.3% |
| 1 | Yes | 4,705 | 29.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

NCQA: Facility is National Committee for Quality Assurance (NCQA)-accredited (Q.27)

| Value | Label | Frequency | % |
|--------------|----------------|------------------|-------------|
| M | Missing | 34 | 0.2% |
| N | Not applicable | 1 | 0.0% |
| 0 | No | 15,562 | 97.5% |
| 1 | Yes | 364 | 2.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

COA: Facility is Council on Accreditation (COA)-accredited (Q.27)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| M | Missing | 34 | 0.2% |
| N | Not applicable | 1 | 0.0% |
| 0 | No | 15,225 | 95.4% |
| 1 | Yes | 701 | 4.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

**HFAP: Facility is accredited by Healthcare Facilities Accreditation Program (HFAP)
(Q.27)**

| Value | Label | Frequency | % |
|--------------|----------------|------------------|-------------|
| M | Missing | 34 | 0.2% |
| N | Not applicable | 1 | 0.0% |
| 0 | No | 15,764 | 98.8% |
| 1 | Yes | 162 | 1.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

A_PCT: Percent of clients treated for only alcohol abuse (Q.34)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| . | Logical skip | 3,673 | 23.0% |
| M | Missing | 148 | 0.9% |
| N | Not applicable | 373 | 2.3% |
| 1 | 0–10 | 5,456 | 34.2% |
| 2 | 11–20 | 2,140 | 13.4% |
| 3 | 21–25 | 1,098 | 6.9% |
| 4 | 26–40 | 1,542 | 9.7% |
| 5 | 41+ | 1,531 | 9.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

B_PCT: Percent of clients treated for both alcohol/drug abuse (Q.34)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| . | Logical skip | 3,673 | 23.0% |
| M | Missing | 146 | 0.9% |
| N | Not applicable | 373 | 2.3% |
| 1 | 0-25 | 4,276 | 26.8% |
| 2 | 26-50 | 3,459 | 21.7% |
| 3 | 51-60 | 874 | 5.5% |
| 4 | 61-80 | 1,633 | 10.2% |
| 5 | 81+ | 1,527 | 9.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

D_PCT: Percent of clients treated for only drug abuse (Q.34)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| . | Logical skip | 3,673 | 23.0% |
| M | Missing | 149 | 0.9% |
| N | Not applicable | 373 | 2.3% |
| 1 | 0–10 | 3,224 | 20.2% |
| 2 | 11–20 | 1,538 | 9.6% |
| 3 | 21–30 | 1,627 | 10.2% |
| 4 | 31–55 | 2,178 | 13.6% |
| 5 | 56+ | 3,199 | 20.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

HIBUPNUM: Hospital inpatient clients, buprenorphine dispensed or prescribed for opioid use disorder (Q.31c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,270 | 95.7% |
| M | Missing | 3 | 0.0% |
| 1 | 0-2 | 459 | 2.9% |
| 2 | 3 | 46 | 0.3% |
| 3 | 4-5 | 62 | 0.4% |
| 4 | 6-10 | 70 | 0.4% |
| 5 | 11+ | 51 | 0.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

HIMATNUM: Hospital inpatient clients — total medication assisted treatment — March 29, 2019 (Q.31c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,848 | 99.3% |
| 1 | 0-3 | 34 | 0.2% |
| 2 | 4-6 | 18 | 0.1% |
| 3 | 7-10 | 20 | 0.1% |
| 4 | 11-20 | 20 | 0.1% |
| 5 | 21+ | 21 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

HIMETNUM: Hospital inpatient clients, methadone dispensed for opioid use disorder (Q.31c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,848 | 99.3% |
| 1 | 0-2 | 62 | 0.4% |
| 2 | 3-5 | 7 | 0.0% |
| 3 | 6-8 | 17 | 0.1% |
| 4 | 9-18 | 16 | 0.1% |
| 5 | 19+ | 11 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

HIVIVNUM: Hospital inpatient clients, naltrexone administered for opioid use disorder (Q.31c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| . | Logical skip | 15,270 | 95.7% |
| M | Missing | 1 | 0.0% |
| 1 | 0-1 | 567 | 3.6% |
| 2 | 2 | 39 | 0.2% |
| 3 | 3 | 21 | 0.1% |
| 4 | 4-5 | 27 | 0.2% |
| 5 | 6+ | 36 | 0.2% |
| | <i>Total</i> | 15,961 | 100% |

Variable Type: numeric

OPBUPNUM: Outpatient clients, buprenorphine dispensed or prescribed for opioid use disorder (Q.33c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 5,968 | 37.4% |
| M | Missing | 26 | 0.2% |
| 1 | 0-4 | 7,799 | 48.9% |
| 2 | 5-10 | 502 | 3.1% |
| 3 | 11-20 | 404 | 2.5% |
| 4 | 21-50 | 557 | 3.5% |
| 5 | 51+ | 705 | 4.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

**OPMATNUM: Outpatient clients — total medication assisted treatment — March 29, 2019
(Q.33c)**

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 14,624 | 91.6% |
| 1 | 0–116 | 275 | 1.7% |
| 2 | 117–200 | 219 | 1.4% |
| 3 | 201–300 | 282 | 1.8% |
| 4 | 301–455 | 218 | 1.4% |
| 5 | 456+ | 343 | 2.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OPMETNUM: Outpatient clients, methadone dispensed for opioid use disorder (Q.33c)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 14,624 | 91.6% |
| 1 | 0–117 | 334 | 2.1% |
| 2 | 118–200 | 231 | 1.4% |
| 3 | 201–300 | 263 | 1.6% |
| 4 | 301–450 | 189 | 1.2% |
| 5 | 451+ | 320 | 2.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OPVIVNUM: Outpatient clients, naltrexone administered for opioid use disorder (Q.33c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 5,968 | 37.4% |
| M | Missing | 42 | 0.3% |
| 1 | 0-2 | 8,742 | 54.8% |
| 2 | 3 | 155 | 1.0% |
| 3 | 4-6 | 372 | 2.3% |
| 4 | 7-15 | 360 | 2.3% |
| 5 | 16+ | 322 | 2.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

RCBUPNUM: Residential clients, buprenorphine dispensed or prescribed for opioid use disorder (Q.32c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 12,907 | 80.9% |
| M | Missing | 11 | 0.1% |
| 1 | 0-2 | 2,390 | 15.0% |
| 2 | 3 | 131 | 0.8% |
| 3 | 4-5 | 166 | 1.0% |
| 4 | 6-9 | 146 | 0.9% |
| 5 | 10+ | 210 | 1.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

RCMATNUM: Residential clients — total medication assisted treatment — March 29, 2019 (Q.32c)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,842 | 99.3% |
| 1 | 0-3 | 47 | 0.3% |
| 2 | 4-7 | 17 | 0.1% |
| 3 | 8-15 | 16 | 0.1% |
| 4 | 16-28 | 21 | 0.1% |
| 5 | 29+ | 18 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

RCMETNUM: Residential clients, methadone dispensed for opioid use disorder (Q.32c)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,841 | 99.2% |
| M | Missing | 1 | 0.0% |
| 1 | 0-3 | 74 | 0.5% |
| 2 | 4-6 | 7 | 0.0% |
| 3 | 7-13 | 15 | 0.1% |
| 4 | 14-25 | 14 | 0.1% |
| 5 | 26+ | 9 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

RCVIVNUM: Residential clients, naltrexone administered for opioid use disorder (Q.32c)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 12,907 | 80.9% |
| M | Missing | 20 | 0.1% |
| 1 | 0-1 | 2,531 | 15.9% |
| 2 | 2 | 153 | 1.0% |
| 3 | 3 | 95 | 0.6% |
| 4 | 4-6 | 133 | 0.8% |
| 5 | 7+ | 122 | 0.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

HOSPBED: Hospital inpatient clients — total beds designated for substance use treatment (Q.31e)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,270 | 95.7% |
| M | Missing | 85 | 0.5% |
| 1 | 0–10 | 225 | 1.4% |
| 2 | 11–16 | 101 | 0.6% |
| 3 | 17–21 | 74 | 0.5% |
| 4 | 22–35 | 95 | 0.6% |
| 5 | 36+ | 111 | 0.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

RESBED: Residential clients — total beds designated for substance use treatment (Q.32e)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 12,907 | 80.9% |
| M | Missing | 136 | 0.9% |
| 1 | 0–12 | 805 | 5.0% |
| 2 | 13–18 | 548 | 3.4% |
| 3 | 19–28 | 518 | 3.2% |
| 4 | 29–47 | 503 | 3.2% |
| 5 | 48+ | 544 | 3.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

H_AGE1: Hospital inpatient clients under 18 years old (Q.31b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,270 | 95.7% |
| 1 | 0-2 | 650 | 4.1% |
| 2 | 3-4 | 3 | 0.0% |
| 3 | 5-10 | 14 | 0.1% |
| 4 | 11-18 | 12 | 0.1% |
| 5 | 19+ | 12 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

O_AGE1: Outpatient clients under 18 years old (Q.33b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 5,968 | 37.4% |
| M | Missing | 38 | 0.2% |
| 1 | 0-2 | 7,968 | 49.9% |
| 2 | 3-5 | 639 | 4.0% |
| 3 | 6-11 | 494 | 3.1% |
| 4 | 12-24 | 406 | 2.5% |
| 5 | 25+ | 448 | 2.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

R_AGE1: Residential clients under 18 years old (Q.32b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 12,907 | 80.9% |
| M | Missing | 7 | 0.0% |
| 1 | 0-5 | 2,842 | 17.8% |
| 2 | 6-10 | 73 | 0.5% |
| 3 | 11-16 | 49 | 0.3% |
| 4 | 17-24 | 32 | 0.2% |
| 5 | 25+ | 51 | 0.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI1_D: Hospital inpatient clients, detoxification — for DUI/DWI facilities (Q.31a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,924 | 99.8% |
| 1 | 0-2 | 13 | 0.1% |
| 2 | 3-4 | 3 | 0.0% |
| 3 | 5-7 | 8 | 0.1% |
| 4 | 8-12 | 5 | 0.0% |
| 5 | 13+ | 8 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI1_O: Hospital inpatient clients, detoxification — for OTP facilities (Q.31a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,844 | 99.3% |
| 1 | 0-5 | 41 | 0.3% |
| 2 | 6-10 | 16 | 0.1% |
| 3 | 11-16 | 16 | 0.1% |
| 4 | 17-25 | 22 | 0.1% |
| 5 | 26+ | 22 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI1_X: Hospital inpatient clients, detoxification — for non-OTP and non-DUI/DWI facilities (Q.31a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,415 | 96.6% |
| M | Missing | 1 | 0.0% |
| 1 | 0-2 | 218 | 1.4% |
| 2 | 3-4 | 73 | 0.5% |
| 3 | 5-8 | 98 | 0.6% |
| 4 | 9-13 | 76 | 0.5% |
| 5 | 14+ | 80 | 0.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI2_D: Hospital inpatient clients, treatment — for DUI/DWI facilities (Q.31a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,924 | 99.8% |
| 1 | 0-4 | 21 | 0.1% |
| 2 | 5-8 | 3 | 0.0% |
| 3 | 9-15 | 7 | 0.0% |
| 4 | 16-27 | 4 | 0.0% |
| 5 | 28+ | 2 | 0.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI2_O: Hospital inpatient clients, treatment — for OTP facilities (Q.31a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,844 | 99.3% |
| 1 | 0-5 | 74 | 0.5% |
| 2 | 6-13 | 10 | 0.1% |
| 3 | 14-20 | 10 | 0.1% |
| 4 | 21-40 | 8 | 0.1% |
| 5 | 41+ | 15 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI2_X: Hospital inpatient clients, treatment — for non-OTP and non-DUI/DWI facilities (Q.31a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,416 | 96.6% |
| 1 | 0-4 | 321 | 2.0% |
| 2 | 5-8 | 51 | 0.3% |
| 3 | 9-15 | 67 | 0.4% |
| 4 | 16-29 | 47 | 0.3% |
| 5 | 30+ | 59 | 0.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI3_D: Residential clients, detoxification — for DUI/DWI facilities (Q.32a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,738 | 98.6% |
| 1 | 0-2 | 171 | 1.1% |
| 2 | 3 | 7 | 0.0% |
| 3 | 4-6 | 21 | 0.1% |
| 4 | 7-11 | 11 | 0.1% |
| 5 | 12+ | 13 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI3_O: Residential clients, detoxification — for OTP facilities (Q.32a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,840 | 99.2% |
| 1 | 0-6 | 76 | 0.5% |
| 2 | 7-11 | 11 | 0.1% |
| 3 | 12-20 | 10 | 0.1% |
| 4 | 21-31 | 12 | 0.1% |
| 5 | 32+ | 12 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI3_X: Residential clients, detoxification — for non-OTP and non-DUI/DWI facilities (Q.32a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 13,220 | 82.8% |
| M | Missing | 1 | 0.0% |
| 1 | 0–2 | 2,303 | 14.4% |
| 2 | 3–5 | 162 | 1.0% |
| 3 | 6–8 | 84 | 0.5% |
| 4 | 9–15 | 90 | 0.6% |
| 5 | 16+ | 101 | 0.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI5_D: Outpatient clients, regular outpatient care — for DUI/DWI facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 12,840 | 80.4% |
| M | Missing | 1 | 0.0% |
| 1 | 0–15 | 958 | 6.0% |
| 2 | 16–30 | 514 | 3.2% |
| 3 | 31–55 | 511 | 3.2% |
| 4 | 56–107 | 569 | 3.6% |
| 5 | 108+ | 568 | 3.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI5_O: Outpatient clients, regular outpatient care — for OTP facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 14,607 | 91.5% |
| 1 | 0–9 | 1,037 | 6.5% |
| 2 | 10–30 | 69 | 0.4% |
| 3 | 31–77 | 79 | 0.5% |
| 4 | 78–198 | 74 | 0.5% |
| 5 | 199+ | 95 | 0.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI5_X: Outpatient clients, regular outpatient care — for non-OTP and non-DUI/DWI facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 9,620 | 60.3% |
| M | Missing | 2 | 0.0% |
| 1 | 0–10 | 2,621 | 16.4% |
| 2 | 11–20 | 829 | 5.2% |
| 3 | 21–40 | 947 | 5.9% |
| 4 | 41–87 | 913 | 5.7% |
| 5 | 88+ | 1,029 | 6.4% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI6_D: Outpatient clients, intensive — for DUI/DWI facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 12,963 | 81.2% |
| M | Missing | 1 | 0.0% |
| 1 | 0–6 | 1,854 | 11.6% |
| 2 | 7–12 | 310 | 1.9% |
| 3 | 13–21 | 279 | 1.7% |
| 4 | 22–40 | 320 | 2.0% |
| 5 | 41+ | 234 | 1.5% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI6_O: Outpatient clients, intensive — for OTP facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 14,611 | 91.5% |
| 1 | 0–10 | 1,189 | 7.4% |
| 2 | 11–17 | 29 | 0.2% |
| 3 | 18–30 | 46 | 0.3% |
| 4 | 31–55 | 35 | 0.2% |
| 5 | 56+ | 51 | 0.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

**T_CLI6_X: Outpatient clients, intensive — for non-OTP and non-DUI/DWI facilities
(Q.33a)**

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 10,003 | 62.7% |
| M | Missing | 1 | 0.0% |
| 1 | 0–7 | 3,877 | 24.3% |
| 2 | 8–12 | 576 | 3.6% |
| 3 | 13–20 | 560 | 3.5% |
| 4 | 21–38 | 481 | 3.0% |
| 5 | 39+ | 463 | 2.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI7_D: Outpatient clients, detoxification — for DUI/DWI facilities (Q.33a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 13,049 | 81.8% |
| M | Missing | 1 | 0.0% |
| 1 | 0–2 | 2,807 | 17.6% |
| 2 | 3–5 | 30 | 0.2% |
| 3 | 6–10 | 26 | 0.2% |
| 4 | 11–20 | 25 | 0.2% |
| 5 | 21+ | 23 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI7_O: Outpatient clients, detoxification — for OTP facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 14,620 | 91.6% |
| 1 | 0-2 | 1,196 | 7.5% |
| 2 | 3-5 | 55 | 0.3% |
| 3 | 6-10 | 31 | 0.2% |
| 4 | 11-23 | 23 | 0.1% |
| 5 | 24+ | 36 | 0.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI7_X: Outpatient clients, detoxification — for non-OTP and non-DUI/DWI facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 10,195 | 63.9% |
| M | Missing | 2 | 0.0% |
| 1 | 0–2 | 5,542 | 34.7% |
| 2 | 3–5 | 83 | 0.5% |
| 3 | 6–10 | 48 | 0.3% |
| 4 | 11–25 | 40 | 0.3% |
| 5 | 26+ | 51 | 0.3% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI8_D: Outpatient clients, day treatment/partial hospitalization — for DUI/DWI facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 13,057 | 81.8% |
| M | Missing | 1 | 0.0% |
| 1 | 0-4 | 2,736 | 17.1% |
| 2 | 5-8 | 44 | 0.3% |
| 3 | 9-15 | 48 | 0.3% |
| 4 | 16-30 | 43 | 0.3% |
| 5 | 31+ | 32 | 0.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI8_O: Outpatient clients, day treatment/partial hospitalization — for OTP facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 14,626 | 91.6% |
| 1 | 0-6 | 1,310 | 8.2% |
| 2 | 7-12 | 7 | 0.0% |
| 3 | 13-20 | 4 | 0.0% |
| 4 | 21-35 | 5 | 0.0% |
| 5 | 36+ | 9 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI8_X: Outpatient clients, day treatment/partial hospitalization — for non-OTP and non-DUI/DWI facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 10,173 | 63.7% |
| M | Missing | 2 | 0.0% |
| 1 | 0-4 | 5,180 | 32.5% |
| 2 | 5-9 | 193 | 1.2% |
| 3 | 10-15 | 183 | 1.1% |
| 4 | 16-28 | 111 | 0.7% |
| 5 | 29+ | 119 | 0.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI9_D: Residential clients, short-term detoxification — for DUI/DWI facilities (Q.32a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,735 | 98.6% |
| 1 | 0-6 | 127 | 0.8% |
| 2 | 7-12 | 23 | 0.1% |
| 3 | 13-18 | 24 | 0.2% |
| 4 | 19-30 | 22 | 0.1% |
| 5 | 31+ | 30 | 0.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI9_O: Residential clients, short-term detoxification — for OTP facilities (Q.32a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,841 | 99.2% |
| 1 | 0–12 | 44 | 0.3% |
| 2 | 13–18 | 11 | 0.1% |
| 3 | 19–29 | 19 | 0.1% |
| 4 | 30–50 | 23 | 0.1% |
| 5 | 51+ | 23 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI9_X: Residential clients, short-term detoxification — for non-OTP and non-DUI/DWI facilities (Q.32a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| . | Logical skip | 13,183 | 82.6% |
| M | Missing | 1 | 0.0% |
| 1 | 0–5 | 1,812 | 11.4% |
| 2 | 6–10 | 279 | 1.7% |
| 3 | 11–16 | 225 | 1.4% |
| 4 | 17–29 | 226 | 1.4% |
| 5 | 30+ | 235 | 1.5% |
| | <i>Total</i> | 15,961 | 100% |

Variable Type: numeric

T_CLI10_D: Residential clients, long-term detoxification — for DUI/DWI facilities (Q.32a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,736 | 98.6% |
| 1 | 0-7 | 118 | 0.7% |
| 2 | 8-13 | 35 | 0.2% |
| 3 | 14-21 | 34 | 0.2% |
| 4 | 22-40 | 22 | 0.1% |
| 5 | 41+ | 16 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI10_O: Residential clients, long-term detoxification — for OTP facilities (Q.32a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,840 | 99.2% |
| 1 | 0-8 | 90 | 0.6% |
| 2 | 9-16 | 6 | 0.0% |
| 3 | 17-40 | 11 | 0.1% |
| 4 | 41-69 | 9 | 0.1% |
| 5 | 70+ | 5 | 0.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLI10_X: Residential clients, long-term detoxification — for non-OTP and non-DUI/DWI facilities (Q.32a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 13,188 | 82.6% |
| 1 | 0-8 | 1,433 | 9.0% |
| 2 | 9-14 | 405 | 2.5% |
| 3 | 15-20 | 305 | 1.9% |
| 4 | 21-35 | 318 | 2.0% |
| 5 | 36+ | 312 | 2.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLIHI_D: Total number of hospital inpatients — for DUI/DWI facilities (Q.31a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,924 | 99.8% |
| 1 | 0-4 | 9 | 0.1% |
| 2 | 5-8 | 7 | 0.0% |
| 3 | 9-15 | 7 | 0.0% |
| 4 | 16-28 | 4 | 0.0% |
| 5 | 29+ | 10 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLIHI_O: Total number of hospital inpatients — for OTP facilities (Q.31a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,844 | 99.3% |
| 1 | 0–8 | 25 | 0.2% |
| 2 | 9–15 | 29 | 0.2% |
| 3 | 16–24 | 17 | 0.1% |
| 4 | 25–44 | 20 | 0.1% |
| 5 | 45+ | 26 | 0.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLIHI_X: Total number of hospital inpatients — for non-OTP and non-DUI/DWI facilities (Q.31a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,414 | 96.6% |
| 1 | 0-4 | 173 | 1.1% |
| 2 | 5-8 | 72 | 0.5% |
| 3 | 9-15 | 114 | 0.7% |
| 4 | 16-27 | 94 | 0.6% |
| 5 | 28+ | 94 | 0.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

**T_CLIML_D: Outpatient clients, methadone maintenance — for DUI/DWI facilities
(Q.33a)**

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 13,020 | 81.6% |
| M | Missing | 1 | 0.0% |
| 1 | 0–4 | 2,480 | 15.5% |
| 2 | 5–10 | 112 | 0.7% |
| 3 | 11–20 | 102 | 0.6% |
| 4 | 21–45 | 118 | 0.7% |
| 5 | 46+ | 128 | 0.8% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLIML_O: Outpatient clients, methadone maintenance — for OTP facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 14,543 | 91.1% |
| 1 | 0–115 | 384 | 2.4% |
| 2 | 116–199 | 232 | 1.5% |
| 3 | 200–300 | 274 | 1.7% |
| 4 | 301–450 | 210 | 1.3% |
| 5 | 451+ | 318 | 2.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLIML_X: Outpatient clients, methadone maintenance — for non-OTP and non-DUI/DWI facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| . | Logical skip | 10,004 | 62.7% |
| M | Missing | 2 | 0.0% |
| 1 | 0–5 | 4,795 | 30.0% |
| 2 | 6–12 | 194 | 1.2% |
| 3 | 13–30 | 261 | 1.6% |
| 4 | 31–75 | 277 | 1.7% |
| 5 | 76+ | 428 | 2.7% |
| | <i>Total</i> | 15,961 | 100% |

Variable Type: numeric

T_CLIOP_D: Total number of outpatient clients — for DUI/DWI facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 12,835 | 80.4% |
| M | Missing | 1 | 0.0% |
| 1 | 0–20 | 843 | 5.3% |
| 2 | 21–40 | 525 | 3.3% |
| 3 | 41–70 | 567 | 3.6% |
| 4 | 71–133 | 575 | 3.6% |
| 5 | 134+ | 615 | 3.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLIOP_O: Total number of outpatient clients — for OTP facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 14,542 | 91.1% |
| 1 | 0–129 | 307 | 1.9% |
| 2 | 130–218 | 249 | 1.6% |
| 3 | 219–321 | 276 | 1.7% |
| 4 | 322–485 | 245 | 1.5% |
| 5 | 486+ | 342 | 2.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLIOP_X: Total number of outpatient clients — for non-OTP and non-DUI/DWI facilities (Q.33a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 9,469 | 59.3% |
| M | Missing | 1 | 0.0% |
| 1 | 0–13 | 1,683 | 10.5% |
| 2 | 14–27 | 1,132 | 7.1% |
| 3 | 28–51 | 1,091 | 6.8% |
| 4 | 52–105 | 1,198 | 7.5% |
| 5 | 106+ | 1,387 | 8.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLIRC_D: Total number of residential clients — for DUI/DWI facilities (Q.32a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 15,734 | 98.6% |
| 1 | 0–11 | 60 | 0.4% |
| 2 | 12–17 | 49 | 0.3% |
| 3 | 18–28 | 45 | 0.3% |
| 4 | 29–50 | 39 | 0.2% |
| 5 | 51+ | 34 | 0.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLIRC_O: Total number of residential clients — for OTP facilities (Q.32a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,839 | 99.2% |
| 1 | 0–16 | 33 | 0.2% |
| 2 | 17–26 | 13 | 0.1% |
| 3 | 27–40 | 25 | 0.2% |
| 4 | 41–79 | 28 | 0.2% |
| 5 | 80+ | 23 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

T_CLIRC_X: Total number of residential clients — for non-OTP and non-DUI/DWI facilities (Q.32a)

| Value | Label | Frequency | % |
|--------------|--------------|------------------|-------------|
| . | Logical skip | 13,131 | 82.3% |
| 1 | 0–10 | 921 | 5.8% |
| 2 | 11–15 | 452 | 2.8% |
| 3 | 16–23 | 458 | 2.9% |
| 4 | 24–40 | 535 | 3.4% |
| 5 | 41+ | 464 | 2.9% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

HIDISNUM: Hospital inpatient clients, disulfiram dispensed or prescribed for alcohol use disorder (Q.31d)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,270 | 95.7% |
| M | Missing | 7 | 0.0% |
| 1 | 0-1 | 657 | 4.1% |
| 2 | 2 | 8 | 0.1% |
| 3 | 3-4 | 6 | 0.0% |
| 4 | 5-10 | 7 | 0.0% |
| 5 | 11+ | 6 | 0.0% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

HINALNUM: Hospital inpatient clients, naltrexone dispensed or prescribed for alcohol use disorder (Q.31d)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,270 | 95.7% |
| M | Missing | 4 | 0.0% |
| 1 | 0-1 | 547 | 3.4% |
| 2 | 2 | 42 | 0.3% |
| 3 | 3-4 | 32 | 0.2% |
| 4 | 5-6 | 36 | 0.2% |
| 5 | 7+ | 30 | 0.2% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

HIACAMNUM: Hospital inpatient clients, acamprosate dispensed or prescribed for alcohol use disorder (Q.31d)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 15,270 | 95.7% |
| M | Missing | 10 | 0.1% |
| 1 | 0-1 | 635 | 4.0% |
| 2 | 2 | 15 | 0.1% |
| 3 | 3-4 | 8 | 0.1% |
| 4 | 5 | 11 | 0.1% |
| 5 | 6+ | 12 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

RCDISNUM: Residential clients, disulfiram dispensed or prescribed for alcohol use disorder (Q.32d)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 12,907 | 80.9% |
| M | Missing | 27 | 0.2% |
| 1 | 0-1 | 2,942 | 18.4% |
| 2 | 2 | 31 | 0.2% |
| 3 | 3-4 | 30 | 0.2% |
| 4 | 5-7 | 11 | 0.1% |
| 5 | 8+ | 13 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

RCNALNUM: Residential clients, naltrexone dispensed or prescribed for alcohol use disorder (Q.32d)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 12,907 | 80.9% |
| M | Missing | 28 | 0.2% |
| 1 | 0-1 | 2,580 | 16.2% |
| 2 | 2 | 138 | 0.9% |
| 3 | 3 | 86 | 0.5% |
| 4 | 4-6 | 115 | 0.7% |
| 5 | 7+ | 107 | 0.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

RCACAMNUM: Residential clients, acamprosate dispensed or prescribed for alcohol use disorder (Q.32d)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 12,907 | 80.9% |
| M | Missing | 30 | 0.2% |
| 1 | 0-1 | 2,893 | 18.1% |
| 2 | 2 | 51 | 0.3% |
| 3 | 3-4 | 36 | 0.2% |
| 4 | 5-7 | 24 | 0.2% |
| 5 | 8+ | 20 | 0.1% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OPDISNUM: Outpatient clients, disulfiram dispensed or prescribed for alcohol use disorder (Q.33d)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 5,968 | 37.4% |
| M | Missing | 70 | 0.4% |
| 1 | 0-1 | 9,472 | 59.3% |
| 2 | 2 | 144 | 0.9% |
| 3 | 3 | 64 | 0.4% |
| 4 | 4-7 | 128 | 0.8% |
| 5 | 8+ | 115 | 0.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OPNALNUM: Outpatient clients, naltrexone dispensed or prescribed for alcohol use disorder (Q.33d)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 5,968 | 37.4% |
| M | Missing | 76 | 0.5% |
| 1 | 0-1 | 8,563 | 53.6% |
| 2 | 2-4 | 558 | 3.5% |
| 3 | 5-6 | 234 | 1.5% |
| 4 | 7-15 | 302 | 1.9% |
| 5 | 16+ | 260 | 1.6% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric

OPACAMNUM: Outpatient clients, acamprosate dispensed or prescribed for alcohol use disorder (Q.33d)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| . | Logical skip | 5,968 | 37.4% |
| M | Missing | 72 | 0.5% |
| 1 | 0-1 | 9,482 | 59.4% |
| 2 | 2 | 134 | 0.8% |
| 3 | 3-4 | 84 | 0.5% |
| 4 | 5-9 | 109 | 0.7% |
| 5 | 10+ | 112 | 0.7% |
| | <i>Total</i> | <i>15,961</i> | <i>100%</i> |

Variable Type: numeric