SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

ICPSR 2651

# Treatment Episode Data Set -- Admissions (TEDS-A), 1996

*United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Office of Applied Studies*

Codebook

SAMHDA is sponsored by

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

# Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

## Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA ( samhda-support@icpsr.umich.edu)

## Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works to ICPSR for inclusion in a database of related publications (bibliography@icpsr.umich.edu).

## Disclaimer

You acknowledge that SAMHSA and ICPSR will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

# Violations

If CBHSQ or ICPSR determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

# Definitions

CBHSQ
: Center for Behavioral Health Statistics and Quality

ICPSR
: Inter-university Consortium for Political and Social Research

Promise of confidentiality
: A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject
: A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA
: Substance Abuse and Mental Health Data Archive

SAMHSA
: Substance Abuse and Mental Health Services Administration

# Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

# TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 1996

## Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 1996 TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the TEDS Crosswalks available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

**Data Collection**

The "Treatment Episode Data Set State Instruction Manual – Admissions Data" is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

**Confidentiality Protection**

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent's record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

**Universe**

The universe for TEDS-A is admissions in calendar year 1996 that were received and processed through May 11, 2004.

**Coverage**

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.[1]

**Data Limitations**

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

[1] Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services.* DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.[2]

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.

- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.

- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.

- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.

- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.

- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.

- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.

- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

---

[2] Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services.* DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

## Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels   AKSTATE "ALASKA STATE INDICATOR".

value labels  AKSTATE    1 "ALASKA"    2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

## Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 47 states plus the District of Columbia and Puerto Rico. The following states did not report usable data for the year 1996: Arizona, Kentucky, and Wyoming.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata

System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 1996 are as follows:

Filename: da02651-0001.txt
Number of observations: 1,637,093
Number of variables: 62
Records per case: 1
Logical record length: 120

**User Responsibility**

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

**Publications**

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1996. National Admissions to Substance Abuse Treatment Services.* Drug and Alcohol Services Information System Series: S-5. DHHS Publication No. (SMA) 98-3244. Rockville, MD, 1998.

The Center for Behavioral Health Statistics and Quality has other published TEDS reports on the DASIS Web site.

# ICPSR 02651

# Treatment Episode Data Set -- Admissions (TEDS-A), 1996

# Variable Description and Frequencies

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

# Treatment Episode Data Set -- Admissions (TEDS-A), 1996

## Variable Groups

### Variable Groups Containing Variables


| *Variable Group Name* | *Variable Group Label* | *Page* |
|---|---|---|
| IDENTIFICATION | IDENTIFICATION | 8 |
| CLIENT CHARACTERISTICS | CLIENT CHARACTERISTICS | 8 |
| GEOGRAPHIC | GEOGRAPHIC | 9 |
| TREATMENT SERVICE CHARACTERISTICS | TREATMENT SERVICE CHARACTERISTICS | 9 |
| REFERRAL SOURCES | REFERRAL SOURCES | 9 |
| PRIOR SUBSTANCE ABUSE TREATMENT | PRIOR SUBSTANCE ABUSE TREATMENT | 9 |
| SUBSTANCES OF ABUSE: ORIGINAL VARIABLES | SUBSTANCES OF ABUSE: ORIGINAL VARIABLES | 9 |
| SUBSTANCES OF ABUSE: CREATED VARIABLES | SUBSTANCES OF ABUSE: CREATED VARIABLES | 10 |
| MENTAL HEALTH | MENTAL HEALTH | 10 |
| INSURANCE/PAYMENT | INSURANCE/PAYMENT | 10 |


### IDENTIFICATION — IDENTIFICATION

*Variables within this Variable Group*


| *Variable* | *Variable Label* | *Page* |
|---|---|---|
| CASEID | CASE IDENTIFICATION NUMBER | 11 |
| YEAR | YEAR OF ADMISSION | 11 |


### CLIENT CHARACTERISTICS — CLIENT CHARACTERISTICS

*Variables within this Variable Group*


| *Variable* | *Variable Label* | *Page* |
|---|---|---|
| AGE | AGE (RECODED) | 11 |
| GENDER | SEX | 12 |
| RACE | RACE | 12 |
| ETHNIC | ETHNICITY (HISPANIC ORIGIN) | 13 |
| MARSTAT | MARITAL STATUS | 14 |
| EDUC | EDUCATION | 14 |
| EMPLOY | EMPLOYMENT STATUS | 15 |
| DETNLF | DETAILED 'NOT IN LABOR FORCE' CATEGORY | 16 |
| PREG | PREGNANT AT TIME OF ADMISSION | 16 |
| VET | VETERAN STATUS | 16 |
| LIVARAG | LIVING ARRANGEMENT | 17 |

| Variables within this Variable Group | | |
|---|---|---|
| *Variable* | *Variable Label* | *Page* |
| PRIMINC | SOURCE OF INCOME/SUPPORT | 18 |

**GEOGRAPHIC** — **GEOGRAPHIC**

| Variables within this Variable Group | | |
|---|---|---|
| *Variable* | *Variable Label* | *Page* |
| STFIPS | CENSUS STATE FIPS CODE | 18 |
| CBSA | FIPS 2000 CBSA CODE | 19 |
| PMSA | FIPS 1990 MSA CODE | 28 |
| REGION | CENSUS REGION | 36 |
| DIVISION | CENSUS DIVISION | 37 |

**TREATMENT SERVICE CHARACTERISTICS** — **TREATMENT SERVICE CHARACTERISTICS**

| Variables within this Variable Group | | |
|---|---|---|
| *Variable* | *Variable Label* | *Page* |
| SERVSETA | SERVICE SETTING AT ADMISSION | 38 |
| METHUSE | MEDICATION-ASSISTED OPIOID THERAPY | 39 |
| DAYWAIT | DAYS WAITING TO ENTER TREATMENT | 40 |

**REFERRAL SOURCES** — **REFERRAL SOURCES**

| Variables within this Variable Group | | |
|---|---|---|
| *Variable* | *Variable Label* | *Page* |
| PSOURCE | PRINCIPAL SOURCE OF REFERRAL | 40 |
| DETCRIM | DETAILED CRIMINAL JUSTICE REFERRAL | 41 |

**PRIOR SUBSTANCE ABUSE TREATMENT** — **PRIOR SUBSTANCE ABUSE TREATMENT**

| Variables within this Variable Group | | |
|---|---|---|
| *Variable* | *Variable Label* | *Page* |
| NOPRIOR | NUMBER OF PRIOR TREATMENT EPISODES | 42 |

**SUBSTANCES OF ABUSE: ORIGINAL VARIABLES** — **SUBSTANCES OF ABUSE: ORIGINAL VARIABLES**

| Variables within this Variable Group | | |
|---|---|---|
| *Variable* | *Variable Label* | *Page* |
| SUB1 | SUBSTANCE PROBLEM CODE (PRIMARY) | 43 |
| ROUTE1 | USUAL ROUTE OF ADMINISTRATION (PRIMARY) | 45 |
| FREQ1 | FREQUENCY OF USE (PRIMARY) | 45 |
| FRSTUSE1 | AGE AT FIRST USE (PRIMARY) | 45 |
| SUB2 | SUBSTANCE PROBLEM CODE (SECONDARY) | 46 |
| ROUTE2 | USUAL ROUTE OF ADMINISTRATION (SECONDARY) | 48 |
| FREQ2 | FREQUENCY OF USE (SECONDARY) | 48 |
| FRSTUSE2 | AGE AT FIRST USE (SECONDARY) | 48 |

| Variables within this Variable Group | | |
|---|---|---|
| *Variable* | *Variable Label* | *Page* |
| SUB3 | SUBSTANCE PROBLEM CODE (TERTIARY) | 49 |
| ROUTE3 | USUAL ROUTE OF ADMINISTRATION (TERTIARY) | 51 |
| FREQ3 | FREQUENCY OF USE (TERTIARY) | 51 |
| FRSTUSE3 | AGE AT FIRST USE (TERTIARY) | 52 |

**SUBSTANCES OF ABUSE: CREATED VARIABLES** — **SUBSTANCES OF ABUSE: CREATED VARIABLES**

| Variables within this Variable Group | | |
|---|---|---|
| *Variable* | *Variable Label* | *Page* |
| NUMSUBS | NUMBER OF SUBSTANCES REPORTED AT ADM. | 52 |
| IDU | CURRENT IV DRUG USE REPORTED AT ADM. | 52 |
| ALCFLG | ALCOHOL REPORTED AT ADM. | 53 |
| COKEFLG | COCAINE/CRACK REPORTED AT ADM. | 53 |
| MARFLG | MARIJUANA/HASHISH REPORTED AT ADM. | 53 |
| HERFLG | HEROIN REPORTED AT ADM. | 53 |
| METHFLG | NON-RX METHADONE REPORTED AT ADM. | 54 |
| OPSYNFLG | OTHER OPIATES/SYNTHETICS REPORTED AT ADM. | 54 |
| PCPFLG | PCP REPORTED AT ADM. | 54 |
| HALLFLG | OTHER HALLUCINOGENS REPORTED AT ADM. | 54 |
| MTHAMFLG | METHAMPHETAMINE REPORTED AT ADM. | 55 |
| AMPHFLG | OTHER AMPHETAMINES REPORTED AT ADM. | 55 |
| STIMFLG | OTHER STIMULANTS REPORTED AT ADM. | 55 |
| BENZFLG | BENZODIAZEPINES REPORTED AT ADM. | 55 |
| TRNQFLG | OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM. | 56 |
| BARBFLG | BARBITURATES REPORTED AT ADM. | 56 |
| SEDHPFLG | OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM. | 56 |
| INHFLG | INHALANTS REPORTED AT ADM. | 56 |
| OTCFLG | OVER-THE-COUNTER MEDICATION REPORTED AT ADM. | 57 |
| OTHERFLG | OTHER DRUG REPORTED AT ADM. | 57 |
| ALCDRUG | SUBSTANCE ABUSE TYPE | 57 |

**MENTAL HEALTH** — **MENTAL HEALTH**

| Variables within this Variable Group | | |
|---|---|---|
| *Variable* | *Variable Label* | *Page* |
| DSMCRIT | DSM DIAGNOSIS | 58 |
| PSYPROB | PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM | 58 |

**INSURANCE/PAYMENT** — **INSURANCE/PAYMENT**

| Variables within this Variable Group | | |
|---|---|---|
| *Variable* | *Variable Label* | *Page* |
| HLTHINS | HEALTH INSURANCE | 59 |
| PRIMPAY | EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT | 59 |

## CASEID — CASE IDENTIFICATION NUMBER

Location: 1-8 (width: 8; decimal: 0)

Variable Type: numeric

Based upon 1637093 valid cases out of 1637093 total cases.

## YEAR — YEAR OF ADMISSION

Location: 9-12 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Year of client's admission to substance abuse treatment.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1996 | - | 1637093 | 100.0 % | 100.0% |

Based upon 1637093 valid cases out of 1637093 total cases.

## AGE — AGE (RECODED)

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 2 | 12-14 | 26675 | 1.6 % | 1.6% |
| 3 | 15-17 | 103184 | 6.3 % | 6.3% |
| 4 | 18-20 | 85307 | 5.2 % | 5.2% |
| 5 | 21-24 | 134297 | 8.2 % | 8.2% |
| 6 | 25-29 | 241932 | 14.8 % | 14.8% |
| 7 | 30-34 | 314464 | 19.2 % | 19.2% |
| 8 | 35-39 | 301073 | 18.4 % | 18.4% |
| 9 | 40-44 | 207556 | 12.7 % | 12.7% |
| 10 | 45-49 | 114775 | 7.0 % | 7.0% |
| 11 | 50-54 | 54322 | 3.3 % | 3.3% |
| 12 | 55 AND OVER | 53508 | 3.3 % | 3.3% |

Based upon 1637093 valid cases out of 1637093 total cases.

| GENDER | SEX |
|---|---|

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Identifies client's gender.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | MALE | 1151871 | 70.4 % | 70.6% |
| 2 | FEMALE | 479102 | 29.3 % | 29.4% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 6120 | 0.4 % | - |

Based upon 1630973 valid cases out of 1637093 total cases.

| RACE | RACE |
|---|---|

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies the client's race:

- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.

- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.

- ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.

- BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa.

- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.

- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.

- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)

- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.

- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | ALASKA NATIVE (ALEUT, ESKIMO, INDIAN) | 8330 | 0.5 % | 0.5% |
| 2 | AMERICAN INDIAN (OTHER THAN ALASKA NATIVE) | 34370 | 2.1 % | 2.1% |
| 3 | ASIAN OR PACIFIC ISLANDER | 11064 | 0.7 % | 0.7% |
| 4 | BLACK OR AFRICAN AMERICAN | 422182 | 25.8 % | 26.1% |
| 5 | WHITE | 1003035 | 61.3 % | 62.0% |
| 20 | OTHER SINGLE RACE | 139814 | 8.5 % | 8.6% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 18298 | 1.1 % | - |

Based upon 1618795 valid cases out of 1637093 total cases.

| **ETHNIC** | **ETHNICITY (HISPANIC ORIGIN)** |
|---|---|

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.

- MEXICAN: Of Mexican origin, regardless of race.

- CUBAN: Of Cuban origin, regardless of race.

- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.

- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | PUERTO RICAN | 60307 | 3.7 % | 4.0% |
| 2 | MEXICAN | 70523 | 4.3 % | 4.6% |
| 3 | CUBAN | 4736 | 0.3 % | 0.3% |
| 4 | OTHER SPECIFIC HISPANIC | 36658 | 2.2 % | 2.4% |
| 5 | NOT OF HISPANIC ORIGIN | 1353894 | 82.7 % | 88.7% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 110975 | 6.8 % | - |

Based upon 1526118 valid cases out of 1637093 total cases.

**MARSTAT** **MARITAL STATUS**

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.

- NOW MARRIED: Includes those living together as married.

- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.

- DIVORCED, WIDOWED

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | NEVER MARRIED | 673230 | 41.1 % | 52.7% |
| 2 | NOW MARRIED | 241798 | 14.8 % | 18.9% |
| 3 | SEPARATED | 109531 | 6.7 % | 8.6% |
| 4 | DIVORCED, WIDOWED | 252060 | 15.4 % | 19.7% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 360474 | 22.0 % | - |

Based upon 1276619 valid cases out of 1637093 total cases.

**EDUC** **EDUCATION**

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | 8 YEARS OR LESS | 150884 | 9.2 % | 9.4% |
| 2 | 9-11 | 497438 | 30.4 % | 31.0% |
| 3 | 12 | 650285 | 39.7 % | 40.5% |
| 4 | 13-15 | 238717 | 14.6 % | 14.9% |
| 5 | 16 OR MORE | 69717 | 4.3 % | 4.3% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 30052 | 1.8 % | - |

Based upon 1607041 valid cases out of 1637093 total cases.

## EMPLOY — EMPLOYMENT STATUS

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.

- PART TIME: Working fewer than 35 hours each week.

- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.

- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DETNLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 1 | FULL TIME | 399950 | 24.4 % | 25.2% |
| 2 | PART TIME | 108582 | 6.6 % | 6.8% |
| 3 | UNEMPLOYED | 397864 | 24.3 % | 25.0% |
| 4 | NOT IN LABOR FORCE | 682727 | 41.7 % | 43.0% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 47970 | 2.9 % | - |

Based upon 1589123 valid cases out of 1637093 total cases.

**DETNLF** **DETAILED 'NOT IN LABOR FORCE' CATEGORY**

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 1 | HOMEMAKER | 18695 | 1.1 % | 7.1% |
| 2 | STUDENT | 71865 | 4.4 % | 27.4% |
| 3 | RETIRED, DISABLED | 73414 | 4.5 % | 28.0% |
| 5 | INMATE OF INSTITUTION | 18404 | 1.1 % | 7.0% |
| 6 | OTHER | 79670 | 4.9 % | 30.4% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 1375045 | 84.0 % | - |

Based upon 262048 valid cases out of 1637093 total cases.

**PREG** **PREGNANT AT TIME OF ADMISSION**

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 1 | YES | 17142 | 1.0 % | 3.9% |
| 2 | NO | 421376 | 25.7 % | 96.1% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 1198575 | 73.2 % | - |

Based upon 438518 valid cases out of 1637093 total cases.

**VET** **VETERAN STATUS**

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | YES | 89943 | 5.5 % | 9.6% |
| 2 | NO | 849203 | 51.9 % | 90.4% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 697947 | 42.6 % | - |

Based upon 939146 valid cases out of 1637093 total cases.

## LIVARAG — LIVING ARRANGEMENT

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.

- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.

- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | HOMELESS | 133716 | 8.2 % | 10.9% |

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 2 | DEPENDENT LIVING | 282030 | 17.2 % | 23.0% |
| 3 | INDEPENDENT LIVING | 811841 | 49.6 % | 66.1% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 409506 | 25.0 % | - |

Based upon 1227587 valid cases out of 1637093 total cases.

**PRIMINC** **SOURCE OF INCOME/SUPPORT**

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 1 | WAGES/SALARY | 305572 | 18.7 % | 38.2% |
| 2 | PUBLIC ASSISTANCE | 120327 | 7.4 % | 15.0% |
| 3 | RETIREMENT/PENSION, DISABILITY | 38614 | 2.4 % | 4.8% |
| 20 | OTHER | 169143 | 10.3 % | 21.1% |
| 21 | NONE | 166677 | 10.2 % | 20.8% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 836760 | 51.1 % | - |

Based upon 800333 valid cases out of 1637093 total cases.

**STFIPS** **CENSUS STATE FIPS CODE**

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 1 | ALABAMA | 16838 | 1.0 % | 1.0% |
| 2 | ALASKA | 8524 | 0.5 % | 0.5% |
| 5 | ARKANSAS | 12239 | 0.7 % | 0.7% |
| 6 | CALIFORNIA | 172081 | 10.5 % | 10.5% |
| 8 | COLORADO | 54727 | 3.3 % | 3.3% |
| 9 | CONNECTICUT | 45555 | 2.8 % | 2.8% |
| 10 | DELAWARE | 4404 | 0.3 % | 0.3% |
| 11 | DIST OF COLUMBIA | 979 | 0.1 % | 0.1% |
| 12 | FLORIDA | 76328 | 4.7 % | 4.7% |
| 13 | GEORGIA | 21813 | 1.3 % | 1.3% |
| 15 | HAWAII | 5360 | 0.3 % | 0.3% |
| 16 | IDAHO | 6107 | 0.4 % | 0.4% |
| 17 | ILLINOIS | 29649 | 1.8 % | 1.8% |

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 18 | INDIANA | 16394 | 1.0 % | 1.0% |
| 19 | IOWA | 44628 | 2.7 % | 2.7% |
| 20 | KANSAS | 18265 | 1.1 % | 1.1% |
| 22 | LOUISIANA | 15473 | 0.9 % | 0.9% |
| 23 | MAINE | 9901 | 0.6 % | 0.6% |
| 24 | MARYLAND | 57697 | 3.5 % | 3.5% |
| 25 | MASSACHUSETTS | 71690 | 4.4 % | 4.4% |
| 26 | MICHIGAN | 90364 | 5.5 % | 5.5% |
| 27 | MINNESOTA | 34790 | 2.1 % | 2.1% |
| 28 | MISSISSIPPI | 3323 | 0.2 % | 0.2% |
| 29 | MISSOURI | 32878 | 2.0 % | 2.0% |
| 30 | MONTANA | 6695 | 0.4 % | 0.4% |
| 31 | NEBRASKA | 17964 | 1.1 % | 1.1% |
| 32 | NEVADA | 8370 | 0.5 % | 0.5% |
| 33 | NEW HAMPSHIRE | 4429 | 0.3 % | 0.3% |
| 34 | NEW JERSEY | 62931 | 3.8 % | 3.8% |
| 35 | NEW MEXICO | 8795 | 0.5 % | 0.5% |
| 36 | NEW YORK | 228814 | 14.0 % | 14.0% |
| 37 | NORTH CAROLINA | 46695 | 2.9 % | 2.9% |
| 38 | NORTH DAKOTA | 2463 | 0.2 % | 0.2% |
| 39 | OHIO | 90821 | 5.5 % | 5.5% |
| 40 | OKLAHOMA | 20529 | 1.3 % | 1.3% |
| 41 | OREGON | 45889 | 2.8 % | 2.8% |
| 42 | PENNSYLVANIA | 59132 | 3.6 % | 3.6% |
| 44 | RHODE ISLAND | 11582 | 0.7 % | 0.7% |
| 45 | SOUTH CAROLINA | 30950 | 1.9 % | 1.9% |
| 46 | SOUTH DAKOTA | 9154 | 0.6 % | 0.6% |
| 47 | TENNESSEE | 8584 | 0.5 % | 0.5% |
| 48 | TEXAS | 12749 | 0.8 % | 0.8% |
| 49 | UTAH | 15427 | 0.9 % | 0.9% |
| 50 | VERMONT | 5247 | 0.3 % | 0.3% |
| 51 | VIRGINIA | 20220 | 1.2 % | 1.2% |
| 53 | WASHINGTON | 46446 | 2.8 % | 2.8% |
| 54 | WEST VIRGINIA | 2076 | 0.1 % | 0.1% |
| 55 | WISCONSIN | 16472 | 1.0 % | 1.0% |
| 72 | PUERTO RICO | 4652 | 0.3 % | 0.3% |

Based upon 1637093 valid cases out of 1637093 total cases.

| **CBSA** | **FIPS 2000 CBSA CODE** |
|---|---|
| Location: | 39-43 (width: 5; decimal: 0) |

Variable Type: numeric

Range of Missing Values (M): -9

Question: The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 10180 | ABILENE, TX METRO | 777 | 0.0 % | 0.1% |
| 10380 | AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO | 285 | 0.0 % | 0.0% |
| 10420 | AKRON, OH METRO | 9064 | 0.6 % | 0.7% |
| 10500 | ALBANY, GA METRO | 793 | 0.0 % | 0.1% |
| 10580 | ALBANY-SCHENECTADY-TROY, NY METRO | 15487 | 0.9 % | 1.2% |
| 10740 | ALBUQUERQUE, NM METRO | 2380 | 0.1 % | 0.2% |
| 10780 | ALEXANDRIA, LA METRO | 2926 | 0.2 % | 0.2% |
| 10880 | ALLEGAN, MI MICRO | 615 | 0.0 % | 0.0% |
| 10900 | ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO | 3425 | 0.2 % | 0.3% |
| 11020 | ALTOONA, PA METRO | 1591 | 0.1 % | 0.1% |
| 11100 | AMARILLO, TX METRO | 45 | 0.0 % | 0.0% |
| 11260 | ANCHORAGE, AK METRO | 2902 | 0.2 % | 0.2% |
| 11300 | ANDERSON, IN METRO | 82 | 0.0 % | 0.0% |
| 11340 | ANDERSON, SC METRO | 1537 | 0.1 % | 0.1% |
| 11460 | ANN ARBOR, MI METRO | 1724 | 0.1 % | 0.1% |
| 11500 | ANNISTON-OXFORD, AL METRO | 337 | 0.0 % | 0.0% |
| 11540 | APPLETON, WI METRO | 425 | 0.0 % | 0.0% |
| 11700 | ASHEVILLE, NC METRO | 2737 | 0.2 % | 0.2% |
| 11780 | ASHTABULA, OH MICRO | 1051 | 0.1 % | 0.1% |
| 12020 | ATHENS-CLARKE COUNTY, GA METRO | 892 | 0.1 % | 0.1% |
| 12060 | ATLANTA-SANDY SPRINGS-MARIETTA, GA METRO | 7127 | 0.4 % | 0.5% |
| 12100 | ATLANTIC CITY, NJ METRO | 2529 | 0.2 % | 0.2% |
| 12220 | AUBURN-OPELIKA, AL METRO | 302 | 0.0 % | 0.0% |
| 12260 | AUGUSTA-RICHMOND COUNTY, GA-SC METRO | 2461 | 0.2 % | 0.2% |
| 12420 | AUSTIN-ROUND ROCK, TX METRO | 1835 | 0.1 % | 0.1% |
| 12540 | BAKERSFIELD, CA METRO | 4547 | 0.3 % | 0.3% |
| 12580 | BALTIMORE-TOWSON, MD METRO | 35803 | 2.2 % | 2.7% |
| 12700 | BARNSTABLE TOWN, MA METRO | 3573 | 0.2 % | 0.3% |
| 12940 | BATON ROUGE, LA METRO | 2095 | 0.1 % | 0.2% |

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 12980 | BATTLE CREEK, MI METRO | 681 | 0.0 % | 0.1% |
| 13020 | BAY CITY, MI METRO | 1073 | 0.1 % | 0.1% |
| 13140 | BEAUMONT-PORT ARTHUR, TX METRO | 164 | 0.0 % | 0.0% |
| 13380 | BELLINGHAM, WA METRO | 2402 | 0.1 % | 0.2% |
| 13740 | BILLINGS, MT METRO | 922 | 0.1 % | 0.1% |
| 13780 | BINGHAMTON, NY METRO | 2941 | 0.2 % | 0.2% |
| 13820 | BIRMINGHAM-HOOVER, AL METRO | 5538 | 0.3 % | 0.4% |
| 14020 | BLOOMINGTON, IN METRO | 823 | 0.1 % | 0.1% |
| 14060 | BLOOMINGTON-NORMAL, IL METRO | 414 | 0.0 % | 0.0% |
| 14260 | BOISE CITY-NAMPA, ID METRO | 2405 | 0.1 % | 0.2% |
| 14460 | BOSTON-CAMBRIDGE-QUNICY, MA-NH METRO | 41038 | 2.5 % | 3.1% |
| 14500 | BOULDER, CO METRO | 2539 | 0.2 % | 0.2% |
| 14740 | BREMERTON-SILVERDALE, WA METRO | 2658 | 0.2 % | 0.2% |
| 14860 | BRIDGEPORT-STAMFORD-NORWALK, CT METRO | 9520 | 0.6 % | 0.7% |
| 15180 | BROWNSVILLE-HARLINGEN, TX METRO | 177 | 0.0 % | 0.0% |
| 15380 | BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO | 20421 | 1.2 % | 1.5% |
| 15500 | BURLINGTON, NC METRO | 789 | 0.0 % | 0.1% |
| 15540 | BURLINGTON-SOUTH BURLINGTON, VT METRO | 2362 | 0.1 % | 0.2% |
| 15940 | CANTON-MASSILLON, OH METRO | 3457 | 0.2 % | 0.3% |
| 15980 | CAPE CORAL-FORT MYERS, FL METRO | 2056 | 0.1 % | 0.2% |
| 16300 | CEDAR RAPIDS, IA METRO | 4058 | 0.2 % | 0.3% |
| 16580 | CHAMPAIGN-URBANA, IL METRO | 777 | 0.0 % | 0.1% |
| 16620 | CHARLESTON, WV METRO | 475 | 0.0 % | 0.0% |
| 16700 | CHARLESTON-NORTH CHARLESTON, SC METRO | 4525 | 0.3 % | 0.3% |
| 16740 | CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO | 10454 | 0.6 % | 0.8% |
| 16860 | CHATTANOOGA, TN-GA METRO | 1650 | 0.1 % | 0.1% |
| 16980 | CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO | 18014 | 1.1 % | 1.4% |
| 17020 | CHICO, CA METRO | 1145 | 0.1 % | 0.1% |
| 17140 | CINCINNATI-MIDDLETOWN, OH-KY-IN METRO | 10150 | 0.6 % | 0.8% |
| 17300 | CLARKSVILLE, TN-KY METRO | 259 | 0.0 % | 0.0% |
| 17460 | CLEVELAND-ELYRIA-MENTOR, OH METRO | 18921 | 1.2 % | 1.4% |
| 17820 | COLORADO SPRINGS, CO METRO | 4205 | 0.3 % | 0.3% |
| 17860 | COLUMBIA, MO METRO | 1203 | 0.1 % | 0.1% |
| 17900 | COLUMBIA, SC METRO | 4715 | 0.3 % | 0.4% |
| 17980 | COLUMBUS, GA-AL METRO | 1031 | 0.1 % | 0.1% |
| 18140 | COLUMBUS, OH METRO | 12502 | 0.8 % | 0.9% |

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 18580 | CORPUS CHRISTI, TX METRO | 495 | 0.0 % | 0.0% |
| 19060 | CUMBERLAND, MD-WV METRO | 1106 | 0.1 % | 0.1% |
| 19100 | DALLAS-FORT WORTH-ARLINGTON, TX METRO | 2326 | 0.1 % | 0.2% |
| 19260 | DANVILLE, VA METRO | 309 | 0.0 % | 0.0% |
| 19300 | DAPHNE-FAIRHOPE, AL MICRO | 158 | 0.0 % | 0.0% |
| 19340 | DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO | 4440 | 0.3 % | 0.3% |
| 19380 | DAYTON, OH METRO | 6275 | 0.4 % | 0.5% |
| 19460 | DECATUR, AL METRO | 612 | 0.0 % | 0.0% |
| 19500 | DECATUR, IL METRO | 414 | 0.0 % | 0.0% |
| 19660 | DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO | 2345 | 0.1 % | 0.2% |
| 19740 | DENVER-AURORA, CO METRO | 31592 | 1.9 % | 2.4% |
| 19780 | DES MOINES, IA METRO | 6807 | 0.4 % | 0.5% |
| 19820 | DETROIT-WARREN-LIVONIA, MI METRO | 36946 | 2.3 % | 2.8% |
| 20020 | DOTHAN, AL METRO | 594 | 0.0 % | 0.0% |
| 20100 | DOVER, DE METRO | 409 | 0.0 % | 0.0% |
| 20260 | DULUTH, MN-WI METRO | 1217 | 0.1 % | 0.1% |
| 20500 | DURHAM, NC METRO | 2118 | 0.1 % | 0.2% |
| 20620 | EAST LIVERPOOL-SALEM, OH MICRO | 1318 | 0.1 % | 0.1% |
| 20740 | EAU CLAIRE, WI METRO | 635 | 0.0 % | 0.0% |
| 21140 | ELKHART-GOSHEN, IN METRO | 781 | 0.0 % | 0.1% |
| 21340 | EL PASO, TX METRO | 942 | 0.1 % | 0.1% |
| 21500 | ERIE, PA METRO | 2122 | 0.1 % | 0.2% |
| 21660 | EUGENE-SPRINGFIELD, OR METRO | 5408 | 0.3 % | 0.4% |
| 21780 | EVANSVILLE, IN-KY METRO | 462 | 0.0 % | 0.0% |
| 22020 | FARGO, ND-MN METRO | 266 | 0.0 % | 0.0% |
| 22180 | FAYETTEVILLE, NC METRO | 1858 | 0.1 % | 0.1% |
| 22220 | FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO | 844 | 0.1 % | 0.1% |
| 22420 | FLINT, MI METRO | 3410 | 0.2 % | 0.3% |
| 22460 | FLORENCE, AL METRO | 354 | 0.0 % | 0.0% |
| 22500 | FLORENCE, SC METRO | 1371 | 0.1 % | 0.1% |
| 22660 | FORT COLLINS-LOVELAND, CO METRO | 318 | 0.0 % | 0.0% |
| 22900 | FORT SMITH, AR-OK METRO | 523 | 0.0 % | 0.0% |
| 23020 | FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO | 630 | 0.0 % | 0.0% |
| 23060 | FORT WAYNE, IN METRO | 674 | 0.0 % | 0.1% |
| 23420 | FRESNO, CA METRO | 7756 | 0.5 % | 0.6% |
| 23460 | GADSDEN, AL METRO | 848 | 0.1 % | 0.1% |

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 23540 | GAINESVILLE, FL METRO | 1468 | 0.1 % | 0.1% |
| 24020 | GLENS FALLS, NY METRO | 1099 | 0.1 % | 0.1% |
| 24140 | GOLDSBORO, NC METRO | 601 | 0.0 % | 0.0% |
| 24300 | GRAND JUNCTION, CO METRO | 1420 | 0.1 % | 0.1% |
| 24340 | GRAND RAPIDS-WYOMING, MI METRO | 9539 | 0.6 % | 0.7% |
| 24540 | GREELEY, CO METRO | 3035 | 0.2 % | 0.2% |
| 24580 | GREEN BAY, WI METRO | 148 | 0.0 % | 0.0% |
| 24660 | GREENSBORO-HIGH POINT, NC METRO | 2397 | 0.1 % | 0.2% |
| 24780 | GREENVILLE, NC METRO | 2656 | 0.2 % | 0.2% |
| 24860 | GREENVILLE, SC METRO | 3628 | 0.2 % | 0.3% |
| 25060 | GULFPORT-BILOXI, MS METRO | 187 | 0.0 % | 0.0% |
| 25180 | HAGERSTOWN-MARTINSBURG, MD-WV METRO | 1338 | 0.1 % | 0.1% |
| 25420 | HARRISBURG-CARLISLE, PA METRO | 3232 | 0.2 % | 0.2% |
| 25540 | HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO | 22242 | 1.4 % | 1.7% |
| 25620 | HATTIESBURG, MS METRO | 11 | 0.0 % | 0.0% |
| 25860 | HICKORY-MORGANTON-LENOIR, NC METRO | 1521 | 0.1 % | 0.1% |
| 26100 | HOLLAND-GRAND HAVEN, MI METRO | 3286 | 0.2 % | 0.2% |
| 26180 | HONOLULU, HI METRO | 3595 | 0.2 % | 0.3% |
| 26380 | HOUMA-BAYOU CANE-THIBODAUX, LA METRO | 1605 | 0.1 % | 0.1% |
| 26420 | HOUSTON-BAYTOWN-SUGAR LAND, TX METRO | 2584 | 0.2 % | 0.2% |
| 26580 | HUNTINGTON-ASHLAND, WV-KY-OH METRO | 362 | 0.0 % | 0.0% |
| 26620 | HUNTSVILLE, AL METRO | 706 | 0.0 % | 0.1% |
| 26900 | INDIANAPOLIS, IN METRO | 5692 | 0.3 % | 0.4% |
| 26980 | IOWA CITY, IA METRO | 1711 | 0.1 % | 0.1% |
| 27100 | JACKSON, MI METRO | 1317 | 0.1 % | 0.1% |
| 27140 | JACKSON, MS METRO | 591 | 0.0 % | 0.0% |
| 27180 | JACKSON, TN METRO | 651 | 0.0 % | 0.0% |
| 27260 | JACKSONVILLE, FL METRO | 4711 | 0.3 % | 0.4% |
| 27340 | JACKSONVILLE, NC METRO | 840 | 0.1 % | 0.1% |
| 27460 | JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO | 1291 | 0.1 % | 0.1% |
| 27500 | JANESVILLE, WI METRO | 841 | 0.1 % | 0.1% |
| 27740 | JOHNSON, CITYTN METRO | 146 | 0.0 % | 0.0% |
| 27780 | JOHNSTOWN, PA METRO | 786 | 0.0 % | 0.1% |
| 27900 | JOPLIN, MO METRO | 1635 | 0.1 % | 0.1% |
| 28020 | KALAMAZOO-PORTAGE, MI METRO | 4410 | 0.3 % | 0.3% |
| 28100 | KANKAKEE-BRADLEY, IL METRO | 268 | 0.0 % | 0.0% |
| 28140 | KANSAS CITY, MO-KS METRO | 10098 | 0.6 % | 0.8% |
| 28420 | KENNEWICK-RICHLAND-PASCO, WA METRO | 1227 | 0.1 % | 0.1% |

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 28660 | KILLEEN-TEMPLE-FORT HOOD, TX METRO | 13 | 0.0 % | 0.0% |
| 28700 | KINGSPORT-BRISTOL, TN-VA METRO | 81 | 0.0 % | 0.0% |
| 28940 | KNOXVILLE, TN METRO | 1991 | 0.1 % | 0.1% |
| 29020 | KOKOMO, IN METRO | 124 | 0.0 % | 0.0% |
| 29100 | LA CROSSE, WI-MN METRO | 238 | 0.0 % | 0.0% |
| 29140 | LAFAYETTE, IN METRO | 479 | 0.0 % | 0.0% |
| 29180 | LAFAYETTE, LA METRO | 286 | 0.0 % | 0.0% |
| 29340 | LAKE CHARLES, LA METRO | 1191 | 0.1 % | 0.1% |
| 29460 | LAKELAND-WINTER HAVEN, FL METRO | 2031 | 0.1 % | 0.2% |
| 29540 | LANCASTER, PA METRO | 2400 | 0.1 % | 0.2% |
| 29620 | LANSING-EAST LANSING, MI METRO | 3962 | 0.2 % | 0.3% |
| 29700 | LAREDO, TX METRO | 120 | 0.0 % | 0.0% |
| 29740 | LAS CRUCES, NM METRO | 402 | 0.0 % | 0.0% |
| 29820 | LAS VEGAS-PARADISE, NV METRO | 4484 | 0.3 % | 0.3% |
| 30020 | LAWTON, OK METRO | 814 | 0.0 % | 0.1% |
| 30140 | LEBANON, PA METRO | 414 | 0.0 % | 0.0% |
| 30540 | LEXINGTON-THOMASVILLE, NC MICRO | 690 | 0.0 % | 0.1% |
| 30620 | LIMA, OH METRO | 790 | 0.0 % | 0.1% |
| 30700 | LINCOLN, NE METRO | 7338 | 0.4 % | 0.6% |
| 30780 | LITTLE ROCK-NORTH LITTLE ROCK, AR METRO | 3644 | 0.2 % | 0.3% |
| 30980 | LONGVIEW, TX METRO | 86 | 0.0 % | 0.0% |
| 31100 | LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO | 55774 | 3.4 % | 4.2% |
| 31140 | LOUISVILLE, KY-IN METRO | 1173 | 0.1 % | 0.1% |
| 31180 | LUBBOCK, TX METRO | 627 | 0.0 % | 0.0% |
| 31340 | LYNCHBURG, VA METRO | 401 | 0.0 % | 0.0% |
| 31420 | MACON, GA METRO | 810 | 0.0 % | 0.1% |
| 31460 | MADERA, CA METRO | 590 | 0.0 % | 0.0% |
| 31540 | MADISON, WI METRO | 61 | 0.0 % | 0.0% |
| 31700 | MANCHESTER-NASHUA, NH METRO | 1337 | 0.1 % | 0.1% |
| 31900 | MANSFIELD, OH METRO | 631 | 0.0 % | 0.0% |
| 32420 | MAYAGUEZ, PR METRO | 611 | 0.0 % | 0.0% |
| 32580 | MCALLEN-EDINBURG-PHARR, TX METRO | 134 | 0.0 % | 0.0% |
| 32780 | MEDFORD, OR METRO | 2821 | 0.2 % | 0.2% |
| 32820 | MEMPHIS, TN-MS-AR METRO | 2237 | 0.1 % | 0.2% |
| 32900 | MERCED, CA METRO | 900 | 0.1 % | 0.1% |
| 33100 | MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO | 23214 | 1.4 % | 1.7% |
| 33340 | MILWAUKEE-WAUKESHA-WEST ALLIS, WI METRO | 1228 | 0.1 % | 0.1% |

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 33460 | MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO | 23681 | 1.4 % | 1.8% |
| 33660 | MOBILE, AL METRO | 1460 | 0.1 % | 0.1% |
| 33700 | MODESTO, CA METRO | 1671 | 0.1 % | 0.1% |
| 33740 | MONROE, LA METRO | 383 | 0.0 % | 0.0% |
| 33780 | MONROE, MI METRO | 950 | 0.1 % | 0.1% |
| 33860 | MONTGOMERY, AL METRO | 1144 | 0.1 % | 0.1% |
| 34620 | MUNCIE, IN METRO | 1094 | 0.1 % | 0.1% |
| 34740 | MUSKEGON-NORTON SHORES, MI METRO | 3794 | 0.2 % | 0.3% |
| 34820 | MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO | 1170 | 0.1 % | 0.1% |
| 34900 | NAPA, CA METRO | 496 | 0.0 % | 0.0% |
| 34940 | NAPLES-MARCO ISLAND, FL METRO | 1242 | 0.1 % | 0.1% |
| 34980 | NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO | 1506 | 0.1 % | 0.1% |
| 35300 | NEW HAVEN-MILFORD, CT METRO | 6545 | 0.4 % | 0.5% |
| 35380 | NEW ORLEANS-METAIRIE-KENNER, LA METRO | 2898 | 0.2 % | 0.2% |
| 35620 | NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO | 173690 | 10.6 % | 13.0% |
| 35660 | NILES-BENTON HARBOR, MI METRO | 316 | 0.0 % | 0.0% |
| 35980 | NORWICH-NEW LONDON, CT METRO | 4062 | 0.2 % | 0.3% |
| 36100 | OCALA, FL METRO | 1277 | 0.1 % | 0.1% |
| 36140 | OCEAN CITY, NJ METRO | 765 | 0.0 % | 0.1% |
| 36220 | ODESSA, TX METRO | 75 | 0.0 % | 0.0% |
| 36260 | OGDEN-CLEARFIELD, UT METRO | 1373 | 0.1 % | 0.1% |
| 36420 | OKLAHOMA CITY, OK METRO | 6017 | 0.4 % | 0.5% |
| 36500 | OLYMPIA, WA METRO | 994 | 0.1 % | 0.1% |
| 36540 | OMAHA-COUNCIL BLUFFS, NE-IA METRO | 7242 | 0.4 % | 0.5% |
| 36740 | ORLANDO, FL METRO | 8474 | 0.5 % | 0.6% |
| 36780 | OSHKOSH-NEENAH, WI METRO | 311 | 0.0 % | 0.0% |
| 37100 | OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO | 2596 | 0.2 % | 0.2% |
| 37340 | PALM BAY-MELBOURNE-TITUSVILLE, FL METRO | 872 | 0.1 % | 0.1% |
| 37460 | PANAMA CITY-LYNN HAVEN, FL METRO | 567 | 0.0 % | 0.0% |
| 37620 | PARKERSBURG-MARIETTA, WV-OH METRO | 302 | 0.0 % | 0.0% |
| 37700 | PASCAGOULA, MS METRO | 49 | 0.0 % | 0.0% |
| 37860 | PENSACOLA-FERRY PASS-BRENT, FL METRO | 1642 | 0.1 % | 0.1% |
| 37900 | PEORIA, IL METRO | 1038 | 0.1 % | 0.1% |
| 37980 | PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO | 29320 | 1.8 % | 2.2% |
| 38300 | PITTSBURGH, PA METRO | 7744 | 0.5 % | 0.6% |

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 38660 | PONCE, PR METRO | 546 | 0.0 % | 0.0% |
| 38860 | PORTLAND-SOUTH PORTLAND, ME METRO | 3332 | 0.2 % | 0.3% |
| 38900 | PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO | 20075 | 1.2 % | 1.5% |
| 38940 | PORT ST. LUCIE, FL METRO | 1583 | 0.1 % | 0.1% |
| 39100 | POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO | 8880 | 0.5 % | 0.7% |
| 39300 | PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO | 17428 | 1.1 % | 1.3% |
| 39340 | PROVO-OREM, UT METRO | 867 | 0.1 % | 0.1% |
| 39380 | PUEBLO, CO METRO | 6423 | 0.4 % | 0.5% |
| 39460 | PUNTA GORDA, FL METRO | 368 | 0.0 % | 0.0% |
| 39540 | RACINE, WI METRO | 578 | 0.0 % | 0.0% |
| 39580 | RALEIGH-CARY, NC METRO | 3075 | 0.2 % | 0.2% |
| 39740 | READING, PA METRO | 3111 | 0.2 % | 0.2% |
| 39820 | REDDING, CA METRO | 978 | 0.1 % | 0.1% |
| 39900 | RENO-SPARKS, NV METRO | 1893 | 0.1 % | 0.1% |
| 40060 | RICHMOND, VA METRO | 1935 | 0.1 % | 0.1% |
| 40140 | RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO | 12402 | 0.8 % | 0.9% |
| 40220 | ROANOKE, VA METRO | 1261 | 0.1 % | 0.1% |
| 40340 | ROCHESTER, MN METRO | 742 | 0.0 % | 0.1% |
| 40380 | ROCHESTER, NY METRO | 12971 | 0.8 % | 1.0% |
| 40420 | ROCKFORD, IL METRO | 1087 | 0.1 % | 0.1% |
| 40580 | ROCKY MOUNT, NC METRO | 864 | 0.1 % | 0.1% |
| 40900 | SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO | 9146 | 0.6 % | 0.7% |
| 40980 | SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO | 1854 | 0.1 % | 0.1% |
| 41060 | SAINT CLOUD, MN METRO | 1106 | 0.1 % | 0.1% |
| 41140 | SAINT JOSEPH, MO-KS METRO | 720 | 0.0 % | 0.1% |
| 41180 | SAINT LOUIS, MO-IL METRO | 10669 | 0.7 % | 0.8% |
| 41420 | SALEM, OR METRO | 4913 | 0.3 % | 0.4% |
| 41500 | SALINAS, CA METRO | 1793 | 0.1 % | 0.1% |
| 41620 | SALT LAKE CITY, UT METRO | 11021 | 0.7 % | 0.8% |
| 41660 | SAN ANGELO, TX METRO | 92 | 0.0 % | 0.0% |
| 41700 | SAN ANTONIO, TX METRO | 578 | 0.0 % | 0.0% |
| 41740 | SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO | 12225 | 0.7 % | 0.9% |
| 41860 | SAN FRANCISCO-OAKLAND-FREMONT, CA METRO | 31793 | 1.9 % | 2.4% |

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 41940 | SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO | 5361 | 0.3 % | 0.4% |
| 41980 | SAN JUAN-CAGUAS-GUAYNABO, PR METRO | 3210 | 0.2 % | 0.2% |
| 42020 | SAN LUIS OBISPO-PASO ROBLES, CA METRO | 767 | 0.0 % | 0.1% |
| 42060 | SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO | 2506 | 0.2 % | 0.2% |
| 42100 | SANTA CRUZ-WATSONVILLE, CA METRO | 1837 | 0.1 % | 0.1% |
| 42140 | SANTA FE, NM METRO | 771 | 0.0 % | 0.1% |
| 42220 | SANTA ROSA, CA METRO | 4616 | 0.3 % | 0.3% |
| 42260 | SARASOTA-BRADENTON-VENICE, FL METRO | 2041 | 0.1 % | 0.2% |
| 42340 | SAVANNAH, GA METRO | 1303 | 0.1 % | 0.1% |
| 42540 | SCRANTON--WILKES-BARRE-, PA METRO | 3361 | 0.2 % | 0.3% |
| 42660 | SEATTLE-TACOMA-BELLEVUE, WA METRO | 19960 | 1.2 % | 1.5% |
| 43100 | SHEBOYGAN, WI METRO | 393 | 0.0 % | 0.0% |
| 43340 | SHREVEPORT-BOSSIER CITY, LA METRO | 1348 | 0.1 % | 0.1% |
| 43580 | SIOUX CITY, IA-NE-SD METRO | 2135 | 0.1 % | 0.2% |
| 43620 | SIOUX FALLS, SD METRO | 2446 | 0.1 % | 0.2% |
| 43780 | SOUTH BEND-MISHAWAKA, IN-MI METRO | 1289 | 0.1 % | 0.1% |
| 43900 | SPARTANBURG, SC METRO | 2095 | 0.1 % | 0.2% |
| 44060 | SPOKANE, WA METRO | 4240 | 0.3 % | 0.3% |
| 44100 | SPRINGFIELD, IL METRO | 571 | 0.0 % | 0.0% |
| 44140 | SPRINGFIELD, MA METRO | 7072 | 0.4 % | 0.5% |
| 44180 | SPRINGFIELD, MO METRO | 2663 | 0.2 % | 0.2% |
| 44220 | SPRINGFIELD, OH METRO | 1018 | 0.1 % | 0.1% |
| 44300 | STATE COLLEGE, PA METRO | 348 | 0.0 % | 0.0% |
| 44700 | STOCKTON, CA METRO | 2725 | 0.2 % | 0.2% |
| 44940 | SUMTER, SC METRO | 959 | 0.1 % | 0.1% |
| 45060 | SYRACUSE, NY METRO | 8390 | 0.5 % | 0.6% |
| 45220 | TALLAHASSEE, FL METRO | 721 | 0.0 % | 0.1% |
| 45300 | TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO | 14670 | 0.9 % | 1.1% |
| 45460 | TERRE HAUTE, IN METRO | 21 | 0.0 % | 0.0% |
| 45780 | TOLEDO, OH METRO | 5271 | 0.3 % | 0.4% |
| 45820 | TOPEKA, KS METRO | 2207 | 0.1 % | 0.2% |
| 45940 | TRENTON-EWING, NJ METRO | 2525 | 0.2 % | 0.2% |
| 46140 | TULSA, OK METRO | 5189 | 0.3 % | 0.4% |
| 46220 | TUSCALOOSA, AL METRO | 1183 | 0.1 % | 0.1% |
| 46340 | TYLER, TX METRO | 77 | 0.0 % | 0.0% |
| 46540 | UTICA-ROME, NY METRO | 3012 | 0.2 % | 0.2% |
| 46700 | VALLEJO-FAIRFIELD, CA METRO | 1162 | 0.1 % | 0.1% |
| 47220 | VINELAND-MILLVILLE-BRIDGETON, NJ METRO | 2459 | 0.2 % | 0.2% |

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 47260 | VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO | 7971 | 0.5 % | 0.6% |
| 47300 | VISALIA-PORTERVILLE, CA METRO | 1916 | 0.1 % | 0.1% |
| 47360 | WACO, TX METRO | 404 | 0.0 % | 0.0% |
| 47580 | WARNER ROBINS, GA METRO | 2 | 0.0 % | 0.0% |
| 47900 | WASHINGTON-ARLINGTIN-ALEXANDRIA, DC-VA-MD-W METRO | 17679 | 1.1 % | 1.3% |
| 47940 | WATERLOO-CEDAR FALLS, IA METRO | 3215 | 0.2 % | 0.2% |
| 48140 | WAUSAU, WI METRO | 955 | 0.1 % | 0.1% |
| 48260 | WEIRTON-STEUBENVILLE, WV-OH METRO | 546 | 0.0 % | 0.0% |
| 48540 | WHEELING, WV-OH METRO | 389 | 0.0 % | 0.0% |
| 48620 | WICHITA, KS METRO | 5486 | 0.3 % | 0.4% |
| 48660 | WICHITA FALLS, TX METRO | 41 | 0.0 % | 0.0% |
| 48700 | WILLIAMSPORT, PA METRO | 418 | 0.0 % | 0.0% |
| 48900 | WILMINGTON, NC METRO | 1478 | 0.1 % | 0.1% |
| 49180 | WINSTON-SALEM, NC METRO | 2760 | 0.2 % | 0.2% |
| 49340 | WORCESTER, MA METRO | 10581 | 0.6 % | 0.8% |
| 49420 | YAKIMA, WA METRO | 3983 | 0.2 % | 0.3% |
| 49620 | YORK-HANOVER, PA METRO | 948 | 0.1 % | 0.1% |
| 49660 | YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO | 5792 | 0.4 % | 0.4% |
| 49700 | YUBA CITY-MARYSVILLE, CA METRO | 720 | 0.0 % | 0.1% |
| -9 (M) | UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID | 305322 | 18.7 % | - |

Based upon 1331771 valid cases out of 1637093 total cases.

**PMSA** **FIPS 1990 MSA CODE**

Location: 44-47 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 40 | ABILENE, TX MSA | 777 | 0.0 % | 0.1% |
| 60 | AGUADILLA, PR MSA | 285 | 0.0 % | 0.0% |
| 80 | AKRON, OH PMSA | 9064 | 0.6 % | 0.7% |

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 120 | ALBANY, GA MSA | 793 | 0.0 % | 0.1% |
| 160 | ALBANY-SCHENECTADY-TROY, NY MSA | 15487 | 0.9 % | 1.2% |
| 200 | ALBUQUERQUE, NM MSA | 2380 | 0.1 % | 0.2% |
| 220 | ALEXANDRIA, LA MSA | 2926 | 0.2 % | 0.2% |
| 240 | ALLENTOWN-BETHLEHEM-EASTON, PA MSA | 2473 | 0.2 % | 0.2% |
| 280 | ALTOONA, PA MSA | 1591 | 0.1 % | 0.1% |
| 320 | AMARILLO, TX MSA | 45 | 0.0 % | 0.0% |
| 380 | ANCHORAGE, AK MSA | 2902 | 0.2 % | 0.2% |
| 440 | ANN ARBOR, MI PMSA | 2967 | 0.2 % | 0.2% |
| 450 | ANNISTON, AL MSA | 337 | 0.0 % | 0.0% |
| 460 | APPLETON-OSHKOSH-NEENAH, WI MSA | 736 | 0.0 % | 0.1% |
| 470 | ARECIBO, PR PMSA | 848 | 0.1 % | 0.1% |
| 480 | ASHEVILLE, NC MSA | 2737 | 0.2 % | 0.2% |
| 500 | ATHENS, GA MSA | 892 | 0.1 % | 0.1% |
| 520 | ATLANTA, GA MSA | 7127 | 0.4 % | 0.5% |
| 560 | ATLANTIC-CAPE MAY, NJ PMSA | 3294 | 0.2 % | 0.2% |
| 580 | AUBURN-OPELIKA, AL MSA | 302 | 0.0 % | 0.0% |
| 600 | AUGUSTA-AIKEN, GA-SC MSA | 2461 | 0.2 % | 0.2% |
| 640 | AUSTIN-SAN MARCOS, TX MSA | 1835 | 0.1 % | 0.1% |
| 680 | BAKERSFIELD, CA MSA | 4547 | 0.3 % | 0.3% |
| 720 | BALTIMORE, MD PMSA | 35803 | 2.2 % | 2.7% |
| 743 | BARNSTABLE-YARMOUTH, MA NECMA | 3573 | 0.2 % | 0.3% |
| 760 | BATON ROUGE, LA MSA | 2095 | 0.1 % | 0.2% |
| 840 | BEAUMONT-PORT ARTHUR, TX MSA | 164 | 0.0 % | 0.0% |
| 860 | BELLINGHAM, WA MSA | 2402 | 0.1 % | 0.2% |
| 870 | BENTON HARBOR, MI MSA | 316 | 0.0 % | 0.0% |
| 875 | BERGEN-PASSAIC, NJ PMSA | 7922 | 0.5 % | 0.6% |
| 880 | BILLINGS, MT MSA | 922 | 0.1 % | 0.1% |
| 920 | BILOXI-GULFPORT-PASCAGOULA, MS MSA | 236 | 0.0 % | 0.0% |
| 960 | BINGHAMTON, NY MSA | 2941 | 0.2 % | 0.2% |
| 1000 | BIRMINGHAM, AL MSA | 5538 | 0.3 % | 0.4% |
| 1020 | BLOOMINGTON, IN MSA | 823 | 0.1 % | 0.1% |
| 1040 | BLOOMINGTON-NORMAL, IL MSA | 414 | 0.0 % | 0.0% |
| 1080 | BOISE CITY, ID MSA | 2405 | 0.1 % | 0.2% |
| 1123 | BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA | 59140 | 3.6 % | 4.4% |
| 1125 | BOULDER-LONGMONT, CO PMSA | 2539 | 0.2 % | 0.2% |
| 1145 | BRAZORIA, TX PMSA | 370 | 0.0 % | 0.0% |
| 1150 | BREMERTON, WA PMSA | 2658 | 0.2 % | 0.2% |
| 1240 | BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA | 177 | 0.0 % | 0.0% |

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1280 | BUFFALO-NIAGARA FALLS, NY MSA | 20421 | 1.2 % | 1.5% |
| 1303 | BURLINGTON, VT NECMA | 2362 | 0.1 % | 0.2% |
| 1310 | CAGUAS, PR PMSA | 493 | 0.0 % | 0.0% |
| 1320 | CANTON-MASSILLON, OH MSA | 3457 | 0.2 % | 0.3% |
| 1360 | CEDAR RAPIDS, IA MSA | 4058 | 0.2 % | 0.3% |
| 1400 | CHAMPAIGN-URBANA, IL MSA | 777 | 0.0 % | 0.1% |
| 1440 | CHARLESTON-NORTH CHARLESTON, SC MSA | 4525 | 0.3 % | 0.3% |
| 1480 | CHARLESTON, WV MSA | 475 | 0.0 % | 0.0% |
| 1520 | CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA | 10454 | 0.6 % | 0.8% |
| 1560 | CHATTANOOGA, TN-GA MSA | 1650 | 0.1 % | 0.1% |
| 1600 | CHICAGO, IL PMSA | 17227 | 1.1 % | 1.3% |
| 1620 | CHICO-PARADISE, CA MSA | 1145 | 0.1 % | 0.1% |
| 1640 | CINCINNATI, OH-KY-IN PMSA | 8802 | 0.5 % | 0.7% |
| 1660 | CLARKSVILLE-HOPKINSVILLE, TN-KY MSA | 259 | 0.0 % | 0.0% |
| 1680 | CLEVELAND-LORAIN-ELYRIA, OH PMSA | 19972 | 1.2 % | 1.5% |
| 1720 | COLORADO SPRINGS, CO MSA | 4205 | 0.3 % | 0.3% |
| 1740 | COLUMBIA, MO MSA | 1203 | 0.1 % | 0.1% |
| 1760 | COLUMBIA, SC MSA | 4715 | 0.3 % | 0.4% |
| 1800 | COLUMBUS, GA-AL MSA | 1031 | 0.1 % | 0.1% |
| 1840 | COLUMBUS, OH MSA | 12502 | 0.8 % | 0.9% |
| 1880 | CORPUS CHRISTI, TX MSA | 495 | 0.0 % | 0.0% |
| 1900 | CUMBERLAND, MD-WV MSA | 1106 | 0.1 % | 0.1% |
| 1920 | DALLAS, TX PMSA | 1198 | 0.1 % | 0.1% |
| 1950 | DANVILLE, VA MSA | 309 | 0.0 % | 0.0% |
| 1960 | DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA | 4440 | 0.3 % | 0.3% |
| 2000 | DAYTON-SPRINGFIELD, OH MSA | 7293 | 0.4 % | 0.5% |
| 2020 | DAYTONA BEACH, FL MSA | 2345 | 0.1 % | 0.2% |
| 2030 | DECATUR, AL MSA | 612 | 0.0 % | 0.0% |
| 2040 | DECATUR, IL MSA | 414 | 0.0 % | 0.0% |
| 2080 | DENVER, CO PMSA | 31592 | 1.9 % | 2.4% |
| 2120 | DES MOINES, IA MSA | 6807 | 0.4 % | 0.5% |
| 2160 | DETROIT, MI PMSA | 36653 | 2.2 % | 2.8% |
| 2180 | DOTHAN, AL MSA | 594 | 0.0 % | 0.0% |
| 2190 | DOVER, DE MSA | 409 | 0.0 % | 0.0% |
| 2240 | DULUTH-SUPERIOR, MN-WI MSA | 1217 | 0.1 % | 0.1% |
| 2281 | DUTCHESS COUNTY, NY PMSA | 5000 | 0.3 % | 0.4% |
| 2290 | EAU CLAIRE, WI MSA | 635 | 0.0 % | 0.0% |
| 2320 | EL PASO, TX MSA | 942 | 0.1 % | 0.1% |
| 2330 | ELKHART-GOSHEN, IN MSA | 781 | 0.0 % | 0.1% |

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 2360 | ERIE, PA MSA | 2122 | 0.1 % | 0.2% |
| 2400 | EUGENE-SPRINGFIELD, OR MSA | 5408 | 0.3 % | 0.4% |
| 2440 | EVANSVILLE-HENDERSON, IN-KY MSA | 462 | 0.0 % | 0.0% |
| 2520 | FARGO-MOORHEAD, ND-MN MSA | 266 | 0.0 % | 0.0% |
| 2560 | FAYETTEVILLE, NC MSA | 1858 | 0.1 % | 0.1% |
| 2580 | FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA | 844 | 0.1 % | 0.1% |
| 2640 | FLINT, MI PMSA | 3410 | 0.2 % | 0.3% |
| 2650 | FLORENCE, AL MSA | 354 | 0.0 % | 0.0% |
| 2655 | FLORENCE, SC MSA | 1371 | 0.1 % | 0.1% |
| 2670 | FORT COLLINS-LOVELAND, CO MSA | 318 | 0.0 % | 0.0% |
| 2680 | FORT LAUDERDALE, FL PMSA | 7017 | 0.4 % | 0.5% |
| 2700 | FORT MYERS-CAPE CORAL, FL MSA | 2056 | 0.1 % | 0.2% |
| 2710 | FORT PIERCE-PORT ST. LUCIE, FL MSA | 1583 | 0.1 % | 0.1% |
| 2720 | FORT SMITH, AR-OK MSA | 523 | 0.0 % | 0.0% |
| 2750 | FORT WALTON BEACH, FL MSA | 630 | 0.0 % | 0.0% |
| 2760 | FORT WAYNE, IN MSA | 674 | 0.0 % | 0.1% |
| 2800 | FORT WORTH-ARLINGTON, TX PMSA | 1128 | 0.1 % | 0.1% |
| 2840 | FRESNO, CA MSA | 8346 | 0.5 % | 0.6% |
| 2880 | GADSDEN, AL MSA | 848 | 0.1 % | 0.1% |
| 2900 | GAINESVILLE, FL MSA | 1468 | 0.1 % | 0.1% |
| 2920 | GALVESTON-TEXAS CITY, TX PMSA | 310 | 0.0 % | 0.0% |
| 2960 | GARY, IN PMSA | 364 | 0.0 % | 0.0% |
| 2975 | GLENS FALLS, NY MSA | 1099 | 0.1 % | 0.1% |
| 2980 | GOLDSBORO, NC MSA | 601 | 0.0 % | 0.0% |
| 2995 | GRAND JUNCTION, CO MSA | 1420 | 0.1 % | 0.1% |
| 3000 | GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA | 17234 | 1.1 % | 1.3% |
| 3060 | GREELEY, CO PMSA | 3035 | 0.2 % | 0.2% |
| 3080 | GREEN BAY, WI MSA | 148 | 0.0 % | 0.0% |
| 3120 | GREENSBORO--WINSTON-SALEM--HIGH POINT, NC MSA | 6636 | 0.4 % | 0.5% |
| 3150 | GREENVILLE, NC MSA | 2656 | 0.2 % | 0.2% |
| 3160 | GREENVILLE-SPARTANBURG-ANDERSON, SC MSA | 7260 | 0.4 % | 0.5% |
| 3180 | HAGERSTOWN, MD PMSA | 1338 | 0.1 % | 0.1% |
| 3200 | HAMILTON-MIDDLETOWN, OH PMSA | 1348 | 0.1 % | 0.1% |
| 3240 | HARRISBURG-LEBANON-CARLISLE, PA MSA | 3646 | 0.2 % | 0.3% |
| 3283 | HARTFORD, CT NECMA | 22242 | 1.4 % | 1.7% |
| 3285 | HATTIESBURG, MS MSA | 11 | 0.0 % | 0.0% |
| 3290 | HICKORY-MORGANTON, NC MSA | 1521 | 0.1 % | 0.1% |

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 3320 | HONOLULU, HI MSA | 3595 | 0.2 % | 0.3% |
| 3350 | HOUMA, LA MSA | 1605 | 0.1 % | 0.1% |
| 3360 | HOUSTON, TX PMSA | 1904 | 0.1 % | 0.1% |
| 3400 | HUNTINGTON-ASHLAND, WV-KY-OH MSA | 362 | 0.0 % | 0.0% |
| 3440 | HUNTSVILLE, AL MSA | 706 | 0.0 % | 0.1% |
| 3480 | INDIANAPOLIS, IN MSA | 5774 | 0.4 % | 0.4% |
| 3500 | IOWA CITY, IA MSA | 1711 | 0.1 % | 0.1% |
| 3520 | JACKSON, MI MSA | 1317 | 0.1 % | 0.1% |
| 3560 | JACKSON, MS MSA | 591 | 0.0 % | 0.0% |
| 3580 | JACKSON, TN MSA | 651 | 0.0 % | 0.0% |
| 3600 | JACKSONVILLE, FL MSA | 4711 | 0.3 % | 0.4% |
| 3605 | JACKSONVILLE, NC MSA | 840 | 0.1 % | 0.1% |
| 3610 | JAMESTOWN, NY MSA | 1291 | 0.1 % | 0.1% |
| 3620 | JANESVILLE-BELOIT, WI MSA | 841 | 0.1 % | 0.1% |
| 3640 | JERSEY CITY, NJ PMSA | 4924 | 0.3 % | 0.4% |
| 3660 | JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA | 227 | 0.0 % | 0.0% |
| 3680 | JOHNSTOWN, PA MSA | 786 | 0.0 % | 0.1% |
| 3710 | JOPLIN, MO MSA | 1635 | 0.1 % | 0.1% |
| 3720 | KALAMAZOO-BATTLE CREEK, MI MSA | 5091 | 0.3 % | 0.4% |
| 3740 | KANKAKEE, IL PMSA | 268 | 0.0 % | 0.0% |
| 3760 | KANSAS CITY, MO-KS MSA | 10098 | 0.6 % | 0.8% |
| 3800 | KENOSHA, WI PMSA | 423 | 0.0 % | 0.0% |
| 3810 | KILLEEN-TEMPLE, TX MSA | 13 | 0.0 % | 0.0% |
| 3840 | KNOXVILLE, TN MSA | 1991 | 0.1 % | 0.1% |
| 3850 | KOKOMO, IN MSA | 124 | 0.0 % | 0.0% |
| 3870 | LA CROSSE, WI-MN MSA | 238 | 0.0 % | 0.0% |
| 3880 | LAFAYETTE, LA MSA | 286 | 0.0 % | 0.0% |
| 3920 | LAFAYETTE, IN MSA | 479 | 0.0 % | 0.0% |
| 3960 | LAKE CHARLES, LA MSA | 1191 | 0.1 % | 0.1% |
| 3980 | LAKELAND-WINTER HAVEN, FL MSA | 2031 | 0.1 % | 0.2% |
| 4000 | LANCASTER, PA MSA | 2400 | 0.1 % | 0.2% |
| 4040 | LANSING-EAST LANSING, MI MSA | 3962 | 0.2 % | 0.3% |
| 4080 | LAREDO, TX MSA | 120 | 0.0 % | 0.0% |
| 4100 | LAS CRUCES, NM MSA | 402 | 0.0 % | 0.0% |
| 4120 | LAS VEGAS, NV-AZ MSA | 4484 | 0.3 % | 0.3% |
| 4200 | LAWTON, OK MSA | 814 | 0.0 % | 0.1% |
| 4320 | LIMA, OH MSA | 790 | 0.0 % | 0.1% |
| 4360 | LINCOLN, NE MSA | 7338 | 0.4 % | 0.6% |
| 4400 | LITTLE ROCK-NORTH LITTLE ROCK, AR MSA | 3644 | 0.2 % | 0.3% |

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 4420 | LONGVIEW-MARSHALL, TX MSA | 86 | 0.0 % | 0.0% |
| 4480 | LOS ANGELES-LONG BEACH, CA PMSA | 44322 | 2.7 % | 3.3% |
| 4520 | LOUISVILLE, KY-IN MSA | 1173 | 0.1 % | 0.1% |
| 4600 | LUBBOCK, TX MSA | 627 | 0.0 % | 0.0% |
| 4640 | LYNCHBURG, VA MSA | 401 | 0.0 % | 0.0% |
| 4680 | MACON, GA MSA | 812 | 0.0 % | 0.1% |
| 4720 | MADISON, WI MSA | 61 | 0.0 % | 0.0% |
| 4800 | MANSFIELD, OH MSA | 631 | 0.0 % | 0.0% |
| 4840 | MAYAGUEZ, PR MSA | 611 | 0.0 % | 0.0% |
| 4880 | MCALLEN-EDINBURG-MISSION, TX MSA | 134 | 0.0 % | 0.0% |
| 4890 | MEDFORD-ASHLAND, OR MSA | 2821 | 0.2 % | 0.2% |
| 4900 | MELBOURNE-TITUSVILLE-PALM BAY, FL MSA | 872 | 0.1 % | 0.1% |
| 4920 | MEMPHIS, TN-AR-MS MSA | 2237 | 0.1 % | 0.2% |
| 4940 | MERCED, CA MSA | 900 | 0.1 % | 0.1% |
| 5000 | MIAMI, FL PMSA | 10402 | 0.6 % | 0.8% |
| 5015 | MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA | 6844 | 0.4 % | 0.5% |
| 5080 | MILWAUKEE-WAUKESHA, WI PMSA | 1228 | 0.1 % | 0.1% |
| 5120 | MINNEAPOLIS-ST. PAUL, MN-WI MSA | 23681 | 1.4 % | 1.8% |
| 5160 | MOBILE, AL MSA | 1618 | 0.1 % | 0.1% |
| 5170 | MODESTO, CA MSA | 1671 | 0.1 % | 0.1% |
| 5190 | MONMOUTH-OCEAN, NJ PMSA | 6947 | 0.4 % | 0.5% |
| 5200 | MONROE, LA MSA | 383 | 0.0 % | 0.0% |
| 5240 | MONTGOMERY, AL MSA | 1144 | 0.1 % | 0.1% |
| 5280 | MUNCIE, IN MSA | 1094 | 0.1 % | 0.1% |
| 5330 | MYRTLE BEACH, SC MSA | 1170 | 0.1 % | 0.1% |
| 5345 | NAPLES, FL MSA | 1242 | 0.1 % | 0.1% |
| 5360 | NASHVILLE, TN MSA | 1506 | 0.1 % | 0.1% |
| 5380 | NASSAU-SUFFOLK, NY PMSA | 29640 | 1.8 % | 2.2% |
| 5483 | NEW HAVEN-BRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA | 16065 | 1.0 % | 1.2% |
| 5523 | NEW LONDON-NORWICH, CT NECMA | 4062 | 0.2 % | 0.3% |
| 5560 | NEW ORLEANS, LA MSA | 2898 | 0.2 % | 0.2% |
| 5600 | NEW YORK, NY PMSA | 97998 | 6.0 % | 7.4% |
| 5640 | NEWARK, NJ PMSA | 20224 | 1.2 % | 1.5% |
| 5660 | NEWBURGH, NY-PA PMSA | 4023 | 0.2 % | 0.3% |
| 5720 | NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA | 7971 | 0.5 % | 0.6% |
| 5775 | OAKLAND, CA PMSA | 19191 | 1.2 % | 1.4% |
| 5790 | OCALA, FL MSA | 1277 | 0.1 % | 0.1% |

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 5800 | ODESSA-MIDLAND, TX MSA | 75 | 0.0 % | 0.0% |
| 5880 | OKLAHOMA CITY, OK MSA | 6017 | 0.4 % | 0.5% |
| 5910 | OLYMPIA, WA PMSA | 994 | 0.1 % | 0.1% |
| 5920 | OMAHA, NE-IA MSA | 7242 | 0.4 % | 0.5% |
| 5945 | ORANGE COUNTY, CA PMSA | 11452 | 0.7 % | 0.9% |
| 5960 | ORLANDO, FL MSA | 8474 | 0.5 % | 0.6% |
| 6015 | PANAMA CITY, FL MSA | 567 | 0.0 % | 0.0% |
| 6020 | PARKERSBURG-MARIETTA, WV-OH MSA | 302 | 0.0 % | 0.0% |
| 6080 | PENSACOLA, FL MSA | 1642 | 0.1 % | 0.1% |
| 6120 | PEORIA-PEKIN, IL MSA | 1038 | 0.1 % | 0.1% |
| 6160 | PHILADELPHIA, PA-NJ PMSA | 25685 | 1.6 % | 1.9% |
| 6280 | PITTSBURGH, PA MSA | 7744 | 0.5 % | 0.6% |
| 6360 | PONCE, PR MSA | 546 | 0.0 % | 0.0% |
| 6403 | PORTLAND, ME NECMA | 3332 | 0.2 % | 0.3% |
| 6440 | PORTLAND-VANCOUVER, OR-WA PMSA | 20075 | 1.2 % | 1.5% |
| 6483 | PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA | 11244 | 0.7 % | 0.8% |
| 6520 | PROVO-OREM, UT MSA | 867 | 0.1 % | 0.1% |
| 6560 | PUEBLO, CO MSA | 6423 | 0.4 % | 0.5% |
| 6580 | PUNTA GORDA, FL MSA | 368 | 0.0 % | 0.0% |
| 6600 | RACINE, WI PMSA | 578 | 0.0 % | 0.0% |
| 6640 | RALEIGH-DURHAM-CHAPEL HILL, NC MSA | 5193 | 0.3 % | 0.4% |
| 6680 | READING, PA MSA | 3111 | 0.2 % | 0.2% |
| 6690 | REDDING, CA MSA | 978 | 0.1 % | 0.1% |
| 6720 | RENO, NV MSA | 1893 | 0.1 % | 0.1% |
| 6740 | RICHLAND-KENNEWICK-PASCO, WA MSA | 1227 | 0.1 % | 0.1% |
| 6760 | RICHMOND-PETERSBURG, VA MSA | 1935 | 0.1 % | 0.1% |
| 6780 | RIVERSIDE-SAN BERNARDINO, CA PMSA | 12402 | 0.8 % | 0.9% |
| 6800 | ROANOKE, VA MSA | 1261 | 0.1 % | 0.1% |
| 6820 | ROCHESTER, MN MSA | 742 | 0.0 % | 0.1% |
| 6840 | ROCHESTER, NY MSA | 12971 | 0.8 % | 1.0% |
| 6880 | ROCKFORD, IL MSA | 1087 | 0.1 % | 0.1% |
| 6895 | ROCKY MOUNT, NC MSA | 864 | 0.1 % | 0.1% |
| 6920 | SACRAMENTO, CA PMSA | 7542 | 0.5 % | 0.6% |
| 6960 | SAGINAW-BAY CITY-MIDLAND, MI MSA | 2927 | 0.2 % | 0.2% |
| 6980 | ST. CLOUD, MN MSA | 1106 | 0.1 % | 0.1% |
| 7000 | ST. JOSEPH, MO MSA | 720 | 0.0 % | 0.1% |
| 7040 | ST. LOUIS, MO-IL MSA | 10669 | 0.7 % | 0.8% |
| 7080 | SALEM, OR PMSA | 4913 | 0.3 % | 0.4% |
| 7120 | SALINAS, CA MSA | 1793 | 0.1 % | 0.1% |

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 7160 | SALT LAKE CITY-OGDEN, UT MSA | 12394 | 0.8 % | 0.9% |
| 7200 | SAN ANGELO, TX MSA | 92 | 0.0 % | 0.0% |
| 7240 | SAN ANTONIO, TX MSA | 578 | 0.0 % | 0.0% |
| 7320 | SAN DIEGO, CA MSA | 12225 | 0.7 % | 0.9% |
| 7360 | SAN FRANCISCO, CA PMSA | 12602 | 0.8 % | 0.9% |
| 7400 | SAN JOSE, CA PMSA | 5361 | 0.3 % | 0.4% |
| 7440 | SAN JUAN-BAYAMON, PR PMSA | 1869 | 0.1 % | 0.1% |
| 7460 | SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA | 767 | 0.0 % | 0.1% |
| 7480 | SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA | 2506 | 0.2 % | 0.2% |
| 7485 | SANTA CRUZ-WATSONVILLE, CA PMSA | 1837 | 0.1 % | 0.1% |
| 7490 | SANTA FE, NM MSA | 771 | 0.0 % | 0.1% |
| 7500 | SANTA ROSA, CA PMSA | 4616 | 0.3 % | 0.3% |
| 7510 | SARASOTA-BRADENTON, FL MSA | 2041 | 0.1 % | 0.2% |
| 7520 | SAVANNAH, GA MSA | 1303 | 0.1 % | 0.1% |
| 7560 | SCRANTON--WILKES-BARRE--HAZLETON, PA MSA | 3361 | 0.2 % | 0.3% |
| 7600 | SEATTLE-BELLEVUE-EVERETT, WA PMSA | 14418 | 0.9 % | 1.1% |
| 7610 | SHARON, PA MSA | 937 | 0.1 % | 0.1% |
| 7620 | SHEBOYGAN, WI MSA | 393 | 0.0 % | 0.0% |
| 7680 | SHREVEPORT-BOSSIER CITY, LA MSA | 1348 | 0.1 % | 0.1% |
| 7720 | SIOUX CITY, IA-NE MSA | 2135 | 0.1 % | 0.2% |
| 7760 | SIOUX FALLS, SD MSA | 2446 | 0.1 % | 0.2% |
| 7800 | SOUTH BEND, IN MSA | 1289 | 0.1 % | 0.1% |
| 7840 | SPOKANE, WA MSA | 4240 | 0.3 % | 0.3% |
| 7880 | SPRINGFIELD, IL MSA | 571 | 0.0 % | 0.0% |
| 7920 | SPRINGFIELD, MO MSA | 2663 | 0.2 % | 0.2% |
| 8003 | SPRINGFIELD, MA NECMA | 7072 | 0.4 % | 0.5% |
| 8050 | STATE COLLEGE, PA MSA | 348 | 0.0 % | 0.0% |
| 8080 | STEUBENVILLE-WEIRTON, OH-WV MSA | 546 | 0.0 % | 0.0% |
| 8120 | STOCKTON-LODI, CA MSA | 2725 | 0.2 % | 0.2% |
| 8140 | SUMTER, SC MSA | 959 | 0.1 % | 0.1% |
| 8160 | SYRACUSE, NY MSA | 8390 | 0.5 % | 0.6% |
| 8200 | TACOMA, WA PMSA | 5542 | 0.3 % | 0.4% |
| 8240 | TALLAHASSEE, FL MSA | 721 | 0.0 % | 0.1% |
| 8280 | TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA | 14670 | 0.9 % | 1.1% |
| 8320 | TERRE HAUTE, IN MSA | 21 | 0.0 % | 0.0% |
| 8400 | TOLEDO, OH MSA | 5271 | 0.3 % | 0.4% |
| 8440 | TOPEKA, KS MSA | 2207 | 0.1 % | 0.2% |

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 8480 | TRENTON, NJ PMSA | 2525 | 0.2 % | 0.2% |
| 8560 | TULSA, OK MSA | 5189 | 0.3 % | 0.4% |
| 8600 | TUSCALOOSA, AL MSA | 1183 | 0.1 % | 0.1% |
| 8640 | TYLER, TX MSA | 77 | 0.0 % | 0.0% |
| 8680 | UTICA-ROME, NY MSA | 3012 | 0.2 % | 0.2% |
| 8720 | VALLEJO-FAIRFIELD-NAPA, CA PMSA | 1658 | 0.1 % | 0.1% |
| 8735 | VENTURA, CA PMSA | 2596 | 0.2 % | 0.2% |
| 8760 | VINELAND-MILLVILLE-BRIDGETON, NJ PMSA | 2459 | 0.2 % | 0.2% |
| 8780 | VISALIA-TULARE-PORTERVILLE, CA MSA | 1916 | 0.1 % | 0.1% |
| 8800 | WACO, TX MSA | 404 | 0.0 % | 0.0% |
| 8840 | WASHINGTON, DC-MD-VA-WV PMSA | 17679 | 1.1 % | 1.3% |
| 8920 | WATERLOO-CEDAR FALLS, IA MSA | 3215 | 0.2 % | 0.2% |
| 8940 | WAUSAU, WI MSA | 955 | 0.1 % | 0.1% |
| 8960 | WEST PALM BEACH-BOCA RATON, FL MSA | 5795 | 0.4 % | 0.4% |
| 9000 | WHEELING, WV-OH MSA | 389 | 0.0 % | 0.0% |
| 9040 | WICHITA, KS MSA | 5486 | 0.3 % | 0.4% |
| 9080 | WICHITA FALLS, TX MSA | 41 | 0.0 % | 0.0% |
| 9140 | WILLIAMSPORT, PA MSA | 418 | 0.0 % | 0.0% |
| 9160 | WILMINGTON-NEWARK, DE-MD PMSA | 3635 | 0.2 % | 0.3% |
| 9200 | WILMINGTON, NC MSA | 1478 | 0.1 % | 0.1% |
| 9260 | YAKIMA, WA MSA | 3983 | 0.2 % | 0.3% |
| 9270 | YOLO, CA PMSA | 1604 | 0.1 % | 0.1% |
| 9280 | YORK, PA MSA | 948 | 0.1 % | 0.1% |
| 9320 | YOUNGSTOWN-WARREN, OH MSA | 6173 | 0.4 % | 0.5% |
| 9340 | YUBA CITY, CA MSA | 720 | 0.0 % | 0.1% |
| -9 (M) | UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID | 305322 | 18.7 % | - |

Based upon 1331771 valid cases out of 1637093 total cases.

| **REGION** | **CENSUS REGION** |
|---|---|
| Location: | 48-49 (width: 2; decimal: 0) |
| Variable Type: | numeric |
| Range of Missing Values (M): | -9 |
| Question: | |

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico

- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont)

and Middle Atlantic Division (New Jersey, New York, Pennsylvania).

- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).

- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).

- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | US JURISDICTION/TERRITORY | 4652 | 0.3 % | 0.3% |
| 1 | NORTHEAST | 499281 | 30.5 % | 30.5% |
| 2 | MIDWEST | 403842 | 24.7 % | 24.7% |
| 3 | SOUTH | 350897 | 21.4 % | 21.4% |
| 4 | WEST | 378421 | 23.1 % | 23.1% |

Based upon 1637093 valid cases out of 1637093 total cases.

| **DIVISION** | **CENSUS DIVISION** |
|---|---|
| Location: | 50-51 (width: 2; decimal: 0) |
| Variable Type: | numeric |
| Range of Missing Values (M): | -9 |
| Question: | |

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico

- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.

- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.

- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.

- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.

- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.

- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.

- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.

- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.

- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | US JURISDICTION/TERRITORY | 4652 | 0.3 % | 0.3% |
| 1 | NEW ENGLAND | 148404 | 9.1 % | 9.1% |
| 2 | MID-ATLANTIC | 350877 | 21.4 % | 21.4% |
| 3 | EAST NORTH CENTRAL | 243700 | 14.9 % | 14.9% |
| 4 | WEST NORTH CENTRAL | 160142 | 9.8 % | 9.8% |
| 5 | SOUTH ATLANTIC | 261162 | 16.0 % | 16.0% |
| 6 | EAST SOUTH CENTRAL | 28745 | 1.8 % | 1.8% |
| 7 | WEST SOUTH CENTRAL | 60990 | 3.7 % | 3.7% |
| 8 | MOUNTAIN | 100121 | 6.1 % | 6.1% |
| 9 | PACIFIC | 278300 | 17.0 % | 17.0% |

Based upon 1637093 valid cases out of 1637093 total cases.

**SERVSETA** **SERVICE SETTING AT ADMISSION**

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT: 24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL: 24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.

- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX): 24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other

drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):
  Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):
  Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

- AMBULATORY - INTENSIVE OUTPATIENT:
  As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.

- AMBULATORY - NON-INTENSIVE OUTPATIENT:
  Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.

- AMBULATORY - DETOXIFICATION:
  Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | DETOX, 24 HR, HOSPITAL INPATIENT | 70912 | 4.3 % | 4.3% |
| 2 | DETOX, 24 HR, FREE-STANDING RESIDENTIAL | 254089 | 15.5 % | 15.5% |
| 3 | REHAB/RES, HOSPITAL (NON-DETOX) | 19578 | 1.2 % | 1.2% |
| 4 | REHAB/RES, SHORT TERM (30 DAYS OR FEWER) | 130006 | 7.9 % | 7.9% |
| 5 | REHAB/RES, LONG TERM (MORE THAN 30 DAYS) | 127433 | 7.8 % | 7.8% |
| 6 | AMBULATORY, INTENSIVE OUTPATIENT | 140047 | 8.6 % | 8.6% |
| 7 | AMBULATORY, NON-INTENSIVE OUTPATIENT. | 829225 | 50.7 % | 50.7% |
| 8 | AMBULATORY, DETOXIFICATION | 65493 | 4.0 % | 4.0% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 310 | 0.0 % | - |

Based upon 1636783 valid cases out of 1637093 total cases.

| **METHUSE** | **MEDICATION-ASSISTED OPIOID THERAPY** |
|---|---|
| Location: | 54-55 (width: 2; decimal: 0) |
| Variable Type: | numeric |
| Range of Missing Values (M): | -9 |
| Question: | This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan. |

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | YES | 98272 | 6.0 % | 6.3% |
| 2 | NO | 1454387 | 88.8 % | 93.7% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 84434 | 5.2 % | - |

Based upon 1552659 valid cases out of 1637093 total cases.

**DAYWAIT** **DAYS WAITING TO ENTER TREATMENT**

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Based upon 296354 valid cases out of 1637093 total cases.

- Mean: 5.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 30.08

**PSOURCE** **PRINCIPAL SOURCE OF REFERRAL**

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.

- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other

drug abuse prevention, education, or treatment.

- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.

- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.

- EMPLOYER/EAP: A supervisor or an employee counselor.

- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.

- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | INDIVIDUAL (INCLUDES SELF-REFERRAL) | 543650 | 33.2 % | 34.1% |
| 2 | ALCOHOL/DRUG ABUSE CARE PROVIDER | 213127 | 13.0 % | 13.4% |
| 3 | OTHER HEALTH CARE PROVIDER | 117196 | 7.2 % | 7.4% |
| 4 | SCHOOL (EDUCATIONAL) | 22523 | 1.4 % | 1.4% |
| 5 | EMPLOYER/EAP | 22822 | 1.4 % | 1.4% |
| 6 | OTHER COMMUNITY REFERRAL | 135251 | 8.3 % | 8.5% |
| 7 | COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI | 538170 | 32.9 % | 33.8% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 44354 | 2.7 % | - |

Based upon 1592739 valid cases out of 1637093 total cases.

| **DETCRIM** | **DETAILED CRIMINAL JUSTICE REFERRAL** |
|---|---|
| Location: | 61-62 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M): -9

Question:

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT

- PROBATION/PAROLE

- DIVERSIONARY PROGRAM (e.g. TASC)

- PRISON

- DUI/DWI

- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | STATE/FEDERAL COURT, OTHER COURT | 65022 | 4.0 % | 20.5% |
| 3 | PROBATION/PAROLE | 118232 | 7.2 % | 37.2% |
| 5 | DIVERSIONARY PROGRAM | 10768 | 0.7 % | 3.4% |
| 6 | PRISON | 14125 | 0.9 % | 4.4% |
| 7 | DUI/DWI | 60371 | 3.7 % | 19.0% |
| 8 | OTHER RECOGNIZED LEGAL ENTITY, OTHER | 49208 | 3.0 % | 15.5% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 1319367 | 80.6 % | - |

Based upon 317726 valid cases out of 1637093 total cases.

## NOPRIOR NUMBER OF PRIOR TREATMENT EPISODES

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be

derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | NO PRIOR TREATMENT EPISODES | 609983 | 37.3 % | 42.7% |
| 1 | 1 PRIOR TREATMENT EPISODES | 322296 | 19.7 % | 22.6% |
| 2 | 2 PRIOR TREATMENT EPISODES | 172144 | 10.5 % | 12.0% |
| 3 | 3 PRIOR TREATMENT EPISODES | 98233 | 6.0 % | 6.9% |
| 4 | 4 PRIOR TREATMENT EPISODES | 56668 | 3.5 % | 4.0% |
| 5 | 5 OR MORE PRIOR TREATMENT EPISODES | 169338 | 10.3 % | 11.9% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 208431 | 12.7 % | - |

Based upon 1428662 valid cases out of 1637093 total cases.

**SUB1** **SUBSTANCE PROBLEM CODE (PRIMARY)**

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's primary substance problem.

(1) NONE

(2) ALCOHOL

(3) COCAINE/CRACK

(4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.

(5) HEROIN

(6) NON-PRESCRIPTION METHADONE

(7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

(8) PCP: Phencyclidine

(9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | NONE | 22620 | 1.4 % | 1.4% |
| 2 | ALCOHOL | 831123 | 50.8 % | 51.2% |
| 3 | COCAINE/CRACK | 263196 | 16.1 % | 16.2% |
| 4 | MARIJUANA/HASHISH | 192191 | 11.7 % | 11.8% |
| 5 | HEROIN | 224092 | 13.7 % | 13.8% |
| 6 | NON-PRESCRIPTION METHADONE | 1295 | 0.1 % | 0.1% |
| 7 | OTHER OPIATES AND SYNTHETICS | 15248 | 0.9 % | 0.9% |
| 8 | PCP | 2502 | 0.2 % | 0.2% |
| 9 | OTHER HALLUCINOGENS | 2825 | 0.2 % | 0.2% |
| 10 | METHAMPHETAMINE | 40979 | 2.5 % | 2.5% |
| 11 | OTHER AMPHETAMINES | 10904 | 0.7 % | 0.7% |
| 12 | OTHER STIMULANTS | 975 | 0.1 % | 0.1% |
| 13 | BENZODIAZEPINES | 3520 | 0.2 % | 0.2% |
| 14 | OTHER NON-BENZODIAZEPINE TRANQUILIZERS | 1008 | 0.1 % | 0.1% |
| 15 | BARBITURATES | 1430 | 0.1 % | 0.1% |
| 16 | OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS | 1863 | 0.1 % | 0.1% |
| 17 | INHALANTS | 1926 | 0.1 % | 0.1% |

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 18 | OVER-THE-COUNTER MEDICATIONS | 541 | 0.0 % | 0.0% |
| 20 | OTHER | 3680 | 0.2 % | 0.2% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 15175 | 0.9 % | - |

Based upon 1621918 valid cases out of 1637093 total cases.

**ROUTE1** **USUAL ROUTE OF ADMINISTRATION (PRIMARY)**

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the primary substance.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 1 | ORAL | 839230 | 51.3 % | 54.6% |
| 2 | SMOKING | 400636 | 24.5 % | 26.0% |
| 3 | INHALATION | 119356 | 7.3 % | 7.8% |
| 4 | INJECTION (IV OR INTRAMUSCULAR) | 174666 | 10.7 % | 11.4% |
| 20 | OTHER | 4239 | 0.3 % | 0.3% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 98966 | 6.0 % | - |

Based upon 1538127 valid cases out of 1637093 total cases.

**FREQ1** **FREQUENCY OF USE (PRIMARY)**

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the primary substance.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 1 | NO USE IN THE PAST MONTH | 362326 | 22.1 % | 23.9% |
| 2 | 1-3 TIMES IN THE PAST MONTH | 171390 | 10.5 % | 11.3% |
| 3 | 1-2 TIMES IN THE PAST WEEK | 147221 | 9.0 % | 9.7% |
| 4 | 3-6 TIMES IN THE PAST WEEK | 186099 | 11.4 % | 12.3% |
| 5 | DAILY | 649478 | 39.7 % | 42.8% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 120579 | 7.4 % | - |

Based upon 1516514 valid cases out of 1637093 total cases.

**FRSTUSE1** **AGE AT FIRST USE (PRIMARY)**

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | 11 AND UNDER | 135870 | 8.3 % | 8.7% |
| 2 | 12-14 | 349800 | 21.4 % | 22.5% |
| 3 | 15-17 | 442197 | 27.0 % | 28.4% |
| 4 | 18-20 | 255972 | 15.6 % | 16.5% |
| 5 | 21-24 | 140887 | 8.6 % | 9.1% |
| 6 | 25-29 | 111165 | 6.8 % | 7.1% |
| 7 | 30-34 | 62836 | 3.8 % | 4.0% |
| 8 | 35-39 | 33145 | 2.0 % | 2.1% |
| 9 | 40-44 | 14277 | 0.9 % | 0.9% |
| 10 | 45-49 | 5564 | 0.3 % | 0.4% |
| 11 | 50-54 | 2139 | 0.1 % | 0.1% |
| 12 | 55 AND OVER | 1604 | 0.1 % | 0.1% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 81637 | 5.0 % | - |

Based upon 1555456 valid cases out of 1637093 total cases.

**SUB2** **SUBSTANCE PROBLEM CODE (SECONDARY)**

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's secondary substance problem.

(1) NONE

(2) ALCOHOL

(3) COCAINE/CRACK

(4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.

(5) HEROIN

(6) NON-PRESCRIPTION METHADONE

(7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

(8) PCP: Phencyclidine

(9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | NONE | 542327 | 33.1 % | 37.8% |
| 2 | ALCOHOL | 278050 | 17.0 % | 19.4% |
| 3 | COCAINE/CRACK | 243264 | 14.9 % | 17.0% |
| 4 | MARIJUANA/HASHISH | 253701 | 15.5 % | 17.7% |
| 5 | HEROIN | 30103 | 1.8 % | 2.1% |
| 6 | NON-PRESCRIPTION METHADONE | 2609 | 0.2 % | 0.2% |
| 7 | OTHER OPIATES AND SYNTHETICS | 11254 | 0.7 % | 0.8% |
| 8 | PCP | 2657 | 0.2 % | 0.2% |
| 9 | OTHER HALLUCINOGENS | 7340 | 0.4 % | 0.5% |
| 10 | METHAMPHETAMINE | 25113 | 1.5 % | 1.8% |
| 11 | OTHER AMPHETAMINES | 9246 | 0.6 % | 0.6% |
| 12 | OTHER STIMULANTS | 2175 | 0.1 % | 0.2% |
| 13 | BENZODIAZEPINES | 8589 | 0.5 % | 0.6% |
| 14 | OTHER NON-BENZODIAZEPINE TRANQUILIZERS | 2622 | 0.2 % | 0.2% |
| 15 | BARBITURATES | 2396 | 0.1 % | 0.2% |

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 16 | OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS | 3189 | 0.2 % | 0.2% |
| 17 | INHALANTS | 1581 | 0.1 % | 0.1% |
| 18 | OVER-THE-COUNTER MEDICATIONS | 1032 | 0.1 % | 0.1% |
| 20 | OTHER | 5818 | 0.4 % | 0.4% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 204027 | 12.5 % | - |

Based upon 1433066 valid cases out of 1637093 total cases.

**ROUTE2** **USUAL ROUTE OF ADMINISTRATION (SECONDARY)**

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the secondary substance.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 1 | ORAL | 316268 | 19.3 % | 37.1% |
| 2 | SMOKING | 379625 | 23.2 % | 44.5% |
| 3 | INHALATION | 81469 | 5.0 % | 9.6% |
| 4 | INJECTION (IV OR INTRAMUSCULAR) | 72266 | 4.4 % | 8.5% |
| 20 | OTHER | 2821 | 0.2 % | 0.3% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 784644 | 47.9 % | - |

Based upon 852449 valid cases out of 1637093 total cases.

**FREQ2** **FREQUENCY OF USE (SECONDARY)**

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the secondary substance.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 1 | NO USE IN THE PAST MONTH | 298010 | 18.2 % | 34.1% |
| 2 | 1-3 TIMES IN THE PAST MONTH | 127591 | 7.8 % | 14.6% |
| 3 | 1-2 TIMES IN THE PAST WEEK | 105336 | 6.4 % | 12.1% |
| 4 | 3-6 TIMES IN THE PAST WEEK | 100813 | 6.2 % | 11.5% |
| 5 | DAILY | 242204 | 14.8 % | 27.7% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 763139 | 46.6 % | - |

Based upon 873954 valid cases out of 1637093 total cases.

**FRSTUSE2** **AGE AT FIRST USE (SECONDARY)**

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | 11 AND UNDER | 128283 | 7.8 % | 13.9% |
| 2 | 12-14 | 205938 | 12.6 % | 22.3% |
| 3 | 15-17 | 243990 | 14.9 % | 26.5% |
| 4 | 18-20 | 134490 | 8.2 % | 14.6% |
| 5 | 21-24 | 72612 | 4.4 % | 7.9% |
| 6 | 25-29 | 62244 | 3.8 % | 6.7% |
| 7 | 30-34 | 37485 | 2.3 % | 4.1% |
| 8 | 35-39 | 21253 | 1.3 % | 2.3% |
| 9 | 40-44 | 9942 | 0.6 % | 1.1% |
| 10 | 45-49 | 3793 | 0.2 % | 0.4% |
| 11 | 50-54 | 1385 | 0.1 % | 0.2% |
| 12 | 55 AND OVER | 722 | 0.0 % | 0.1% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 714956 | 43.7 % | - |

Based upon 922137 valid cases out of 1637093 total cases.

## SUB3 SUBSTANCE PROBLEM CODE (TERTIARY)

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's tertiary substance problem.

(1) NONE

(2) ALCOHOL

(3) COCAINE/CRACK

(4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.

(5) HEROIN

(6) NON-PRESCRIPTION METHADONE

(7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

(8) PCP: Phencyclidine

(9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | NONE | 886396 | 54.1 % | 70.8% |
| 2 | ALCOHOL | 89074 | 5.4 % | 7.1% |
| 3 | COCAINE/CRACK | 73230 | 4.5 % | 5.9% |
| 4 | MARIJUANA/HASHISH | 111004 | 6.8 % | 8.9% |
| 5 | HEROIN | 15075 | 0.9 % | 1.2% |
| 6 | NON-PRESCRIPTION METHADONE | 1661 | 0.1 % | 0.1% |
| 7 | OTHER OPIATES AND SYNTHETICS | 6414 | 0.4 % | 0.5% |
| 8 | PCP | 2934 | 0.2 % | 0.2% |
| 9 | OTHER HALLUCINOGENS | 14551 | 0.9 % | 1.2% |
| 10 | METHAMPHETAMINE | 16485 | 1.0 % | 1.3% |
| 11 | OTHER AMPHETAMINES | 7958 | 0.5 % | 0.6% |
| 12 | OTHER STIMULANTS | 2082 | 0.1 % | 0.2% |
| 13 | BENZODIAZEPINES | 7167 | 0.4 % | 0.6% |

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 14 | OTHER NON-BENZODIAZEPINE TRANQUILIZERS | 2534 | 0.2 % | 0.2% |
| 15 | BARBITURATES | 2314 | 0.1 % | 0.2% |
| 16 | OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS | 2561 | 0.2 % | 0.2% |
| 17 | INHALANTS | 2487 | 0.2 % | 0.2% |
| 18 | OVER-THE-COUNTER MEDICATIONS | 1152 | 0.1 % | 0.1% |
| 20 | OTHER | 6053 | 0.4 % | 0.5% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 385961 | 23.6 % | - |

Based upon 1251132 valid cases out of 1637093 total cases.

**ROUTE3** **USUAL ROUTE OF ADMINISTRATION (TERTIARY)**

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the tertiary substance.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 1 | ORAL | 115808 | 7.1 % | 37.8% |
| 2 | SMOKING | 126461 | 7.7 % | 41.3% |
| 3 | INHALATION | 40994 | 2.5 % | 13.4% |
| 4 | INJECTION (IV OR INTRAMUSCULAR) | 20781 | 1.3 % | 6.8% |
| 20 | OTHER | 2475 | 0.2 % | 0.8% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 1330574 | 81.3 % | - |

Based upon 306519 valid cases out of 1637093 total cases.

**FREQ3** **FREQUENCY OF USE (TERTIARY)**

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the tertiary substance.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 1 | NO USE IN THE PAST MONTH | 182590 | 11.2 % | 50.8% |
| 2 | 1-3 TIMES IN THE PAST MONTH | 49299 | 3.0 % | 13.7% |
| 3 | 1-2 TIMES IN THE PAST WEEK | 35229 | 2.2 % | 9.8% |
| 4 | 3-6 TIMES IN THE PAST WEEK | 28676 | 1.8 % | 8.0% |
| 5 | DAILY | 63525 | 3.9 % | 17.7% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 1277774 | 78.1 % | - |

Based upon 359319 valid cases out of 1637093 total cases.

## FRSTUSE3 — AGE AT FIRST USE (TERTIARY)

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | 11 AND UNDER | 126392 | 7.7 % | 30.0% |
| 2 | 12-14 | 82458 | 5.0 % | 19.6% |
| 3 | 15-17 | 96144 | 5.9 % | 22.8% |
| 4 | 18-20 | 49702 | 3.0 % | 11.8% |
| 5 | 21-24 | 24722 | 1.5 % | 5.9% |
| 6 | 25-29 | 19929 | 1.2 % | 4.7% |
| 7 | 30-34 | 11812 | 0.7 % | 2.8% |
| 8 | 35-39 | 6142 | 0.4 % | 1.5% |
| 9 | 40-44 | 2674 | 0.2 % | 0.6% |
| 10 | 45-49 | 941 | 0.1 % | 0.2% |
| 11 | 50-54 | 305 | 0.0 % | 0.1% |
| 12 | 55 AND OVER | 146 | 0.0 % | 0.0% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 1215726 | 74.3 % | - |

Based upon 421367 valid cases out of 1637093 total cases.

## NUMSUBS — NUMBER OF SUBSTANCES REPORTED AT ADM.

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

| *Value* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|
| 0 | 36766 | 2.2 % | 2.2% |
| 1 | 707511 | 43.2 % | 43.2% |
| 2 | 531186 | 32.4 % | 32.4% |
| 3 | 361630 | 22.1 % | 22.1% |

Based upon 1637093 valid cases out of 1637093 total cases.

## IDU — CURRENT IV DRUG USE REPORTED AT ADM.

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8

Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 0 | NO IDU REPORTED | 1388113 | 84.8 % | 86.7% |
| 1 | IDU REPORTED | 212371 | 13.0 % | 13.3% |
| -8 (M) | NO SUBSTANCES REPORTED | 36609 | 2.2 % | - |

Based upon 1600484 valid cases out of 1637093 total cases.

**ALCFLG** **ALCOHOL REPORTED AT ADM.**

Location: 93-93 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 440210 | 26.9 % | 26.9% |
| 1 | SUBSTANCE REPORTED | 1196883 | 73.1 % | 73.1% |

Based upon 1637093 valid cases out of 1637093 total cases.

**COKEFLG** **COCAINE/CRACK REPORTED AT ADM.**

Location: 94-94 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1065922 | 65.1 % | 65.1% |
| 1 | SUBSTANCE REPORTED | 571171 | 34.9 % | 34.9% |

Based upon 1637093 valid cases out of 1637093 total cases.

**MARFLG** **MARIJUANA/HASHISH REPORTED AT ADM.**

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % | Valid % |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1080726 | 66.0 % | 66.0% |
| 1 | SUBSTANCE REPORTED | 556367 | 34.0 % | 34.0% |

Based upon 1637093 valid cases out of 1637093 total cases.

**HERFLG** **HEROIN REPORTED AT ADM.**

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1368016 | 83.6 % | 83.6% |
| 1 | SUBSTANCE REPORTED | 269077 | 16.4 % | 16.4% |

Based upon 1637093 valid cases out of 1637093 total cases.

**METHFLG** **NON-RX METHADONE REPORTED AT ADM.**

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1631534 | 99.7 % | 99.7% |
| 1 | SUBSTANCE REPORTED | 5559 | 0.3 % | 0.3% |

Based upon 1637093 valid cases out of 1637093 total cases.

**OPSYNFLG** **OTHER OPIATES/SYNTHETICS REPORTED AT ADM.**

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1604375 | 98.0 % | 98.0% |
| 1 | SUBSTANCE REPORTED | 32718 | 2.0 % | 2.0% |

Based upon 1637093 valid cases out of 1637093 total cases.

**PCPFLG** **PCP REPORTED AT ADM.**

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1629008 | 99.5 % | 99.5% |
| 1 | SUBSTANCE REPORTED | 8085 | 0.5 % | 0.5% |

Based upon 1637093 valid cases out of 1637093 total cases.

**HALLFLG** **OTHER HALLUCINOGENS REPORTED AT ADM.**

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1612425 | 98.5 % | 98.5% |
| 1 | SUBSTANCE REPORTED | 24668 | 1.5 % | 1.5% |

Based upon 1637093 valid cases out of 1637093 total cases.

**MTHAMFLG** **METHAMPHETAMINE REPORTED AT ADM.**

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1554549 | 95.0 % | 95.0% |
| 1 | SUBSTANCE REPORTED | 82544 | 5.0 % | 5.0% |

Based upon 1637093 valid cases out of 1637093 total cases.

**AMPHFLG** **OTHER AMPHETAMINES REPORTED AT ADM.**

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1609042 | 98.3 % | 98.3% |
| 1 | SUBSTANCE REPORTED | 28051 | 1.7 % | 1.7% |

Based upon 1637093 valid cases out of 1637093 total cases.

**STIMFLG** **OTHER STIMULANTS REPORTED AT ADM.**

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1631875 | 99.7 % | 99.7% |
| 1 | SUBSTANCE REPORTED | 5218 | 0.3 % | 0.3% |

Based upon 1637093 valid cases out of 1637093 total cases.

**BENZFLG** **BENZODIAZEPINES REPORTED AT ADM.**

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1617891 | 98.8 % | 98.8% |
| 1 | SUBSTANCE REPORTED | 19202 | 1.2 % | 1.2% |

Based upon 1637093 valid cases out of 1637093 total cases.

**TRNQFLG** **OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.**

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1630936 | 99.6 % | 99.6% |
| 1 | SUBSTANCE REPORTED | 6157 | 0.4 % | 0.4% |

Based upon 1637093 valid cases out of 1637093 total cases.

**BARBFLG** **BARBITURATES REPORTED AT ADM.**

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1630958 | 99.6 % | 99.6% |
| 1 | SUBSTANCE REPORTED | 6135 | 0.4 % | 0.4% |

Based upon 1637093 valid cases out of 1637093 total cases.

**SEDHPFLG** **OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.**

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1629488 | 99.5 % | 99.5% |
| 1 | SUBSTANCE REPORTED | 7605 | 0.5 % | 0.5% |

Based upon 1637093 valid cases out of 1637093 total cases.

**INHFLG** **INHALANTS REPORTED AT ADM.**

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1631104 | 99.6 % | 99.6% |
| 1 | SUBSTANCE REPORTED | 5989 | 0.4 % | 0.4% |

Based upon 1637093 valid cases out of 1637093 total cases.

**OTCFLG** **OVER-THE-COUNTER MEDICATION REPORTED AT ADM.**

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1634369 | 99.8 % | 99.8% |
| 1 | SUBSTANCE REPORTED | 2724 | 0.2 % | 0.2% |

Based upon 1637093 valid cases out of 1637093 total cases.

**OTHERFLG** **OTHER DRUG REPORTED AT ADM.**

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | SUBSTANCE NOT REPORTED | 1621675 | 99.1 % | 99.1% |
| 1 | SUBSTANCE REPORTED | 15418 | 0.9 % | 0.9% |

Based upon 1637093 valid cases out of 1637093 total cases.

**ALCDRUG** **SUBSTANCE ABUSE TYPE**

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

Question: Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | NONE | 36766 | 2.2 % | 2.2% |
| 1 | ALCOHOL ONLY | 472628 | 28.9 % | 28.9% |
| 2 | OTHER DRUGS ONLY | 403444 | 24.6 % | 24.6% |
| 3 | ALCOHOL AND OTHER DRUGS | 724255 | 44.2 % | 44.2% |

Based upon 1637093 valid cases out of 1637093 total cases.

| DSMCRIT | DSM DIAGNOSIS |
|---|---|

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 0 | NO DIAGNOSIS | 7180 | 0.4 % | 1.8% |
| 1 | ALCOHOL-INDUCED DISORDER | 1290 | 0.1 % | 0.3% |
| 2 | SUBSTANCE-INDUCED DISORDER | 1277 | 0.1 % | 0.3% |
| 3 | ALCOHOL INTOXICATION | 36893 | 2.3 % | 9.3% |
| 4 | ALCOHOL DEPENDENCE | 121503 | 7.4 % | 30.6% |
| 5 | OPIOID DEPENDENCE | 51796 | 3.2 % | 13.1% |
| 6 | COCAINE DEPENDENCE | 56021 | 3.4 % | 14.1% |
| 7 | CANNABIS DEPENDENCE | 22929 | 1.4 % | 5.8% |
| 8 | OTHER SUBSTANCE DEPENDENCE | 18245 | 1.1 % | 4.6% |
| 9 | ALCOHOL ABUSE | 42032 | 2.6 % | 10.6% |
| 10 | CANNABIS ABUSE | 16401 | 1.0 % | 4.1% |
| 11 | OTHER SUBSTANCE ABUSE | 2714 | 0.2 % | 0.7% |
| 12 | OPIOID ABUSE | 952 | 0.1 % | 0.2% |
| 13 | COCAINE ABUSE | 7421 | 0.5 % | 1.9% |
| 14 | ANXIETY DISORDERS | 565 | 0.0 % | 0.1% |
| 15 | DEPRESSIVE DISORDERS | 1974 | 0.1 % | 0.5% |
| 16 | SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS | 1085 | 0.1 % | 0.3% |
| 17 | BIPOLAR DISORDERS | 655 | 0.0 % | 0.2% |
| 18 | ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS | 443 | 0.0 % | 0.1% |
| 19 | OTHER MENTAL HEALTH CONDITION | 2022 | 0.1 % | 0.5% |
| 20 | OTHER CONDITION | 3243 | 0.2 % | 0.8% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 1240452 | 75.8 % | - |

Based upon 396641 valid cases out of 1637093 total cases.

| PSYPROB | PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM |
|---|---|

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | YES | 164391 | 10.0 % | 15.3% |
| 2 | NO | 909733 | 55.6 % | 84.7% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 562969 | 34.4 % | - |

Based upon 1074124 valid cases out of 1637093 total cases.

## HLTHINS — HEALTH INSURANCE

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | PRIVATE INSURANCE, BC/BS, HMO | 119887 | 7.3 % | 15.2% |
| 2 | MEDICAID | 103221 | 6.3 % | 13.1% |
| 3 | MEDICARE, OTHER (E.G. TRICARE, CHAMPUS) | 71492 | 4.4 % | 9.1% |
| 4 | NONE | 494655 | 30.2 % | 62.7% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 847838 | 51.8 % | - |

Based upon 789255 valid cases out of 1637093 total cases.

## PRIMPAY — EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 1 | SELF-PAY | 162124 | 9.9 % | 30.0% |
| 2 | BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES | 50617 | 3.1 % | 9.4% |

| *Value* | *Label* | *Unweighted Frequency* | *%* | *Valid %* |
|---|---|---|---|---|
| 3 | MEDICARE, WORKER'S COMPENSATION | 7025 | 0.4 % | 1.3% |
| 4 | MEDICAID | 71854 | 4.4 % | 13.3% |
| 5 | OTHER GOVERNMENT PAYMENTS | 138757 | 8.5 % | 25.7% |
| 8 | NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING) | 66139 | 4.0 % | 12.2% |
| 9 | OTHER | 43515 | 2.7 % | 8.1% |
| -9 (M) | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 1097062 | 67.0 % | - |

Based upon 540031 valid cases out of 1637093 total cases.

# APPENDIX

# APPENDIX A

## TEDS-A Variable Information (Alphabetical Order)

| Variable | Source[3] | Type | Len | Start | End | Label |
|---|---|---|---|---|---|---|
| AGE | MDS | Num | 2 | 13 | 14 | AGE (RECODED) |
| ALCDRUG | Added | Num | 2 | 111 | 112 | SUBSTANCE ABUSE TYPE |
| ALCFLG | Added | Num | 1 | 93 | 93 | ALCOHOL REPORTED AT ADM. |
| AMPHFLG | Added | Num | 1 | 102 | 102 | OTHER AMPHETAMINES REPORTED AT ADM. |
| BARBFLG | Added | Num | 1 | 106 | 106 | BARBITURATES REPORTED AT ADM. |
| BENZFLG | Added | Num | 1 | 104 | 104 | BENZODIAZEPINES REPORTED AT ADM. |
| CASEID | Added | Num | 8 | 1 | 8 | CASE IDENTIFICATION NUMBER |
| CBSA | Added | Num | 5 | 39 | 43 | FIPS 2000 CBSA CODE |
| COKEFLG | Added | Num | 1 | 94 | 94 | COCAINE/CRACK REPORTED AT ADM. |
| DAYWAIT | SuDS | Num | 3 | 56 | 58 | DAYS WAITING TO ENTER TREATMENT |
| DETCRIM | SuDS | Num | 2 | 61 | 62 | DETAILED CRIMINAL JUSTICE REFERRAL |
| DETNLF | SuDS | Num | 2 | 27 | 28 | DETAILED 'NOT IN LABOR FORCE' CATEGORY |
| DIVISION | Added | Num | 2 | 50 | 51 | CENSUS DIVISION |
| DSMCRIT | SuDS | Num | 2 | 113 | 114 | DSM DIAGNOSIS |
| EDUC | MDS | Num | 2 | 23 | 24 | EDUCATION |
| EMPLOY | MDS | Num | 2 | 25 | 26 | EMPLOYMENT STATUS |
| ETHNIC | MDS | Num | 2 | 19 | 20 | ETHNICITY (HISPANIC ORIGIN) |
| FREQ1 | MDS | Num | 2 | 69 | 70 | FREQUENCY OF USE (PRIMARY) |

[3] MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

| Variable | Source[3] | Type | Len | Start | End | Label |
|---|---|---|---|---|---|---|
| FREQ2 | MDS | Num | 2 | 77 | 78 | FREQUENCY OF USE (SECONDARY) |
| FREQ3 | MDS | Num | 2 | 85 | 86 | FREQUENCY OF USE (TERTIARY) |
| FRSTUSE1 | MDS | Num | 2 | 71 | 72 | AGE AT FIRST USE (PRIMARY) |
| FRSTUSE2 | MDS | Num | 2 | 79 | 80 | AGE AT FIRST USE (SECONDARY) |
| FRSTUSE3 | MDS | Num | 2 | 87 | 88 | AGE AT FIRST USE (TERTIARY) |
| GENDER | MDS | Num | 2 | 15 | 16 | SEX |
| HALLFLG | Added | Num | 1 | 100 | 100 | OTHER HALLUCINOGENS REPORTED AT ADM. |
| HERFLG | Added | Num | 1 | 96 | 96 | HEROIN REPORTED AT ADM. |
| HLTHINS | SuDS | Num | 2 | 117 | 118 | HEALTH INSURANCE |
| IDU | Added | Num | 2 | 91 | 92 | CURRENT IV DRUG USE REPORTED AT ADM. |
| INHFLG | Added | Num | 1 | 108 | 108 | INHALANTS REPORTED AT ADM. |
| LIVARAG | SuDS | Num | 2 | 33 | 34 | LIVING ARRANGEMENT |
| MARFLG | Added | Num | 1 | 95 | 95 | MARIJUANA/HASHISH REPORTED AT ADM. |
| MARSTAT | SuDS | Num | 2 | 21 | 22 | MARITAL STATUS |
| METHFLG | Added | Num | 1 | 97 | 97 | NON-RX METHADONE REPORTED AT ADM. |
| METHUSE | MDS | Num | 2 | 54 | 55 | MEDICATION-ASSISTED OPIOID THERAPY |
| MTHAMFLG | Added | Num | 1 | 101 | 101 | METHAMPHETAMINE REPORTED AT ADM. |
| NOPRIOR | MDS | Num | 2 | 63 | 64 | NUMBER OF PRIOR TREATMENT EPISODES |
| NUMSUBS | Added | Num | 2 | 89 | 90 | NUMBER OF SUBSTANCES REPORTED AT ADM. |
| OPSYNFLG | Added | Num | 1 | 98 | 98 | OTHER OPIATES/SYNTHETICS REPORTED AT ADM. |
| OTCFLG | Added | Num | 1 | 109 | 109 | OVER-THE-COUNTER MEDICATION REPORTED AT ADM. |
| OTHERFLG | Added | Num | 1 | 110 | 110 | OTHER DRUG REPORTED AT ADM. |
| PCPFLG | Added | Num | 1 | 99 | 99 | PCP REPORTED AT ADM. |

| Variable | Source[3] | Type | Len | Start | End | Label |
|---|---|---|---|---|---|---|
| PMSA | Added | Num | 4 | 44 | 47 | FIPS 1990 MSA CODE |
| PREG | SuDS | Num | 2 | 29 | 30 | PREGNANT AT TIME OF ADMISSION |
| PRIMINC | SuDS | Num | 2 | 35 | 36 | SOURCE OF INCOME/SUPPORT |
| PRIMPAY | SuDS | Num | 2 | 119 | 120 | EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT |
| PSOURCE | MDS | Num | 2 | 59 | 60 | PRINCIPAL SOURCE OF REFERRAL |
| PSYPROB | SuDS | Num | 2 | 115 | 116 | PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM |
| RACE | MDS | Num | 2 | 17 | 18 | RACE |
| REGION | Added | Num | 2 | 48 | 49 | CENSUS REGION |
| ROUTE1 | MDS | Num | 2 | 67 | 68 | USUAL ROUTE OF ADMINISTRATION (PRIMARY) |
| ROUTE2 | MDS | Num | 2 | 75 | 76 | USUAL ROUTE OF ADMINISTRATION (SECONDARY) |
| ROUTE3 | MDS | Num | 2 | 83 | 84 | USUAL ROUTE OF ADMINISTRATION (TERTIARY) |
| SEDHPFLG | Added | Num | 1 | 107 | 107 | OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM. |
| SERVSETA | MDS | Num | 2 | 52 | 53 | SERVICE SETTING AT ADMISSION |
| STFIPS | Added | Num | 2 | 37 | 38 | CENSUS STATE FIPS CODE |
| STIMFLG | Added | Num | 1 | 103 | 103 | OTHER STIMULANTS REPORTED AT ADM. |
| SUB1 | MDS | Num | 2 | 65 | 66 | SUBSTANCE PROBLEM CODE (PRIMARY) |
| SUB2 | MDS | Num | 2 | 73 | 74 | SUBSTANCE PROBLEM CODE (SECONDARY) |
| SUB3 | MDS | Num | 2 | 81 | 82 | SUBSTANCE PROBLEM CODE (TERTIARY) |
| TRNQFLG | Added | Num | 1 | 105 | 105 | OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM. |
| VET | SuDS | Num | 2 | 31 | 32 | VETERAN STATUS |
| YEAR | Added | Num | 4 | 9 | 12 | YEAR OF ADMISSION |

# APPENDIX B

## Variable Recode Table

| Variable | Original Codes (original percentage) | Recodes |
|---|---|---|
| **AGE**<br><br>Age (Recoded) | Continuous (12-99) | 12-14<br>15-17<br>18-20<br>21-24<br>25-29<br>30-34<br>35-39<br>40-44<br>45-49<br>50-54<br>55 and Over |
| **MARSTAT**<br><br>Marital Status | 1 Never Married (52.7%)<br>2 Now Married (18.9%)<br>3 Separated (8.6%)<br>4 Divorced (18.1%)<br>5 Widowed (1.6%) | 1 Never Married<br>2 Now Married<br>3 Separated<br>4 Divorced, Widowed |
| **EDUC**<br><br>Education | Continuous 0-25 | 1 8 Years or Less<br>2 9-11<br>3 12<br>4 13-15<br>5 16 or More |

| Variable | Original Codes (original percentage) | Recodes |
|---|---|---|
| **DETNLF**<br><br>Detailed 'Not in Labor' Force | 1 Homemaker (7.1%)<br>2 Student (27.4%)<br>3 Retired (3.0%)<br>4 Disabled (25.0%)<br>5 Inmate of Institution (7.0%)<br>6 Other (30.4%) | 1 Homemaker<br>2 Student<br>3 Retired, Disabled<br>5 Inmate of Institution<br>6 Other |
| **PRIMINC**<br><br>Source of Income / Support | 1 Wages/Salary (38.2%)<br>2 Public Assistance (15.0%)<br>3 Retirement/Pension (<1%)<br>4 Disability (4.0%)<br>20 Other (21.1%)<br>21 None (20.8%) | 1 Wages/Salary<br>2 Public Assistance<br>3 Retirement/Pension, Disability<br>20 Other<br>21 None |
| **PMSA**<br><br>FIPS 1990 MSA Code<br><br>**CBSA**<br><br>FIPS 2000 CBSA Code | Census PMSA, CBSA geographic codes | Codes for undesignated area and missing data combined into a single specification.<br><br>When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into:<br><br>"UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID" |
| **DETCRIM**<br><br>Detailed Criminal Justice Referral | 1 State/Federal Court (18.1%)<br>2 Other Court (2.3%)<br>3 Probation/Parole (37.2%)<br>4 Other Recognized Legal Entity (11.1%)<br>5 Diversionary Program (3.4%)<br>6 Prison (4.4%)<br>7 DUI/DWI (19.0%)<br>8 Other (4.4%) | 1 State/Federal Court, Other Court<br>3 Probation/Parole<br>5 Diversionary Program<br>6 Prison<br>7 DUI/DWI<br>8 Other Recognized Legal Entity, Other |

| Variable | Original Codes (original percentage) | Recodes |
|---|---|---|
| **HLTHINS**<br><br>Health Insurance | 1 Private Insurance (Other Than BC/BS or HMO) (7.8%)<br>2 Blue Cross / Blue Shield (BC/BS) (3.5%)<br>3 Medicare (2.0%)<br>4 Medicaid (13.1%)<br>6 Health Maintenance Organization (HMO) (3.9%)<br>20 Other (e.g. TriCare, Champus) (7.1%)<br>21 None (62.7%) | 1 Private Insurance, BC/BS, HMO<br>2 Medicaid<br>3 Medicare/Other (e.g. Tricare, Champus)<br>4 None |
| **PRIMPAY**<br><br>Expected/Actual Payment Source of Payment | 1 Self-Pay (30.0%)<br>2 Blue Cross / Blue Shield (2.7%)<br>3 Medicare (1.2%)<br>4 Medicaid (13.3%)<br>5 Other Government Payments (25.7%)<br>6 Worker's Compensation (<1%)<br>7 Other Health Insurance Companies (6.7%)<br>8 No charge (Free, Charity, Special Research or Teaching) (12.2%)<br>9 Other (8.1%) | 1 Self-Pay<br>2 Blue Cross / Blue Shield, Other Health Insurance Companies<br>3 Medicare, Worker's Compensation<br>4 Medicaid<br>5 Other Government Payments<br>8 No charge (Free, Charity, Special Research or Teaching)<br>9 Other |
| **FRSTUSE1**<br><br>Age at First Use (Primary)<br><br>**FRSTUSE2**<br><br>Age at First Use (Secondary)<br><br>**FRSTUSE3**<br><br>Age at First Use (Tertiary) | Continuous (0-99) | 11 and Under<br>12-14<br>15-17<br>18-20<br>21-24<br>25-29<br>30-34<br>35-39<br>40-44<br>45-49<br>50-54<br>55 and Over |

| Variable | Original Codes (original percentage) | Recodes |
|---|---|---|
| **DSMCRIT**<br><br>DSM Diagnosis | 0.00 | 0 No Diagnosis |
| | 291.00 – 291.99 | 1 Alcohol-Induced Disorder |
| | 292.00 – 292.99 | 2 Substance-Induced Disorder |
| | 303.00 – 303.89 | 3 Alcohol Intoxication |
| | 303.90 – 303.99 | 4 Alcohol Dependence |
| | 304.00 – 304.09 | 5 Opioid Dependence |
| | 304.20 – 304.29 | 6 Cocaine Dependence |
| | 304.30 – 304.39 | 7 Cannabis Dependence |
| | 304.10 – 304.19, 304.40 – 304.99,<br>305.10 – 305.19 | 8 Other Substance Abuse Dependence |
| | 305.00 – 305.09 | 9 Alcohol Abuse |
| | 305.20 – 305.29 | 10 Cannabis Abuse |
| | 305.30 – 305.49, 305.70 – 305.99 | 11 Other Substance Abuse |
| | 305.50 – 305.59 | 12 Opioid Abuse |
| | 305.60 – 305.69 | 13 Cocaine Abuse |
| | 293.89, 300.00 – 300.02, 300.21 – 300.23,<br>300.29 – 300.39, 308.30 – 308.39, 309.81 | 14 Anxiety Disorders |
| | 296.20 – 296.39, 300.40 – 300.49,<br>311.00 – 311.09 | 15 Depressive Disorders |
| | 293.81 – 293.82, 295.00 – 295.99,<br>297.10 – 297.19, 297.30 – 297.39,<br>298.80 – 298.89, 298.90 – 298.99 | 16 Schizophrenic / Other Psychotic Disorders |
| | 296.00 – 296.09, 296.40 – 296.79,<br>296.80, 296.89, 301.13 | 17 Bipolar Disorders |
| | 312.80 – 312.81, 312.90 – 312.99, 313.81,<br>314.00 – 314.01, 314.90 – 314.99 | 18 Attention Deficit / Disruptive Behavior Disorders |
| | All other codes | 19 Other Mental Health Condition |
| | .01 – 289.99, 320 – 997.99, V-codes, E-codes | 20 Other Condition |
| | 999.97 – 999.99 | -9 Missing |

# APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES

**Items collected/not-collected by State: TEDS Minimum Data Set 1996**

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, the District of Columbia, and Puerto Rico; Arizona, Kentucky, and Wyoming did not report any data;
Revised per 05/11/04 data extract

| | | | | | | | | | *Primary substance* | | | | *Secondary substance* | | | | *Tertiary substance* | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *State or jurisdiction* | *Prior trtmt* | *Ref-erral* | *Age* | *Sex* | *Race* | *Eth-nicity* | *Edu-cation* | *Employ-ment* | *Subst* | *Rte* | *Freq* | *Age 1st use* | *Subst* | *Rte* | *Freq* | *Age 1st use* | *Subst* | *Rte* | *Freq* | *Age 1st use* | *Service* | *Meth-adone* |
| ALL ADMISSIONS | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| ALABAMA | Y | Y | Y | Y | Y | -- | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| ALASKA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| ARIZONA | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| ARKANSAS | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | -- |
| CALIFORNIA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | -- | -- | -- | Y | Y |
| COLORADO | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| CONNECTICUT | -- | Y | Y | Y | Y | Y | Y | Y | Y | -- | -- | Y | Y | -- | -- | Y | Y | -- | -- | Y | Y | Y |
| DELAWARE | -- | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| DIST OF COLUMBIA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| FLORIDA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| GEORGIA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| HAWAII | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| IDAHO | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| ILLINOIS | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | -- | Y | Y | Y | -- | Y | Y |
| INDIANA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| IOWA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| KANSAS | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| KENTUCKY | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LOUISIANA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| MAINE | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| MARYLAND | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| MASSACHUSETTS | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| MICHIGAN | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| MINNESOTA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| MISSISSIPPI | -- | Y | Y | Y | Y | Y | -- | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |

**Items collected/not-collected by State: TEDS Minimum Data Set 1996**

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, the District of Columbia, and Puerto Rico; Arizona, Kentucky, and Wyoming did not report any data;
Revised per 05/11/04 data extract

| | | | | | | | | | *Primary substance* | | | | *Secondary substance* | | | | *Tertiary substance* | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *State or jurisdiction* | *Prior trtmt* | *Ref-erral* | *Age* | *Sex* | *Race* | *Eth-nicity* | *Edu-cation* | *Employ-ment* | *Subst* | *Rte* | *Freq* | *Age 1st use* | *Subst* | *Rte* | *Freq* | *Age 1st use* | *Subst* | *Rte* | *Freq* | *Age 1st use* | *Service* | *Meth-adone* |
| MISSOURI | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| MONTANA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | -- |
| NEBRASKA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| NEVADA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| NEW HAMPSHIRE | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| NEW JERSEY | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| NEW MEXICO | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| NEW YORK | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| NORTH CAROLINA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| NORTH DAKOTA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| OHIO | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| OKLAHOMA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| OREGON | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| PENNSYLVANIA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| PUERTO RICO | Y | Y | Y | Y | -- | -- | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | -- |
| RHODE ISLAND | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| SOUTH CAROLINA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | -- | -- | -- | Y | Y |
| SOUTH DAKOTA | Y | Y | Y | Y | Y | -- | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| TENNESSEE | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| TEXAS | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| UTAH | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| VERMONT | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| VIRGINIA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| WASHINGTON | -- | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| WEST VIRGINIA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| WISCONSIN | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| WYOMING | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

# APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES

## Items collected/not-collected by State: TEDS Supplemental Data Set 1996

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, the District of Columbia, and Puerto Rico;
Arizona, Kentucky, and Wyoming did not report any data;
Revised per 05/11/04 data extract

| *State or jurisdiction* | *DSM diagnosis* | *Psychiatric problem* | *Pregnant* | *Veteran* | *Living arrange-ment* | *Income source* | *Health insurance* | *Payment source* | *Detailed not-in-labor-force* | *Detailed criminal justice referral* | *Marital status* | *Days waiting for treatment* |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL ADMISSIONS | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| ALABAMA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | -- |
| ALASKA | Y | Y | Y | Y | Y | Y | Y | Y | Y | -- | Y | Y |
| ARIZONA | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| ARKANSAS | -- | -- | Y | -- | -- | -- | Y | -- | -- | -- | Y | -- |
| CALIFORNIA | -- | Y | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| COLORADO | -- | Y | Y | Y | Y | -- | Y | Y | -- | Y | Y | Y |
| CONNECTICUT | -- | -- | Y | -- | -- | -- | Y | -- | -- | -- | -- | -- |
| DELAWARE | -- | Y | Y | Y | Y | Y | Y | Y | Y | -- | Y | -- |
| DIST OF COLUMBIA | -- | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| FLORIDA | Y | Y | Y | Y | Y | Y | Y | -- | -- | Y | Y | Y |
| GEORGIA | Y | Y | Y | Y | Y | Y | Y | Y | -- | Y | Y | Y |
| HAWAII | -- | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| IDAHO | -- | Y | Y | Y | Y | Y | Y | Y | -- | -- | Y | Y |
| ILLINOIS | Y | -- | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| INDIANA | Y | -- | Y | Y | Y | -- | Y | -- | -- | Y | Y | -- |
| IOWA | -- | Y | Y | Y | Y | Y | Y | Y | Y | -- | Y | Y |
| KANSAS | -- | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| KENTUCKY | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| LOUISIANA | Y | Y | Y | Y | Y | Y | -- | Y | Y | -- | Y | Y |
| MAINE | -- | Y | Y | Y | Y | Y | -- | Y | Y | -- | Y | -- |
| MARYLAND | -- | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | -- |
| MASSACHUSETTS | -- | Y | Y | Y | Y | -- | Y | -- | -- | Y | Y | -- |
| MICHIGAN | Y | Y | Y | Y | Y | -- | Y | -- | Y | -- | Y | Y |
| MINNESOTA | -- | -- | Y | Y | Y | Y | -- | -- | Y | -- | Y | -- |

## Items collected/not-collected by State: TEDS Supplemental Data Set 1996

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, the District of Columbia, and Puerto Rico;
Arizona, Kentucky, and Wyoming did not report any data;
Revised per 05/11/04 data extract

| *State or jurisdiction* | *DSM diagnosis* | *Psychiatric problem* | *Pregnant* | *Veteran* | *Living arrange-ment* | *Income source* | *Health insurance* | *Payment source* | *Detailed not-in-labor-force* | *Detailed criminal justice referral* | *Marital status* | *Days waiting for treatment* |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| MISSISSIPPI | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| MISSOURI | -- | Y | Y | Y | Y | Y | Y | Y | Y | -- | Y | -- |
| MONTANA | -- | -- | Y | -- | Y | -- | Y | -- | -- | -- | -- | Y |
| NEBRASKA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| NEVADA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| NEW HAMPSHIRE | -- | Y | Y | -- | Y | -- | Y | Y | -- | Y | Y | Y |
| NEW JERSEY | -- | Y | Y | -- | Y | -- | Y | Y | -- | Y | Y | -- |
| NEW MEXICO | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| NEW YORK | -- | Y | Y | Y | Y | Y | -- | -- | Y | Y | Y | -- |
| NORTH CAROLINA | Y | Y | Y | Y | Y | -- | -- | -- | Y | -- | Y | -- |
| NORTH DAKOTA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| OHIO | Y | Y | Y | Y | Y | Y | -- | Y | Y | Y | Y | Y |
| OKLAHOMA | Y | Y | Y | Y | Y | -- | -- | Y | -- | -- | Y | -- |
| OREGON | -- | -- | Y | -- | Y | -- | Y | -- | Y | Y | Y | -- |
| PENNSYLVANIA | -- | -- | Y | Y | -- | Y | Y | Y | Y | Y | Y | -- |
| PUERTO RICO | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| RHODE ISLAND | -- | Y | -- | -- | Y | Y | -- | Y | -- | Y | Y | -- |
| SOUTH CAROLINA | -- | Y | Y | Y | -- | -- | Y | Y | Y | Y | Y | Y |
| SOUTH DAKOTA | Y | -- | Y | Y | Y | Y | Y | Y | -- | -- | Y | -- |
| TENNESSEE | Y | Y | -- | Y | Y | -- | -- | -- | Y | -- | Y | -- |
| TEXAS | -- | -- | Y | -- | Y | Y | Y | -- | Y | Y | Y | Y |
| UTAH | -- | Y | Y | -- | Y | Y | Y | Y | -- | -- | -- | Y |
| VERMONT | Y | -- | Y | -- | Y | -- | -- | Y | -- | Y | -- | -- |
| VIRGINIA | Y | Y | Y | Y | Y | Y | -- | Y | Y | -- | Y | -- |
| WASHINGTON | -- | Y | Y | Y | Y | -- | -- | -- | Y | -- | Y | -- |
| WEST VIRGINIA | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| WISCONSIN | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| WYOMING | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |