SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

ICPSR 4431

Treatment Episode Data Set -- Admissions (TEDS-A), 2004

United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Office of Applied Studies

Codebook

SAMHDA
is sponsored by

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
www.samhsa.gov

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@icpsr.umich.edu)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works to ICPSR for inclusion in a database of related publications (bibliography@icpsr.umich.edu).

Disclaimer

You acknowledge that SAMHSA and ICPSR will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ or ICPSR determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ
: Center for Behavioral Health Statistics and Quality

ICPSR
: Inter-university Consortium for Political and Social Research

Promise of confidentiality
: A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject
: A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA
: Substance Abuse and Mental Health Data Archive

SAMHSA
: Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 2004

Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 2004. TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the TEDS Crosswalks available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The "Treatment Episode Data Set State Instruction Manual – Admissions Data" is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent's record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

The universe for TEDS-A is admissions in calendar year 2004 that were received and processed through October 17, 2013.

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.[1]

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

---

[1] Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services.* DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.[2]

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.

- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.

- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.

- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.

- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.

- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.

- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.

- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

---

[2] Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services.* DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels   AKSTATE "ALASKA STATE INDICATOR".

value labels  AKSTATE    1 "ALASKA"    2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 48 states plus Puerto Rico. The following states did not report usable data for the year 2004: Alaska and Arkansas. The District of Columbia did not report usable data in 2004 either.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata

System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 2004 are as follows:

Filename: da04431-0001.txt
Number of observations: 1,807,974
Number of variables: 62
Records per case: 1
Logical record length: 120

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

Substance Abuse Mental Health Services Administration. Office of Applied Studies. *Treatment Episode Data Set (TEDS) 1994-2004. National Admissions to Substance Abuse Treatment Services*. Drug and Alcohol Services Information System Series: S-33. DHHS Publication No. (SMA) 06-4180. Rockville MD, 2006 .

Substance Abuse Mental Health Services Administration. Office of Applied Studies. *Treatment Episode Data Set (TEDS) Highlights 2004. National Admissions to Substance Abuse Treatment Services*. Drug and Alcohol Services Information System Series: S-31. DHHS Publication No. (SMA) 06-4140. Rockville MD, 2006.

The Center for Behavioral Health Statistics and Quality has other published TEDS reports on the DASIS Web site.

ICPSR 4431

Treatment Episode Data Set -- Admissions (TEDS-A), 2004

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on copyright and survey instruments.

CASEID: CASE IDENTIFICATION NUMBER

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

Location: 1-8 (width: 8; decimal: 0)
Variable Type: numeric

YEAR: YEAR OF ADMISSION

Year of client's admission to substance abuse treatment.

Value	Label	Unweighted Frequency	%
2004	-	1807974	100.0 %
	Missing Data		
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Mean: 2004.00
- Median: 2004.00
- Mode: 2004.00
- Minimum: 2004.00
- Maximum: 2004.00
- Standard Deviation: 0.00

Location: 9-12 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

AGE: AGE (RECODED)

Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

Value	Label	Unweighted Frequency	%
2	12-14	25494	1.4 %
3	15-17	120913	6.7 %
4	18-20	121763	6.7 %
5	21-24	208357	11.5 %
6	25-29	223980	12.4 %
7	30-34	225746	12.5 %
8	35-39	257532	14.2 %
9	40-44	268996	14.9 %
10	45-49	187090	10.3 %
11	50-54	98793	5.5 %
12	55 AND OVER	69310	3.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 2.00
- Maximum: 12.00

Location: 13-14 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

GENDER: SEX

Identifies client's gender.

Value	Label	Unweighted Frequency	%
1	MALE	1238004	68.5 %
2	FEMALE	569259	31.5 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	711	0.0 %
	Total	**1,807,974**	**100%**

Based upon 1,807,263 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 15-16 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

RACE: RACE

Specifies the client's race:

- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.

- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.

- ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.

- BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa.

- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.

- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.

- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)

- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.

- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

Value	Label	Unweighted Frequency	%
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	5231	0.3 %
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	36455	2.0 %
3	ASIAN OR PACIFIC ISLANDER	13146	0.7 %
4	BLACK OR AFRICAN AMERICAN	418646	23.2 %
5	WHITE	1132954	62.7 %
13	ASIAN	2671	0.1 %
20	OTHER SINGLE RACE	172627	9.5 %
21	TWO OR MORE RACES	4104	0.2 %
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	1904	0.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	20236	1.1 %
	Total	**1,807,974**	**100%**

Based upon 1,787,738 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 23.00

Location: 17-18 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ETHNIC: ETHNICITY (HISPANIC ORIGIN)

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.

- MEXICAN: Of Mexican origin, regardless of race.

- CUBAN: Of Cuban origin, regardless of race.

- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.

- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

Value	Label	Unweighted Frequency	%
1	PUERTO RICAN	73019	4.0 %
2	MEXICAN	99412	5.5 %
3	CUBAN	6017	0.3 %
4	OTHER SPECIFIC HISPANIC	55573	3.1 %
5	NOT OF HISPANIC ORIGIN	1476502	81.7 %
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	7904	0.4 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	89547	5.0 %
	Total	**1,807,974**	**100%**

Based upon 1,718,427 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 19-20 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

MARSTAT: MARITAL STATUS

Describes the client's marital status. The following

categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.

- NOW MARRIED: Includes those living together as married.

- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.

- DIVORCED, WIDOWED

Value	Label	Unweighted Frequency	%
1	NEVER MARRIED	821725	45.5 %
2	NOW MARRIED	228560	12.6 %
3	SEPARATED	90632	5.0 %
4	DIVORCED, WIDOWED	247979	13.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	419078	23.2 %
	Total	**1,807,974**	**100%**

Based upon 1,388,896 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 21-22 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

EDUC: EDUCATION

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

Value	Label	Unweighted Frequency	%
1	8 YEARS OR LESS	149805	8.3 %
2	9-11	528913	29.3 %
3	12	721014	39.9 %
4	13-15	271846	15.0 %
5	16 OR MORE	74054	4.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	62342	3.4 %
	Total	**1,807,974**	**100%**

Based upon 1,745,632 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 23-24 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

EMPLOY: EMPLOYMENT STATUS

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.

- PART TIME: Working fewer than 35 hours each week.

- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.

- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DETNLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

Value	Label	Unweighted Frequency	%
1	FULL TIME	360901	20.0 %
2	PART TIME	123326	6.8 %
3	UNEMPLOYED	513035	28.4 %
4	NOT IN LABOR FORCE	719990	39.8 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	90722	5.0 %
	Total	**1,807,974**	**100%**

Based upon 1,717,252 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 25-26 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

DETNLF: DETAILED 'NOT IN LABOR FORCE' CATEGORY

This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

Value	Label	Unweighted Frequency	%
1	HOMEMAKER	10709	0.6 %
2	STUDENT	73836	4.1 %
3	RETIRED, DISABLED	93168	5.2 %
5	INMATE OF INSTITUTION	26978	1.5 %
6	OTHER	136748	7.6 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1466535	81.1 %
	Total	**1,807,974**	**100%**

Based upon 341,439 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 27-28 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

PREG: PREGNANT AT TIME OF ADMISSION

Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

Value	Label	Unweighted Frequency	%
1	YES	20484	1.1 %
2	NO	514965	28.5 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1272525	70.4 %
	Total	**1,807,974**	**100%**

Based upon 535,449 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 29-30 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9

VET: VETERAN STATUS

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

Value	Label	Unweighted Frequency	%
1	YES	95062	5.3 %
2	NO	1082874	59.9 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	630038	34.8 %
	Total	**1,807,974**	**100%**

Based upon 1,177,936 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 31-32 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

LIVARAG: LIVING ARRANGEMENT

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.

- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.

- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

Value	Label	Unweighted Frequency	%
1	HOMELESS	172829	9.6 %
2	DEPENDENT LIVING	289410	16.0 %
3	INDEPENDENT LIVING	990519	54.8 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	355216	19.6 %
	Total	**1,807,974**	**100%**

Based upon 1,452,758 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 33-34 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

PRIMINC: SOURCE OF INCOME/SUPPORT

Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

Value	Label	Unweighted Frequency	%
1	WAGES/SALARY	360538	19.9 %
2	PUBLIC ASSISTANCE	94669	5.2 %
3	RETIREMENT/PENSION, DISABILITY	59014	3.3 %
20	OTHER	230044	12.7 %
21	NONE	313559	17.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	750150	41.5 %
	Total	**1,807,974**	**100%**

Based upon 1,057,824 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 21.00

Location: 35-36 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

STFIPS: CENSUS STATE FIPS CODE

State FIPS codes consistent with those used by the U.S. Bureau of the Census.

Value	Label	Unweighted Frequency	%
1	ALABAMA	19765	1.1 %
2	ALASKA	0	0.0 %
4	ARIZONA	34611	1.9 %

Value	Label	Unweighted Frequency	%
5	ARKANSAS	0	0.0 %
6	CALIFORNIA	183784	10.2 %
8	COLORADO	69087	3.8 %
9	CONNECTICUT	46307	2.6 %
10	DELAWARE	7831	0.4 %
11	DIST OF COLUMBIA	0	0.0 %
12	FLORIDA	39757	2.2 %
13	GEORGIA	31036	1.7 %
15	HAWAII	5810	0.3 %
16	IDAHO	6162	0.3 %
17	ILLINOIS	81667	4.5 %
18	INDIANA	37624	2.1 %
19	IOWA	28189	1.6 %
20	KANSAS	15487	0.9 %
21	KENTUCKY	20319	1.1 %
22	LOUISIANA	28367	1.6 %
23	MAINE	13198	0.7 %
24	MARYLAND	73872	4.1 %
25	MASSACHUSETTS	57135	3.2 %
26	MICHIGAN	60181	3.3 %
27	MINNESOTA	45782	2.5 %
28	MISSISSIPPI	10059	0.6 %
29	MISSOURI	39459	2.2 %
30	MONTANA	7696	0.4 %
31	NEBRASKA	15106	0.8 %
32	NEVADA	11570	0.6 %
33	NEW HAMPSHIRE	5834	0.3 %
34	NEW JERSEY	54209	3.0 %
35	NEW MEXICO	5479	0.3 %
36	NEW YORK	285227	15.8 %
37	NORTH CAROLINA	25222	1.4 %
38	NORTH DAKOTA	2754	0.2 %
39	OHIO	53940	3.0 %
40	OKLAHOMA	17075	0.9 %
41	OREGON	44713	2.5 %
42	PENNSYLVANIA	87224	4.8 %
44	RHODE ISLAND	12680	0.7 %
45	SOUTH CAROLINA	23554	1.3 %
46	SOUTH DAKOTA	9361	0.5 %
47	TENNESSEE	10863	0.6 %
48	TEXAS	37050	2.0 %
49	UTAH	12600	0.7 %

Value	Label	Unweighted Frequency	%
50	VERMONT	5670	0.3 %
51	VIRGINIA	57042	3.2 %
53	WASHINGTON	31986	1.8 %
54	WEST VIRGINIA	4675	0.3 %
55	WISCONSIN	22818	1.3 %
	Missing Data		
	Total	**1,807,974**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 72.00

Location: 37-38 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

CBSA: FIPS 2000 CBSA CODE

The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

Value	Label	Unweighted Frequency	%
10020	ABBEVILLE, LA MICRO	0	0.0 %
10100	ABERDEEN, SD MICRO	0	0.0 %
10140	ABERDEEN, WA MICRO	0	0.0 %
10180	ABILENE, TX METRO	1031	0.1 %
10220	ADA, OK MICRO	0	0.0 %
10260	ADJUNTAS, PR MICRO	0	0.0 %
10300	ADRIAN, MI MICRO	0	0.0 %
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	130	0.0 %
10420	AKRON, OH METRO	5377	0.3 %
10460	ALAMOGORDO, NM MICRO	0	0.0 %
10500	ALBANY, GA METRO	78	0.0 %
10540	ALBANY-LEBANON, OR MICRO	0	0.0 %
10580	ALBANY-SCHENECTADY-TROY, NY METRO	20472	1.1 %
10620	ALBEMARLE, NC MICRO	0	0.0 %
10660	ALBERT LEA, MN MICRO	0	0.0 %
10700	ALBERTVILLE, AL MICRO	0	0.0 %
10740	ALBUQUERQUE, NM METRO	552	0.0 %

Value	Label	Unweighted Frequency	%
10780	ALEXANDRIA, LA METRO	3208	0.2 %
10820	ALEXANDRIA, MN MICRO	0	0.0 %
10860	ALICE, TX MICRO	0	0.0 %
10880	ALLEGAN, MI MICRO	443	0.0 %
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	3646	0.2 %
10940	ALMA, MI MICRO	0	0.0 %
10980	ALPENA, MI MICRO	0	0.0 %
11020	ALTOONA, PA METRO	4358	0.2 %
11060	ALTUS, OK MICRO	0	0.0 %
11100	AMARILLO, TX METRO	430	0.0 %
11140	AMERICUS, GA MICRO	0	0.0 %
11180	AMES, IA METRO	0	0.0 %
11220	AMSTERDAM, NY MICRO	0	0.0 %
11260	ANCHORAGE, AK METRO	0	0.0 %
11300	ANDERSON, IN METRO	1520	0.1 %
11340	ANDERSON, SC METRO	1261	0.1 %
11380	ANDREWS, TX MICRO	0	0.0 %
11420	ANGOLA, IN MICRO	0	0.0 %
11460	ANN ARBOR, MI METRO	1591	0.1 %
11500	ANNISTON-OXFORD, AL METRO	301	0.0 %
11540	APPLETON, WI METRO	0	0.0 %
11580	ARCADIA, FL MICRO	0	0.0 %
11620	ARDMORE, OK MICRO	0	0.0 %
11660	ARKADELPHIA, AR MICRO	0	0.0 %
11700	ASHEVILLE, NC METRO	1375	0.1 %
11740	ASHLAND, OH MICRO	0	0.0 %
11780	ASHTABULA, OH MICRO	1089	0.1 %
11820	ASTORIA, OR MICRO	0	0.0 %
11860	ATCHISON, KS MICRO	0	0.0 %
11900	ATHENS, OH MICRO	0	0.0 %
11940	ATHENS, TN MICRO	0	0.0 %
11980	ATHENS, TX MICRO	0	0.0 %
12020	ATHENS-CLARKE COUNTY, GA METRO	1601	0.1 %
	Missing Data		
-9	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	476371	26.3 %
	Total	**1,807,974**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331,603 valid cases out of 1,807,974 total cases.

- Minimum: 10180.00
- Maximum: 49700.00

Location: 39-43 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

PMSA: FIPS 1990 MSA CODE

According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

Value	Label	Unweighted Frequency	%
40	ABILENE, TX MSA	1031	0.1 %
60	AGUADILLA, PR MSA	130	0.0 %
80	AKRON, OH PMSA	5377	0.3 %
120	ALBANY, GA MSA	78	0.0 %
160	ALBANY-SCHENECTADY-TROY, NY MSA	20472	1.1 %
200	ALBUQUERQUE, NM MSA	552	0.0 %
220	ALEXANDRIA, LA MSA	3208	0.2 %
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	2491	0.1 %
280	ALTOONA, PA MSA	4358	0.2 %
320	AMARILLO, TX MSA	430	0.0 %
380	ANCHORAGE, AK MSA	0	0.0 %
440	ANN ARBOR, MI PMSA	1624	0.1 %
450	ANNISTON, AL MSA	301	0.0 %
460	APPLETON-OSHKOSH-NEENAH, WI MSA	0	0.0 %
470	ARECIBO, PR PMSA	91	0.0 %
480	ASHEVILLE, NC MSA	1375	0.1 %
500	ATHENS, GA MSA	1601	0.1 %
520	ATLANTA, GA MSA	8979	0.5 %
560	ATLANTIC-CAPE MAY, NJ PMSA	3115	0.2 %
580	AUBURN-OPELIKA, AL MSA	605	0.0 %
600	AUGUSTA-AIKEN, GA-SC MSA	1503	0.1 %
640	AUSTIN-SAN MARCOS, TX MSA	1841	0.1 %
680	BAKERSFIELD, CA MSA	4283	0.2 %
720	BALTIMORE, MD PMSA	41836	2.3 %
733	BANGOR, ME NECMA	0	0.0 %
743	BARNSTABLE-YARMOUTH, MA NECMA	3236	0.2 %
760	BATON ROUGE, LA MSA	5072	0.3 %
840	BEAUMONT-PORT ARTHUR, TX MSA	1217	0.1 %
860	BELLINGHAM, WA MSA	1169	0.1 %
870	BENTON HARBOR, MI MSA	1209	0.1 %
875	BERGEN-PASSAIC, NJ PMSA	10750	0.6 %
880	BILLINGS, MT MSA	1338	0.1 %
920	BILOXI-GULFPORT-PASCAGOULA, MS MSA	791	0.0 %

Value	Label	Unweighted Frequency	%
960	BINGHAMTON, NY MSA	3509	0.2 %
1000	BIRMINGHAM, AL MSA	3912	0.2 %
1010	BISMARCK, ND MSA	0	0.0 %
1020	BLOOMINGTON, IN MSA	0	0.0 %
1040	BLOOMINGTON-NORMAL, IL MSA	1442	0.1 %
1080	BOISE CITY, ID MSA	679	0.0 %
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	48078	2.7 %
1125	BOULDER-LONGMONT, CO PMSA	704	0.0 %
1145	BRAZORIA, TX PMSA	935	0.1 %
1150	BREMERTON, WA PMSA	1214	0.1 %
1160	BRIDGEPORT-MILFORD, CT PMSA	0	0.0 %
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	287	0.0 %
1260	BRYAN-COLLEGE STATION, TX MSA	594	0.0 %
1280	BUFFALO-NIAGARA FALLS, NY MSA	17155	0.9 %
1303	BURLINGTON, VT NECMA	1975	0.1 %
1310	CAGUAS, PR PMSA	276	0.0 %
1320	CANTON-MASSILLON, OH MSA	2094	0.1 %
	Missing Data		
-9	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	476371	26.3 %
	Total	**1,807,974**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331,603 valid cases out of 1,807,974 total cases.

- Minimum: 40.00
- Maximum: 9340.00

Location: 44-47 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

REGION: CENSUS REGION

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico

- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).

- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division

(Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).

- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).

- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

Value	Label	Unweighted Frequency	%
0	US JURISDICTION/TERRITORY	2470	0.1 %
1	NORTHEAST	567484	31.4 %
2	MIDWEST	412368	22.8 %
3	SOUTH	406487	22.5 %
4	WEST	419165	23.2 %
	Missing Data		
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 48-49 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

DIVISION: CENSUS DIVISION

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico

- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.

- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.

- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.

- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.

- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.

- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.

- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.

- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.

- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Unweighted Frequency	%
0	US JURISDICTION/TERRITORY	2470	0.1 %
1	NEW ENGLAND	140824	7.8 %
2	MID-ATLANTIC	426660	23.6 %
3	EAST NORTH CENTRAL	256230	14.2 %
4	WEST NORTH CENTRAL	156138	8.6 %
5	SOUTH ATLANTIC	262989	14.5 %
6	EAST SOUTH CENTRAL	61006	3.4 %
7	WEST SOUTH CENTRAL	82492	4.6 %
8	MOUNTAIN	152872	8.5 %
9	PACIFIC	266293	14.7 %
	Missing Data		
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 50-51 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SERVSETA: SERVICE SETTING AT ADMISSION

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT: 24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL: 24 hour per day services in non-hospital setting providing

for safe withdrawal and transition to ongoing treatment.

- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):
  24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):
  Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):
  Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

- AMBULATORY - INTENSIVE OUTPATIENT:
  As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.

- AMBULATORY - NON-INTENSIVE OUTPATIENT:
  Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.

- AMBULATORY - DETOXIFICATION:
  Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

Value	Label	Unweighted Frequency	%
1	DETOX, 24 HR, HOSPITAL INPATIENT	79818	4.4 %
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	279562	15.5 %
3	REHAB/RES, HOSPITAL (NON-DETOX)	15117	0.8 %
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	149408	8.3 %
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	139865	7.7 %
6	AMBULATORY, INTENSIVE OUTPATIENT	197159	10.9 %
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	917609	50.8 %
8	AMBULATORY, DETOXIFICATION	29177	1.6 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	259	0.0 %
	Total	**1,807,974**	**100%**

Based upon 1,807,715 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 52-53 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

METHUSE: MEDICATION-ASSISTED OPIOID THERAPY

This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

Value	Label	Unweighted Frequency	%
1	YES	95914	5.3 %
2	NO	1566001	86.6 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	146059	8.1 %
	Total	**1,807,974**	**100%**

Based upon 1,661,915 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 54-55 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

DAYWAIT: DAYS WAITING TO ENTER TREATMENT

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Value	Label	Unweighted Frequency	%
0	-	322233	17.8 %
1	-	35620	2.0 %
2	-	15224	0.8 %
3	-	13948	0.8 %
4	-	10348	0.6 %
5	-	13466	0.7 %
6	-	9872	0.5 %
7	-	18235	1.0 %
8	-	6733	0.4 %
9	-	4369	0.2 %
10	-	6428	0.4 %
11	-	3128	0.2 %
12	-	3853	0.2 %

Value	Label	Unweighted Frequency	%
13	-	3925	0.2 %
14	-	7708	0.4 %
15	-	4179	0.2 %
16	-	2274	0.1 %
17	-	1792	0.1 %
18	-	1786	0.1 %
19	-	1805	0.1 %
20	-	3216	0.2 %
21	-	3184	0.2 %
22	-	1744	0.1 %
23	-	1306	0.1 %
24	-	1144	0.1 %
25	-	1232	0.1 %
26	-	1164	0.1 %
27	-	1406	0.1 %
28	-	1745	0.1 %
29	-	1109	0.1 %
30	-	3496	0.2 %
31	-	684	0.0 %
32	-	698	0.0 %
33	-	735	0.0 %
34	-	911	0.1 %
35	-	1095	0.1 %
36	-	733	0.0 %
37	-	541	0.0 %
38	-	409	0.0 %
39	-	401	0.0 %
40	-	694	0.0 %
41	-	535	0.0 %
42	-	671	0.0 %
43	-	478	0.0 %
44	-	360	0.0 %
45	-	586	0.0 %
46	-	305	0.0 %
47	-	316	0.0 %
48	-	415	0.0 %
49	-	462	0.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1275160	70.5 %
	Total	**1,807,974**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 532,814 valid cases out of 1,807,974 total cases.

- Mean: 9.68
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 63.28

Location: 56-58 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

PSOURCE: PRINCIPAL SOURCE OF REFERRAL

Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.

- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.

- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.

- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.

- EMPLOYER/EAP: A supervisor or an employee counselor.

- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.

- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC.

Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

Value	Label	Unweighted Frequency	%
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	591610	32.7 %
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	190985	10.6 %
3	OTHER HEALTH CARE PROVIDER	120842	6.7 %
4	SCHOOL (EDUCATIONAL)	20127	1.1 %
5	EMPLOYER/EAP	14188	0.8 %
6	OTHER COMMUNITY REFERRAL	179571	9.9 %
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	640327	35.4 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	50324	2.8 %
	Total	**1,807,974**	**100%**

Based upon 1,757,650 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 59-60 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

DETCRIM: DETAILED CRIMINAL JUSTICE REFERRAL

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT

- PROBATION/PAROLE

- DIVERSIONARY PROGRAM (e.g. TASC)

- PRISON

- DUI/DWI

- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as

Missing.

Value	Label	Unweighted Frequency	%
1	STATE/FEDERAL COURT, OTHER COURT	75024	4.1 %
3	PROBATION/PAROLE	141247	7.8 %
5	DIVERSIONARY PROGRAM	13469	0.7 %
6	PRISON	8584	0.5 %
7	DUI/DWI	30313	1.7 %
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	61619	3.4 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1477718	81.7 %
	Total	**1,807,974**	**100%**

Based upon 330,256 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 61-62 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

NOPRIOR: NUMBER OF PRIOR TREATMENT EPISODES

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

Value	Label	Unweighted Frequency	%
0	NO PRIOR TREATMENT EPISODES	648000	35.8 %
1	1 PRIOR TREATMENT EPISODES	355040	19.6 %
2	2 PRIOR TREATMENT EPISODES	191339	10.6 %
3	3 PRIOR TREATMENT EPISODES	106823	5.9 %
4	4 PRIOR TREATMENT EPISODES	60196	3.3 %
5	5 OR MORE PRIOR TREATMENT EPISODES	157384	8.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	289192	16.0 %
	Total	**1,807,974**	**100%**

Based upon 1,518,782 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 63-64 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SUB1: SUBSTANCE PROBLEM CODE (PRIMARY)

This field identifies the client's primary substance problem.

(1) NONE

(2) ALCOHOL

(3) COCAINE/CRACK

(4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.

(5) HEROIN

(6) NON-PRESCRIPTION METHADONE

(7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

(8) PCP: Phencyclidine

(9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes

chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	17615	1.0 %
2	ALCOHOL	729173	40.3 %
3	COCAINE/CRACK	248452	13.7 %
4	MARIJUANA/HASHISH	285136	15.8 %
5	HEROIN	262430	14.5 %
6	NON-PRESCRIPTION METHADONE	3152	0.2 %
7	OTHER OPIATES AND SYNTHETICS	57695	3.2 %
8	PCP	3233	0.2 %
9	OTHER HALLUCINOGENS	2280	0.1 %
10	METHAMPHETAMINE	124511	6.9 %
11	OTHER AMPHETAMINES	18009	1.0 %
12	OTHER STIMULANTS	1015	0.1 %
13	BENZODIAZEPINES	7493	0.4 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	669	0.0 %
15	BARBITURATES	1289	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2884	0.2 %
17	INHALANTS	1190	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	826	0.0 %
20	OTHER	8376	0.5 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	32546	1.8 %
	Total	**1,807,974**	**100%**

Based upon 1,775,428 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 65-66 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ROUTE1: USUAL ROUTE OF ADMINISTRATION (PRIMARY)

This field identifies the usual route of administration of the primary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	742024	41.0 %
2	SMOKING	548946	30.4 %
3	INHALATION	159632	8.8 %
4	INJECTION (IV OR INTRAMUSCULAR)	195473	10.8 %
20	OTHER	8536	0.5 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	153363	8.5 %
	Total	**1,807,974**	**100%**

Based upon 1,654,611 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 67-68 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FREQ1: FREQUENCY OF USE (PRIMARY)

Specifies the frequency of use of the primary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	456730	25.3 %
2	1-3 TIMES IN THE PAST MONTH	199180	11.0 %
3	1-2 TIMES IN THE PAST WEEK	155151	8.6 %
4	3-6 TIMES IN THE PAST WEEK	180734	10.0 %
5	DAILY	687196	38.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	128983	7.1 %
	Total	**1,807,974**	**100%**

Based upon 1,678,991 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 69-70 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FRSTUSE1: AGE AT FIRST USE (PRIMARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	124568	6.9 %
2	12-14	342387	18.9 %
3	15-17	446323	24.7 %
4	18-20	261458	14.5 %
5	21-24	140948	7.8 %
6	25-29	103876	5.7 %
7	30-34	61620	3.4 %
8	35-39	38246	2.1 %
9	40-44	21195	1.2 %
10	45-49	9270	0.5 %
11	50-54	3831	0.2 %
12	55 AND OVER	1929	0.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	252323	14.0 %
	Total	**1,807,974**	**100%**

Based upon 1,555,651 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SUB2: SUBSTANCE PROBLEM CODE (SECONDARY)

This field identifies the client's secondary substance problem.

(1) NONE

(2) ALCOHOL

(3) COCAINE/CRACK

(4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.

(5) HEROIN

(6) NON-PRESCRIPTION METHADONE

(7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

(8) PCP: Phencyclidine

(9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP,

hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	561068	31.0 %
2	ALCOHOL	296254	16.4 %
3	COCAINE/CRACK	245036	13.6 %
4	MARIJUANA/HASHISH	270508	15.0 %
5	HEROIN	35078	1.9 %
6	NON-PRESCRIPTION METHADONE	3563	0.2 %
7	OTHER OPIATES AND SYNTHETICS	33732	1.9 %
8	PCP	2801	0.2 %
9	OTHER HALLUCINOGENS	4316	0.2 %
10	METHAMPHETAMINE	40438	2.2 %
11	OTHER AMPHETAMINES	9159	0.5 %
12	OTHER STIMULANTS	3626	0.2 %
13	BENZODIAZEPINES	18855	1.0 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	1360	0.1 %

Value	Label	Unweighted Frequency	%
15	BARBITURATES	1702	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	5293	0.3 %
17	INHALANTS	985	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	1445	0.1 %
20	OTHER	21295	1.2 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	251460	13.9 %
	Total	**1,807,974**	**100%**

Based upon 1,556,514 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 73-74 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ROUTE2: USUAL ROUTE OF ADMINISTRATION (SECONDARY)

This field identifies the usual route of administration of the secondary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	342742	19.0 %
2	SMOKING	433595	24.0 %
3	INHALATION	95253	5.3 %
4	INJECTION (IV OR INTRAMUSCULAR)	59995	3.3 %
20	OTHER	15842	0.9 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	860547	47.6 %
	Total	**1,807,974**	**100%**

Based upon 947,427 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 75-76 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FREQ2: FREQUENCY OF USE (SECONDARY)

Specifies the frequency of use of the secondary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	345568	19.1 %
2	1-3 TIMES IN THE PAST MONTH	143972	8.0 %

Value	Label	Unweighted Frequency	%
3	1-2 TIMES IN THE PAST WEEK	108375	6.0 %
4	3-6 TIMES IN THE PAST WEEK	95506	5.3 %
5	DAILY	273493	15.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	841060	46.5 %
	Total	**1,807,974**	**100%**

Based upon 966,914 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 77-78 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FRSTUSE2: AGE AT FIRST USE (SECONDARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	65020	3.6 %
2	12-14	191037	10.6 %
3	15-17	238345	13.2 %
4	18-20	132034	7.3 %
5	21-24	70407	3.9 %
6	25-29	56986	3.2 %
7	30-34	33678	1.9 %
8	35-39	22229	1.2 %
9	40-44	13015	0.7 %
10	45-49	6537	0.4 %
11	50-54	2412	0.1 %
12	55 AND OVER	1136	0.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	975138	53.9 %
	Total	**1,807,974**	**100%**

Based upon 832,836 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 79-80 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SUB3: SUBSTANCE PROBLEM CODE (TERTIARY)

This field identifies the client's tertiary substance problem.

(1) NONE

(2) ALCOHOL

(3) COCAINE/CRACK

(4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.

(5) HEROIN

(6) NON-PRESCRIPTION METHADONE

(7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

(8) PCP: Phencyclidine

(9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription

medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	974099	53.9 %
2	ALCOHOL	99616	5.5 %
3	COCAINE/CRACK	75587	4.2 %
4	MARIJUANA/HASHISH	101393	5.6 %
5	HEROIN	13472	0.7 %
6	NON-PRESCRIPTION METHADONE	1849	0.1 %
7	OTHER OPIATES AND SYNTHETICS	17367	1.0 %
8	PCP	2259	0.1 %
9	OTHER HALLUCINOGENS	7044	0.4 %
10	METHAMPHETAMINE	18735	1.0 %
11	OTHER AMPHETAMINES	6023	0.3 %
12	OTHER STIMULANTS	2983	0.2 %
13	BENZODIAZEPINES	13232	0.7 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	1257	0.1 %
15	BARBITURATES	1403	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3760	0.2 %
17	INHALANTS	1247	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	1680	0.1 %
20	OTHER	13172	0.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	451796	25.0 %
	Total	**1,807,974**	**100%**

Based upon 1,356,178 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 81-82 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ROUTE3: USUAL ROUTE OF ADMINISTRATION (TERTIARY)

This field identifies the usual route of administration of the tertiary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	126242	7.0 %
2	SMOKING	138594	7.7 %
3	INHALATION	43850	2.4 %

Value	Label	Unweighted Frequency	%
4	INJECTION (IV OR INTRAMUSCULAR)	17873	1.0 %
20	OTHER	18109	1.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1463306	80.9 %
	Total	**1,807,974**	**100%**

Based upon 344,668 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 83-84 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FREQ3: FREQUENCY OF USE (TERTIARY)

Specifies the frequency of use of the tertiary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	168085	9.3 %
2	1-3 TIMES IN THE PAST MONTH	51053	2.8 %
3	1-2 TIMES IN THE PAST WEEK	34918	1.9 %
4	3-6 TIMES IN THE PAST WEEK	28113	1.6 %
5	DAILY	79583	4.4 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1446222	80.0 %
	Total	**1,807,974**	**100%**

Based upon 361,752 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 85-86 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FRSTUSE3: AGE AT FIRST USE (TERTIARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	36148	2.0 %
2	12-14	84802	4.7 %
3	15-17	101878	5.6 %
4	18-20	54445	3.0 %

Value	Label	Unweighted Frequency	%
5	21-24	27091	1.5 %
6	25-29	19793	1.1 %
7	30-34	12097	0.7 %
8	35-39	7487	0.4 %
9	40-44	4533	0.3 %
10	45-49	2114	0.1 %
11	50-54	751	0.0 %
12	55 AND OVER	253	0.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1456582	80.6 %
	Total	**1,807,974**	**100%**

Based upon 351,392 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 87-88 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

NUMSUBS: NUMBER OF SUBSTANCES REPORTED AT ADM.

Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

Value	Label	Unweighted Frequency	%
0	-	43132	2.4 %
1	-	771569	42.7 %
2	-	616050	34.1 %
3	-	377223	20.9 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Mean: 1.73
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.81

Location: 89-90 (width: 2; decimal: 0)
Variable Type: numeric

IDU: CURRENT IV DRUG USE REPORTED AT ADM.

Flags record if injection was reported as primary, secondary, or tertiary route of administration.

Value	Label	Unweighted Frequency	%
0	NO IDU REPORTED	1535180	84.9 %
1	IDU REPORTED	229734	12.7 %
	Missing Data		
-8	NO SUBSTANCES REPORTED	43060	2.4 %
	Total	**1,807,974**	**100%**

Based upon 1,764,914 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 91-92 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

ALCFLG: ALCOHOL REPORTED AT ADM.

Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	683712	37.8 %
1	SUBSTANCE REPORTED	1124262	62.2 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 93-93 (width: 1; decimal: 0)
Variable Type: numeric

COKEFLG: COCAINE/CRACK REPORTED AT ADM.

Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1246417	68.9 %
1	SUBSTANCE REPORTED	561557	31.1 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 94-94 (width: 1; decimal: 0)
Variable Type: numeric

MARFLG: MARIJUANA/HASHISH REPORTED AT ADM.

Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1151260	63.7 %
1	SUBSTANCE REPORTED	656714	36.3 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 95-95 (width: 1; decimal: 0)
Variable Type: numeric

HERFLG: HEROIN REPORTED AT ADM.

Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1497248	82.8 %
1	SUBSTANCE REPORTED	310726	17.2 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 96-96 (width: 1; decimal: 0)
Variable Type: numeric

METHFLG: NON-RX METHADONE REPORTED AT ADM.

Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1799413	99.5 %
1	SUBSTANCE REPORTED	8561	0.5 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 97-97 (width: 1; decimal: 0)
Variable Type: numeric

OPSYNFLG: OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1700533	94.1 %
1	SUBSTANCE REPORTED	107441	5.9 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 98-98 (width: 1; decimal: 0)
Variable Type: numeric

PCPFLG: PCP REPORTED AT ADM.

Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1799687	99.5 %
1	SUBSTANCE REPORTED	8287	0.5 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 99-99 (width: 1; decimal: 0)
Variable Type: numeric

HALLFLG: OTHER HALLUCINOGENS REPORTED AT ADM.

Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1794371	99.2 %
1	SUBSTANCE REPORTED	13603	0.8 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 100-100 (width: 1; decimal: 0)
Variable Type: numeric

MTHAMFLG: METHAMPHETAMINE REPORTED AT ADM.

Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1624350	89.8 %
1	SUBSTANCE REPORTED	183624	10.2 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 101-101 (width: 1; decimal: 0)
Variable Type: numeric

AMPHFLG: OTHER AMPHETAMINES REPORTED AT ADM.

Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1774800	98.2 %
1	SUBSTANCE REPORTED	33174	1.8 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 102-102 (width: 1; decimal: 0)
Variable Type: numeric

STIMFLG: OTHER STIMULANTS REPORTED AT ADM.

Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1800359	99.6 %
1	SUBSTANCE REPORTED	7615	0.4 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 103-103 (width: 1; decimal: 0)
Variable Type: numeric

BENZFLG: BENZODIAZEPINES REPORTED AT ADM.

Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1768603	97.8 %
1	SUBSTANCE REPORTED	39371	2.2 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 104-104 (width: 1; decimal: 0)
Variable Type: numeric

TRNQFLG: OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1804690	99.8 %
1	SUBSTANCE REPORTED	3284	0.2 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 105-105 (width: 1; decimal: 0)
Variable Type: numeric

BARBFLG: BARBITURATES REPORTED AT ADM.

Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1803588	99.8 %
1	SUBSTANCE REPORTED	4386	0.2 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 106-106 (width: 1; decimal: 0)
Variable Type: numeric

SEDHPFLG: OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1796049	99.3 %
1	SUBSTANCE REPORTED	11925	0.7 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 107-107 (width: 1; decimal: 0)
Variable Type: numeric

INHFLG: INHALANTS REPORTED AT ADM.

Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1804557	99.8 %
1	SUBSTANCE REPORTED	3417	0.2 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 108-108 (width: 1; decimal: 0)
Variable Type: numeric

OTCFLG: OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1804051	99.8 %
1	SUBSTANCE REPORTED	3923	0.2 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 109-109 (width: 1; decimal: 0)
Variable Type: numeric

OTHERFLG: OTHER DRUG REPORTED AT ADM.

Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	1765724	97.7 %
1	SUBSTANCE REPORTED	42250	2.3 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 110-110 (width: 1; decimal: 0)
Variable Type: numeric

ALCDRUG: SUBSTANCE ABUSE TYPE

Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

Value	Label	Unweighted Frequency	%
0	NONE	43132	2.4 %
1	ALCOHOL ONLY	402878	22.3 %
2	OTHER DRUGS ONLY	640580	35.4 %
3	ALCOHOL AND OTHER DRUGS	721384	39.9 %
	Total	**1,807,974**	**100%**

Based upon 1,807,974 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 111-112 (width: 2; decimal: 0)
Variable Type: numeric

DSMCRIT: DSM DIAGNOSIS

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

Value	Label	Unweighted Frequency	%
0	NO DIAGNOSIS	9034	0.5 %
1	ALCOHOL-INDUCED DISORDER	6441	0.4 %

Value	Label	Unweighted Frequency	%
2	SUBSTANCE-INDUCED DISORDER	10027	0.6 %
3	ALCOHOL INTOXICATION	51231	2.8 %
4	ALCOHOL DEPENDENCE	148262	8.2 %
5	OPIOID DEPENDENCE	72407	4.0 %
6	COCAINE DEPENDENCE	72586	4.0 %
7	CANNABIS DEPENDENCE	54614	3.0 %
8	OTHER SUBSTANCE DEPENDENCE	55684	3.1 %
9	ALCOHOL ABUSE	59452	3.3 %
10	CANNABIS ABUSE	38709	2.1 %
11	OTHER SUBSTANCE ABUSE	7157	0.4 %
12	OPIOID ABUSE	2418	0.1 %
13	COCAINE ABUSE	11104	0.6 %
14	ANXIETY DISORDERS	3942	0.2 %
15	DEPRESSIVE DISORDERS	14235	0.8 %
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	4714	0.3 %
17	BIPOLAR DISORDERS	6113	0.3 %
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	2626	0.1 %
19	OTHER MENTAL HEALTH CONDITION	8175	0.5 %
20	OTHER CONDITION	16332	0.9 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1152711	63.8 %
	Total	**1,807,974**	**100%**

Based upon 655,263 valid cases out of 1,807,974 total cases.

- Minimum: 0.00
- Maximum: 20.00

Location: 113-114 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

PSYPROB: PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

Value	Label	Unweighted Frequency	%
1	YES	276288	15.3 %
2	NO	819452	45.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	712234	39.4 %
	Total	**1,807,974**	**100%**

Based upon 1,095,740 valid cases out of 1,807,974 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 115-116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

HLTHINS: HEALTH INSURANCE

Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

Value	Label	Unweighted Frequency	%
1	PRIVATE INSURANCE, BC/BS, HMO	102900	5.7 %
2	MEDICAID	147956	8.2 %
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	75821	4.2 %
4	NONE	500547	27.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	980750	54.2 %
	Total	**1,807,974**	**100%**

Based upon 827,224 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 117-118 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

PRIMPAY: EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

Value	Label	Unweighted Frequency	%
1	SELF-PAY	139938	7.7 %
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	45936	2.5 %
3	MEDICARE, WORKER'S COMPENSATION	6336	0.4 %
4	MEDICAID	94560	5.2 %
5	OTHER GOVERNMENT PAYMENTS	187405	10.4 %
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	68537	3.8 %
9	OTHER	52814	2.9 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1212448	67.1 %

Value	Label	Unweighted Frequency	%
	Total	**1,807,974**	**100%**

Based upon 595,526 valid cases out of 1,807,974 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 119-120 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

APPENDIX

APPENDIX A

TEDS-A Variable Information (Alphabetical Order)

Variable	Source[3]	Type	Len	Start	End	Label
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	111	112	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	93	93	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	102	102	OTHER AMPHETAMINES REPORTED AT ADM.
BARBFLG	Added	Num	1	106	106	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	104	104	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	39	43	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	94	94	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	56	58	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	61	62	DETAILED CRIMINAL JUSTICE REFERRAL
DETNLF	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	50	51	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	113	114	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	69	70	FREQUENCY OF USE (PRIMARY)

[3] MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

Variable	Source[3]	Type	Len	Start	End	Label
FREQ2	MDS	Num	2	77	78	FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num	2	85	86	FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num	2	71	72	AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num	2	79	80	AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num	2	87	88	AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num	2	15	16	SEX
HALLFLG	Added	Num	1	100	100	OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num	1	96	96	HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num	2	117	118	HEALTH INSURANCE
IDU	Added	Num	2	91	92	CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num	1	108	108	INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num	2	33	34	LIVING ARRANGEMENT
MARFLG	Added	Num	1	95	95	MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num	2	21	22	MARITAL STATUS
METHFLG	Added	Num	1	97	97	NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num	2	54	55	MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num	1	101	101	METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num	2	63	64	NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num	2	89	90	NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num	1	98	98	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num	1	109	109	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num	1	110	110	OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num	1	99	99	PCP REPORTED AT ADM.

Variable	Source[3]	Type	Len	Start	End	Label
PMSA	Added	Num	4	44	47	FIPS 1990 MSA CODE
PREG	SuDS	Num	2	29	30	PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num	2	35	36	SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num	2	119	120	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num	2	59	60	PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num	2	115	116	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num	2	17	18	RACE
REGION	Added	Num	2	48	49	CENSUS REGION
ROUTE1	MDS	Num	2	67	68	USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num	2	75	76	USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num	2	83	84	USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num	1	107	107	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num	2	52	53	SERVICE SETTING AT ADMISSION
STFIPS	Added	Num	2	37	38	CENSUS STATE FIPS CODE
STIMFLG	Added	Num	1	103	103	OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num	2	65	66	SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num	2	73	74	SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num	2	81	82	SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num	1	105	105	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num	2	31	32	VETERAN STATUS
YEAR	Added	Num	4	9	12	YEAR OF ADMISSION

APPENDIX B

Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
AGE Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
MARSTAT Marital Status	1 Never Married (59.2%) 2 Now Married (16.5%) 3 Separated (6.5%) 4 Divorced (16.3%) 5 Widowed (1.5%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
EDUC Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes (original percentage)	Recodes
DETNLF Detailed 'Not in Labor' Force	1 Homemaker (3.1%) 2 Student (21.6%) 3 Retired (2.6%) 4 Disabled (24.7%) 5 Inmate of Institution (7.9%) 6 Other (40.1%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
PRIMINC Source of Income / Support	1 Wages/Salary (34.1%) 2 Public Assistance (9.0%) 3 Retirement/Pension (<1%) 4 Disability (4.7%) 20 Other (21.7%) 21 None (29.6%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
PMSA FIPS 1990 MSA Code **CBSA** FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: "UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID"
DETCRIM Detailed Criminal Justice Referral	1 State/Federal Court (15.5%) 2 Other Court (7.2%) 3 Probation/Parole (42.8%) 4 Other Recognized Legal Entity (6.7%) 5 Diversionary Program (4.1%) 6 Prison (2.6%) 7 DUI/DWI (9.2%) 8 Other (11.9%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes (original percentage)	Recodes
HLTHINS Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) (6.7%) 2 Blue Cross / Blue Shield (BC/BS) (2.4%) 3 Medicare (1.7%) 4 Medicaid (17.9%) 6 Health Maintenance Organization (HMO) (3.4%) 20 Other (e.g. TriCare, Champus) (7.5%) 21 None (60.5%)	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
PRIMPAY Expected/Actual Payment Source of Payment	1 Self-Pay (23.5%) 2 Blue Cross / Blue Shield (1.9%) 3 Medicare (1.0%) 4 Medicaid (15.9%) 5 Other Government Payments (31.5%) 6 Worker's Compensation (<1%) 7 Other Health Insurance Companies (5.8%) 8 No charge (Free, Charity, Special Research or Teaching) (11.5%) 9 Other (8.9%)	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
FRSTUSE1 Age at First Use (Primary) **FRSTUSE2** Age at First Use (Secondary) **FRSTUSE3** Age at First Use (Tertiary)	Continuous (0-99)	11 and Under 12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over

Variable	Original Codes (original percentage)	Recodes
DSMCRIT DSM Diagnosis	0.00	0 No Diagnosis
	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
	999.97 – 999.99	-9 Missing

APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES

Items collected/not-collected by State: TEDS Minimum Data Set 2004

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 48 reporting States, and Puerto Rico; Alaska, Arkansas, and the District of Columbia did not report any data;
Revised per 10/17/13 data extract

									Primary substance				*Secondary substance*				*Tertiary substance*					
State or jurisdiction	*Prior trtmt*	*Ref-erral*	*Age*	*Sex*	*Race*	*Eth-nicity*	*Edu-cation*	*Employ-ment*	*Subst*	*Rte*	*Freq*	*Age 1st use*	*Subst*	*Rte*	*Freq*	*Age 1st use*	*Subst*	*Rte*	*Freq*	*Age 1st use*	*Service*	*Meth-adone*
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALASKA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ARIZONA	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	--	Y	--
ARKANSAS	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CALIFORNIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CONNECTICUT	--	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y	Y
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
DIST OF COLUMBIA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
FLORIDA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	--	Y	Y
INDIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IOWA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MAINE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MARYLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MASSACHUSETTS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MINNESOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MISSISSIPPI	--	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Items collected/not-collected by State: TEDS Minimum Data Set 2004

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 48 reporting States, and Puerto Rico; Alaska, Arkansas, and the District of Columbia did not report any data;
Revised per 10/17/13 data extract

									Primary substance				*Secondary substance*				*Tertiary substance*					
State or jurisdiction	*Prior trtmt*	*Ref-erral*	*Age*	*Sex*	*Race*	*Eth-nicity*	*Edu-cation*	*Employ-ment*	*Subst*	*Rte*	*Freq*	*Age 1st use*	*Subst*	*Rte*	*Freq*	*Age 1st use*	*Subst*	*Rte*	*Freq*	*Age 1st use*	*Service*	*Meth-adone*
MISSOURI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MONTANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OREGON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PENNSYLVANIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PUERTO RICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
RHODE ISLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH DAKOTA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TENNESSEE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TEXAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
UTAH	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WASHINGTON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
WISCONSIN	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WYOMING	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES

Items collected/not-collected by State: TEDS Supplemental Data Set 2004

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 48 reporting States, and Puerto Rico; Alaska, Arkansas, and the District of Columbia did not report any data;
Revised per 10/17/13 data extract

State or jurisdiction	*DSM diagnosis*	*Psychiatric problem*	*Pregnant*	*Veteran*	*Living arrange-ment*	*Income source*	*Health insurance*	*Payment source*	*Detailed not-in-labor-force*	*Detailed criminal justice referral*	*Marital status*	*Days waiting for treatment*
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALASKA	--	--	--	--	--	--	--	--	--	--	--	--
ARIZONA	Y	--	Y	--	Y	--	Y	--	--	Y	Y	Y
ARKANSAS	--	--	--	--	--	--	--	--	--	--	--	--
CALIFORNIA	--	Y	Y	Y	Y	--	--	--	--	Y	--	Y
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CONNECTICUT	Y	--	Y	Y	Y	--	--	--	--	--	Y	--
DELAWARE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
DIST OF COLUMBIA	--	--	--	--	--	--	--	--	--	--	--	--
FLORIDA	Y	Y	Y	Y	Y	Y	--	--	Y	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
HAWAII	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ILLINOIS	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	Y	--	Y	Y	Y	--	Y	--	--	Y	Y	--
IOWA	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
KANSAS	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MAINE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
MARYLAND	--	Y	Y	--	Y	Y	Y	--	Y	Y	Y	Y
MASSACHUSETTS	--	Y	Y	Y	Y	--	Y	--	--	Y	Y	--
MICHIGAN	Y	Y	Y	Y	Y	--	--	--	Y	--	Y	Y
MINNESOTA	--	--	Y	Y	Y	Y	--	--	Y	--	Y	--
MISSISSIPPI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Items collected/not-collected by State: TEDS Supplemental Data Set 2004

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 48 reporting States, and Puerto Rico; Alaska, Arkansas, and the District of Columbia did not report any data;
Revised per 10/17/13 data extract

State or jurisdiction	*DSM diagnosis*	*Psychiatric problem*	*Pregnant*	*Veteran*	*Living arrange-ment*	*Income source*	*Health insurance*	*Payment source*	*Detailed not-in-labor-force*	*Detailed criminal justice referral*	*Marital status*	*Days waiting for treatment*
MISSOURI	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
MONTANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
NEBRASKA	Y	--	Y	Y	Y	Y	Y	--	--	--	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW MEXICO	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y
NEW YORK	--	Y	Y	Y	Y	Y	--	--	Y	Y	Y	--
NORTH CAROLINA	Y	Y	Y	Y	Y	--	--	--	Y	--	Y	--
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	--	Y	--	--	Y	Y	--
OREGON	--	--	Y	--	Y	Y	Y	--	Y	Y	Y	--
PENNSYLVANIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PUERTO RICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
RHODE ISLAND	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	--
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
SOUTH DAKOTA	Y	--	Y	Y	Y	Y	Y	Y	--	--	Y	--
TENNESSEE	Y	Y	Y	Y	Y	Y	--	--	Y	--	Y	--
TEXAS	--	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
UTAH	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	--	Y	--	Y	--	--	Y	--	--	--	--
VIRGINIA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
WASHINGTON	--	Y	Y	Y	Y	--	--	--	Y	--	Y	--
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
WISCONSIN	--	--	Y	--	--	--	--	--	--	--	--	--
WYOMING	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y