

ICPSR 33621

## Treatment Episode Data Set -- Discharges (TEDS-D), 2009

*United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Center for Behavioral Health Statistics and Quality.*

Codebook

**SAMHDA**

is sponsored by



**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES**  
Substance Abuse and Mental Health Services Administration  
Office of Applied Studies  
[www.samhsa.gov](http://www.samhsa.gov)

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

## Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA ( [samhda-support@icpsr.umich.edu](mailto:samhda-support@icpsr.umich.edu))

## Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works to ICPSR for inclusion in a database of related publications ([bibliography@icpsr.umich.edu](mailto:bibliography@icpsr.umich.edu)).

## Disclaimer

You acknowledge that SAMHSA and ICPSR will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

## Violations

If CBHSQ or ICPSR determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

## Definitions

### CBHSQ

Center for Behavioral Health Statistics and Quality

### ICPSR

Inter-university Consortium for Political and Social Research

### Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

### Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

### SAMHDA

Substance Abuse and Mental Health Data Archive

### SAMHSA

Substance Abuse and Mental Health Services Administration

## **Information about Copyrighted Content**

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### **NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## **TREATMENT EPISODE DATA SET – DISCHARGES CODEBOOK, 2009**

### **Introduction**

This codebook is for the Treatment Episode Data Set – Discharges (TEDS-D) for discharges from substance abuse treatment occurring in 2009. TEDS-D provides information on treatment completion, length of stay in treatment, and demographic and substance abuse characteristics of approximately 1.5 million discharges from alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D is more recently begun, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

Variables included in the discharge record include the same variables as the admissions data. Additionally, TEDS-D includes the following:

- Type of service at discharge;
- Length of stay; and
- Reason for discharge or discontinuation of service.

A full list of the variables can be viewed in the Variable Information and Frequency section of this codebook.

This codebook provides background and descriptive information for the TEDS-D public-use files, limitations of the data, and frequencies. References detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in

reporting practices, are available. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

### **Data Collection**

The [Treatment Episode Data Set State Instruction Manual - Discharge Data](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-D data are processed and submitted by the states.

### **Confidentiality Protection**

Several measures were taken to protect the confidentiality of the TEDS-D records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent's record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-D cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

## **Universe**

The universe for TEDS-D is discharges in calendar year 2009 that were received and processed through October 10, 2011. These discharges were linked to either new admissions or transfers to treatment in another service type.

## **Coverage**

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly-funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly-funded is unknown.<sup>1</sup>

## **Data Limitations**

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by Federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus the TEDS does not include early intervention programs; these are considered to be prevention

<sup>1</sup> Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services*. DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.<sup>2</sup>

Limitations to be kept in mind while analyzing TEDS data include:

- The TEDS is an admission-based system, and therefore TEDS admissions and discharges do not represent individuals. For example, an individual admitted to and discharged from treatment twice within a calendar year would be counted as two admissions and two discharges.
- The data presented in this report provide information on treatment in specific service types, derived from linked pairs of admission/discharge records. The data do not necessarily represent complete treatment episodes, which may include stays in multiple types of service and would require analysis of series of linked pairs of records.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.

<sup>2</sup> Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

## Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels AKSTATE "ALASKA STATE INDICATOR".

value labels AKSTATE 1 "ALASKA" 2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

## Contents of Public-Use Files

The TEDS public-use file contains discharge data for 44 states plus Puerto Rico. The following states did not report usable data for the year 2009: Georgia, Mississippi, New Mexico, North Carolina, Pennsylvania, and West Virginia. The District of Columbia did not report usable data for 2009 either.

The TEDS Discharge public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands

are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 2009 are as follows:

Filename: da33261-0001.txt

Number of observations: 1,620,588

Number of variables: 65

Records per case: 1

Logical record length: 127

### **User Responsibility**

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

### **Publications**

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the SAMHSA Web site.

## **ICPSR 33621**

### **Treatment Episode Data Set -- Discharges (TEDS-D), 2009**

#### **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

## Treatment Episode Data Set -- Discharges (TEDS-D), 2009

### Variable Groups

#### Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
<a href="#">IDENTIFICATION</a>	IDENTIFICATION	8
<a href="#">CLIENT CHARACTERISTICS</a>	CLIENT CHARACTERISTICS	8
<a href="#">GEOGRAPHIC</a>	GEOGRAPHIC	9
<a href="#">TREATMENT SERVICE CHARACTERISTICS</a>	TREATMENT SERVICE CHARACTERISTICS	9
<a href="#">REFERRAL SOURCES</a>	REFERRAL SOURCES	9
<a href="#">PRIOR SUBSTANCE ABUSE TREATMENT</a>	PRIOR SUBSTANCE ABUSE TREATMENT	9
<a href="#">SUBSTANCES OF ABUSE: ORIGINAL VARIABLES</a>	SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	9
<a href="#">SUBSTANCES OF ABUSE: CREATED VARIABLES</a>	SUBSTANCES OF ABUSE: CREATED VARIABLES	10
<a href="#">MENTAL HEALTH</a>	MENTAL HEALTH	10
<a href="#">INSURANCE/PAYMENT</a>	INSURANCE/PAYMENT	11

#### IDENTIFICATION

#### IDENTIFICATION

##### *Variables within this Variable Group*

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">CASEID</a>	CASE IDENTIFICATION NUMBER	11
<a href="#">DISYR</a>	YEAR OF DISCHARGE	11

#### CLIENT CHARACTERISTICS

#### CLIENT CHARACTERISTICS

##### *Variables within this Variable Group*

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">AGE</a>	AGE (RECODED)	11
<a href="#">GENDER</a>	SEX	12
<a href="#">RACE</a>	RACE	12
<a href="#">ETHNIC</a>	ETHNICITY (HISPANIC ORIGIN)	13
<a href="#">MARSTAT</a>	MARITAL STATUS	14
<a href="#">EDUC</a>	EDUCATION	15
<a href="#">EMPLOY</a>	EMPLOYMENT STATUS	15
<a href="#">DETNLF</a>	DETAILED 'NOT IN LABOR FORCE' CATEGORY	16
<a href="#">PREG</a>	PREGNANT AT TIME OF ADMISSION	16
<a href="#">VET</a>	VETERAN STATUS	17
<a href="#">LIVARAG</a>	LIVING ARRANGEMENTS	17

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">PRIMINC</a>	SOURCE OF INCOME/SUPPORT	18
<a href="#">ARRESTS</a>	NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION	18

**GEOGRAPHIC**

**GEOGRAPHIC**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">STFIPS</a>	CENSUS STATE FIPS CODE	19
<a href="#">CBSA</a>	FIPS 2000 CBSA CODE	20
<a href="#">PMSA</a>	FIPS 1990 MSA CODE	27
<a href="#">REGION</a>	CENSUS REGION	34
<a href="#">DIVISION</a>	CENSUS DIVISION	35

**TREATMENT SERVICE CHARACTERISTICS**

**TREATMENT SERVICE CHARACTERISTICS**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">SERVSETD</a>	SERVICE SETTING AT DISCHARGE	36
<a href="#">METHUSE</a>	MEDICATION-ASSISTED OPIOID THERAPY	37
<a href="#">DAYWAIT</a>	DAYS WAITING TO ENTER TREATMENT	37
<a href="#">REASON</a>	REASON FOR DISCHARGE	38
<a href="#">LOS</a>	LENGTH OF STAY	39

**REFERRAL SOURCES**

**REFERRAL SOURCES**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">PSOURCE</a>	PRINCIPAL SOURCE OF REFERRAL	41
<a href="#">DETCRIM</a>	DETAILED CRIMINAL JUSTICE REFERRAL	42

**PRIOR SUBSTANCE ABUSE TREATMENT**

**PRIOR SUBSTANCE ABUSE TREATMENT**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">NOPRIOR</a>	NUMBER OF PRIOR TREATMENT EPISODES	43

**SUBSTANCES OF ABUSE: ORIGINAL VARIABLES**

**SUBSTANCES OF ABUSE: ORIGINAL VARIABLES**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">SUB1</a>	SUBSTANCE PROBLEM CODE (PRIMARY)	43
<a href="#">ROUTE1</a>	USUAL ROUTE OF ADMINISTRATION (PRIMARY)	45
<a href="#">FREQ1</a>	FREQUENCY OF USE (PRIMARY)	45
<a href="#">FRSTUSE1</a>	AGE AT FIRST USE (PRIMARY)	46
<a href="#">SUB2</a>	SUBSTANCE PROBLEM CODE (SECONDARY)	46

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">ROUTE2</a>	USUAL ROUTE OF ADMINISTRATION (SECONDARY)	48
<a href="#">FREQ2</a>	FREQUENCY OF USE (SECONDARY)	48
<a href="#">FRSTUSE2</a>	AGE AT FIRST USE (SECONDARY)	49
<a href="#">SUB3</a>	SUBSTANCE PROBLEM CODE (TERTIARY)	49
<a href="#">ROUTE3</a>	USUAL ROUTE OF ADMINISTRATION (TERTIARY)	51
<a href="#">FREQ3</a>	FREQUENCY OF USE (TERTIARY)	52
<a href="#">FRSTUSE3</a>	AGE AT FIRST USE (TERTIARY)	52

**SUBSTANCES OF ABUSE:  
CREATED VARIABLES**

**SUBSTANCES OF ABUSE: CREATED VARIABLES**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">NUMSUBS</a>	NUMBER OF SUBSTANCES REPORTED AT ADM.	52
<a href="#">IDU</a>	CURRENT IV DRUG USE REPORTED AT ADM.	53
<a href="#">ALCFLG</a>	ALCOHOL REPORTED AT ADM.	53
<a href="#">COKEFLG</a>	COCAINE/CRACK REPORTED AT ADM.	53
<a href="#">MARFLG</a>	MARIJUANA/HASHISH REPORTED AT ADM.	53
<a href="#">HERFLG</a>	HEROIN REPORTED AT ADM.	54
<a href="#">METHFLG</a>	NON-RX METHADONE REPORTED AT ADM.	54
<a href="#">OPSYNFLG</a>	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.	54
<a href="#">PCPFLG</a>	PCP REPORTED AT ADM.	54
<a href="#">HALLFLG</a>	OTHER HALLUCINOGENS REPORTED AT ADM.	55
<a href="#">MTHAMFLG</a>	METHAMPHETAMINE REPORTED AT ADM.	55
<a href="#">AMPHFLG</a>	OTHER AMPHETAMINES REPORTED AT ADM.	55
<a href="#">STIMFLG</a>	OTHER STIMULANTS REPORTED AT ADM.	55
<a href="#">BENZFLG</a>	BENZODIAZEPINES REPORTED AT ADM.	56
<a href="#">TRNQFLG</a>	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.	56
<a href="#">BARBFLG</a>	BARBITURATES REPORTED AT ADM.	56
<a href="#">SEDHPFLG</a>	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.	56
<a href="#">INHFLG</a>	INHALANTS REPORTED AT ADM.	57
<a href="#">OTCFLG</a>	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.	57
<a href="#">OTHERFLG</a>	OTHER DRUG REPORTED AT ADM.	57
<a href="#">ALCDRUG</a>	SUBSTANCE ABUSE TYPE	57

**MENTAL HEALTH**

**MENTAL HEALTH**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">DSMCRIT</a>	DSM DIAGNOSIS	58
<a href="#">PSYPROB</a>	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM	59

**INSURANCE/PAYMENT INSURANCE/PAYMENT**

*Variables within this Variable Group*

Variable	Variable Label	Page
<a href="#">HLTHINS</a>	HEALTH INSURANCE	59
<a href="#">PRIMPAY</a>	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT	59

**CASEID CASE IDENTIFICATION NUMBER**

Location: 1-8 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Based upon 1620588 valid cases out of 1620588 total cases.

**DISYR YEAR OF DISCHARGE**

Location: 9-12 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Year of client's discharge from substance abuse treatment.

Value	Label	Unweighted Frequency	%	Valid %
2009	-	1620588	100.0 %	100.0%

Based upon 1620588 valid cases out of 1620588 total cases.

**AGE AGE (RECODED)**

Location: 13-14 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: Calculated from date of birth and date of admission and categorized.  
 Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

Value	Label	Unweighted Frequency	%	Valid %
2	12-14	18773	1.2 %	1.2%
3	15-17	101905	6.3 %	6.3%
4	18-20	106634	6.6 %	6.6%
5	21-24	191983	11.8 %	11.8%
6	25-29	242165	14.9 %	14.9%
7	30-34	185896	11.5 %	11.5%
8	35-39	178505	11.0 %	11.0%
9	40-44	196514	12.1 %	12.1%
10	45-49	190016	11.7 %	11.7%
11	50-54	120194	7.4 %	7.4%
12	55 AND OVER	88003	5.4 %	5.4%

Based upon 1620588 valid cases out of 1620588 total cases.

**GENDER** **SEX**

Location: 15-16 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Identifies client's gender.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MALE	1101726	68.0 %	68.0%
2	FEMALE	518648	32.0 %	32.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	214	0.0 %	-

Based upon 1620374 valid cases out of 1620588 total cases.

**RACE** **RACE**

Location: 17-18 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the client's race:

- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.
- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.
- ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.
- BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa.
- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.
- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.
- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)

- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	3486	0.2 %	0.2%
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	39177	2.4 %	2.5%
3	ASIAN OR PACIFIC ISLANDER	2102	0.1 %	0.1%
4	BLACK OR AFRICAN AMERICAN	330245	20.4 %	20.9%
5	WHITE	1006980	62.1 %	63.8%
13	ASIAN	10596	0.7 %	0.7%
20	OTHER SINGLE RACE	161960	10.0 %	10.3%
21	TWO OR MORE RACES	16677	1.0 %	1.1%
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	7230	0.4 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	42135	2.6 %	-

Based upon 1578453 valid cases out of 1620588 total cases.

**ETHNIC**

**ETHNICITY (HISPANIC ORIGIN)**

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain),

other than Puerto Rican, Mexican, or Cuban, regardless of race.

- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PUERTO RICAN	62831	3.9 %	4.0%
2	MEXICAN	101844	6.3 %	6.4%
3	CUBAN	3392	0.2 %	0.2%
4	OTHER SPECIFIC HISPANIC	44055	2.7 %	2.8%
5	NOT OF HISPANIC ORIGIN	1346092	83.1 %	85.2%
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	22250	1.4 %	1.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	40124	2.5 %	-

Based upon 1580464 valid cases out of 1620588 total cases.

**MARSTAT**

**MARITAL STATUS**

Location: 21-22 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.
- NOW MARRIED: Includes those living together as married.
- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.
- DIVORCED, WIDOWED

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER MARRIED	743736	45.9 %	61.3%
2	NOW MARRIED	186667	11.5 %	15.4%
3	SEPARATED	70528	4.4 %	5.8%
4	DIVORCED, WIDOWED	213073	13.1 %	17.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	406584	25.1 %	-

Based upon 1214004 valid cases out of 1620588 total cases.

**EDUC EDUCATION**

Location: 23-24 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

Value	Label	Unweighted Frequency	%	Valid %
1	8 YEARS OR LESS	131092	8.1 %	8.2%
2	9-11	454903	28.1 %	28.6%
3	12	653614	40.3 %	41.0%
4	13-15	276108	17.0 %	17.3%
5	16 OR MORE	77312	4.8 %	4.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	27559	1.7 %	-

Based upon 1593029 valid cases out of 1620588 total cases.

**EMPLOY EMPLOYMENT STATUS**

Location: 25-26 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.
- PART TIME: Working fewer than 35 hours each week.
- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.
- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DETDLF).

Guidelines: Seasonal workers are coded in this category based

on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FULL TIME	254782	15.7 %	16.0%
2	PART TIME	116094	7.2 %	7.3%
3	UNEMPLOYED	559547	34.5 %	35.2%
4	NOT IN LABOR FORCE	661168	40.8 %	41.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	28997	1.8 %	-

Based upon 1591591 valid cases out of 1620588 total cases.

**DET NFL**                      **DETAILED 'NOT IN LABOR FORCE' CATEGORY**

Location: 27-28 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMEMAKER	14457	0.9 %	2.7%
2	STUDENT	87326	5.4 %	16.3%
3	RETIRED, DISABLED	113044	7.0 %	21.1%
5	INMATE OF INSTITUTION	33517	2.1 %	6.2%
6	OTHER	288516	17.8 %	53.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1083728	66.9 %	-

Based upon 536860 valid cases out of 1620588 total cases.

**PREG**                              **PREGNANT AT TIME OF ADMISSION**

Location: 29-30 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	20035	1.2 %	4.1%
2	NO	469004	28.9 %	95.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1131549	69.8 %	-

Based upon 489039 valid cases out of 1620588 total cases.

**VET VETERAN STATUS**

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	55590	3.4 %	4.0%
2	NO	1335226	82.4 %	96.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	229772	14.2 %	-

Based upon 1390816 valid cases out of 1620588 total cases.

**LIVARAG LIVING ARRANGEMENTS**

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.

- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.

- INDEPENDENT LIVING: Clients living alone or with others

without supervision. Includes adult children (age 18 or over) living with parents.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMELESS	215443	13.3 %	13.6%
2	DEPENDENT LIVING	366669	22.6 %	23.1%
3	INDEPENDENT LIVING	1004350	62.0 %	63.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	34126	2.1 %	-

Based upon 1586462 valid cases out of 1620588 total cases.

**PRIMINC SOURCE OF INCOME/SUPPORT**

Location: 35-36 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WAGES/SALARY	297963	18.4 %	28.2%
2	PUBLIC ASSISTANCE	81762	5.0 %	7.7%
3	RETIREMENT/PENSION, DISABILITY	62540	3.9 %	5.9%
20	OTHER	238016	14.7 %	22.5%
21	NONE	377034	23.3 %	35.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	563273	34.8 %	-

Based upon 1057315 valid cases out of 1620588 total cases.

**ARRESTS NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION**

Location: 37-38 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: The number of arrests in the 30 days preceding the date of admission to treatment services.

Guidelines: This item is intended to capture the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment. Any formal arrest is to be counted regardless of whether incarceration or conviction resulted and regardless of the status of the arrest proceedings at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	1300267	80.2 %	88.8%
1	ONCE	136964	8.5 %	9.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	2 OR MORE TIMES	26530	1.6 %	1.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	156827	9.7 %	-

Based upon 1463761 valid cases out of 1620588 total cases.

**STFIPS CENSUS STATE FIPS CODE**

Location: 39-40 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALABAMA	2095	0.1 %	0.1%
2	ALASKA	5583	0.3 %	0.3%
4	ARIZONA	16482	1.0 %	1.0%
5	ARKANSAS	26547	1.6 %	1.6%
6	CALIFORNIA	187927	11.6 %	11.6%
8	COLORADO	57938	3.6 %	3.6%
9	CONNECTICUT	35910	2.2 %	2.2%
10	DELAWARE	6201	0.4 %	0.4%
12	FLORIDA	29370	1.8 %	1.8%
15	HAWAII	7988	0.5 %	0.5%
16	IDAHO	6041	0.4 %	0.4%
17	ILLINOIS	61125	3.8 %	3.8%
18	INDIANA	12391	0.8 %	0.8%
19	IOWA	23874	1.5 %	1.5%
20	KANSAS	18470	1.1 %	1.1%
21	KENTUCKY	18772	1.2 %	1.2%
22	LOUISIANA	28252	1.7 %	1.7%
23	MAINE	11990	0.7 %	0.7%
24	MARYLAND	56897	3.5 %	3.5%
25	MASSACHUSETTS	68522	4.2 %	4.2%
26	MICHIGAN	55107	3.4 %	3.4%
27	MINNESOTA	46963	2.9 %	2.9%
29	MISSOURI	62609	3.9 %	3.9%
30	MONTANA	8298	0.5 %	0.5%
31	NEBRASKA	8378	0.5 %	0.5%
32	NEVADA	11689	0.7 %	0.7%
33	NEW HAMPSHIRE	6096	0.4 %	0.4%
34	NEW JERSEY	62619	3.9 %	3.9%
36	NEW YORK	288732	17.8 %	17.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
38	NORTH DAKOTA	1976	0.1 %	0.1%
39	OHIO	70956	4.4 %	4.4%
40	OKLAHOMA	16570	1.0 %	1.0%
41	OREGON	42328	2.6 %	2.6%
44	RHODE ISLAND	7656	0.5 %	0.5%
45	SOUTH CAROLINA	31210	1.9 %	1.9%
46	SOUTH DAKOTA	15499	1.0 %	1.0%
47	TENNESSEE	9934	0.6 %	0.6%
48	TEXAS	47235	2.9 %	2.9%
49	UTAH	17766	1.1 %	1.1%
50	VERMONT	6818	0.4 %	0.4%
51	VIRGINIA	22223	1.4 %	1.4%
53	WASHINGTON	68688	4.2 %	4.2%
55	WISCONSIN	23887	1.5 %	1.5%
56	WYOMING	2851	0.2 %	0.2%
72	PUERTO RICO	2125	0.1 %	0.1%

Based upon 1620588 valid cases out of 1620588 total cases.

**CBSA**

**FIPS 2000 CBSA CODE**

Location: 41-45 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10180	ABILENE, TX METRO	759	0.0 %	0.1%
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	33	0.0 %	0.0%
10420	AKRON, OH METRO	4312	0.3 %	0.4%
10580	ALBANY-SCHENECTADY-TROY, NY METRO	17743	1.1 %	1.5%
10780	ALEXANDRIA, LA METRO	2681	0.2 %	0.2%
10880	ALLEGAN, MI MICRO	314	0.0 %	0.0%
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	875	0.1 %	0.1%
11100	AMARILLO, TX METRO	357	0.0 %	0.0%
11260	ANCHORAGE, AK METRO	1659	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
11300	ANDERSON, IN METRO	400	0.0 %	0.0%
11340	ANDERSON, SC METRO	1681	0.1 %	0.1%
11460	ANN ARBOR, MI METRO	1361	0.1 %	0.1%
11500	ANNISTON-OXFORD, AL METRO	18	0.0 %	0.0%
11780	ASHTABULA, OH MICRO	993	0.1 %	0.1%
12100	ATLANTIC CITY, NJ METRO	2723	0.2 %	0.2%
12260	AUGUSTA-RICHMOND COUNTY, GA-SC METRO	933	0.1 %	0.1%
12420	AUSTIN-ROUND ROCK, TX METRO	2380	0.1 %	0.2%
12540	BAKERSFIELD, CA METRO	2452	0.2 %	0.2%
12580	BALTIMORE-TOWSON, MD METRO	27106	1.7 %	2.2%
12700	BARNSTABLE TOWN, MA METRO	4763	0.3 %	0.4%
12940	BATON ROUGE, LA METRO	5315	0.3 %	0.4%
12980	BATTLE CREEK, MI METRO	455	0.0 %	0.0%
13020	BAY CITY, MI METRO	262	0.0 %	0.0%
13140	BEAUMONT-PORT ARTHUR, TX METRO	1717	0.1 %	0.1%
13380	BELLINGHAM, WA METRO	2807	0.2 %	0.2%
13740	BILLINGS, MT METRO	1665	0.1 %	0.1%
13780	BINGHAMTON, NY METRO	3086	0.2 %	0.3%
13820	BIRMINGHAM-HOOVER, AL METRO	658	0.0 %	0.1%
14060	BLOOMINGTON-NORMAL, IL METRO	904	0.1 %	0.1%
14260	BOISE CITY-NAMPA, ID METRO	2299	0.1 %	0.2%
14460	BOSTON-CAMBRIDGE-QUINCY, MA-NH METRO	36633	2.3 %	3.0%
14500	BOULDER, CO METRO	2207	0.1 %	0.2%
14740	BREMERTON-SILVERDALE, WA METRO	2358	0.1 %	0.2%
14860	BRIDGEPORT-STAMFORD-NORWALK, CT METRO	6276	0.4 %	0.5%
15180	BROWNSVILLE-HARLINGEN, TX METRO	711	0.0 %	0.1%
15380	BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO	16868	1.0 %	1.4%
15540	BURLINGTON-SOUTH BURLINGTON, VT METRO	1845	0.1 %	0.2%
15940	CANTON-MASSILLON, OH METRO	2385	0.1 %	0.2%
15980	CAPE CORAL-FORT MYERS, FL METRO	876	0.1 %	0.1%
16300	CEDAR RAPIDS, IA METRO	2685	0.2 %	0.2%
16580	CHAMPAIGN-URBANA, IL METRO	702	0.0 %	0.1%
16700	CHARLESTON-NORTH CHARLESTON, SC METRO	5191	0.3 %	0.4%
16740	CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO	2145	0.1 %	0.2%
16820	CHARLOTTESVILLE, VA METRO	520	0.0 %	0.0%
16860	CHATTANOOGA, TN-GA METRO	1070	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16980	CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO	24117	1.5 %	2.0%
17020	CHICO, CA METRO	922	0.1 %	0.1%
17140	CINCINNATI-MIDDLETOWN, OH-KY-IN METRO	6901	0.4 %	0.6%
17300	CLARKSVILLE, TN-KY METRO	591	0.0 %	0.0%
17460	CLEVELAND-ELYRIA-MENTOR, OH METRO	12770	0.8 %	1.0%
17780	COLLEGE STATION-BRYAN, TX METRO	290	0.0 %	0.0%
17820	COLORADO SPRINGS, CO METRO	3647	0.2 %	0.3%
17860	COLUMBIA, MO METRO	3118	0.2 %	0.3%
17900	COLUMBIA, SC METRO	3701	0.2 %	0.3%
18140	COLUMBUS, OH METRO	9660	0.6 %	0.8%
18580	CORPUS CHRISTI, TX METRO	2854	0.2 %	0.2%
19060	CUMBERLAND, MD-WV METRO	1934	0.1 %	0.2%
19100	DALLAS-FORT WORTH-ARLINGTON, TX METRO	6754	0.4 %	0.6%
19260	DANVILLE, VA METRO	161	0.0 %	0.0%
19340	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO	3698	0.2 %	0.3%
19380	DAYTON, OH METRO	13915	0.9 %	1.1%
19460	DECATUR, AL METRO	33	0.0 %	0.0%
19500	DECATUR, IL METRO	622	0.0 %	0.1%
19660	DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO	607	0.0 %	0.0%
19740	DENVER-AURORA, CO METRO	33165	2.0 %	2.7%
19780	DES MOINES, IA METRO	2744	0.2 %	0.2%
19820	DETROIT-WARREN-LIVONIA, MI METRO	23738	1.5 %	2.0%
20020	DOTHAN, AL METRO	57	0.0 %	0.0%
20100	DOVER, DE METRO	866	0.1 %	0.1%
20260	DULUTH, MN-WI METRO	2125	0.1 %	0.2%
20620	EAST LIVERPOOL-SALEM, OH MICRO	912	0.1 %	0.1%
21340	EL PASO, TX METRO	2098	0.1 %	0.2%
21660	EUGENE-SPRINGFIELD, OR METRO	4375	0.3 %	0.4%
21780	EVANSVILLE, IN-KY METRO	114	0.0 %	0.0%
22020	FARGO, ND-MN METRO	886	0.1 %	0.1%
22220	FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO	2257	0.1 %	0.2%
22420	FLINT, MI METRO	2744	0.2 %	0.2%
22460	FLORENCE, AL METRO	6	0.0 %	0.0%
22500	FLORENCE, SC METRO	699	0.0 %	0.1%
22660	FORT COLLINS-LOVELAND, CO METRO	2568	0.2 %	0.2%
22900	FORT SMITH, AR-OK METRO	2832	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
23020	FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO	105	0.0 %	0.0%
23420	FRESNO, CA METRO	8071	0.5 %	0.7%
23460	GADSDEN, AL METRO	48	0.0 %	0.0%
23540	GAINESVILLE, FL METRO	270	0.0 %	0.0%
24020	GLENS FALLS, NY METRO	1451	0.1 %	0.1%
24300	GRAND JUNCTION, CO METRO	1933	0.1 %	0.2%
24340	GRAND RAPIDS-WYOMING, MI METRO	3458	0.2 %	0.3%
24540	GREELEY, CO METRO	580	0.0 %	0.0%
24860	GREENVILLE, SC METRO	4854	0.3 %	0.4%
25180	HAGERSTOWN-MARTINSBURG, MD-WV METRO	1600	0.1 %	0.1%
25540	HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO	15670	1.0 %	1.3%
26100	HOLLAND-GRAND HAVEN, MI METRO	891	0.1 %	0.1%
26180	HONOLULU, HI METRO	5320	0.3 %	0.4%
26380	HOUMA-BAYOU CANE-THIBODAUX, LA METRO	1182	0.1 %	0.1%
26420	HOUSTON-BAYTOWN-SUGAR LAND, TX METRO	10201	0.6 %	0.8%
26580	HUNTINGTON-ASHLAND, WV-KY-OH METRO	876	0.1 %	0.1%
26620	HUNTSVILLE, AL METRO	9	0.0 %	0.0%
26900	INDIANAPOLIS, IN METRO	803	0.0 %	0.1%
26980	IOWA CITY, IA METRO	2321	0.1 %	0.2%
27100	JACKSON, MI METRO	907	0.1 %	0.1%
27180	JACKSON, TN METRO	824	0.1 %	0.1%
27260	JACKSONVILLE, FL METRO	2775	0.2 %	0.2%
27460	JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO	1102	0.1 %	0.1%
27740	JOHNSON, CITYTN METRO	1130	0.1 %	0.1%
27900	JOPLIN, MO METRO	2059	0.1 %	0.2%
28020	KALAMAZOO-PORTAGE, MI METRO	1279	0.1 %	0.1%
28100	KANKAKEE-BRADLEY, IL METRO	916	0.1 %	0.1%
28140	KANSAS CITY, MO-KS METRO	13339	0.8 %	1.1%
28420	KENNEWICK-RICHLAND-PASCO, WA METRO	2649	0.2 %	0.2%
28660	KILLEEN-TEMPLE-FORT HOOD, TX METRO	373	0.0 %	0.0%
28700	KINGSPORT-BRISTOL, TN-VA METRO	262	0.0 %	0.0%
28940	KNOXVILLE, TN METRO	1290	0.1 %	0.1%
29100	LA CROSSE, WI-MN METRO	67	0.0 %	0.0%
29180	LAFAYETTE, LA METRO	1483	0.1 %	0.1%
29340	LAKE CHARLES, LA METRO	1546	0.1 %	0.1%
29460	LAKELAND-WINTER HAVEN, FL METRO	294	0.0 %	0.0%
29620	LANSING-EAST LANSING, MI METRO	2268	0.1 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
29700	LAREDO, TX METRO	877	0.1 %	0.1%
29820	LAS VEGAS-PARADISE, NV METRO	6497	0.4 %	0.5%
30020	LAWTON, OK METRO	669	0.0 %	0.1%
30460	LEXINGTON-FAYETTE, KY METRO	1934	0.1 %	0.2%
30620	LIMA, OH METRO	306	0.0 %	0.0%
30700	LINCOLN, NE METRO	2765	0.2 %	0.2%
30780	LITTLE ROCK-NORTH LITTLE ROCK, AR METRO	5216	0.3 %	0.4%
30980	LONGVIEW, TX METRO	588	0.0 %	0.0%
31100	LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO	51924	3.2 %	4.3%
31140	LOUISVILLE, KY-IN METRO	4661	0.3 %	0.4%
31180	LUBBOCK, TX METRO	1825	0.1 %	0.1%
31340	LYNCHBURG, VA METRO	346	0.0 %	0.0%
31460	MADERA, CA METRO	810	0.0 %	0.1%
31700	MANCHESTER-NASHUA, NH METRO	2145	0.1 %	0.2%
31900	MANSFIELD, OH METRO	422	0.0 %	0.0%
32420	MAYAGUEZ, PR METRO	95	0.0 %	0.0%
32580	MCALLEN-EDINBURG-PHARR, TX METRO	175	0.0 %	0.0%
32780	MEDFORD, OR METRO	2707	0.2 %	0.2%
32820	MEMPHIS, TN-MS-AR METRO	1882	0.1 %	0.2%
32900	MERCED, CA METRO	653	0.0 %	0.1%
33100	MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO	6759	0.4 %	0.6%
33260	MIDLAND, TX METRO	295	0.0 %	0.0%
33340	MILWAUKEE-WAUKESHA-WEST ALLIS, WI METRO	22	0.0 %	0.0%
33460	MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO	27507	1.7 %	2.3%
33660	MOBILE, AL METRO	21	0.0 %	0.0%
33700	MODESTO, CA METRO	3311	0.2 %	0.3%
33740	MONROE, LA METRO	2650	0.2 %	0.2%
33780	MONROE, MI METRO	424	0.0 %	0.0%
33860	MONTGOMERY, AL METRO	712	0.0 %	0.1%
34740	MUSKEGON-NORTON SHORES, MI METRO	1570	0.1 %	0.1%
34820	MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO	1362	0.1 %	0.1%
34900	NAPA, CA METRO	443	0.0 %	0.0%
34940	NAPLES-MARCO ISLAND, FL METRO	587	0.0 %	0.0%
34980	NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO	1568	0.1 %	0.1%
35300	NEW HAVEN-MILFORD, CT METRO	6078	0.4 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
35380	NEW ORLEANS-METAIRIE-KENNER, LA METRO	3946	0.2 %	0.3%
35620	NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO	217727	13.4 %	17.9%
35660	NILES-BENTON HARBOR, MI METRO	739	0.0 %	0.1%
35980	NORWICH-NEW LONDON, CT METRO	4377	0.3 %	0.4%
36100	OCALA, FL METRO	370	0.0 %	0.0%
36140	OCEAN CITY, NJ METRO	1163	0.1 %	0.1%
36220	ODESSA, TX METRO	630	0.0 %	0.1%
36260	OGDEN-CLEARFIELD, UT METRO	2246	0.1 %	0.2%
36420	OKLAHOMA CITY, OK METRO	5568	0.3 %	0.5%
36500	OLYMPIA, WA METRO	2162	0.1 %	0.2%
36540	OMAHA-COUNCIL BLUFFS, NE-IA METRO	3337	0.2 %	0.3%
36740	ORLANDO, FL METRO	1876	0.1 %	0.2%
37100	OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO	3104	0.2 %	0.3%
37340	PALM BAY-MELBOURNE-TITUSVILLE, FL METRO	298	0.0 %	0.0%
37460	PANAMA CITY-LYNN HAVEN, FL METRO	792	0.0 %	0.1%
37620	PARKERSBURG-MARIETTA, WV-OH METRO	90	0.0 %	0.0%
37860	PENSACOLA-FERRY PASS-BRENT, FL METRO	734	0.0 %	0.1%
37900	PEORIA, IL METRO	1404	0.1 %	0.1%
37980	PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO	12929	0.8 %	1.1%
38660	PONCE, PR METRO	495	0.0 %	0.0%
38860	PORTLAND-SOUTH PORTLAND, ME METRO	4638	0.3 %	0.4%
38900	PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO	23381	1.4 %	1.9%
38940	PORT ST. LUCIE, FL METRO	427	0.0 %	0.0%
39100	POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO	9765	0.6 %	0.8%
39300	PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO	14240	0.9 %	1.2%
39340	PROVO-OREM, UT METRO	1068	0.1 %	0.1%
39380	PUEBLO, CO METRO	4628	0.3 %	0.4%
39460	PUNTA GORDA, FL METRO	211	0.0 %	0.0%
39820	REDDING, CA METRO	1697	0.1 %	0.1%
39900	RENO-SPARKS, NV METRO	1897	0.1 %	0.2%
40060	RICHMOND, VA METRO	3673	0.2 %	0.3%
40140	RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO	15287	0.9 %	1.3%
40220	ROANOKE, VA METRO	816	0.1 %	0.1%
40340	ROCHESTER, MN METRO	1320	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40380	ROCHESTER, NY METRO	13272	0.8 %	1.1%
40420	ROCKFORD, IL METRO	1944	0.1 %	0.2%
40900	SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO	10884	0.7 %	0.9%
40980	SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO	1959	0.1 %	0.2%
41060	SAINT CLOUD, MN METRO	2216	0.1 %	0.2%
41140	SAINT JOSEPH, MO-KS METRO	1686	0.1 %	0.1%
41180	SAINT LOUIS, MO-IL METRO	15945	1.0 %	1.3%
41420	SALEM, OR METRO	3431	0.2 %	0.3%
41500	SALINAS, CA METRO	938	0.1 %	0.1%
41620	SALT LAKE CITY, UT METRO	10625	0.7 %	0.9%
41660	SAN ANGELO, TX METRO	195	0.0 %	0.0%
41700	SAN ANTONIO, TX METRO	5648	0.3 %	0.5%
41740	SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO	14226	0.9 %	1.2%
41860	SAN FRANCISCO-OAKLAND-FREMONT, CA METRO	27390	1.7 %	2.3%
41940	SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO	8226	0.5 %	0.7%
41980	SAN JUAN-CAGUAS-GUAYNABO, PR METRO	1188	0.1 %	0.1%
42020	SAN LUIS OBISPO-PASO ROBLES, CA METRO	1339	0.1 %	0.1%
42060	SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO	2935	0.2 %	0.2%
42100	SANTA CRUZ-WATSONVILLE, CA METRO	1938	0.1 %	0.2%
42220	SANTA ROSA, CA METRO	4857	0.3 %	0.4%
42260	SARASOTA-BRADENTON-VENICE, FL METRO	23	0.0 %	0.0%
42660	SEATTLE-TACOMA-BELLEVUE, WA METRO	27073	1.7 %	2.2%
43300	SHERMAN-DENISON, TX METRO	213	0.0 %	0.0%
43340	SHREVEPORT-BOSSIER CITY, LA METRO	1950	0.1 %	0.2%
43580	SIOUX CITY, IA-NE-SD METRO	1297	0.1 %	0.1%
43620	SIOUX FALLS, SD METRO	5691	0.4 %	0.5%
43900	SPARTANBURG, SC METRO	2059	0.1 %	0.2%
44060	SPOKANE, WA METRO	7345	0.5 %	0.6%
44100	SPRINGFIELD, IL METRO	1176	0.1 %	0.1%
44140	SPRINGFIELD, MA METRO	6576	0.4 %	0.5%
44180	SPRINGFIELD, MO METRO	3629	0.2 %	0.3%
44220	SPRINGFIELD, OH METRO	1617	0.1 %	0.1%
44700	STOCKTON, CA METRO	3899	0.2 %	0.3%
44940	SUMTER, SC METRO	850	0.1 %	0.1%
45060	SYRACUSE, NY METRO	10007	0.6 %	0.8%
45220	TALLAHASSEE, FL METRO	577	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
45300	TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO	4572	0.3 %	0.4%
45500	TEXARKANA TX-TEXARKANA, AR METRO	887	0.1 %	0.1%
45780	TOLEDO, OH METRO	837	0.1 %	0.1%
45820	TOPEKA, KS METRO	1890	0.1 %	0.2%
45940	TRENTON-EWING, NJ METRO	1721	0.1 %	0.1%
46140	TULSA, OK METRO	2311	0.1 %	0.2%
46220	TUSCALOOSA, AL METRO	100	0.0 %	0.0%
46340	TYLER, TX METRO	239	0.0 %	0.0%
46540	UTICA-ROME, NY METRO	4032	0.2 %	0.3%
46700	VALLEJO-FAIRFIELD, CA METRO	2351	0.1 %	0.2%
47220	VINELAND-MILLVILLE-BRIDGETON, NJ METRO	3257	0.2 %	0.3%
47260	VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO	4520	0.3 %	0.4%
47300	VISALIA-PORTERVILLE, CA METRO	3406	0.2 %	0.3%
47360	WACO, TX METRO	2038	0.1 %	0.2%
47900	WASHINGTON-ARLINGTON-ALEXANDRIA, DC-VA-MD-W METRO	20403	1.3 %	1.7%
47940	WATERLOO-CEDAR FALLS, IA METRO	1522	0.1 %	0.1%
48540	WHEELING, WV-OH METRO	255	0.0 %	0.0%
48620	WICHITA, KS METRO	5397	0.3 %	0.4%
48660	WICHITA FALLS, TX METRO	340	0.0 %	0.0%
49340	WORCESTER, MA METRO	9290	0.6 %	0.8%
49420	YAKIMA, WA METRO	5932	0.4 %	0.5%
49660	YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO	1454	0.1 %	0.1%
49700	YUBA CITY-MARYSVILLE, CA METRO	943	0.1 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	403356	24.9 %	-

Based upon 1217232 valid cases out of 1620588 total cases.

**PMSA**

**FIPS 1990 MSA CODE**

Location: 46-49 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	ABILENE, TX MSA	759	0.0 %	0.1%
60	AGUADILLA, PR MSA	33	0.0 %	0.0%
80	AKRON, OH PMSA	4312	0.3 %	0.4%
160	ALBANY-SCHENECTADY-TROY, NY MSA	17743	1.1 %	1.5%
220	ALEXANDRIA, LA MSA	2681	0.2 %	0.2%
320	AMARILLO, TX MSA	357	0.0 %	0.0%
380	ANCHORAGE, AK MSA	1659	0.1 %	0.1%
440	ANN ARBOR, MI PMSA	1405	0.1 %	0.1%
450	ANNISTON, AL MSA	18	0.0 %	0.0%
470	ARECIBO, PR PMSA	647	0.0 %	0.1%
560	ATLANTIC-CAPE MAY, NJ PMSA	3886	0.2 %	0.3%
600	AUGUSTA-AIKEN, GA-SC MSA	933	0.1 %	0.1%
640	AUSTIN-SAN MARCOS, TX MSA	2380	0.1 %	0.2%
680	BAKERSFIELD, CA MSA	2452	0.2 %	0.2%
720	BALTIMORE, MD PMSA	27106	1.7 %	2.2%
743	BARNSTABLE-YARMOUTH, MA NECMA	4763	0.3 %	0.4%
760	BATON ROUGE, LA MSA	5315	0.3 %	0.4%
840	BEAUMONT-PORT ARTHUR, TX MSA	1717	0.1 %	0.1%
860	BELLINGHAM, WA MSA	2807	0.2 %	0.2%
870	BENTON HARBOR, MI MSA	739	0.0 %	0.1%
875	BERGEN-PASSAIC, NJ PMSA	8776	0.5 %	0.7%
880	BILLINGS, MT MSA	1665	0.1 %	0.1%
960	BINGHAMTON, NY MSA	3086	0.2 %	0.3%
1000	BIRMINGHAM, AL MSA	658	0.0 %	0.1%
1040	BLOOMINGTON-NORMAL, IL MSA	904	0.1 %	0.1%
1080	BOISE CITY, ID MSA	2299	0.1 %	0.2%
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	55268	3.4 %	4.5%
1125	BOULDER-LONGMONT, CO PMSA	2227	0.1 %	0.2%
1145	BRAZORIA, TX PMSA	728	0.0 %	0.1%
1150	BREMERTON, WA PMSA	2358	0.1 %	0.2%
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	711	0.0 %	0.1%
1260	BRYAN-COLLEGE STATION, TX MSA	290	0.0 %	0.0%
1280	BUFFALO-NIAGARA FALLS, NY MSA	16868	1.0 %	1.4%
1303	BURLINGTON, VT NECMA	1845	0.1 %	0.2%
1320	CANTON-MASSILLON, OH MSA	2385	0.1 %	0.2%
1360	CEDAR RAPIDS, IA MSA	2685	0.2 %	0.2%
1400	CHAMPAIGN-URBANA, IL MSA	702	0.0 %	0.1%
1440	CHARLESTON-NORTH CHARLESTON, SC MSA	5191	0.3 %	0.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1520	CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA	2145	0.1 %	0.2%
1540	CHARLOTTESVILLE, VA MSA	520	0.0 %	0.0%
1560	CHATTANOOGA, TN-GA MSA	1070	0.1 %	0.1%
1600	CHICAGO, IL PMSA	24117	1.5 %	2.0%
1620	CHICO-PARADISE, CA MSA	922	0.1 %	0.1%
1640	CINCINNATI, OH-KY-IN PMSA	6550	0.4 %	0.5%
1660	CLARKSVILLE-HOPKINSVILLE, TN-KY MSA	591	0.0 %	0.0%
1680	CLEVELAND-LORAIN-ELYRIA, OH PMSA	13763	0.8 %	1.1%
1720	COLORADO SPRINGS, CO MSA	3647	0.2 %	0.3%
1740	COLUMBIA, MO MSA	3118	0.2 %	0.3%
1760	COLUMBIA, SC MSA	3701	0.2 %	0.3%
1840	COLUMBUS, OH MSA	9660	0.6 %	0.8%
1880	CORPUS CHRISTI, TX MSA	2854	0.2 %	0.2%
1900	CUMBERLAND, MD-WV MSA	1934	0.1 %	0.2%
1920	DALLAS, TX PMSA	1249	0.1 %	0.1%
1950	DANVILLE, VA MSA	161	0.0 %	0.0%
1960	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA	3698	0.2 %	0.3%
2000	DAYTON-SPRINGFIELD, OH MSA	15532	1.0 %	1.3%
2020	DAYTONA BEACH, FL MSA	607	0.0 %	0.0%
2030	DECATUR, AL MSA	33	0.0 %	0.0%
2040	DECATUR, IL MSA	622	0.0 %	0.1%
2080	DENVER, CO PMSA	33145	2.0 %	2.7%
2120	DES MOINES, IA MSA	2744	0.2 %	0.2%
2160	DETROIT, MI PMSA	24118	1.5 %	2.0%
2180	DOTHAN, AL MSA	57	0.0 %	0.0%
2190	DOVER, DE MSA	866	0.1 %	0.1%
2240	DULUTH-SUPERIOR, MN-WI MSA	2125	0.1 %	0.2%
2281	DUTCHESS COUNTY, NY PMSA	5913	0.4 %	0.5%
2320	EL PASO, TX MSA	2098	0.1 %	0.2%
2400	EUGENE-SPRINGFIELD, OR MSA	4375	0.3 %	0.4%
2440	EVANSVILLE-HENDERSON, IN-KY MSA	114	0.0 %	0.0%
2520	FARGO-MOORHEAD, ND-MN MSA	886	0.1 %	0.1%
2580	FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA	2257	0.1 %	0.2%
2640	FLINT, MI PMSA	2744	0.2 %	0.2%
2650	FLORENCE, AL MSA	6	0.0 %	0.0%
2655	FLORENCE, SC MSA	699	0.0 %	0.1%
2670	FORT COLLINS-LOVELAND, CO MSA	2568	0.2 %	0.2%
2680	FORT LAUDERDALE, FL PMSA	2521	0.2 %	0.2%
2700	FORT MYERS-CAPE CORAL, FL MSA	876	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2710	FORT PIERCE-PORT ST. LUCIE, FL MSA	427	0.0 %	0.0%
2720	FORT SMITH, AR-OK MSA	2832	0.2 %	0.2%
2750	FORT WALTON BEACH, FL MSA	105	0.0 %	0.0%
2800	FORT WORTH-ARLINGTON, TX PMSA	5505	0.3 %	0.5%
2840	FRESNO, CA MSA	8881	0.5 %	0.7%
2880	GADSDEN, AL MSA	48	0.0 %	0.0%
2900	GAINESVILLE, FL MSA	270	0.0 %	0.0%
2920	GALVESTON-TEXAS CITY, TX PMSA	957	0.1 %	0.1%
2975	GLENS FALLS, NY MSA	1451	0.1 %	0.1%
2995	GRAND JUNCTION, CO MSA	1933	0.1 %	0.2%
3000	GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA	6233	0.4 %	0.5%
3060	GREELEY, CO PMSA	580	0.0 %	0.0%
3160	GREENVILLE-SPARTANBURG-ANDERSON, SC MSA	8594	0.5 %	0.7%
3180	HAGERSTOWN, MD PMSA	1600	0.1 %	0.1%
3200	HAMILTON-MIDDLETOWN, OH PMSA	351	0.0 %	0.0%
3283	HARTFORD, CT NECMA	15670	1.0 %	1.3%
3320	HONOLULU, HI MSA	5320	0.3 %	0.4%
3350	HOUMA, LA MSA	1182	0.1 %	0.1%
3360	HOUSTON, TX PMSA	8516	0.5 %	0.7%
3400	HUNTINGTON-ASHLAND, WV-KY-OH MSA	876	0.1 %	0.1%
3440	HUNTSVILLE, AL MSA	9	0.0 %	0.0%
3480	INDIANAPOLIS, IN MSA	1203	0.1 %	0.1%
3500	IOWA CITY, IA MSA	2321	0.1 %	0.2%
3520	JACKSON, MI MSA	907	0.1 %	0.1%
3580	JACKSON, TN MSA	824	0.1 %	0.1%
3600	JACKSONVILLE, FL MSA	2775	0.2 %	0.2%
3610	JAMESTOWN, NY MSA	1102	0.1 %	0.1%
3640	JERSEY CITY, NJ PMSA	2249	0.1 %	0.2%
3660	JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA	1392	0.1 %	0.1%
3710	JOPLIN, MO MSA	2059	0.1 %	0.2%
3720	KALAMAZOO-BATTLE CREEK, MI MSA	1734	0.1 %	0.1%
3740	KANKAKEE, IL PMSA	916	0.1 %	0.1%
3760	KANSAS CITY, MO-KS MSA	13339	0.8 %	1.1%
3810	KILLEEN-TEMPLE, TX MSA	373	0.0 %	0.0%
3840	KNOXVILLE, TN MSA	1290	0.1 %	0.1%
3870	LA CROSSE, WI-MN MSA	67	0.0 %	0.0%
3880	LAFAYETTE, LA MSA	1483	0.1 %	0.1%
3960	LAKE CHARLES, LA MSA	1546	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3980	LAKELAND-WINTER HAVEN, FL MSA	294	0.0 %	0.0%
4040	LANSING-EAST LANSING, MI MSA	2268	0.1 %	0.2%
4080	LAREDO, TX MSA	877	0.1 %	0.1%
4120	LAS VEGAS, NV-AZ MSA	6497	0.4 %	0.5%
4200	LAWTON, OK MSA	669	0.0 %	0.1%
4280	LEXINGTON, KY MSA	1934	0.1 %	0.2%
4320	LIMA, OH MSA	306	0.0 %	0.0%
4360	LINCOLN, NE MSA	2765	0.2 %	0.2%
4400	LITTLE ROCK-NORTH LITTLE ROCK, AR MSA	5216	0.3 %	0.4%
4420	LONGVIEW-MARSHALL, TX MSA	588	0.0 %	0.0%
4480	LOS ANGELES-LONG BEACH, CA PMSA	42577	2.6 %	3.5%
4520	LOUISVILLE, KY-IN MSA	4661	0.3 %	0.4%
4600	LUBBOCK, TX MSA	1825	0.1 %	0.1%
4640	LYNCHBURG, VA MSA	346	0.0 %	0.0%
4800	MANSFIELD, OH MSA	422	0.0 %	0.0%
4840	MAYAGUEZ, PR MSA	95	0.0 %	0.0%
4880	MCALLEN-EDINBURG-MISSION, TX MSA	175	0.0 %	0.0%
4890	MEDFORD-ASHLAND, OR MSA	2707	0.2 %	0.2%
4900	MELBOURNE-TITUSVILLE-PALM BAY, FL MSA	298	0.0 %	0.0%
4920	MEMPHIS, TN-AR-MS MSA	1882	0.1 %	0.2%
4940	MERCED, CA MSA	653	0.0 %	0.1%
5000	MIAMI, FL PMSA	2143	0.1 %	0.2%
5015	MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA	5534	0.3 %	0.5%
5080	MILWAUKEE-WAUKESHA, WI PMSA	22	0.0 %	0.0%
5120	MINNEAPOLIS-ST. PAUL, MN-WI MSA	27507	1.7 %	2.3%
5160	MOBILE, AL MSA	21	0.0 %	0.0%
5170	MODESTO, CA MSA	3311	0.2 %	0.3%
5190	MONMOUTH-OCEAN, NJ PMSA	9971	0.6 %	0.8%
5200	MONROE, LA MSA	2650	0.2 %	0.2%
5240	MONTGOMERY, AL MSA	712	0.0 %	0.1%
5330	MYRTLE BEACH, SC MSA	1362	0.1 %	0.1%
5345	NAPLES, FL MSA	587	0.0 %	0.0%
5360	NASHVILLE, TN MSA	1568	0.1 %	0.1%
5380	NASSAU-SUFFOLK, NY PMSA	31494	1.9 %	2.6%
5483	NEW HAVENBRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA	12354	0.8 %	1.0%
5523	NEW LONDON-NORWICH, CT NECMA	4377	0.3 %	0.4%
5560	NEW ORLEANS, LA MSA	3946	0.2 %	0.3%
5600	NEW YORK, NY PMSA	142835	8.8 %	11.7%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5640	NEWARK, NJ PMSA	17743	1.1 %	1.5%
5660	NEWBURGH, NY-PA PMSA	3852	0.2 %	0.3%
5720	NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA	4520	0.3 %	0.4%
5775	OAKLAND, CA PMSA	12271	0.8 %	1.0%
5790	OCALA, FL MSA	370	0.0 %	0.0%
5800	ODESSA-MIDLAND, TX MSA	925	0.1 %	0.1%
5880	OKLAHOMA CITY, OK MSA	5568	0.3 %	0.5%
5910	OLYMPIA, WA PMSA	2162	0.1 %	0.2%
5920	OMAHA, NE-IA MSA	3337	0.2 %	0.3%
5945	ORANGE COUNTY, CA PMSA	9347	0.6 %	0.8%
5960	ORLANDO, FL MSA	1876	0.1 %	0.2%
6015	PANAMA CITY, FL MSA	792	0.0 %	0.1%
6020	PARKERSBURG-MARIETTA, WV-OH MSA	90	0.0 %	0.0%
6080	PENSACOLA, FL MSA	734	0.0 %	0.1%
6120	PEORIA-PEKIN, IL MSA	1404	0.1 %	0.1%
6160	PHILADELPHIA, PA-NJ PMSA	8502	0.5 %	0.7%
6360	PONCE, PR MSA	495	0.0 %	0.0%
6403	PORTLAND, ME NECMA	4638	0.3 %	0.4%
6440	PORTLAND-VANCOUVER, OR-WA PMSA	23381	1.4 %	1.9%
6483	PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA	7040	0.4 %	0.6%
6520	PROVO-OREM, UT MSA	1068	0.1 %	0.1%
6560	PUEBLO, CO MSA	4628	0.3 %	0.4%
6580	PUNTA GORDA, FL MSA	211	0.0 %	0.0%
6690	REDDING, CA MSA	1697	0.1 %	0.1%
6720	RENO, NV MSA	1897	0.1 %	0.2%
6740	RICHLAND-KENNEWICK-PASCO, WA MSA	2649	0.2 %	0.2%
6760	RICHMOND-PETERSBURG, VA MSA	3673	0.2 %	0.3%
6780	RIVERSIDE-SAN BERNARDINO, CA PMSA	15287	0.9 %	1.3%
6800	ROANOKE, VA MSA	816	0.1 %	0.1%
6820	ROCHESTER, MN MSA	1320	0.1 %	0.1%
6840	ROCHESTER, NY MSA	13272	0.8 %	1.1%
6880	ROCKFORD, IL MSA	1944	0.1 %	0.2%
6920	SACRAMENTO, CA PMSA	10179	0.6 %	0.8%
6960	SAGINAW-BAY CITY-MIDLAND, MI MSA	2221	0.1 %	0.2%
6980	ST. CLOUD, MN MSA	2216	0.1 %	0.2%
7000	ST. JOSEPH, MO MSA	1686	0.1 %	0.1%
7040	ST. LOUIS, MO-IL MSA	15945	1.0 %	1.3%
7080	SALEM, OR PMSA	3431	0.2 %	0.3%
7120	SALINAS, CA MSA	938	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7160	SALT LAKE CITY-OGDEN, UT MSA	12871	0.8 %	1.1%
7200	SAN ANGELO, TX MSA	195	0.0 %	0.0%
7240	SAN ANTONIO, TX MSA	5648	0.3 %	0.5%
7320	SAN DIEGO, CA MSA	14226	0.9 %	1.2%
7360	SAN FRANCISCO, CA PMSA	15119	0.9 %	1.2%
7400	SAN JOSE, CA PMSA	8226	0.5 %	0.7%
7440	SAN JUAN-BAYAMON, PR PMSA	541	0.0 %	0.0%
7460	SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA	1339	0.1 %	0.1%
7480	SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA	2935	0.2 %	0.2%
7485	SANTA CRUZ-WATSONVILLE, CA PMSA	1938	0.1 %	0.2%
7500	SANTA ROSA, CA PMSA	4857	0.3 %	0.4%
7510	SARASOTA-BRADENTON, FL MSA	23	0.0 %	0.0%
7600	SEATTLE-BELLEVUE-EVERETT, WA PMSA	19436	1.2 %	1.6%
7640	SHERMAN-DENISON, TX MSA	213	0.0 %	0.0%
7680	SHREVEPORT-BOSSIER CITY, LA MSA	1950	0.1 %	0.2%
7720	SIOUX CITY, IA-NE MSA	1297	0.1 %	0.1%
7760	SIOUX FALLS, SD MSA	5691	0.4 %	0.5%
7840	SPOKANE, WA MSA	7345	0.5 %	0.6%
7880	SPRINGFIELD, IL MSA	1176	0.1 %	0.1%
7920	SPRINGFIELD, MO MSA	3629	0.2 %	0.3%
8003	SPRINGFIELD, MA NECMA	6576	0.4 %	0.5%
8120	STOCKTON-LODI, CA MSA	3899	0.2 %	0.3%
8140	SUMTER, SC MSA	850	0.1 %	0.1%
8160	SYRACUSE, NY MSA	10007	0.6 %	0.8%
8200	TACOMA, WA PMSA	7637	0.5 %	0.6%
8240	TALLAHASSEE, FL MSA	577	0.0 %	0.0%
8280	TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA	4572	0.3 %	0.4%
8360	TEXARKANA, TX-TEXARKANA, AR MSA	887	0.1 %	0.1%
8400	TOLEDO, OH MSA	837	0.1 %	0.1%
8440	TOPEKA, KS MSA	1890	0.1 %	0.2%
8480	TRENTON, NJ PMSA	1721	0.1 %	0.1%
8560	TULSA, OK MSA	2311	0.1 %	0.2%
8600	TUSCALOOSA, AL MSA	100	0.0 %	0.0%
8640	TYLER, TX MSA	239	0.0 %	0.0%
8680	UTICA-ROME, NY MSA	4032	0.2 %	0.3%
8720	VALLEJO-FAIRFIELD-NAPA, CA PMSA	2794	0.2 %	0.2%
8735	VENTURA, CA PMSA	3104	0.2 %	0.3%
8760	VINELAND-MILLVILLE-BRIDGETON, NJ PMSA	3257	0.2 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
8780	VISALIA-TULARE-PORTERVILLE, CA MSA	3406	0.2 %	0.3%
8800	WACO, TX MSA	2038	0.1 %	0.2%
8840	WASHINGTON, DC-MD-VA-WV PMSA	20403	1.3 %	1.7%
8920	WATERLOO-CEDAR FALLS, IA MSA	1522	0.1 %	0.1%
8960	WEST PALM BEACH-BOCA RATON, FL MSA	2095	0.1 %	0.2%
9000	WHEELING, WV-OH MSA	255	0.0 %	0.0%
9040	WICHITA, KS MSA	5397	0.3 %	0.4%
9080	WICHITA FALLS, TX MSA	340	0.0 %	0.0%
9160	WILMINGTON-NEWARK, DE-MD PMSA	4427	0.3 %	0.4%
9260	YAKIMA, WA MSA	5932	0.4 %	0.5%
9270	YOLO, CA PMSA	705	0.0 %	0.1%
9320	YOUNGSTOWN-WARREN, OH MSA	2366	0.1 %	0.2%
9340	YUBA CITY, CA MSA	943	0.1 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	403356	24.9 %	-

Based upon 1217232 valid cases out of 1620588 total cases.

REGION	CENSUS REGION
--------	---------------

Location: 50-51 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana,

Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	U.S. TERRITORIES	2125	0.1 %	0.1%
1	NORTHEAST	488343	30.1 %	30.1%
2	MIDWEST	401235	24.8 %	24.8%
3	SOUTH	295306	18.2 %	18.2%
4	WEST	433579	26.8 %	26.8%

Based upon 1620588 valid cases out of 1620588 total cases.

<b>DIVISION</b>	<b>CENSUS DIVISION</b>
-----------------	------------------------

Location: 52-53 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Unweighted Frequency	%	Valid %
0	U.S. TERRITORIES	2125	0.1 %	0.1%
1	NEW ENGLAND	136992	8.5 %	8.5%
2	MIDDLE ATLANTIC	351351	21.7 %	21.7%
3	EAST NORTH CENTRAL	223466	13.8 %	13.8%
4	WEST NORTH CENTRAL	177769	11.0 %	11.0%
5	SOUTH ATLANTIC	145901	9.0 %	9.0%
6	EAST SOUTH CENTRAL	30801	1.9 %	1.9%
7	WEST SOUTH CENTRAL	118604	7.3 %	7.3%
8	MOUNTAIN	121065	7.5 %	7.5%
9	PACIFIC	312514	19.3 %	19.3%

Based upon 1620588 valid cases out of 1620588 total cases.

**SERVSETD**

**SERVICE SETTING AT DISCHARGE**

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the type of service the client was receiving prior to discharge.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:  
24 hour per day medical acute care services in hospital setting for detoxification for persons with severe medical complications associated with withdrawal.
- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:  
24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.
- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):  
24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):  
Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):  
Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.
- AMBULATORY - INTENSIVE OUTPATIENT:  
As a minimum, the client must receive treatment lasting two or more hours per day for three or more days per week.



request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Based upon 859615 valid cases out of 1620588 total cases.

- Mean: 6.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 39.59

REASON	REASON FOR DISCHARGE
Location:	61-62 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	<p>Indicates the outcome of treatment or the reason for transfer or discontinuance of treatment.</p> <ul style="list-style-type: none"><li>- TREATMENT COMPLETED: All parts of the treatment plan or program were completed.</li><li>- LEFT AGAINST PROFESSIONAL ADVICE: Client chose not to complete program, with or without specific advice to continue treatment. Includes clients who "drop out" of treatment for unknown reason and clients who have not received treatment for some time and are discharged for "administrative" reasons.</li><li>- TERMINATED BY FACILITY: Treatment terminated by action of facility, generally because of client non-compliance or violation of rules, laws, or procedures (not because client dropped out of treatment, client incarcerated, or other client motivated reason).</li><li>- TRANSFERRED TO ANOTHER SUBSTANCE ABUSE TREATMENT PROGRAM OR FACILITY: Client was transferred to another substance abuse treatment program, provider or facility within an episode of treatment.</li><li>- INCARCERATED: This code is to be used for all clients whose course of treatment is terminated because the client has been incarcerated. Includes jail, prison, and house confinement.</li></ul>

- DEATH

- OTHER: Moved, illness, hospitalization, or other reason somewhat out of client's control.

- UNKNOWN: Client status at discharge is not known because for example, discharge record is lost or incomplete.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	TREATMENT COMPLETED	756318	46.7 %	46.7%
2	LEFT AGAINST PROFESSIONAL ADVICE	404456	25.0 %	25.0%
3	TERMINATED BY FACILITY	110628	6.8 %	6.8%
4	TRANSFERRED TO ANOTHER TREATMENT PROGRAM OR FACILITY	221425	13.7 %	13.7%
5	INCARCERATED	36190	2.2 %	2.2%
6	DEATH	4704	0.3 %	0.3%
7	OTHER	86705	5.4 %	5.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	162	0.0 %	-

Based upon 1620426 valid cases out of 1620588 total cases.

**LOS**

**LENGTH OF STAY**

Location: 63-65 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the length of the treatment episode (in days). Length of stay was computed using the date of admission and the date of last contact. One day is added to all outpatient discharges, so that the first day and last day of outpatient treatment are counted.

- 1 to 30: Data values in the 1-30 range represent the actual computed number of days the client spent in treatment

- 31: Length of stay is between 31 and 45 days.

- 32: Length of stay is between 46 and 60 days.

- 33: Length of stay is between 61 and 90 days.

- 34: Length of stay is between 91 and 120 days.

- 35: Length of stay is between 121 and 180 days.

- 36: Length of stay is between 181 and 365 days.

- 37: Length of stay is greater than 365 days.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	69410	4.3 %	4.3%
2	-	64153	4.0 %	4.0%
3	-	62737	3.9 %	3.9%
4	-	57826	3.6 %	3.6%
5	-	52485	3.2 %	3.2%
6	-	39549	2.4 %	2.4%
7	-	34194	2.1 %	2.1%
8	-	25119	1.5 %	1.6%
9	-	16096	1.0 %	1.0%
10	-	14623	0.9 %	0.9%
11	-	11489	0.7 %	0.7%
12	-	10647	0.7 %	0.7%
13	-	14780	0.9 %	0.9%
14	-	17094	1.1 %	1.1%
15	-	17114	1.1 %	1.1%
16	-	11063	0.7 %	0.7%
17	-	10155	0.6 %	0.6%
18	-	9117	0.6 %	0.6%
19	-	9051	0.6 %	0.6%
20	-	12989	0.8 %	0.8%
21	-	19375	1.2 %	1.2%
22	-	15198	0.9 %	0.9%
23	-	10218	0.6 %	0.6%
24	-	9510	0.6 %	0.6%
25	-	9679	0.6 %	0.6%
26	-	10049	0.6 %	0.6%
27	-	16606	1.0 %	1.0%
28	-	29658	1.8 %	1.8%
29	-	21011	1.3 %	1.3%
30	-	18556	1.1 %	1.1%
31	31 TO 45 DAYS	128367	7.9 %	7.9%
32	46 TO 60 DAYS	97901	6.0 %	6.0%
33	61 TO 90 DAYS	159520	9.8 %	9.8%
34	91 TO 120 DAYS	130355	8.0 %	8.0%
35	121 TO 180 DAYS	151790	9.4 %	9.4%
36	181 TO 365 DAYS	163770	10.1 %	10.1%
37	MORE THAN A YEAR	69322	4.3 %	4.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	12	0.0 %	-

Based upon 1620576 valid cases out of 1620588 total cases.

PSOURCE	PRINCIPAL SOURCE OF REFERRAL
---------	------------------------------

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.
- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.
- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

Value	Label	Unweighted Frequency	%	Valid %
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	526345	32.5 %	32.9%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	168363	10.4 %	10.5%
3	OTHER HEALTH CARE PROVIDER	94986	5.9 %	5.9%
4	SCHOOL (EDUCATIONAL)	16097	1.0 %	1.0%
5	EMPLOYER/EAP	8878	0.5 %	0.6%
6	OTHER COMMUNITY REFERRAL	180653	11.1 %	11.3%
7	COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI	603765	37.3 %	37.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	21501	1.3 %	-

Based upon 1599087 valid cases out of 1620588 total cases.

**DETCRIM**

**DETAILED CRIMINAL JUSTICE REFERRAL**

Location: 68-69 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

Value	Label	Unweighted Frequency	%	Valid %
1	STATE/FEDERAL COURT, OTHER COURT	113621	7.0 %	24.5%
3	PROBATION/PAROLE	192951	11.9 %	41.5%
5	DIVERSIONARY PROGRAM	15118	0.9 %	3.3%
6	PRISON	10378	0.6 %	2.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	DUI/DWI	41372	2.6 %	8.9%
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	91067	5.6 %	19.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1156081	71.3 %	-

Based upon 464507 valid cases out of 1620588 total cases.

**NOPRIOR NUMBER OF PRIOR TREATMENT EPISODES**

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO PRIOR TREATMENT EPISODES	610084	37.6 %	41.6%
1	1 PRIOR TREATMENT EPISODES	314885	19.4 %	21.5%
2	2 PRIOR TREATMENT EPISODES	184779	11.4 %	12.6%
3	3 PRIOR TREATMENT EPISODES	108956	6.7 %	7.4%
4	4 PRIOR TREATMENT EPISODES	62259	3.8 %	4.2%
5	5 OR MORE PRIOR TREATMENT EPISODES	186795	11.5 %	12.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	152830	9.4 %	-

Based upon 1467758 valid cases out of 1620588 total cases.

**SUB1 SUBSTANCE PROBLEM CODE (PRIMARY)**

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK

- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	12735	0.8 %	0.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	ALCOHOL	674738	41.6 %	41.7%
3	COCAINE/CRACK	158169	9.8 %	9.8%
4	MARIJUANA/HASHISH	280677	17.3 %	17.4%
5	HEROIN	237303	14.6 %	14.7%
6	NON-PRESCRIPTION METHADONE	4406	0.3 %	0.3%
7	OTHER OPIATES AND SYNTHETICS	100227	6.2 %	6.2%
8	PCP	3880	0.2 %	0.2%
9	OTHER HALLUCINOGENS	1515	0.1 %	0.1%
10	METHAMPHETAMINE	113693	7.0 %	7.0%
11	OTHER AMPHETAMINES	5958	0.4 %	0.4%
12	OTHER STIMULANTS	524	0.0 %	0.0%
13	BENZODIAZEPINES	10703	0.7 %	0.7%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	442	0.0 %	0.0%
15	BARBITURATES	798	0.0 %	0.0%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3288	0.2 %	0.2%
17	INHALANTS	1051	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	742	0.0 %	0.0%
20	OTHER	6809	0.4 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2930	0.2 %	-

Based upon 1617658 valid cases out of 1620588 total cases.

**ROUTE1 USUAL ROUTE OF ADMINISTRATION (PRIMARY)**

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	777149	48.0 %	48.6%
2	SMOKING	481127	29.7 %	30.1%
3	INHALATION	132738	8.2 %	8.3%
4	INJECTION (IV OR INTRAMUSCULAR)	202872	12.5 %	12.7%
20	OTHER	5672	0.3 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	21030	1.3 %	-

Based upon 1599558 valid cases out of 1620588 total cases.

**FREQ1 FREQUENCY OF USE (PRIMARY)**

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	464773	28.7 %	29.1%
2	1-3 TIMES IN THE PAST MONTH	198338	12.2 %	12.4%
3	1-2 TIMES IN THE PAST WEEK	143592	8.9 %	9.0%
4	3-6 TIMES IN THE PAST WEEK	188764	11.6 %	11.8%
5	DAILY	602148	37.2 %	37.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	22973	1.4 %	-

Based upon 1597615 valid cases out of 1620588 total cases.

**FRSTUSE1 AGE AT FIRST USE (PRIMARY)**

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	117511	7.3 %	7.3%
2	12-14	369068	22.8 %	23.1%
3	15-17	462222	28.5 %	28.9%
4	18-20	273205	16.9 %	17.1%
5	21-24	151989	9.4 %	9.5%
6	25-29	102580	6.3 %	6.4%
7	30-34	54572	3.4 %	3.4%
8	35-39	33248	2.1 %	2.1%
9	40-44	18812	1.2 %	1.2%
10	45-49	9762	0.6 %	0.6%
11	50-54	4209	0.3 %	0.3%
12	55 AND OVER	2240	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	21170	1.3 %	-

Based upon 1599418 valid cases out of 1620588 total cases.

**SUB2 SUBSTANCE PROBLEM CODE (SECONDARY)**

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the client's secondary substance problem.

(1) NONE

- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	677851	41.8 %	42.3%
2	ALCOHOL	252626	15.6 %	15.8%
3	COCAINE/CRACK	194938	12.0 %	12.2%
4	MARIJUANA/HASHISH	259682	16.0 %	16.2%
5	HEROIN	35358	2.2 %	2.2%
6	NON-PRESCRIPTION METHADONE	4286	0.3 %	0.3%
7	OTHER OPIATES AND SYNTHETICS	57610	3.6 %	3.6%
8	PCP	2859	0.2 %	0.2%
9	OTHER HALLUCINOGENS	3354	0.2 %	0.2%
10	METHAMPHETAMINE	44122	2.7 %	2.8%
11	OTHER AMPHETAMINES	7675	0.5 %	0.5%
12	OTHER STIMULANTS	1068	0.1 %	0.1%
13	BENZODIAZEPINES	30934	1.9 %	1.9%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	808	0.0 %	0.1%
15	BARBITURATES	1151	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	7177	0.4 %	0.4%
17	INHALANTS	910	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1140	0.1 %	0.1%
20	OTHER	17547	1.1 %	1.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	19492	1.2 %	-

Based upon 1601096 valid cases out of 1620588 total cases.

**ROUTE2**

**USUAL ROUTE OF ADMINISTRATION (SECONDARY)**

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	355855	22.0 %	38.8%
2	SMOKING	403462	24.9 %	43.9%
3	INHALATION	93609	5.8 %	10.2%
4	INJECTION (IV OR INTRAMUSCULAR)	59875	3.7 %	6.5%
20	OTHER	5460	0.3 %	0.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	702327	43.3 %	-

Based upon 918261 valid cases out of 1620588 total cases.

**FREQ2**

**FREQUENCY OF USE (SECONDARY)**

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the frequency of use of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	349192	21.5 %	38.1%
2	1-3 TIMES IN THE PAST MONTH	146203	9.0 %	15.9%
3	1-2 TIMES IN THE PAST WEEK	94911	5.9 %	10.3%
4	3-6 TIMES IN THE PAST WEEK	92432	5.7 %	10.1%
5	DAILY	234698	14.5 %	25.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	703152	43.4 %	-

Based upon 917436 valid cases out of 1620588 total cases.

**FRSTUSE2 AGE AT FIRST USE (SECONDARY)**

Location: 86-87 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	65222	4.0 %	7.1%
2	12-14	222385	13.7 %	24.2%
3	15-17	266652	16.5 %	29.0%
4	18-20	144944	8.9 %	15.8%
5	21-24	80649	5.0 %	8.8%
6	25-29	59349	3.7 %	6.5%
7	30-34	33062	2.0 %	3.6%
8	35-39	20839	1.3 %	2.3%
9	40-44	12624	0.8 %	1.4%
10	45-49	7249	0.4 %	0.8%
11	50-54	3332	0.2 %	0.4%
12	55 AND OVER	1668	0.1 %	0.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	702613	43.4 %	-

Based upon 917975 valid cases out of 1620588 total cases.

**SUB3 SUBSTANCE PROBLEM CODE (TERTIARY)**

Location: 88-89 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL,

ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	1052997	65.0 %	75.4%
2	ALCOHOL	75146	4.6 %	5.4%
3	COCAINE/CRACK	70728	4.4 %	5.1%
4	MARIJUANA/HASHISH	85428	5.3 %	6.1%
5	HEROIN	12388	0.8 %	0.9%
6	NON-PRESCRIPTION METHADONE	2047	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	25944	1.6 %	1.9%
8	PCP	1692	0.1 %	0.1%
9	OTHER HALLUCINOGENS	5210	0.3 %	0.4%
10	METHAMPHETAMINE	17665	1.1 %	1.3%
11	OTHER AMPHETAMINES	5855	0.4 %	0.4%
12	OTHER STIMULANTS	1203	0.1 %	0.1%
13	BENZODIAZEPINES	19907	1.2 %	1.4%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	597	0.0 %	0.0%
15	BARBITURATES	851	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	4260	0.3 %	0.3%
17	INHALANTS	1111	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1155	0.1 %	0.1%
20	OTHER	12169	0.8 %	0.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	224235	13.8 %	-

Based upon 1396353 valid cases out of 1620588 total cases.

### ROUTE3

### USUAL ROUTE OF ADMINISTRATION (TERTIARY)

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	136917	8.4 %	40.2%
2	SMOKING	133878	8.3 %	39.3%
3	INHALATION	45811	2.8 %	13.5%
4	INJECTION (IV OR INTRAMUSCULAR)	19952	1.2 %	5.9%
20	OTHER	3965	0.2 %	1.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1280065	79.0 %	-

Based upon 340523 valid cases out of 1620588 total cases.

**FREQ3 FREQUENCY OF USE (TERTIARY)**

Location: 92-93 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the frequency of use of the tertiary substance.

Value	Label	Unweighted Frequency	%	Valid %
1	NO USE IN THE PAST MONTH	151409	9.3 %	44.4%
2	1-3 TIMES IN THE PAST MONTH	52084	3.2 %	15.3%
3	1-2 TIMES IN THE PAST WEEK	32498	2.0 %	9.5%
4	3-6 TIMES IN THE PAST WEEK	28414	1.8 %	8.3%
5	DAILY	76562	4.7 %	22.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1279621	79.0 %	-

Based upon 340967 valid cases out of 1620588 total cases.

**FRSTUSE3 AGE AT FIRST USE (TERTIARY)**

Location: 94-95 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%	Valid %
1	11 AND UNDER	24149	1.5 %	7.1%
2	12-14	83217	5.1 %	24.4%
3	15-17	100550	6.2 %	29.5%
4	18-20	55653	3.4 %	16.3%
5	21-24	29225	1.8 %	8.6%
6	25-29	20921	1.3 %	6.1%
7	30-34	11525	0.7 %	3.4%
8	35-39	7312	0.5 %	2.1%
9	40-44	4695	0.3 %	1.4%
10	45-49	2447	0.2 %	0.7%
11	50-54	1149	0.1 %	0.3%
12	55 AND OVER	396	0.0 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1279349	78.9 %	-

Based upon 341239 valid cases out of 1620588 total cases.

**NUMSUBS NUMBER OF SUBSTANCES REPORTED AT ADM.**

Location: 96-97 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	15319	0.9 %	0.9%
1	679124	41.9 %	41.9%
2	586035	36.2 %	36.2%
3	340110	21.0 %	21.0%

Based upon 1620588 valid cases out of 1620588 total cases.

**IDU CURRENT IV DRUG USE REPORTED AT ADM.**

Location: 98-99 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , -8  
 Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO IDU REPORTED	1365030	84.2 %	85.0%
1	IDU REPORTED	240239	14.8 %	15.0%
-8 (M)	NO SUBSTANCES REPORTED	15319	0.9 %	-

Based upon 1605269 valid cases out of 1620588 total cases.

**ALCFLG ALCOHOL REPORTED AT ADM.**

Location: 100-100 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	619761	38.2 %	38.2%
1	SUBSTANCE REPORTED	1000827	61.8 %	61.8%

Based upon 1620588 valid cases out of 1620588 total cases.

**COKEFLG COCAINE/CRACK REPORTED AT ADM.**

Location: 101-101 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1206932	74.5 %	74.5%
1	SUBSTANCE REPORTED	413656	25.5 %	25.5%

Based upon 1620588 valid cases out of 1620588 total cases.

**MARFLG MARIJUANA/HASHISH REPORTED AT ADM.**

Location: 102-102 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	995985	61.5 %	61.5%
1	SUBSTANCE REPORTED	624603	38.5 %	38.5%

Based upon 1620588 valid cases out of 1620588 total cases.

**HERFLG HEROIN REPORTED AT ADM.**

Location: 103-103 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1335721	82.4 %	82.4%
1	SUBSTANCE REPORTED	284867	17.6 %	17.6%

Based upon 1620588 valid cases out of 1620588 total cases.

**METHFLG NON-RX METHADONE REPORTED AT ADM.**

Location: 104-104 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1609883	99.3 %	99.3%
1	SUBSTANCE REPORTED	10705	0.7 %	0.7%

Based upon 1620588 valid cases out of 1620588 total cases.

**OPSYNFLG OTHER OPIATES/SYNTHETICS REPORTED AT ADM.**

Location: 105-105 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1443686	89.1 %	89.1%
1	SUBSTANCE REPORTED	176902	10.9 %	10.9%

Based upon 1620588 valid cases out of 1620588 total cases.

**PCPFLG PCP REPORTED AT ADM.**

Location: 106-106 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1612158	99.5 %	99.5%
1	SUBSTANCE REPORTED	8430	0.5 %	0.5%

Based upon 1620588 valid cases out of 1620588 total cases.

**HALLFLG OTHER HALLUCINOGENS REPORTED AT ADM.**

Location: 107-107 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1610605	99.4 %	99.4%
1	SUBSTANCE REPORTED	9983	0.6 %	0.6%

Based upon 1620588 valid cases out of 1620588 total cases.

**MTHAMFLG METHAMPHETAMINE REPORTED AT ADM.**

Location: 108-108 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1446007	89.2 %	89.2%
1	SUBSTANCE REPORTED	174581	10.8 %	10.8%

Based upon 1620588 valid cases out of 1620588 total cases.

**AMPHFLG OTHER AMPHETAMINES REPORTED AT ADM.**

Location: 109-109 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1601160	98.8 %	98.8%
1	SUBSTANCE REPORTED	19428	1.2 %	1.2%

Based upon 1620588 valid cases out of 1620588 total cases.

**STIMFLG OTHER STIMULANTS REPORTED AT ADM.**

Location: 110-110 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1617796	99.8 %	99.8%
1	SUBSTANCE REPORTED	2792	0.2 %	0.2%

Based upon 1620588 valid cases out of 1620588 total cases.

**BENZFLG BENZODIAZEPINES REPORTED AT ADM.**

Location: 111-111 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1559667	96.2 %	96.2%
1	SUBSTANCE REPORTED	60921	3.8 %	3.8%

Based upon 1620588 valid cases out of 1620588 total cases.

**TRNQFLG OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.**

Location: 112-112 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1618741	99.9 %	99.9%
1	SUBSTANCE REPORTED	1847	0.1 %	0.1%

Based upon 1620588 valid cases out of 1620588 total cases.

**BARBFLG BARBITURATES REPORTED AT ADM.**

Location: 113-113 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1617792	99.8 %	99.8%
1	SUBSTANCE REPORTED	2796	0.2 %	0.2%

Based upon 1620588 valid cases out of 1620588 total cases.

**SEDPFLG OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.**

Location: 114-114 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1605871	99.1 %	99.1%
1	SUBSTANCE REPORTED	14717	0.9 %	0.9%

Based upon 1620588 valid cases out of 1620588 total cases.

**INHFLG INHALANTS REPORTED AT ADM.**

Location: 115-115 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1617535	99.8 %	99.8%
1	SUBSTANCE REPORTED	3053	0.2 %	0.2%

Based upon 1620588 valid cases out of 1620588 total cases.

**OTCFLG OVER-THE-COUNTER MEDICATION REPORTED AT ADM.**

Location: 116-116 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1617560	99.8 %	99.8%
1	SUBSTANCE REPORTED	3028	0.2 %	0.2%

Based upon 1620588 valid cases out of 1620588 total cases.

**OTHERFLG OTHER DRUG REPORTED AT ADM.**

Location: 117-117 (width: 1; decimal: 0)  
 Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1584307	97.8 %	97.8%
1	SUBSTANCE REPORTED	36281	2.2 %	2.2%

Based upon 1620588 valid cases out of 1620588 total cases.

**ALCDRUG SUBSTANCE ABUSE TYPE**

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

Question: Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	15319	0.9 %	0.9%
1	ALCOHOL ONLY	363873	22.5 %	22.5%
2	OTHER DRUGS ONLY	604442	37.3 %	37.3%
3	ALCOHOL AND OTHER DRUGS	636954	39.3 %	39.3%

Based upon 1620588 valid cases out of 1620588 total cases.

**DSMCRIT DSM DIAGNOSIS**

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALCOHOL-INDUCED DISORDER	8052	0.5 %	1.5%
2	SUBSTANCE-INDUCED DISORDER	10819	0.7 %	2.0%
3	ALCOHOL INTOXICATION	34284	2.1 %	6.2%
4	ALCOHOL DEPENDENCE	139022	8.6 %	25.1%
5	OPIOID DEPENDENCE	82315	5.1 %	14.9%
6	COCAINE DEPENDENCE	42820	2.6 %	7.7%
7	CANNABIS DEPENDENCE	51662	3.2 %	9.3%
8	OTHER SUBSTANCE DEPENDENCE	54351	3.4 %	9.8%
9	ALCOHOL ABUSE	51263	3.2 %	9.3%
10	CANNABIS ABUSE	34665	2.1 %	6.3%
11	OTHER SUBSTANCE ABUSE	5802	0.4 %	1.0%
12	OPIOID ABUSE	3373	0.2 %	0.6%
13	COCAINE ABUSE	8075	0.5 %	1.5%
14	ANXIETY DISORDERS	1744	0.1 %	0.3%
15	DEPRESSIVE DISORDERS	5073	0.3 %	0.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	2023	0.1 %	0.4%
17	BIPOLAR DISORDERS	3254	0.2 %	0.6%
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	1145	0.1 %	0.2%
19	OTHER MENTAL HEALTH CONDITION	3639	0.2 %	0.7%
20	OTHER CONDITION	9458	0.6 %	1.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1067749	65.9 %	-

Based upon 552839 valid cases out of 1620588 total cases.

**PSYPROB PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM**

Location: 122-123 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	335899	20.7 %	29.0%
2	NO	822587	50.8 %	71.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	462102	28.5 %	-

Based upon 1158486 valid cases out of 1620588 total cases.

**HLTHINS HEALTH INSURANCE**

Location: 124-125 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRIVATE INSURANCE, BC/BS, HMO	82973	5.1 %	11.2%
2	MEDICAID	140228	8.7 %	19.0%
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	51672	3.2 %	7.0%
4	NONE	463188	28.6 %	62.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	882527	54.5 %	-

Based upon 738061 valid cases out of 1620588 total cases.

**PRIMPAY EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT**

Location: 126-127 (width: 2; decimal: 0)  
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	SELF-PAY	112901	7.0 %	20.4%
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	26564	1.6 %	4.8%
3	MEDICARE, WORKER'S COMPENSATION	3298	0.2 %	0.6%
4	MEDICAID	76290	4.7 %	13.8%
5	OTHER GOVERNMENT PAYMENTS	210631	13.0 %	38.1%
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	69015	4.3 %	12.5%
9	OTHER	54643	3.4 %	9.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1067246	65.9 %	-

Based upon 553342 valid cases out of 1620588 total cases.

# APPENDIX



## APPENDIX A

### TEDS-D Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	118	119	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	100	100	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	109	109	OTHER AMPHETAMINES REPORTED AT ADM.
ARRESTS	SuDS	Num	2	37	38	NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION
BARBFLG	Added	Num	1	113	113	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	111	111	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	41	45	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	101	101	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	58	60	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	68	69	DETAILED CRIMINAL JUSTICE REFERRAL
DETNFL	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DISYR	Added	Num	4	9	12	YEAR OF DISCHARGE
DIVISION	Added	Num	2	52	53	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	120	121	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	76	77	FREQUENCY OF USE (PRIMARY)

<sup>3</sup> MDS = Minimum Data Set      SuDS = Supplemental Data Set      Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ2	MDS	Num 2	84	85		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	92	93		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	78	79		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	86	87		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	94	95		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	107	107		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	103	103		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	124	125		HEALTH INSURANCE
IDU	Added	Num 2	98	99		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	115	115		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENTS
LOS	DIS	Num 3	63	65		LENGTH OF STAY
MARFLG	Added	Num 1	102	102		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	104	104		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	56	57		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	108	108		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	70	71		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	96	97		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	105	105		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	116	116		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num 1	117	117		OTHER DRUG REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PCPFLG	Added	Num 1	106	106		PCP REPORTED AT ADM.
PMSA	Added	Num 4	46	49		FIPS 1990 MSA CODE
PREG	SuDS	Num 2	29	30		PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num 2	35	36		SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num 2	126	127		EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num 2	66	67		PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num 2	122	123		PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num 2	17	18		RACE
REASON	DIS	Num 2	61	62		REASON FOR DISCHARGE
REGION	Added	Num 2	50	51		CENSUS REGION
ROUTE1	MDS	Num 2	74	75		USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num 2	82	83		USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num 2	90	91		USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num 1	114	114		OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETD	MDS	Num 2	54	55		SERVICE SETTING AT DISCHARGE
STFIPS	Added	Num 2	39	40		CENSUS STATE FIPS CODE
STIMFLG	Added	Num 1	110	110		OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num 2	72	73		SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num 2	80	81		SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num 2	88	89		SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num 1	112	112		OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num 2	31	32		VETERAN STATUS



## APPENDIX B

### Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
<b>AGE</b>  Age (Recoded)	Continuous (12-99)	2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over
<b>ARRESTS</b>  Number of Arrests Prior to Admission	Continuous (0-96)	0 None 1 Once 2 Two or More Times
<b>MARSTAT</b>  Marital Status	1 Never Married (61.2%) 2 Now Married (15.4%) 3 Separated (5.8%) 4 Divorced (16.0%) 5 Widowed (1.6%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
<b>EDUC</b>  Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

<b>Variable</b>	<b>Original Codes (original percentage)</b>	<b>Recodes</b>
<b>DET NFL</b> Detailed 'Not in Labor' Force	1 Homemaker (2.7%) 2 Student (16.3%) 3 Retired (2.0%) 4 Disabled (19.1%) 5 Inmate of Institution (6.2%) 6 Other (53.7%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
<b>PRIM INC</b> Source of Income / Support	1 Wages/Salary (28.2%) 2 Public Assistance (7.7%) 3 Retirement/Pension (<1%) 4 Disability (5.1%) 20 Other (22.5%) 21 None (35.7%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
<b>PMSA</b> FIPS 1990 MSA Code  <b>CBSA</b> FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification.  When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into:  "UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID"
<b>DET CRIM</b> Detailed Criminal Justice Referral	1 State/Federal Court (12.1%) 2 Other Court (12.4%) 3 Probation/Parole (41.5%) 4 Other Recognized Legal Entity (6.7%) 5 Diversionary Program (3.3%) 6 Prison (2.2%) 7 DUI/DWI (8.9%) 8 Other (12.9%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

<b>Variable</b>	<b>Original Codes (original percentage)</b>	<b>Recodes</b>
<b>HLTHINS</b> Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) (5.3%) 2 Blue Cross / Blue Shield (BC/BS) (3.3%) 3 Medicare (1.4%) 4 Medicaid (19.1%) 6 Health Maintenance Organization (HMO) (2.7%) 20 Other (e.g. TriCare, Champus) (5.6%) 21 None (62.7%)	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
<b>PRIMPAY</b> Expected / Actual Primary Source of Payment	1 Self-Pay (20.4%) 2 Blue Cross / Blue Shield (1.5%) 3 Medicare (<1%) 4 Medicaid (13.9%) 5 Other Government Payments (38.1%) 6 Worker's Compensation (<1%) 7 Other Health Insurance Companies (3.3%) 8 No charge (Free, Charity, Special Research or Teaching) (12.5%) 9 Other (9.8%)	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
<b>FRSTUSE1</b> Age at First Use (Primary)	Continuous (0-99)	1 11 and Under 2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over
<b>FRSTUSE2</b> Age at First Use (Secondary)		
<b>FRSTUSE3</b> Age at First Use (Tertiary)		

Variable	Original Codes (original percentage)	Recodes
<p><b>REASON</b></p> <p>Reason for Discharge</p>	<p>1 Treatment Completed (46.7%)                      2 Left Against Professional Advice (25.0%)                      3 Terminated by Facility (6.8%)                      4 Transferred to Another Treatment Program or Facility (13.4%)                      5 Incarcerated (2.2%)                      6 Death (&lt;1%)                      7 Other (5.4%)                      8 Unknown (0%)                      14 Transferred to Another Treatment Program or Facility but did not Report (&lt;1%)</p>	<p>1 Treatment Completed                      2 Left Against Professional Advice                      3 Terminated by Facility                      4 Transferred to Another Treatment Program or Facility                      5 Incarcerated                      6 Death                      7 Other                      8 Unknown</p>
<p><b>LOS</b></p> <p>Length of Stay (Days)</p>	<p>Continuous (0-3000)</p>	<p>1-30 (Continuous)                      31 31 To 45 Days                      32 46 To 60 Days                      33 61 To 90 Days                      34 91 To 120 Days                      35 121 To 180 Days                      36 181 To 365 Days                      37 More Than a Year</p>

<b>Variable</b>	<b>Original Codes (original percentage)</b>	<b>Recodes</b>
<b>DSMCRIT</b>	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenia / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
999.97 – 999.99	-9 Missing	