SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

ICPSR 30122

Treatment Episode Data Set -- Discharges (TEDS-D) -- Concatenated, 2006 to 2011

United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Office of Applied Studies

Codebook

SAMHDA
is sponsored by

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
www.samhsa.gov

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@icpsr.umich.edu)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works to ICPSR for inclusion in a database of related publications (bibliography@icpsr.umich.edu).

Disclaimer

You acknowledge that SAMHSA and ICPSR will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ or ICPSR determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ
: Center for Behavioral Health Statistics and Quality

ICPSR
: Inter-university Consortium for Political and Social Research

Promise of confidentiality
: A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject
: A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA
: Substance Abuse and Mental Health Data Archive

SAMHSA
: Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – DISCHARGES (TEDS-D) – CONCATENATED, 2006 TO 2011

Introduction

This codebook is for the Treatment Episode Data Set – Discharges (TEDS-D) for discharges from substance abuse treatment occurring between 2006 to 2011. This concatenated file combines the four individual years of TEDS-D into one file to facilitate research on year-to-year trends. TEDS-D provides information on treatment completion, length of stay in treatment, and demographic and substance abuse characteristics of approximately 1.6 million discharges annually from alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D is more recently begun, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

Variables included in the discharge record include the same variables as the admissions data. Additionally, TEDS-D includes the following:

- Type of service at discharge;
- Length of stay; and
- Reason for discharge or discontinuation of service.

A full list of the variables can be viewed in the Variable Information and Frequency section of this codebook.

This codebook provides background and descriptive information for the TEDS-D public-use files, limitations of the data, and frequencies. References detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices, are available. Users may refer to the TEDS Crosswalks available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The Treatment Episode Data Set State Instruction Manual - Discharge Data is available from the SAMHSA Web site and provides complete instructions on how the TEDS-D data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-D records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent's record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-D cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4)

the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

This edition of the TEDS-D Concatenated data file includes data from 2006 to 2011. Each year of the data includes 100 percent of the client records reported to TEDS as follows:

Year(s) of Data	Extraction Date
2011	10/17/2013
2010	10/15/2012
2006 to 2009	10/10/2011

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly-funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly-funded is unknown.[1]

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by Federal

---

[1] Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services.* DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.[2]

Limitations to be kept in mind while analyzing TEDS data include:

- The TEDS is an admission-based system, and therefore TEDS admissions and discharges do not represent individuals. For example, an individual admitted to and discharged from treatment twice within a calendar year would be counted as two admissions and two discharges.

- The data presented in this report provide information on treatment in specific service types, derived from linked pairs of admission/discharge records. The data do not necessarily represent complete treatment episodes, which may include stays in multiple types of service and would require analysis of series of linked pairs of records.

- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.

- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.

- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.

---

[2] Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services.* DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels   AKSTATE "ALASKA STATE INDICATOR".

value labels  AKSTATE    1 "ALASKA"    2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public-use file contains discharge data for 47 states plus the District of Columbia and Puerto Rico. The following states have not reported usable data for any of the years: Mississippi, Pennsylvania, and West Virginia.

The TEDS Discharge public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files.

The number of observations and variables for 2006 to 2011 are as follows:

Filename: da30122-0001.txt
Number of observations: 9,829,536
Number of variables: 65
Records per case: 1
Logical record length: 130

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

The Office of Applied Studies has published several TEDS reports on the DASIS Web site.

ICPSR 30122

Treatment Episode Data Set -- Discharges (TEDS-D) -- Concatenated, 2006 to 2011

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

ICPSR has an FAQ on copyright and survey instruments.

CASEID: CASE IDENTIFICATION NUMBER

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

Location: 1-11 (width: 11; decimal: 0)
Variable Type: numeric

DISYR: YEAR OF DISCHARGE

Year of client's discharge from substance abuse treatment.

Value	Label	Unweighted Frequency	%
2006	-	1508468	15.3 %
2007	-	1607375	16.4 %
2008	-	1677937	17.1 %
2009	-	1620588	16.5 %
2010	-	1682427	17.1 %
2011	-	1732741	17.6 %
	Missing Data		
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 2008.57
- Median: 2009.00
- Mode: 2011.00
- Minimum: 2006.00
- Maximum: 2011.00
- Standard Deviation: 1.70

Location: 12-15 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

AGE: AGE (RECODED)

Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

Value	Label	Unweighted Frequency	%
2	12-14	113182	1.2 %
3	15-17	608759	6.2 %
4	18-20	628822	6.4 %
5	21-24	1152908	11.7 %
6	25-29	1443394	14.7 %
7	30-34	1152114	11.7 %

Value	Label	Unweighted Frequency	%
8	35-39	1136253	11.6 %
9	40-44	1236578	12.6 %
10	45-49	1129396	11.5 %
11	50-54	710646	7.2 %
12	55 AND OVER	517484	5.3 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 7.39
- Median: 7.00
- Mode: 6.00
- Minimum: 2.00
- Maximum: 12.00
- Standard Deviation: 2.54

Location: 16-17 (width: 2; decimal: 0)
Variable Type: numeric

GENDER: SEX

Identifies client's gender.

Value	Label	Unweighted Frequency	%
1	MALE	6630689	67.5 %
2	FEMALE	3191121	32.5 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	7726	0.1 %
	Total	**9,829,536**	**100%**

Based upon 9,821,810 valid cases out of 9,829,536 total cases.

- Mean: 1.32
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.47

Location: 18-19 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

RACE: RACE

Specifies the client's race:

- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.

- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.

- ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.

- BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa.

- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.

- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.

- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)

- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.

- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

Value	Label	Unweighted Frequency	%
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	19817	0.2 %
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	238769	2.4 %
3	ASIAN OR PACIFIC ISLANDER	14028	0.1 %
4	BLACK OR AFRICAN AMERICAN	2083605	21.2 %
5	WHITE	6197673	63.1 %
13	ASIAN	61793	0.6 %

Value	Label	Unweighted Frequency	%
20	OTHER SINGLE RACE	938968	9.6 %
21	TWO OR MORE RACES	96466	1.0 %
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	47009	0.5 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	131408	1.3 %
	Total	**9,829,536**	**100%**

Based upon 9,698,128 valid cases out of 9,829,536 total cases.

- Mean: 6.45
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 23.00
- Standard Deviation: 4.97

Location: 20-21 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ETHNIC: ETHNICITY (HISPANIC ORIGIN)

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.

- MEXICAN: Of Mexican origin, regardless of race.

- CUBAN: Of Cuban origin, regardless of race.

- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.

- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

Value	Label	Unweighted Frequency	%
1	PUERTO RICAN	376797	3.8 %
2	MEXICAN	568298	5.8 %
3	CUBAN	26346	0.3 %
4	OTHER SPECIFIC HISPANIC	267140	2.7 %

Value	Label	Unweighted Frequency	%
5	NOT OF HISPANIC ORIGIN	8288209	84.3 %
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	164793	1.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	137953	1.4 %
	Total	**9,829,536**	**100%**

Based upon 9,691,583 valid cases out of 9,829,536 total cases.

- Mean: 4.65
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.04

Location: 22-23 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

MARSTAT: MARITAL STATUS

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.

- NOW MARRIED: Includes those living together as married.

- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.

- DIVORCED, WIDOWED

Value	Label	Unweighted Frequency	%
1	NEVER MARRIED	4593570	46.7 %
2	NOW MARRIED	1165247	11.9 %
3	SEPARATED	459852	4.7 %
4	DIVORCED, WIDOWED	1308432	13.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2302435	23.4 %
	Total	**9,829,536**	**100%**

Based upon 7,527,101 valid cases out of 9,829,536 total cases.

- Mean: 1.80
- Median: 1.00
- Mode: 1.00

- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.15

Location: 24-25 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

EDUC: EDUCATION

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

Value	Label	Unweighted Frequency	%
1	8 YEARS OR LESS	795064	8.1 %
2	9-11	2742496	27.9 %
3	12	3943246	40.1 %
4	13-15	1694133	17.2 %
5	16 OR MORE	461606	4.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	192991	2.0 %
	Total	**9,829,536**	**100%**

Based upon 9,636,545 valid cases out of 9,829,536 total cases.

- Mean: 2.82
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.97

Location: 26-27 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

EMPLOY: EMPLOYMENT STATUS

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.

- PART TIME: Working fewer than 35 hours each week.

- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.

- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DETNLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

Value	Label	Unweighted Frequency	%
1	FULL TIME	1646706	16.8 %
2	PART TIME	696643	7.1 %
3	UNEMPLOYED	3328533	33.9 %
4	NOT IN LABOR FORCE	3960281	40.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	197373	2.0 %
	Total	**9,829,536**	**100%**

Based upon 9,632,163 valid cases out of 9,829,536 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.08

Location: 28-29 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

DETNLF: DETAILED 'NOT IN LABOR FORCE' CATEGORY

This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

Value	Label	Unweighted Frequency	%
1	HOMEMAKER	83769	0.9 %
2	STUDENT	500830	5.1 %
3	RETIRED, DISABLED	640601	6.5 %
5	INMATE OF INSTITUTION	189724	1.9 %
6	OTHER	1731443	17.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	6683169	68.0 %
	Total	**9,829,536**	**100%**

Based upon 3,146,367 valid cases out of 9,829,536 total cases.

- Mean: 4.56
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.74

Location: 30-31 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

PREG: PREGNANT AT TIME OF ADMISSION

Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

Value	Label	Unweighted Frequency	%
1	YES	129119	1.3 %
2	NO	2881577	29.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	6818840	69.4 %
	Total	**9,829,536**	**100%**

Based upon 3,010,696 valid cases out of 9,829,536 total cases.

- Mean: 1.96
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.20

Location: 32-33 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

VET: VETERAN STATUS

Specifies whether the client has served in the uniformed

services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

Value	Label	Unweighted Frequency	%
1	YES	353500	3.6 %
2	NO	8068787	82.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1407249	14.3 %
	Total	**9,829,536**	**100%**

Based upon 8,422,287 valid cases out of 9,829,536 total cases.

- Mean: 1.96
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.20

Location: 34-35 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

LIVARAG: LIVING ARRANGEMENTS

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.

- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.

- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

Value	Label	Unweighted Frequency	%
1	HOMELESS	1326966	13.5 %
2	DEPENDENT LIVING	2161857	22.0 %
3	INDEPENDENT LIVING	6107450	62.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	233263	2.4 %
	Total	**9,829,536**	**100%**

Based upon 9,596,273 valid cases out of 9,829,536 total cases.

- Mean: 2.50
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.73

Location: 36-37 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

PRIMINC: SOURCE OF INCOME/SUPPORT

Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

Value	Label	Unweighted Frequency	%
1	WAGES/SALARY	1813357	18.4 %
2	PUBLIC ASSISTANCE	499549	5.1 %
3	RETIREMENT/PENSION, DISABILITY	347342	3.5 %
20	OTHER	1352629	13.8 %
21	NONE	2142616	21.8 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	3674043	37.4 %
	Total	**9,829,536**	**100%**

Based upon 6,155,493 valid cases out of 9,829,536 total cases.

- Mean: 12.33
- Median: 20.00
- Mode: 21.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 9.51

Location: 38-39 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ARRESTS: NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION

The number of arrests in the 30 days preceding the date of admission to treatment services.

Guidelines: This item is intended to capture the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment. Any formal arrest is to be counted regardless of whether incarceration or conviction resulted and regardless of the status of the arrest proceedings at the time of admission.

Value	Label	Unweighted Frequency	%
0	NONE	5440621	55.3 %
1	ONCE	529812	5.4 %
2	2 OR MORE TIMES	100454	1.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	642806	6.5 %
-8	DATA NOT COLLECTED FOR THIS YEAR	3115843	31.7 %
	Total	**9,829,536**	**100%**

Based upon 6,070,887 valid cases out of 9,829,536 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.37

Location: 40-41 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

STFIPS: CENSUS STATE FIPS CODE

State FIPS codes consistent with those used by the U.S. Bureau of the Census.

Value	Label	Unweighted Frequency	%
1	ALABAMA	9771	0.1 %
2	ALASKA	25920	0.3 %
4	ARIZONA	106696	1.1 %
5	ARKANSAS	97550	1.0 %
6	CALIFORNIA	1116510	11.4 %
8	COLORADO	338542	3.4 %
9	CONNECTICUT	241652	2.5 %
10	DELAWARE	38012	0.4 %
11	DISTRICT OF COLUMBIA	8477	0.1 %
12	FLORIDA	191729	2.0 %
13	GEORGIA	48178	0.5 %

Value	Label	Unweighted Frequency	%
15	HAWAII	49733	0.5 %
16	IDAHO	21637	0.2 %
17	ILLINOIS	426514	4.3 %
18	INDIANA	93578	1.0 %
19	IOWA	148175	1.5 %
20	KANSAS	92073	0.9 %
21	KENTUCKY	116277	1.2 %
22	LOUISIANA	151800	1.5 %
23	MAINE	69170	0.7 %
24	MARYLAND	345998	3.5 %
25	MASSACHUSETTS	420586	4.3 %
26	MICHIGAN	326622	3.3 %
27	MINNESOTA	274467	2.8 %
28	MISSISSIPPI	0	0.0 %
29	MISSOURI	307023	3.1 %
30	MONTANA	48170	0.5 %
31	NEBRASKA	60174	0.6 %
32	NEVADA	56354	0.6 %
33	NEW HAMPSHIRE	34736	0.4 %
34	NEW JERSEY	361729	3.7 %
35	NEW MEXICO	19222	0.2 %
36	NEW YORK	1742231	17.7 %
37	NORTH CAROLINA	224821	2.3 %
38	NORTH DAKOTA	10605	0.1 %
39	OHIO	387564	3.9 %
40	OKLAHOMA	92115	0.9 %
41	OREGON	276415	2.8 %
42	PENNSYLVANIA	0	0.0 %
44	RHODE ISLAND	56969	0.6 %
45	SOUTH CAROLINA	166365	1.7 %
46	SOUTH DAKOTA	93622	1.0 %
47	TENNESSEE	73822	0.8 %
48	TEXAS	270550	2.8 %
49	UTAH	94958	1.0 %
50	VERMONT	35447	0.4 %
51	VIRGINIA	121365	1.2 %
53	WASHINGTON	390460	4.0 %
54	WEST VIRGINIA	0	0.0 %
55	WISCONSIN	115270	1.2 %
	Missing Data		
	Total	**9,829,536**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 27.94
- Median: 29.00
- Mode: 36.00
- Minimum: 1.00
- Maximum: 72.00
- Standard Deviation: 14.46

Location: 42-43 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

CBSA: FIPS 2000 CBSA CODE

The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

Value	Label	Unweighted Frequency	%
10020	ABBEVILLE, LA MICRO	0	0.0 %
10100	ABERDEEN, SD MICRO	0	0.0 %
10140	ABERDEEN, WA MICRO	0	0.0 %
10180	ABILENE, TX METRO	5390	0.1 %
10220	ADA, OK MICRO	0	0.0 %
10260	ADJUNTAS, PR MICRO	0	0.0 %
10300	ADRIAN, MI MICRO	0	0.0 %
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	145	0.0 %
10420	AKRON, OH METRO	28471	0.3 %
10460	ALAMOGORDO, NM MICRO	0	0.0 %
10500	ALBANY, GA METRO	56	0.0 %
10540	ALBANY-LEBANON, OR MICRO	0	0.0 %
10580	ALBANY-SCHENECTADY-TROY, NY METRO	109380	1.1 %
10620	ALBEMARLE, NC MICRO	0	0.0 %
10660	ALBERT LEA, MN MICRO	0	0.0 %
10700	ALBERTVILLE, AL MICRO	0	0.0 %
10740	ALBUQUERQUE, NM METRO	9471	0.1 %
10780	ALEXANDRIA, LA METRO	13615	0.1 %
10820	ALEXANDRIA, MN MICRO	0	0.0 %
10860	ALICE, TX MICRO	0	0.0 %
10880	ALLEGAN, MI MICRO	1992	0.0 %
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	5526	0.1 %
10940	ALMA, MI MICRO	0	0.0 %

Value	Label	Unweighted Frequency	%
10980	ALPENA, MI MICRO	0	0.0 %
11020	ALTOONA, PA METRO	0	0.0 %
11060	ALTUS, OK MICRO	0	0.0 %
11100	AMARILLO, TX METRO	2106	0.0 %
11140	AMERICUS, GA MICRO	0	0.0 %
11180	AMES, IA METRO	0	0.0 %
11220	AMSTERDAM, NY MICRO	0	0.0 %
11260	ANCHORAGE, AK METRO	7236	0.1 %
11300	ANDERSON, IN METRO	2243	0.0 %
11340	ANDERSON, SC METRO	8104	0.1 %
11380	ANDREWS, TX MICRO	0	0.0 %
11420	ANGOLA, IN MICRO	0	0.0 %
11460	ANN ARBOR, MI METRO	7223	0.1 %
11500	ANNISTON-OXFORD, AL METRO	59	0.0 %
11540	APPLETON, WI METRO	0	0.0 %
11580	ARCADIA, FL MICRO	0	0.0 %
11620	ARDMORE, OK MICRO	0	0.0 %
11660	ARKADELPHIA, AR MICRO	0	0.0 %
11700	ASHEVILLE, NC METRO	10068	0.1 %
11740	ASHLAND, OH MICRO	0	0.0 %
11780	ASHTABULA, OH MICRO	4862	0.0 %
11820	ASTORIA, OR MICRO	0	0.0 %
11860	ATCHISON, KS MICRO	0	0.0 %
11900	ATHENS, OH MICRO	0	0.0 %
11940	ATHENS, TN MICRO	0	0.0 %
11980	ATHENS, TX MICRO	0	0.0 %
12020	ATHENS-CLARKE COUNTY, GA METRO	574	0.0 %
	Missing Data		
-9	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	2303883	23.4 %
	Total	**9,829,536**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,525,653 valid cases out of 9,829,536 total cases.

- Mean: 30767.74
- Minimum: 10180.00
- Maximum: 49700.00
- Standard Deviation: 10982.21

Location: 44-48 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

PMSA: FIPS 1990 MSA CODE

According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

Value	Label	Unweighted Frequency	%
40	ABILENE, TX MSA	5390	0.1 %
60	AGUADILLA, PR MSA	145	0.0 %
80	AKRON, OH PMSA	28471	0.3 %
120	ALBANY, GA MSA	56	0.0 %
160	ALBANY-SCHENECTADY-TROY, NY MSA	109380	1.1 %
200	ALBUQUERQUE, NM MSA	9471	0.1 %
220	ALEXANDRIA, LA MSA	13615	0.1 %
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	0	0.0 %
280	ALTOONA, PA MSA	0	0.0 %
320	AMARILLO, TX MSA	2106	0.0 %
380	ANCHORAGE, AK MSA	7236	0.1 %
440	ANN ARBOR, MI PMSA	7852	0.1 %
450	ANNISTON, AL MSA	59	0.0 %
460	APPLETON-OSHKOSH-NEENAH, WI MSA	0	0.0 %
470	ARECIBO, PR PMSA	2447	0.0 %
480	ASHEVILLE, NC MSA	10068	0.1 %
500	ATHENS, GA MSA	574	0.0 %
520	ATLANTA, GA MSA	5495	0.1 %
560	ATLANTIC-CAPE MAY, NJ PMSA	24291	0.2 %
580	AUBURN-OPELIKA, AL MSA	242	0.0 %
600	AUGUSTA-AIKEN, GA-SC MSA	5033	0.1 %
640	AUSTIN-SAN MARCOS, TX MSA	14290	0.1 %
680	BAKERSFIELD, CA MSA	15737	0.2 %
720	BALTIMORE, MD PMSA	177631	1.8 %
733	BANGOR, ME NECMA	0	0.0 %
743	BARNSTABLE-YARMOUTH, MA NECMA	29122	0.3 %
760	BATON ROUGE, LA MSA	25857	0.3 %
840	BEAUMONT-PORT ARTHUR, TX MSA	10607	0.1 %
860	BELLINGHAM, WA MSA	16250	0.2 %
870	BENTON HARBOR, MI MSA	5207	0.1 %
875	BERGEN-PASSAIC, NJ PMSA	48832	0.5 %
880	BILLINGS, MT MSA	9085	0.1 %
920	BILOXI-GULFPORT-PASCAGOULA, MS MSA	0	0.0 %
960	BINGHAMTON, NY MSA	18087	0.2 %
1000	BIRMINGHAM, AL MSA	1198	0.0 %
1010	BISMARCK, ND MSA	0	0.0 %

Value	Label	Unweighted Frequency	%
1020	BLOOMINGTON, IN MSA	0	0.0 %
1040	BLOOMINGTON-NORMAL, IL MSA	7632	0.1 %
1080	BOISE CITY, ID MSA	6658	0.1 %
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	348457	3.5 %
1125	BOULDER-LONGMONT, CO PMSA	11992	0.1 %
1145	BRAZORIA, TX PMSA	4792	0.0 %
1150	BREMERTON, WA PMSA	13456	0.1 %
1160	BRIDGEPORT-MILFORD, CT PMSA	0	0.0 %
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	3357	0.0 %
1260	BRYAN-COLLEGE STATION, TX MSA	2190	0.0 %
1280	BUFFALO-NIAGARA FALLS, NY MSA	104638	1.1 %
1303	BURLINGTON, VT NECMA	10362	0.1 %
1310	CAGUAS, PR PMSA	66	0.0 %
1320	CANTON-MASSILLON, OH MSA	12735	0.1 %
	Missing Data		
-9	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	2303883	23.4 %
	Total	**9,829,536**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,525,653 valid cases out of 9,829,536 total cases.

- Mean: 4500.69
- Minimum: 40.00
- Maximum: 9340.00
- Standard Deviation: 2516.63

Location: 49-52 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

REGION: CENSUS REGION

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico

- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).

- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).

- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).

- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

Value	Label	Unweighted Frequency	%
0	U.S. TERRITORIES	7836	0.1 %
1	NORTHEAST	2962520	30.1 %
2	MIDWEST	2335687	23.8 %
3	SOUTH	1956830	19.9 %
4	WEST	2566663	26.1 %
	Missing Data		
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 2.42
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.17

Location: 53-54 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

DIVISION: CENSUS DIVISION

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico

- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.

- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.

- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.

- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri,

Nebraska, North Dakota, and South Dakota.

- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.

- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.

- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.

- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.

- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Unweighted Frequency	%
0	U.S. TERRITORIES	7836	0.1 %
1	NEW ENGLAND	858560	8.7 %
2	MIDDLE ATLANTIC	2103960	21.4 %
3	EAST NORTH CENTRAL	1349548	13.7 %
4	WEST NORTH CENTRAL	986139	10.0 %
5	SOUTH ATLANTIC	1144945	11.6 %
6	EAST SOUTH CENTRAL	199870	2.0 %
7	WEST SOUTH CENTRAL	612015	6.2 %
8	MOUNTAIN	707625	7.2 %
9	PACIFIC	1859038	18.9 %
	Missing Data		
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 4.75
- Median: 4.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 2.81

Location: 55-56 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SERVSETD: SERVICE SETTING AT DISCHARGE

Describes the type of service the client was receiving prior to discharge.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:

24 hour per day medical acute care services in hospital setting for detoxification for persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL: 24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.

- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX): 24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.

- REHABILITAITON/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER): Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS): Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

- AMBULATORY - INTENSIVE OUTPATIENT: As a minimum, the client must receive treatment lasting two or more hours per day for three or more days per week. (Includes partial hospitalization)

- AMBULATORY - NON-INTENSIVE OUTPATIENT: Ambulatory treatment services including individual, family, and/or group services; these may include pharmacological therapies.

- AMBULATORY - DETOXIFICATION: Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

Value	Label	Unweighted Frequency	%
1	DETOX, 24 HR, HOSPITAL INPATIENT	406582	4.1 %
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	1554427	15.8 %
3	REHAB/RES, HOSPITAL (NON-DETOX)	36044	0.4 %
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	1052693	10.7 %
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	813462	8.3 %
6	AMBULATORY, INTENSIVE OUTPATIENT	1187028	12.1 %
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	4648324	47.3 %
8	AMBULATORY, DETOXIFICATION	128994	1.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1982	0.0 %
	Total	**9,829,536**	**100%**

Based upon 9,827,554 valid cases out of 9,829,536 total cases.

- Mean: 5.35
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.05

Location: 57-58 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

METHUSE: MEDICATION-ASSISTED OPIOID THERAPY

This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

Value	Label	Unweighted Frequency	%
1	YES	530313	5.4 %
2	NO	8825769	89.8 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	473454	4.8 %
	Total	**9,829,536**	**100%**

Based upon 9,356,082 valid cases out of 9,829,536 total cases.

- Mean: 1.94
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.23

Location: 59-60 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

DAYWAIT: DAYS WAITING TO ENTER TREATMENT

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Value	Label	Unweighted Frequency	%
0	-	3036627	30.9 %
1	-	426136	4.3 %

Value	Label	Unweighted Frequency	%
2	-	152379	1.6 %
3	-	124525	1.3 %
4	-	93864	1.0 %
5	-	117247	1.2 %
6	-	84744	0.9 %
7	-	158580	1.6 %
8	-	58426	0.6 %
9	-	39340	0.4 %
10	-	58864	0.6 %
11	-	26778	0.3 %
12	-	33391	0.3 %
13	-	34488	0.4 %
14	-	77720	0.8 %
15	-	37752	0.4 %
16	-	18790	0.2 %
17	-	15823	0.2 %
18	-	15356	0.2 %
19	-	15177	0.2 %
20	-	28044	0.3 %
21	-	32358	0.3 %
22	-	15411	0.2 %
23	-	10693	0.1 %
24	-	9257	0.1 %
25	-	11130	0.1 %
26	-	9610	0.1 %
27	-	11497	0.1 %
28	-	15060	0.2 %
29	-	9194	0.1 %
30	-	41329	0.4 %
31	-	5779	0.1 %
32	-	5545	0.1 %
33	-	5878	0.1 %
34	-	6908	0.1 %
35	-	9365	0.1 %
36	-	5490	0.1 %
37	-	4194	0.0 %
38	-	3662	0.0 %
39	-	3279	0.0 %
40	-	6116	0.1 %
41	-	4421	0.0 %
42	-	5382	0.1 %
43	-	3565	0.0 %

Value	Label	Unweighted Frequency	%
44	-	2893	0.0 %
45	-	7166	0.1 %
46	-	2381	0.0 %
47	-	2605	0.0 %
48	-	3194	0.0 %
49	-	3468	0.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	4797359	48.8 %
	Total	**9,829,536**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,032,177 valid cases out of 9,829,536 total cases.

- Mean: 7.36
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 42.85

Location: 61-63 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

REASON: REASON FOR DISCHARGE

Indicates the outcome of treatment or the reason for transfer
or discontinuance of treatment.

- TREATMENT COMPLETED: All parts of the treatment plan or program were completed.

- LEFT AGAINST PROFESSIONAL ADVICE: Client chose not to complete program, with or without specific advice to continue treatment. Includes clients who "drop out" of treatment for unknown reason and clients who have not received treatment for some time and are discharged for "administrative" reasons.

- TERMINATED BY FACILITY: Treatment terminated by action of facility, generally because of client non-compliance or violation of rules, laws, or procedures (not because client dropped out of treatment, client incarcerated, or other client motivated reason).

- TRANSFERRED TO ANOTHER SUBSTANCE ABUSE TREATMENT PROGRAM OR FACILITY: Client was transferred to another substance abuse treatment program, provider or facility within an episode of treatment.

- INCARCERATED: This code is to be used for all clients whose course of treatment is terminated because the

client has been incarcerated. Includes jail, prison, and house confinement.

- DEATH

- OTHER: Moved, illness, hospitalization, or other reason somewhat out of client's control.

- UNKNOWN: Client status at discharge is not known because for example, discharge record is lost or incomplete.

Value	Label	Unweighted Frequency	%
1	TREATMENT COMPLETED	4471201	45.5 %
2	LEFT AGAINST PROFESSIONAL ADVICE	2515018	25.6 %
3	TERMINATED BY FACILITY	677612	6.9 %
4	TRANSFERRED TO ANOTHER TREATMENT PROGRAM OR FACILITY	1417363	14.4 %
5	INCARCERATED	214637	2.2 %
6	DEATH	23982	0.2 %
7	OTHER	508777	5.2 %
8	UNKNOWN	0	0.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	946	0.0 %
	Total	**9,829,536**	**100%**

Based upon 9,828,590 valid cases out of 9,829,536 total cases.

- Mean: 2.24
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.60

Location: 64-65 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

LOS: LENGTH OF STAY

Describes the length of the treatment episode (in days). Length of stay was computed using the date of admission and the date of last contact. One day is added to all outpatient discharges, so that the first day and last day of outpatient treatment are counted.

- 1 to 30: Data values in the 1-30 range represent the actual computed number of days the client spent in treatment

- 31: Length of stay is between 31 and 45 days.

- 32: Length of stay is between 46 and 60 days.

- 33: Length of stay is between 61 and 90 days.

- 34: Length of stay is between 91 and 120 days.

- 35: Length of stay is between 121 and 180 days.

- 36: Length of stay is between 181 and 365 days.

- 37: Length of stay is greater than 365 days.

Value	Label	Unweighted Frequency	%
1	-	612105	6.2 %
2	-	380919	3.9 %
3	-	389327	4.0 %
4	-	352988	3.6 %
5	-	321240	3.3 %
6	-	245990	2.5 %
7	-	203469	2.1 %
8	-	157134	1.6 %
9	-	97819	1.0 %
10	-	89900	0.9 %
11	-	70139	0.7 %
12	-	65439	0.7 %
13	-	87793	0.9 %
14	-	106065	1.1 %
15	-	104257	1.1 %
16	-	67718	0.7 %
17	-	60449	0.6 %
18	-	55097	0.6 %
19	-	54720	0.6 %
20	-	75799	0.8 %
21	-	114771	1.2 %
22	-	94336	1.0 %
23	-	63395	0.6 %
24	-	57711	0.6 %
25	-	57173	0.6 %
26	-	58822	0.6 %
27	-	101462	1.0 %
28	-	176350	1.8 %
29	-	123188	1.3 %
30	-	106657	1.1 %
31	31 TO 45 DAYS	747559	7.6 %
32	46 TO 60 DAYS	579447	5.9 %

Value	Label	Unweighted Frequency	%
33	61 TO 90 DAYS	933745	9.5 %
34	91 TO 120 DAYS	752227	7.7 %
35	121 TO 180 DAYS	880890	9.0 %
36	181 TO 365 DAYS	966665	9.8 %
37	MORE THAN A YEAR	416647	4.2 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	124	0.0 %
	Total	**9,829,536**	**100%**

Based upon 9,829,412 valid cases out of 9,829,536 total cases.

- Mean: 23.07
- Median: 31.00
- Mode: 36.00
- Minimum: 1.00
- Maximum: 37.00
- Standard Deviation: 13.39

Location: 66-68 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

PSOURCE: PRINCIPAL SOURCE OF REFERRAL

Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.

- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.

- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.

- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.

- EMPLOYER/EAP: A supervisor or an employee counselor.

- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment,

shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.

- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

Value	Label	Unweighted Frequency	%
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	3239453	33.0 %
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	1015411	10.3 %
3	OTHER HEALTH CARE PROVIDER	620886	6.3 %
4	SCHOOL (EDUCATIONAL)	98672	1.0 %
5	EMPLOYER/EAP	56033	0.6 %
6	OTHER COMMUNITY REFERRAL	1103522	11.2 %
7	COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI	3525664	35.9 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	169895	1.7 %
	Total	**9,829,536**	**100%**

Based upon 9,659,641 valid cases out of 9,829,536 total cases.

- Mean: 4.05
- Median: 3.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.69

Location: 69-70 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

DETCRIM: DETAILED CRIMINAL JUSTICE REFERRAL

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT

- PROBATION/PAROLE

- DIVERSIONARY PROGRAM (e.g. TASC)

- PRISON

- DUI/DWI

- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

Value	Label	Unweighted Frequency	%
1	STATE/FEDERAL COURT, OTHER COURT	683999	7.0 %
3	PROBATION/PAROLE	1064716	10.8 %
5	DIVERSIONARY PROGRAM	80935	0.8 %
6	PRISON	62738	0.6 %
7	DUI/DWI	237934	2.4 %
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	522633	5.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	7176581	73.0 %
	Total	**9,829,536**	**100%**

Based upon 2,652,955 valid cases out of 9,829,536 total cases.

- Mean: 3.96
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.61

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

NOPRIOR: NUMBER OF PRIOR TREATMENT EPISODES

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior

treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

Value	Label	Unweighted Frequency	%
0	NO PRIOR TREATMENT EPISODES	3645062	37.1 %
1	1 PRIOR TREATMENT EPISODES	1919187	19.5 %
2	2 PRIOR TREATMENT EPISODES	1081356	11.0 %
3	3 PRIOR TREATMENT EPISODES	632276	6.4 %
4	4 PRIOR TREATMENT EPISODES	360445	3.7 %
5	5 OR MORE PRIOR TREATMENT EPISODES	1043373	10.6 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1147837	11.7 %
	Total	**9,829,536**	**100%**

Based upon 8,681,699 valid cases out of 9,829,536 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.71

Location: 73-74 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SUB1: SUBSTANCE PROBLEM CODE (PRIMARY)

This field identifies the client's primary substance problem.

(1) NONE

(2) ALCOHOL

(3) COCAINE/CRACK

(4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.

(5) HEROIN

(6) NON-PRESCRIPTION METHADONE

(7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

(8) PCP: Phencyclidine

(9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	91003	0.9 %
2	ALCOHOL	3951445	40.2 %
3	COCAINE/CRACK	1079887	11.0 %
4	MARIJUANA/HASHISH	1658536	16.9 %
5	HEROIN	1416515	14.4 %
6	NON-PRESCRIPTION METHADONE	26881	0.3 %
7	OTHER OPIATES AND SYNTHETICS	599206	6.1 %
8	PCP	21541	0.2 %
9	OTHER HALLUCINOGENS	9199	0.1 %
10	METHAMPHETAMINE	746406	7.6 %
11	OTHER AMPHETAMINES	42833	0.4 %

Value	Label	Unweighted Frequency	%
12	OTHER STIMULANTS	3919	0.0 %
13	BENZODIAZEPINES	65248	0.7 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	2531	0.0 %
15	BARBITURATES	5570	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	17059	0.2 %
17	INHALANTS	6365	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	6188	0.1 %
20	OTHER	44841	0.5 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	34363	0.3 %
	Total	**9,829,536**	**100%**

Based upon 9,795,173 valid cases out of 9,829,536 total cases.

- Mean: 4.07
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 2.80

Location: 75-76 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ROUTE1: USUAL ROUTE OF ADMINISTRATION (PRIMARY)

This field identifies the usual route of administration of the primary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	4543024	46.2 %
2	SMOKING	2994852	30.5 %
3	INHALATION	849690	8.6 %
4	INJECTION (IV OR INTRAMUSCULAR)	1221010	12.4 %
20	OTHER	37846	0.4 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	183114	1.9 %
	Total	**9,829,536**	**100%**

Based upon 9,646,422 valid cases out of 9,829,536 total cases.

- Mean: 1.94
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.53

Location: 77-78 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FREQ1: FREQUENCY OF USE (PRIMARY)

Specifies the frequency of use of the primary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	2754637	28.0 %
2	1-3 TIMES IN THE PAST MONTH	1189253	12.1 %
3	1-2 TIMES IN THE PAST WEEK	860426	8.8 %
4	3-6 TIMES IN THE PAST WEEK	1123873	11.4 %
5	DAILY	3711976	37.8 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	189371	1.9 %
	Total	**9,829,536**	**100%**

Based upon 9,640,165 valid cases out of 9,829,536 total cases.

- Mean: 3.19
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.70

Location: 79-80 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FRSTUSE1: AGE AT FIRST USE (PRIMARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	712690	7.3 %
2	12-14	2193093	22.3 %
3	15-17	2756466	28.0 %
4	18-20	1646627	16.8 %
5	21-24	919311	9.4 %
6	25-29	633849	6.4 %
7	30-34	344362	3.5 %
8	35-39	209724	2.1 %
9	40-44	117458	1.2 %
10	45-49	60548	0.6 %
11	50-54	25853	0.3 %
12	55 AND OVER	13550	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	196005	2.0 %
	Total	**9,829,536**	**100%**

Based upon 9,633,531 valid cases out of 9,829,536 total cases.

- Mean: 3.59
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.86

Location: 81-82 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SUB2: SUBSTANCE PROBLEM CODE (SECONDARY)

This field identifies the client's secondary substance problem.

(1) NONE

(2) ALCOHOL

(3) COCAINE/CRACK

(4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.

(5) HEROIN

(6) NON-PRESCRIPTION METHADONE

(7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

(8) PCP: Phencyclidine

(9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide,

clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	4093236	41.6 %
2	ALCOHOL	1529377	15.6 %
3	COCAINE/CRACK	1254202	12.8 %
4	MARIJUANA/HASHISH	1541940	15.7 %
5	HEROIN	214189	2.2 %
6	NON-PRESCRIPTION METHADONE	24780	0.3 %
7	OTHER OPIATES AND SYNTHETICS	325322	3.3 %
8	PCP	16724	0.2 %
9	OTHER HALLUCINOGENS	19194	0.2 %
10	METHAMPHETAMINE	273726	2.8 %
11	OTHER AMPHETAMINES	45714	0.5 %
12	OTHER STIMULANTS	7361	0.1 %
13	BENZODIAZEPINES	188718	1.9 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	5154	0.1 %
15	BARBITURATES	6937	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	35457	0.4 %
17	INHALANTS	5742	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	6861	0.1 %
20	OTHER	103655	1.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	131247	1.3 %
	Total	**9,829,536**	**100%**

Based upon 9,698,289 valid cases out of 9,829,536 total cases.

- Mean: 3.06
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.26

Location: 83-84 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ROUTE2: USUAL ROUTE OF ADMINISTRATION (SECONDARY)

This field identifies the usual route of administration of the secondary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	2122905	21.6 %
2	SMOKING	2466775	25.1 %
3	INHALATION	586949	6.0 %
4	INJECTION (IV OR INTRAMUSCULAR)	374302	3.8 %
20	OTHER	33996	0.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	4244609	43.2 %
	Total	**9,829,536**	**100%**

Based upon 5,584,927 valid cases out of 9,829,536 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.65

Location: 85-86 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FREQ2: FREQUENCY OF USE (SECONDARY)

Specifies the frequency of use of the secondary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	2046442	20.8 %
2	1-3 TIMES IN THE PAST MONTH	889577	9.1 %
3	1-2 TIMES IN THE PAST WEEK	590045	6.0 %
4	3-6 TIMES IN THE PAST WEEK	576870	5.9 %
5	DAILY	1462630	14.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	4263972	43.4 %
	Total	**9,829,536**	**100%**

Based upon 5,565,564 valid cases out of 9,829,536 total cases.

- Mean: 2.73
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.65

Location: 87-88 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FRSTUSE2: AGE AT FIRST USE (SECONDARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	398960	4.1 %
2	12-14	1318694	13.4 %
3	15-17	1583266	16.1 %
4	18-20	873928	8.9 %
5	21-24	485969	4.9 %
6	25-29	362277	3.7 %
7	30-34	202270	2.1 %
8	35-39	127792	1.3 %
9	40-44	78711	0.8 %
10	45-49	44415	0.5 %
11	50-54	20531	0.2 %
12	55 AND OVER	10055	0.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	4322668	44.0 %
	Total	**9,829,536**	**100%**

Based upon 5,506,868 valid cases out of 9,829,536 total cases.

- Mean: 3.60
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.93

Location: 89-90 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SUB3: SUBSTANCE PROBLEM CODE (TERTIARY)

This field identifies the client's tertiary substance problem.

(1) NONE

(2) ALCOHOL

(3) COCAINE/CRACK

(4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.

(5) HEROIN

(6) NON-PRESCRIPTION METHADONE

(7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

(8) PCP: Phencyclidine

(9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

Value	Label	Unweighted Frequency	%
1	NONE	6270018	63.8 %
2	ALCOHOL	478548	4.9 %
3	COCAINE/CRACK	439825	4.5 %
4	MARIJUANA/HASHISH	536672	5.5 %
5	HEROIN	78867	0.8 %
6	NON-PRESCRIPTION METHADONE	12245	0.1 %
7	OTHER OPIATES AND SYNTHETICS	151019	1.5 %
8	PCP	10229	0.1 %
9	OTHER HALLUCINOGENS	29981	0.3 %
10	METHAMPHETAMINE	102348	1.0 %
11	OTHER AMPHETAMINES	33635	0.3 %
12	OTHER STIMULANTS	7362	0.1 %
13	BENZODIAZEPINES	120451	1.2 %
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	3990	0.0 %
15	BARBITURATES	5490	0.1 %
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	22781	0.2 %
17	INHALANTS	6217	0.1 %
18	OVER-THE-COUNTER MEDICATIONS	6992	0.1 %
20	OTHER	112410	1.1 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1400456	14.2 %
	Total	**9,829,536**	**100%**

Based upon 8,429,080 valid cases out of 9,829,536 total cases.

- Mean: 2.21
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.18

Location: 91-92 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ROUTE3: USUAL ROUTE OF ADMINISTRATION (TERTIARY)

This field identifies the usual route of administration of the tertiary substance.

Value	Label	Unweighted Frequency	%
1	ORAL	848790	8.6 %
2	SMOKING	833573	8.5 %
3	INHALATION	276520	2.8 %
4	INJECTION (IV OR INTRAMUSCULAR)	120141	1.2 %
20	OTHER	25109	0.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	7725403	78.6 %
	Total	**9,829,536**	**100%**

Based upon 2,104,133 valid cases out of 9,829,536 total cases.

- Mean: 2.06
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 2.15

Location: 93-94 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FREQ3: FREQUENCY OF USE (TERTIARY)

Specifies the frequency of use of the tertiary substance.

Value	Label	Unweighted Frequency	%
1	NO USE IN THE PAST MONTH	890037	9.1 %
2	1-3 TIMES IN THE PAST MONTH	340201	3.5 %
3	1-2 TIMES IN THE PAST WEEK	208022	2.1 %
4	3-6 TIMES IN THE PAST WEEK	185546	1.9 %
5	DAILY	517257	5.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	7688473	78.2 %
	Total	**9,829,536**	**100%**

Based upon 2,141,063 valid cases out of 9,829,536 total cases.

- Mean: 2.58
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.64

Location: 95-96 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FRSTUSE3: AGE AT FIRST USE (TERTIARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%
1	11 AND UNDER	238374	2.4 %
2	12-14	504661	5.1 %
3	15-17	603603	6.1 %
4	18-20	333871	3.4 %
5	21-24	174434	1.8 %
6	25-29	126850	1.3 %
7	30-34	71188	0.7 %
8	35-39	44528	0.5 %
9	40-44	28714	0.3 %
10	45-49	15221	0.2 %
11	50-54	6863	0.1 %
12	55 AND OVER	2667	0.0 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	7678562	78.1 %
	Total	**9,829,536**	**100%**

Based upon 2,150,974 valid cases out of 9,829,536 total cases.

- Mean: 3.44
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.92

Location: 97-98 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

NUMSUBS: NUMBER OF SUBSTANCES REPORTED AT ADM.

Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

Value	Label	Unweighted Frequency	%
0	-	119391	1.2 %
1	-	4053526	41.2 %
2	-	3555098	36.2 %
3	-	2101521	21.4 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 1.78
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.79

Location: 99-100 (width: 2; decimal: 0)
Variable Type: numeric

IDU: CURRENT IV DRUG USE REPORTED AT ADM.

Flags record if injection was reported as primary, secondary, or tertiary route of administration.

Value	Label	Unweighted Frequency	%
0	NO IDU REPORTED	8265401	84.1 %
1	IDU REPORTED	1444832	14.7 %
	Missing Data		
-8	NO SUBSTANCES REPORTED	119303	1.2 %
	Total	**9,829,536**	**100%**

Based upon 9,710,233 valid cases out of 9,829,536 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 101-102 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8

ALCFLG: ALCOHOL REPORTED AT ADM.

Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	3875528	39.4 %
1	SUBSTANCE REPORTED	5954008	60.6 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Location: 103-103 (width: 1; decimal: 0)
Variable Type: numeric

COKEFLG: COCAINE/CRACK REPORTED AT ADM.

Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	7129234	72.5 %
1	SUBSTANCE REPORTED	2700302	27.5 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

Location: 104-104 (width: 1; decimal: 0)
Variable Type: numeric

MARFLG: MARIJUANA/HASHISH REPORTED AT ADM.

Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	6102408	62.1 %
1	SUBSTANCE REPORTED	3727128	37.9 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Location: 105-105 (width: 1; decimal: 0)
Variable Type: numeric

HERFLG: HEROIN REPORTED AT ADM.

Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	8121156	82.6 %

Value	Label	Unweighted Frequency	%
1	SUBSTANCE REPORTED	1708380	17.4 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

Location: 106-106 (width: 1; decimal: 0)
Variable Type: numeric

METHFLG: NON-RX METHADONE REPORTED AT ADM.

Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	9765754	99.4 %
1	SUBSTANCE REPORTED	63782	0.6 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

Location: 107-107 (width: 1; decimal: 0)
Variable Type: numeric

OPSYNFLG: OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	8791330	89.4 %
1	SUBSTANCE REPORTED	1038206	10.6 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.11

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

Location: 108-108 (width: 1; decimal: 0)
Variable Type: numeric

PCPFLG: PCP REPORTED AT ADM.

Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	9781045	99.5 %
1	SUBSTANCE REPORTED	48491	0.5 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

Location: 109-109 (width: 1; decimal: 0)
Variable Type: numeric

HALLFLG: OTHER HALLUCINOGENS REPORTED AT ADM.

Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	9771459	99.4 %
1	SUBSTANCE REPORTED	58077	0.6 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

Location: 110-110 (width: 1; decimal: 0)
Variable Type: numeric

MTHAMFLG: METHAMPHETAMINE REPORTED AT ADM.

Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	8710200	88.6 %
1	SUBSTANCE REPORTED	1119336	11.4 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

Location: 111-111 (width: 1; decimal: 0)
Variable Type: numeric

AMPHFLG: OTHER AMPHETAMINES REPORTED AT ADM.

Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	9707609	98.8 %
1	SUBSTANCE REPORTED	121927	1.2 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

Location: 112-112 (width: 1; decimal: 0)
Variable Type: numeric

STIMFLG: OTHER STIMULANTS REPORTED AT ADM.

Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	9810913	99.8 %
1	SUBSTANCE REPORTED	18623	0.2 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

Location: 113-113 (width: 1; decimal: 0)
Variable Type: numeric

BENZFLG: BENZODIAZEPINES REPORTED AT ADM.

Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	9458973	96.2 %
1	SUBSTANCE REPORTED	370563	3.8 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

Location: 114-114 (width: 1; decimal: 0)
Variable Type: numeric

TRNQFLG: OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	9817863	99.9 %
1	SUBSTANCE REPORTED	11673	0.1 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.03

Location: 115-115 (width: 1; decimal: 0)
Variable Type: numeric

BARBFLG: BARBITURATES REPORTED AT ADM.

Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	9811556	99.8 %
1	SUBSTANCE REPORTED	17980	0.2 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

Location: 116-116 (width: 1; decimal: 0)
Variable Type: numeric

SEDHPFLG: OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	9754306	99.2 %
1	SUBSTANCE REPORTED	75230	0.8 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

Location: 117-117 (width: 1; decimal: 0)
Variable Type: numeric

INHFLG: INHALANTS REPORTED AT ADM.

Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	9811268	99.8 %
1	SUBSTANCE REPORTED	18268	0.2 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

Location: 118-118 (width: 1; decimal: 0)
Variable Type: numeric

OTCFLG: OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	9809544	99.8 %
1	SUBSTANCE REPORTED	19992	0.2 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

Location: 119-119 (width: 1; decimal: 0)
Variable Type: numeric

OTHERFLG: OTHER DRUG REPORTED AT ADM.

Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

Value	Label	Unweighted Frequency	%
0	SUBSTANCE NOT REPORTED	9571280	97.4 %
1	SUBSTANCE REPORTED	258256	2.6 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

ALCDRUG: SUBSTANCE ABUSE TYPE

Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

Value	Label	Unweighted Frequency	%
0	NONE	119391	1.2 %
1	ALCOHOL ONLY	2110833	21.5 %
2	OTHER DRUGS ONLY	3756137	38.2 %
3	ALCOHOL AND OTHER DRUGS	3843175	39.1 %
	Total	**9,829,536**	**100%**

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 2.15
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.79

Location: 121-122 (width: 2; decimal: 0)
Variable Type: numeric

DSMCRIT: DSM DIAGNOSIS

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

Value	Label	Unweighted Frequency	%
0	NO DIAGNOSIS	0	0.0 %
1	ALCOHOL-INDUCED DISORDER	44027	0.4 %
2	SUBSTANCE-INDUCED DISORDER	70849	0.7 %
3	ALCOHOL INTOXICATION	195663	2.0 %
4	ALCOHOL DEPENDENCE	874573	8.9 %
5	OPIOID DEPENDENCE	536916	5.5 %
6	COCAINE DEPENDENCE	325502	3.3 %
7	CANNABIS DEPENDENCE	340765	3.5 %
8	OTHER SUBSTANCE DEPENDENCE	362475	3.7 %

Value	Label	Unweighted Frequency	%
9	ALCOHOL ABUSE	309263	3.1 %
10	CANNABIS ABUSE	232154	2.4 %
11	OTHER SUBSTANCE ABUSE	42606	0.4 %
12	OPIOID ABUSE	21746	0.2 %
13	COCAINE ABUSE	63093	0.6 %
14	ANXIETY DISORDERS	9791	0.1 %
15	DEPRESSIVE DISORDERS	28952	0.3 %
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	10320	0.1 %
17	BIPOLAR DISORDERS	17024	0.2 %
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	6650	0.1 %
19	OTHER MENTAL HEALTH CONDITION	22168	0.2 %
20	OTHER CONDITION	54309	0.6 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	6260690	63.7 %
	Total	**9,829,536**	**100%**

Based upon 3,568,846 valid cases out of 9,829,536 total cases.

- Mean: 6.59
- Median: 6.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.41

Location: 123-124 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

PSYPROB: PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

Value	Label	Unweighted Frequency	%
1	YES	2026715	20.6 %
2	NO	5038586	51.3 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	2764235	28.1 %
	Total	**9,829,536**	**100%**

Based upon 7,065,301 valid cases out of 9,829,536 total cases.

- Mean: 1.71
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00

- Standard Deviation: 0.45

Location: 125-126 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

HLTHINS: HEALTH INSURANCE

Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

Value	Label	Unweighted Frequency	%
1	PRIVATE INSURANCE, BC/BS, HMO	496088	5.0 %
2	MEDICAID	839786	8.5 %
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	295582	3.0 %
4	NONE	2625768	26.7 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	5572312	56.7 %
	Total	**9,829,536**	**100%**

Based upon 4,257,224 valid cases out of 9,829,536 total cases.

- Mean: 3.19
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.12

Location: 127-128 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

PRIMPAY: EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

Value	Label	Unweighted Frequency	%
1	SELF-PAY	602176	6.1 %
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	165262	1.7 %
3	MEDICARE, WORKER'S COMPENSATION	20808	0.2 %
4	MEDICAID	471959	4.8 %
5	OTHER GOVERNMENT PAYMENTS	1186795	12.1 %

Value	Label	Unweighted Frequency	%
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	345547	3.5 %
9	OTHER	275973	2.8 %
	Missing Data		
-9	MISSING/UNKNOWN/NOT COLLECTED/INVALID	6761016	68.8 %
	Total	**9,829,536**	**100%**

Based upon 3,068,520 valid cases out of 9,829,536 total cases.

- Mean: 4.58
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 2.47

Location: 129-130 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

APPENDIX

APPENDIX A

TEDS-D Variable Information (Alphabetical Order)

Variable	Source[3]	Type	Len	Start	End	Label
AGE	MDS	Num	2	16	17	AGE (RECODED)
ALCDRUG	Added	Num	2	121	122	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	103	103	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	112	112	OTHER AMPHETAMINES REPORTED AT ADM.
ARRESTS	SuDs	Num	2	40	41	NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION
BARBFLG	Added	Num	1	116	116	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	114	114	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	11	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	44	48	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	104	104	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	61	63	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	71	72	DETAILED CRIMINAL JUSTICE REFERRAL
DETNLF	SuDS	Num	2	30	31	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DISYR	Added	Num	4	12	15	YEAR OF DISCHARGE
DIVISION	Added	Num	2	55	56	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	123	124	DSM DIAGNOSIS
EDUC	MDS	Num	2	26	27	EDUCATION
EMPLOY	MDS	Num	2	28	29	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	22	23	ETHNICITY (HISPANIC ORIGIN)

[3] MDS = Minimum Data Set SuDS = Supplemental Data Set Added = Variable Added to TEDS

Variable	Source[3]	Type	Len	Start	End	Label
FREQ1	MDS	Num	2	79	80	FREQUENCY OF USE (PRIMARY)
FREQ2	MDS	Num	2	87	88	FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num	2	95	96	FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num	2	81	82	AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num	2	89	90	AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num	2	97	98	AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num	2	18	19	SEX
HALLFLG	Added	Num	1	110	110	OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num	1	106	106	HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num	2	127	128	HEALTH INSURANCE
IDU	Added	Num	2	101	102	CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num	1	118	118	INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num	2	36	37	LIVING ARRANGEMENTS
LOS	DIS	Num	3	66	68	LENGTH OF STAY
MARFLG	Added	Num	1	105	105	MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num	2	24	25	MARITAL STATUS
METHFLG	Added	Num	1	107	107	NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num	2	59	60	MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num	1	111	111	METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num	2	73	74	NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num	2	99	100	NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num	1	108	108	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num	1	119	119	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Variable	Source[3]	Type	Len	Start	End	Label
OTHERFLG	Added	Num	1	120	120	OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num	1	109	109	PCP REPORTED AT ADM.
PMSA	Added	Num	4	49	52	FIPS 1990 MSA CODE
PREG	SuDS	Num	2	32	33	PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num	2	38	39	SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num	2	129	130	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num	2	69	70	PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num	2	125	126	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num	2	20	21	RACE
REASON	DIS	Num	2	64	65	REASON FOR DISCHARGE
REGION	Added	Num	2	53	54	CENSUS REGION
ROUTE1	MDS	Num	2	77	78	USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num	2	85	86	USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num	2	93	94	USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num	1	117	117	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETD	MDS	Num	2	57	58	SERVICE SETTING AT DISCHARGE
STFIPS	Added	Num	2	42	43	CENSUS STATE FIPS CODE
STIMFLG	Added	Num	1	113	113	OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num	2	75	76	SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num	2	83	84	SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num	2	91	92	SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num	1	115	115	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num	2	34	35	VETERAN STATUS

APPENDIX B

Variable Recode Table

Variable	Original Codes	Recodes
AGE Age (Recoded)	Continuous (12-99)	2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over
ARRESTS Number of Arrests Prior to Admission	Continuous (0-96)	0 None 1 Once 2 Two or More Times
MARSTAT Marital Status	1 Never Married 2 Now Married 3 Separated 4 Divorced 5 Widowed	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
EDUC Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes	Recodes
DETNLF Detailed 'Not in Labor' Force	1 Homemaker 2 Student 3 Retired 4 Disabled 5 Inmate of Institution 6 Other	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
PRIMINC Source of Income / Support	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension 4 Disability 20 Other 21 None	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
PMSA FIPS 1990 MSA Code **CBSA** FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: "UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID"
DETCRIM Detailed Criminal Justice Referral	1 State/Federal Court 2 Other Court 3 Probation/Parole 4 Other Recognized Legal Entity 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes	Recodes
HLTHINS Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) 2 Blue Cross / Blue Shield (BC/BS) (%) 3 Medicare 4 Medicaid 6 Health Maintenance Organization (HMO) 20 Other (e.g. TriCare, Champus) (%) 21 None	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
PRIMPAY Expected / Actual Primary Source of Payment	1 Self-Pay 2 Blue Cross / Blue Shield 3 Medicare 4 Medicaid 5 Other Government Payments 6 Worker's Compensation 7 Other Health Insurance Companies 8 No charge (Free, Charity, Special Research or Teaching) 9 Other	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
FRSTUSE1 Age at First Use (Primary) **FRSTUSE2** Age at First Use (Secondary) **FRSTUSE3** Age at First Use (Tertiary)	Continuous (0-99)	1 11 and Under 2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over

Variable	Original Codes	Recodes
REASON Reason for Discharge	1 Treatment Completed 2 Left Against Professional Advice 3 Terminated by Facility 4 Transferred to Another Treatment Program or Facility 5 Incarcerated 6 Death 7 Other 8 Unknown 14 Transferred to Another Treatment Program or Facility but did not Report	1 Treatment Completed 2 Left Against Professional Advice 3 Terminated by Facility 4 Transferred to Another Treatment Program or Facility 5 Incarcerated 6 Death 7 Other 8 Unknown
LOS Length of Stay (Days)	Continuous (0-3000)	1-30 (Continuous) 31 31 To 45 Days 32 46 To 60 Days 33 61 To 90 Days 34 91 To 120 Days 35 121 To 180 Days 36 181 To 365 Days 37 More Than a Year

Variable	Original Codes	Recodes
DSMCRIT DSM Diagnosis	0.00	0 No Diagnosis
	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenia / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
	999.97 – 999.99	-9 Missing

APPENDIX

APPENDIX A

TEDS-D Variable Information (Alphabetical Order)

Variable	Source[3]	Type	Len	Start	End	Label
AGE	MDS	Num	2	16	17	AGE (RECODED)
ALCDRUG	Added	Num	2	121	122	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	103	103	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	112	112	OTHER AMPHETAMINES REPORTED AT ADM.
ARRESTS	SuDs	Num	2	40	41	NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION
BARBFLG	Added	Num	1	116	116	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	114	114	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	11	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	44	48	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	104	104	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	61	63	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	71	72	DETAILED CRIMINAL JUSTICE REFERRAL
DETNLF	SuDS	Num	2	30	31	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DISYR	Added	Num	4	12	15	YEAR OF DISCHARGE
DIVISION	Added	Num	2	55	56	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	123	124	DSM DIAGNOSIS
EDUC	MDS	Num	2	26	27	EDUCATION
EMPLOY	MDS	Num	2	28	29	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	22	23	ETHNICITY (HISPANIC ORIGIN)

[3] MDS = Minimum Data Set SuDS = Supplemental Data Set Added = Variable Added to TEDS

Variable	Source[3]	Type	Len	Start	End	Label
FREQ1	MDS	Num	2	79	80	FREQUENCY OF USE (PRIMARY)
FREQ2	MDS	Num	2	87	88	FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num	2	95	96	FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num	2	81	82	AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num	2	89	90	AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num	2	97	98	AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num	2	18	19	SEX
HALLFLG	Added	Num	1	110	110	OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num	1	106	106	HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num	2	127	128	HEALTH INSURANCE
IDU	Added	Num	2	101	102	CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num	1	118	118	INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num	2	36	37	LIVING ARRANGEMENTS
LOS	DIS	Num	3	66	68	LENGTH OF STAY
MARFLG	Added	Num	1	105	105	MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num	2	24	25	MARITAL STATUS
METHFLG	Added	Num	1	107	107	NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num	2	59	60	MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num	1	111	111	METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num	2	73	74	NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num	2	99	100	NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num	1	108	108	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num	1	119	119	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Variable	Source[3]	Type	Len	Start	End	Label
OTHERFLG	Added	Num	1	120	120	OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num	1	109	109	PCP REPORTED AT ADM.
PMSA	Added	Num	4	49	52	FIPS 1990 MSA CODE
PREG	SuDS	Num	2	32	33	PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num	2	38	39	SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num	2	129	130	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num	2	69	70	PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num	2	125	126	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num	2	20	21	RACE
REASON	DIS	Num	2	64	65	REASON FOR DISCHARGE
REGION	Added	Num	2	53	54	CENSUS REGION
ROUTE1	MDS	Num	2	77	78	USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num	2	85	86	USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num	2	93	94	USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num	1	117	117	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETD	MDS	Num	2	57	58	SERVICE SETTING AT DISCHARGE
STFIPS	Added	Num	2	42	43	CENSUS STATE FIPS CODE
STIMFLG	Added	Num	1	113	113	OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num	2	75	76	SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num	2	83	84	SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num	2	91	92	SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num	1	115	115	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num	2	34	35	VETERAN STATUS

APPENDIX B

Variable Recode Table

Variable	Original Codes	Recodes
AGE Age (Recoded)	Continuous (12-99)	2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over
ARRESTS Number of Arrests Prior to Admission	Continuous (0-96)	0 None 1 Once 2 Two or More Times
MARSTAT Marital Status	1 Never Married 2 Now Married 3 Separated 4 Divorced 5 Widowed	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
EDUC Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes	Recodes
DETNLF Detailed 'Not in Labor' Force	1 Homemaker 2 Student 3 Retired 4 Disabled 5 Inmate of Institution 6 Other	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
PRIMINC Source of Income / Support	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension 4 Disability 20 Other 21 None	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
PMSA FIPS 1990 MSA Code **CBSA** FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: "UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID"
DETCRIM Detailed Criminal Justice Referral	1 State/Federal Court 2 Other Court 3 Probation/Parole 4 Other Recognized Legal Entity 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes	Recodes
HLTHINS Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) 2 Blue Cross / Blue Shield (BC/BS) (%) 3 Medicare 4 Medicaid 6 Health Maintenance Organization (HMO) 20 Other (e.g. TriCare, Champus) (%) 21 None	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
PRIMPAY Expected / Actual Primary Source of Payment	1 Self-Pay 2 Blue Cross / Blue Shield 3 Medicare 4 Medicaid 5 Other Government Payments 6 Worker's Compensation 7 Other Health Insurance Companies 8 No charge (Free, Charity, Special Research or Teaching) 9 Other	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
FRSTUSE1 Age at First Use (Primary) **FRSTUSE2** Age at First Use (Secondary) **FRSTUSE3** Age at First Use (Tertiary)	Continuous (0-99)	1 11 and Under 2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over

Variable	Original Codes	Recodes
REASON Reason for Discharge	1 Treatment Completed 2 Left Against Professional Advice 3 Terminated by Facility 4 Transferred to Another Treatment Program or Facility 5 Incarcerated 6 Death 7 Other 8 Unknown 14 Transferred to Another Treatment Program or Facility but did not Report	1 Treatment Completed 2 Left Against Professional Advice 3 Terminated by Facility 4 Transferred to Another Treatment Program or Facility 5 Incarcerated 6 Death 7 Other 8 Unknown
LOS Length of Stay (Days)	Continuous (0-3000)	1-30 (Continuous) 31 31 To 45 Days 32 46 To 60 Days 33 61 To 90 Days 34 91 To 120 Days 35 121 To 180 Days 36 181 To 365 Days 37 More Than a Year

Variable	Original Codes	Recodes
DSMCRIT DSM Diagnosis	0.00	0 No Diagnosis
	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenia / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
	999.97 – 999.99	-9 Missing